







Meet a new breed of compact 4WD

Be excited. Be very excited. The all-new CR-V is here. Available in three models, the CR-V, CR-V Sport and CR-V Luxury, this latest Honda dream car redefines what a compact 4WD can be. It's been completely redesigned to deliver a perfect blend of dynamic style,



drivability and functionality. A swag of new features includes a sleek, masculine exterior, a low centre of gravity, exceptional utility and a plush interior. It's responsive, fun to drive, functional and more stylish than ever. So it's perfect for any occasion. Wherever you want to go: the beach, an exclusive restaurant, a winding mountain road, the office or simply to the corner store, the new CR-V is never out of place. It lets you do what you want, when you want. When you're in one, the world is your playground.





FULLY FUNCTIONAL





Super Stylish




Head out in style

The new CR-V has been enhanced on all fronts. Inside and out it's undergone some edgy restyling giving it a sporty, progressive attitude. With its windshield thrust forward and its remodelled side windows, the new CR-V's exterior achieves sleek continuity from front to rear. The CR-V also boasts a new, integrated, double-layer front grille. Which, in combination with a chic new headlight design gives it a unique, eye-catching presence on any road.

The rear of the car has also had a makeover: the spare tyre has been removed from the tailgate, allowing a clean rear-door design. Meanwhile, the lower body has a masculine garnish on all sides. New 17" wheels, along with amply protruding front and rear fenders, enhance the car's aggressive, sporty image.

No matter what your destination, heads will definitely turn.





Inner cool

On the inside, the CR-V exudes style. Solidmoulded metal components provide a tough yet sophisticated finish. The chic instrument panel features two large gauges with self-illuminating, high-contrast displays for outstanding visibility. A large, centrally located LCD panel digitally displays engine coolant temperature and remaining fuel.

Stylish blue ambient LED lights throughout the cabin, with back-lit switches, create a cool ambience. The inner environment is further enhanced by standard inclusions like air conditioning, cruise control, power windows and steering wheel-mounted audio controls. The CR-V Sport and CR-V Luxury also boast dual zone climate control and an electric sunroof. While exclusive to the CR-V Luxury are quality leather[†] seats, a leather[†] steering wheel and heated front seats.

Meanwhile, for your listening pleasure, you'll find a single CD tuner with MP3 in the CR-V, and a 6 CD tuner with MP3 in the CR-V Sport and CR-V Luxury. To enhance your audio experience, the new CR-V's cabin is now super quiet, thanks to improved soundproofing and greater suppression of engine noise. What's more the CR-V boasts more room than ever. With extra front and rear leg room, occupant space now complements the already plentiful cargo space.










Get a handle on it

For a compact 4WD, the new CR-V has surprisingly sporty handling. By adjusting the engine position we succeeded in lowering the vehicle's centre of gravity by 35mm while maintaining a high driver viewpoint. Combine this with a wider stance, broader wheel treads and the use of high-tensile steel throughout the body and the result is dynamic sedan-style performance and stability with agile handling. Adding to this greater drivability are the newly-tuned suspension systems. These systems use high-compliance bushings and longer suspension stroke to improve riding comfort, steering ability and braking.

The CR-V's Real Time 4WD system delivers more torque to the rear wheels when required. What's more, the new CR-V gains Vehicle Stability Assist (VSA) in all models. The VSA system controls brake pressure and power delivered by the engine, thereby enhancing vehicle stability and providing greater driving control during acceleration, cornering and emergency manoeuvres. All models include standard front and side SRS airbags for the driver and front passenger, and curtain SRS airbags in the CR-V Sport and CR-V Luxury.







Full-on functionality

Have the best of both worlds. In the new CR-V, the comfort and performance of a passenger car meets the everyday practicality of a 4WD. Increased front and rear leg room is matched by improved utility. The CR-V has never been short on room. All models boast plenty of boot space, giving you the freedom to do whatever you desire. Whether you're moving furniture, carrying bicycles, lugging firewood or storing luggage, the new CR-V can accommodate any activity. The CR-V Sport and CR-V Luxury also feature a new removeable double-deck cargo shelf in the rear, for even more storage possibilities.

Plus, all automatic models feature a new main console box with a capacity of 6.5 litres (enough to accommodate 24 CDs!), and all models have two extra large cup holders, and a new console sub box with lid or tray to store frequently used items. The new CR-V is also easier to get in and out of, thanks to the lowered sill height, and larger rear passenger doors with wider door opening angle. And, on all models, the spare tyre has been relocated to under the floor. This enables the tailgate to open vertically, for improved functionality. The tailgate is also surprisingly light. With its improved utility, there are many ways to play in the new CR-V.

Play with power

If you're an energetic type, the new CR-V is for you. Featuring a formidable 2.4L DOHC i-VTEC engine, it delivers high levels of torque at all engine speeds. The freshly tuned engine has improved aspiration, with an increased maximum output of 125kW and maximum torque of 218Nm. Along with this, the CR-V has Drive By Wire throttle (DBW), which enables better communication between the engine and the transmission for a smoother drive. The CR-V also offers a new 6-speed manual transmission, or a 5-speed automatic transmission with Grade Logic Control. This unique system monitors throttle position, vehicle speed and acceleration/ deceleration to determine when climbing power or engine braking is needed. This prevents gear hunting and improves drivability and fuel economy.

The new CR-V is extremely manoeuvrable. With a turning circle of 11 metres at the wheel centre, it can easily get out of a tight situation. It's also got enough torque and pulling power to let you confidently haul a boat or trailer. In fact, both the manual and automatic can tow up to 1500kg⁺ (using a twin axle trailer with brakes). And while power has been enhanced, the new CR-V has maintained exceptional fuel efficiency, not to mention an eco-friendly attitude. Thanks to Honda's advanced Low Emission Vehicle (LEV) technology, engine efficiency is increased at every stage of the combustion process. Breathe easy!

[†]Conditions apply - refer to owners manua







Play safe

When it comes to protecting people inside and outside the car the new CR-V is equipped with the most advanced safety technology available. To help you steer clear of potential trouble Anti-lock Brakes (ABS) and Vehicle Stability Assist (VSA) are standard. The VSA system controls brake pressure and power delivered by the engine, thereby enhancing vehicle stability and providing greater driving control



during acceleration, cornering and emergency manoeuvres. An improved driving position along with strong, multi-reflector halogen headlights help you see everything ahead. Honda's exclusive G-Force Control (G-Con) technology enhances passenger protection. G-Con technology is tested for real life situations and works by dispersing energy away from passengers.

Built tough, the CR-V has an all-direction energy-absorbing body, which combines a rigid cabin with energy-absorbing front and rear structures. This results in an improved protection zone for occupants.

Driver and front passenger are further protected by front and side SRS airbags standard in all models. And in the CR-V Sport and CR-V Luxury curtain SRS airbags are also included. Plus, in all models you'll find three-point seatbelts in all seating positions. The front seats have pretensioner and load-limiter systems for additional safety. Meanwhile, the front bumper and bonnet are ergonomically designed to minimise injury to pedestrians in the event of a collision. A lower bumper beam and a wide frame also help lower the chance of riding up over a sedan in a collision. All of which confirms that the new CR-V is exceptionally safe to play in.



We care a lot

The new CR-V was built to be driven. That's why we put just as much work into providing the world's finest after-sales service. As a CR-V owner, you're entitled to access our after-sales website, HondaONE. This secure site offers you an up-to-date service history, personalised service reminders and vehicle maintenance tips. The people who look after you and your Honda are also constantly updating their knowledge to build on the factory training they all receive. That's why no one can service and tune your new CR-V as well as your Honda Dealership. They also stock a comprehensive inventory of Genuine Honda Parts and Accessories, so you'll never need to accept anything less. Regular maintenance of your new CR-V is of course recommended to ensure you can enjoy many years of driving pleasure and to maintain your vehicle's value. Our faith in the new CR-V's durability, quality and reliability is reflected in the 3-year/100,000 km warranty we are proud to offer with every Honda. This includes a 3-year surface corrosion warranty and a 6-year rust perforation warranty. Together, we can ensure you are as happy with your CR-V in years to come as you are on the day you drive it out of the showroom.




Come out and play

As a CR-V owner you're entitled to exclusive membership of Honda's Total Luxury Care Program, a 4-year subscription to Honda The Magazine and access to our reknowned after-sales website, HondaONE.

With so many fresh features and enhancements, the new CR-V really is in a league of its own. No other 4WD delivers such a perfect balance between dynamic style, sedan-like drivability and 4WD functionality. So get ready to make the world your playground.

SPEES




Variants	CR-V	CR-V SPORT	CR-V LUXURY
Powertrain			
Engine	Inline 4 cylinder	Inline 4 cylinder	Inline 4 cylinder
	DOHC i-VTEC with VTC	DOHC i-VTEC with VTC	DOHC i-VTEC with VTC
Capacity	2.4 litre - 2354 cc	2.4 litre - 2354 cc	2.4 litre - 2354 cc
Max power	125 kW @ 5800 rpm	125 kW @ 5800 rpm	125 kW @ 5800 rpm
Max torque	218 Nm @ 4200 rpm	218 Nm @ 4200 rpm	218 Nm @ 4200 rpm
Control system	Honda Programmed	Honda Programmed	Honda Programmed
	Fuel Injection (PGM-FI)	Fuel Injection (PGM-FI)	Fuel Injection (PGM-FI)
Emission system	Euro 4 / Low Emission Vehicle		Euro 4 / Low Emission Vehicle
Manual transmission Automatic transmission	6-speed 5-speed with	6-speed 5-speed with	6-speed 5-speed with
	Grade Logic Control	Grade Logic Control	Grade Logic Control
Real Time 4WD system	✓	1	✓
Fuel type	Unleaded 91 RON	Unleaded 91 RON	Unleaded 91 RON
Drive by wire throttle	✓	✓	✓
Chassis			
Body type	Monocoque	Monocoque	Monocoque
Front suspension	MacPherson Strut	MacPherson Strut	MacPherson Strut
Rear suspension	Multi-Link Double wishbone	Multi-Link Double wishbone	Multi-Link Double wishbone
Stabilizer bars	Front & rear	Front & rear	Front & rear
Power steering	1	1	✓
Wheel type	Steel	Alloy	Alloy
Spare wheel type	Full size steel	Full size alloy	Full size alloy
Front brakes	Vented disc	Vented disc	Vented disc
Rear brakes	Disc	Disc	Disc
Exterior			
Door Handles	Black	Body coloured	Body coloured
Front fog lights		1	1
Front wiper	2-speed & intermittent	Variable intermittent	Variable intermittent
Headlights	Halogen type	Halogen type	Halogen type
Keyless entry	✓	1	✓
Power door mirrors	Body coloured with indicator	Body coloured with indicator	Body coloured with indicator
Rear wiper	1	1	✓
Sunroof		Electric	Electric
Interior			
Accessory power outlet	1	1	1
Air conditioning	Manual	Dual Zone Climate Control	Dual Zone Climate Control
Cargo restraint hooks	✓	1	✓
Centre console	✓	1	✓
Central locking	1	✓	✓
Cruise control	1	✓	✓
Cup holders	4 x front / 4 x rear	4 x front / 4 x rear	4 x front / 4 x rear
Digital clock	In radio	In radio	In radio
Door pockets	Front & rear	Front & rear	Front & rear
Driver footrest	1	1	✓
Front seat - manual adjustment	Driver & passenger	Driver & passenger	Passenger
Front seat - power adjustment (8-way)			Driver
Rear seat - manual adjustment	1	✓	
Driver lumbar support		-	<u> </u>
Front seat armrests Front seat back pockets	/ /	<u></u>	<u> </u>
· · · · · · · · · · · · · · · · · · ·	V		
Upper & lower glove compartment Head restraints - front	Adjustable	Adjustable	Adjustable
Head restraints - rear	Adjustable (x3)	Adjustable (x3)	Adjustable (x3)
Interior illumination	Cargo area	Cargo area	Cargo area
Interior illumination	Courtesy light	Courtesy light	Courtesy light
Interior illumination	Map light	Map light	Map light
Lights-on warning	Audible	Audible	Audible
Luggage cover		✓ ✓	
Double deck cargo shelf		 ✓	· · · · · · · · · · · · · · · · · · ·
Driver's window	Auto up/down	Auto up/down	Auto up/down
Power windows	✓ ✓	✓ ✓	✓ ✓
Seats - front	Fully reclining	Fully reclining	Fully reclining
Heated front seats	-	-	✓
Seats - rear	40/20/40 split fold	40/20/40 split fold	40/20/40 split fold
Cloth trim	1	1	-
Leather trim [†]	=	=	✓
Seatbelt height adjuster	Front	Front	Front


Variants	CR-V	CR-V SPORT	CR-V LUXURY
Steering column	Tilt and telescopic adjustable	Tilt and telescopic adjustable	Tilt and telescopic adjustable
Steering wheel	Urethane	Urethane	Leather [†] covered
Sunglasses box (at roof console)	orotilario		
achometer		V	V
	· · · · · · · · · · · · · · · · · · ·	•	
rip computer	1	✓	✓
Dutside temperature display	1	1	1
anity mirrors Vindows	Driver & front passenger Heat absorbing	Driver & front passenger Heat absorbing	Driver & front passenger Heat absorbing
Safety Features	0		
ctive head rest	Driver & front passenger	Driver & front passenger	Driver & front passenger
irbag SRS - Front	Driver & passenger	Driver & passenger	Driver & passenger
· · · ·			
irbag SRS - Side with OPDS	Driver & front passenger	Driver & front passenger	Driver & front passenger
irbag SRS - Curtain	-	Front & rear	Front & rear
nti-lock Brakes (ABS)	✓	✓	1
lectronic Brake Distribution (EBD)	1	\checkmark	1
rake Assist (BA)	✓	✓	1
ehicle Stability Assist (VSA) with Traction Control (TCS)	1	✓	✓
child safety seat anchorages	 x3	x3	x3
Convex door mirror	Driver & front passenger		
		Driver & front passenger	Driver & front passenger
ront windscreen	Laminated	Laminated	Laminated
uel tank roll over valve	1	✓	1
londa G-Con technology	✓	✓	✓
nmobiliser system	1	✓	1
rogressive crumple zones	Front & rear	Front & rear	Front & rear
ear view mirror	Day / night type	Day / night type	Day / night type
Conversation mirror	Day / hight type		
	-		
eat belt and buckle pretensioners	Driver & front passenger	Driver & front passenger	Driver & front passenger
eat belt reminder	Driver	Driver	Driver
eat belt webbing clamps	1	\checkmark	1
ieat belts - front - 3 point ELR	✓	✓	✓
Seat belts - rear - 3 point ELR/ALR	1	✓	✓
lear parking sensors			1
Security alarm system			
Steering column	Energy absorbing type	Energy absorbing type	Energy absorbing type
ransmission shiftlock	Auto only	Auto only	Auto only
Dimensions			
	4500	4500	4500
	4520 mm	4520 mm	4520 mm
	4520 mm 1820 mm	4520 mm 1820 mm	1820 mm
/idth			
/idth leight	1820 mm	1820 mm	1820 mm
/idth leight /heelbase	1820 mm 1680 mm	1820 mm 1680 mm 2620 mm	1820 mm 1680 mm 2620 mm
/idth leight /heelbase iround clearance - unladen	1820 mm 1680 mm 2620 mm 185 mm	1820 mm 1680 mm 2620 mm 185 mm	1820 mm 1680 mm 2620 mm 185 mm
Vidth leight Vheelbase àround clearance - unladen Veight - tare man	1820 mm 1680 mm 2620 mm 185 mm 1570 kg	1820 mm 1680 mm 2620 mm 185 mm 1580 kg	1820 mm 1680 mm 2620 mm 185 mm 1590 kg
/idth leight /heelbase iround clearance - unladen /eight - tare man auto	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg
Vidth leight Vheelbase Jaound clearance - unladen Veight - tare man auto urning circle	1820 mm 1680 mm 2620 mm 185 mm 1570 kg	1820 mm 1680 mm 2620 mm 185 mm 1580 kg	1820 mm 1680 mm 2620 mm 185 mm 1590 kg
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 1611 m	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km)	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 1611 m	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m
/idth leight /heelbase iround clearance - unladen /leight - tare man auto urning circle uel economy tombined (Litres / 100km) uel tank capacity	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto
/idth leight /heelbase /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size /re size	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size yre size faximum towing capacity	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size rre size faximum towing capacity twin axle trailer with brakes	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size //re size faximum towing capacity twin axle trailer with brakes twin axle trailer without brakes	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size //re size faximum towing capacity twin axle trailer with brakes twin axle trailer without brakes	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 150kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto
Vidth leight Vheelbase Sround clearance - unladen Veight - tare man auto urning circle uel economy Combined (Litres / 100km) uel tank capacity Vheel size yre size Maximum towing capacity twin axle trailer with brakes twin axle trailer without brakes owing downforce	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size /re size faximum towing capacity twin axle trailer with brakes twin axle trailer without brakes owing downforce eating capacity	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 150kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy /ombined (Litres / 100km) uel tank capacity /heel size /re size faximum towing capacity twin axle trailer with brakes twin axle trailer without brakes owing downforce eating capacity	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto
/idth leight /heelbase around clearance - unladen //eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size /re size laximum towing capacity twin axle trailer with brakes twin axle trailer with brakes twin axle trailer without brakes owing downforce eating capacity tudio M/FM radio, single CD tuner	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 150kg man / auto	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5
/idth leight /heelbase iround clearance - unladen /leight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size /re size faximum towing capacity twin axle trailer with brakes twin axle trailer with brakes twin axle trailer with out brakes bowing downforce eating capacity xudio M/FM radio, single CD tuner M/FM radio, 6 CD tuner	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 ✓ 	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5 - -	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - -
/idth leight /heelbase iround clearance - unladen /eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity /heel size yre size faximum towing capacity /twin axle trailer with brakes twin axle trailer without brakes twin axle trailer without brakes owing downforce eating capacity xudio M/FM radio, single CD tuner M/FM radio, 6 CD tuner uxiliary jack	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 √ - √	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - - ✓
/idth leight //heelbase iround clearance - unladen //eight - tare man auto urning circle uel economy tombined (Litres / 100km) uel tank capacity //heel size //heel size //hee	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 × 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 55 ✓ – ✓	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5 - -	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - -
Vidth leight Vheelbase Sround clearance - unladen Veight - tare man auto urning circle uel economy Sombined (Litres / 100km) uel tank capacity Vheel size yre size Maximum towing capacity twin axle trailer with brakes twin axle trailer without brakes twin axle trailer without brakes twin axle trailer without brakes boving downforce teating capacity Vudio M/FM radio, single CD tuner M/FM radio, 6 CD tuner uxiliary jack IP3/WMA CD playback capability	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 √ - √	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - - ✓
/idth leight //heelbase iround clearance - unladen //eight - tare man auto urning circle uel economy tombined (Litres / 100km) uel tank capacity //heel size //heel size //hee	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 × 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5 √ - √	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 × 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5 - √ ✓ ✓
Vidth leight Vheelbase around clearance - unladen Veight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity Vheel size yre size Maximum towing capacity twin axle trailer with brakes twin axle trailer with brakes twin axle trailer without brakes twin axle traile	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5 5 ✓ ✓ ✓ ✓ ✓	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5
Vidth leight Vheelbase around clearance - unladen Veight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity Vheel size yre size faximum towing capacity twin axle trailer with brakes twin axle trailer without brakes twin axle tra	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 ✓	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓
Vidth leight leight Vheelbase around clearance - unladen Veight - tare man auto iuming circle iuel economy combined (Litres / 100km) iuel tank capacity Vheel size yre size Aaximum towing capacity twin axle trailer with brakes twin axle trailer with out brakes twin axle trailer with out brakes twin axle trailer without brakes twin generity Audio M/FM radio, single CD tuner uxiliary jack MP3/WMA CD playback capability speed-sensitive volume control (SVC) teering wheel mounted audio controls iront speakers iront tweeters	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 ✓	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓
auto furning circle Tuel economy Combined (Litres / 100km) Fuel tank capacity Wheel size Syre size Maximum towing capacity twin axle trailer with brakes twin axle trailer without brakes Towing downforce Seating capacity Audio AM/FM radio, single CD tuner Auxiliary jack MP3/WMA CD playback capability Speed-sensitive volume control (SVC) Steering wheel mounted audio controls Front speakers Front tweeters Rear speakers	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 ✓	1820 mm 1680 mm 2620 mm 185 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ×2 ×2 ×2 ×2	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ × 2 × 2 × 2 × 2 × 2
/idth leight //heelbase iround clearance - unladen //eight - tare man auto urning circle uel economy combined (Litres / 100km) uel tank capacity //heel size //re size faximum towing capacity twin axle trailer with brakes twin axle trailer with brakes twin axle trailer with brakes twin axle trailer with brakes twin axle trailer with out brakes owing downforce eating capacity xudio M/FM radio, single CD tuner M/FM radio, 6 CD tuner M/FM radio, 6 CD tuner uxiliary jack IP3/WMA CD playback capability peed-sensitive volume control (SVC) teering wheel mounted audio controls ront speakers ront tweeters	1820 mm 1680 mm 2620 mm 185 mm 1570 kg 1600 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 ✓	1820 mm 1680 mm 2620 mm 185 mm 1580 kg 1610 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 150kg man / auto 5 - ✓	1820 mm 1680 mm 2620 mm 185 mm 1590 kg 1620 kg 11 m 10.0 man / 10.0 auto 58 litres 17 x 6.5 J 225/65 R17 102T 1500kg man / auto 600kg man / auto 5 - - - - - - - - - - - - -


Accessories

The all-new CR-V has a stunning range of exterior and interior options. From body kits to interior trim kits, you can enhance the sophistication, elegance and practicality of the CR-V to create your own personal pleasure machine. See below for just a selection of what's available to set your own style and let everyone know that the world is your playground. Ask your Dealer for a copy of the Accessories Brochure for the full list of available features.











Colours

CR-V CR-V SPORT CR-V LUXURY

Exterior	Interior
Nighthawk Black Pearl	Black or Ivory
Exterior	Interior
Taffeta White	lvory
Exterior	Interior
Satellite Mist Metallic	lvory
Exterior	Interior
Royal Ruby Red Pearl	Black
Exterior	Interior
Alabaster Silver Metallic	Black
Exterior	Interior
Sparkle Grey Pearl	Black

*Metallic/Pearlescent paint is an additional cost.





Colours

Sculpture on cover: Origin 1999 by Greg Johns Australian Art Resources www.artresources.com.au Phone: 03 9699 8600



Honda Australia Pty. Ltd. ACN 004 759 611 ABN 66 004 759 611 95 Sharps Road, Tullamarine, Victoria, 3043. Freecall 1800 804 954 honda.com.au

The fuel consumption figures quoted in this brochure are based on ADR81/01 test results. You may experience different results depending on driving conditions and the condition of the vehicle. The specifications and major features listed herein are accurate as at the time of printing (March 2007/07 YM). However, Honda Australia Pty. Ltd. reserves the right to change or modify specifications and major features at any time without prior notice. Due to ordering, shipping and freight factors, some colour and model availabilities may vary from time to time. Check with your Honda Dealer for current information on availability. Only Genuine Honda Accessories are made to fit Honda vehicles. For a Genuine Honda Accessory brochure contact your Honda Dealer or Honda Australia on 1800 804 954. CR-V Luxury model shown on cover.

A Printed on recycled paper