






# Today we train our luxury limousines – so that they continue this tradition.

History was made in October 1937. The Auto Union streamlined
Model C was the first vehicle to top 400 km/h in road driving.
The secret behind this exceptional performance was the special design: the streamlined car combined high-performance engine technology with a lightweight aluminium structure and an aero-dynamic shape. A successful combination that Audi has adopted as a principle: performance is improved not by mere increases in

engine capacity but by the optimum co-ordination of all the car components. Audi has applied this principle of intelligent power not only to its sports cars but also to a luxury limousine. Join us on an unusual training drive in the Audi S8.





The heart of a competitive sportsman beats in the Audi S8: the first 10-cylinder engine with direct petrol injection. Its throaty sound reveals before it has even started what power is at your command.

This power and dynamic performance are allied in absolute harmony with the maximum of comfort that can be expected in a luxury limousine. The 5.2-litre engine and the 10 cylinders with four valves each gurantee an extremely smooth ride. The compact design and

lightweight structure of the aluminium-alloy engine save weight and – in combination with the FSI® technology used in motorsport – fuel as well.


The highly efficient FSI® injection process was taken over from the legendary Audi R8, which crossed the finishing line first for the fifth time in six years in the 2005 Le Mans 24 Hours race.













need to be able to vary your pace during the race.

Applied to road training, this means: driving at high speed for as long as possible on the straights, then braking hard into the corner at exactly the right fro

To finish in the lead, you

moment and subsequently accelerating powerfully out of it again. This is how the Audi S8 saves the seconds that may prove to be crucial at the finishing line. What it needs to do this is a brake system that stops

its awe-inspiring 331 kW at precisely the right time: the 18-inch highperformance brake system which guarantees excellent deceleration even when put to a gruelling test.


gh S8. It performs convincingly at high temperatures and under demanding braking conditions too by providing outstanding deceleration. The brake system saves weight as well, which helps to make the car even more dynamic to drive. The brake discs are produced from carbon fibre-reinforced ceramic material and make a strong visual impression too thanks to the surface that is typical of ceramic brakes, the perforated brake discs, the anthracite-coloured calliper brakes and the "Audi ceramic" logo on the front calliper brakes.





# Inlays









# Audi exclusive

Audi exclusive inlays, 7 woods and 3 woods with intarsia inlays. From quattro GmbH

# Wheels/tyres



Cast aluminium wheels, 5-parallel-spoke S design, size 9 J x 20 with 265/35 R 20 tyres



Audi exclusive forged aluminium wheels, 9-spoke design¹, polished, two-tone, size 9 J x 20 with 275/35 R 20 tyres. From quattro GmbH



Audi exclusive forged aluminium wheels, 9-spoke design¹, high-gloss polished finish, single colour, size 9 J x 20 with 275/35 R 20 tyres. From quattro GmbH



Audi exclusive forged aluminium wheels, 7 double-spoke design¹, polished, two-tone, size 9 J x 20 with 275/35 R 20 tyres. From quattro GmbH



Audi exclusive forged aluminium wheels, 7-double-spoke design¹, high-gloss polished finish, single colour, size 9 J x 20 with 275/35 R 20 tyres. From quattro GmbH



Winter wheels, 5-parallel-spoke S design, size 9 J x 20 with 265/35 R 20 tyres, permissible top speed 240 km/h; cannot be fitted with snow chains



Winter wheels, 16-spoke design, size 8 J x 19 with 235/45 R 19 tyres, permissible top speed 210 km/h; can be fitted with snow chains

# Note:

<sup>1</sup> Includes space-saving spare wheel.

# quipment

# **Paints**

### Metallic/pearl effect paints

Audi exclusive individual paints, individual choice of colour. From quattro GmbH

# Exterior equipment

Roof systems, closing systems, glazing, further exterior equipment

### Roof systems

Glass tilt/slide sunroof with tinted single-glazed safety glass and infinitely adjustable sun shield; electrically extending wind deflector (speed-dependent), automatic pre-selection for desired sunroof position; convenience closing from outside via the central locking system and the remote control

**Solar tilt/slide sunroof,** a continuous air flow reduces the interior temperature of the parked car; operated like the glass tilt/sliding sunroof (but has no infinitely adjustable sun shield)

# Closing systems

Anti-theft alarm system, monitors the doors, bonnet and tailgate and the interior; includes electronic immobiliser, ultrasonic interior monitoring (can be deactivated) and back-up horn independent of the vehicle electrical system; incorporated into engine control unit; automatically activated by the vehicle key

Anti-theft alarm system with tow-away protection, same functionality as anti-theft alarm system; includes tow-away protection via angle of inclination sensor (can be deactivated)

**Pre-installation fitting for vehicle tracking system,** interface for connecting a vehicle tracking system that quickly and reliably locates the vehicle in the event of it being stolen

Garage door opener (HomeLink), programmable radio-operated remote control, operating buttons incorporated in the front roof module; can be used to open garage doors and exterior gates; allows control of security and lighting systems (for more information on all compatible manual transmitters, please contact your Audi partner)

Tailgate, electrically opening and closing; opened via button on vehicle key, button in the driver's door trim or soft touch button in the tailgate handle recess, closed via button on inside of tailgate

Comfort key, access and drive-away authorisation system: the key only needs to be carried with you, the engine is switched on and off via the start/stop button on the centre console, the vehicle is locked from outside via buttons on all door handles

### Engine start button, in the centre console

one-touch memory, Audi personalisation system; identification field incorporated into the start button, identifies the driver by his fingerprint and retrieves his personal settings, stored in the MMI, for the deluxe <u>automatic air-conditioner</u>, seat, steering column and radio

Power-assisted tailgate closing, automatically pulls a tailgate that is not completely engaged into the lock

Power-assisted closing for the doors, automatically pulls doors that are not completely engaged into the lock

Door handles with aluminium finish trim

### Glazing

**Double glazing,** two panes joined together by a plastic film; improves exterior noise insulation and increases theft protection

Insulating glass, two panes joined together by a plastic film; improves exterior noise insulation and increases theft protection; with additional reflective coating to reduce interior heat build-up

Insulating glass with windscreen heater, full-surface heating of the windscreen without distracting heating wires, automatic control of the heating via the deluxe automatic air conditioner; makes rapid defrosting easier and ensures that the windscreen stays mist-free

Privacy glass, dark-tinted rear window, rear door windows and rear side windows

Sunblinds, protect the rear passengers from direct sunlight

electrically operated for the rear windscreen

electrically operated for the rear windscreen and manually operated for the rear side windows
electrically operated for the rear windscreen and the rear side windows; electrically operated also via roof
module in rear

# Further exterior equipment

Trailer towing hitch, removable and lockable, the 13-pin socket can be swivelled out of sight behind the bumper skirt; when removed, the towing device can be stored in the spare wheel well

Exhaust tailpipes, dual-branch twin tailpipes, oval-shaped, chrome look

Rear spoiler, body-coloured, incorporated into body

Radiator grille, in Platinum Grey, with twin aluminium look vertical struts

**S8 logo**, in radiator grille, on the tailgate, on the door sill strips, on the front brake callipers, on the leather sports steering wheel and in the rev counter

V10 logo, on the front wing

Bumpers, body-coloured, S styling front and rear

### Wheels/tyres

Cast aluminium wheels, 5-parallel-spoke S design, size 9J x 20 with 265/35 R 20 tyres

Audi exclusive forged aluminium wheels, 9-spoke design, polished, two-tone,

size 9 J x 20 with 275/35 R 20 tyres, (including space-saving spare wheel). From quattro GmbH

Audi exclusive forged aluminium wheels, 9-spoke design, high-gloss polished-finish, single colour,

size 9 J x 20 with 275/35 R 20 tyres (including space-saving spare wheel). From quattro GmbH

Audi exclusive forged aluminium wheels, 7-double-spoke design, polished, two-tone, size 9 J x 20 with 275/35 R 20 tyres, (including space-saving spare wheel). From quattro GmbH

Please find out from your local Audi partner which equipment is standard and what optional equipment is available in your country.

/ Equipment

# 

/ 42 // 43

### Seat

Audi exclusive forged aluminium wheels, 7-double-spoke design, high-gloss polished-finish, single colour,

Tyre pressure monitoring system, during a journey monitors the set tyre pressures, including on spare wheel;

adaptive light with LED daytime running lights, consisting of turning light and dynamic cornering light, inclu-

ding Xenon plus; the turning light automatically switches on when the indicators have been engaged for a while

and illuminates the new driving direction; the dynamic cornering light identifies the course of the road from the

movement of the steering wheel and dynamically illuminates bends by means of swivel headlights; additional

Interior and exterior lighting package, interior: LED technology for door pockets, footwells and inside door

Headlight cleaning system, uses water and high pressure - for excellent illumination and improved visibility

Xenon plus, headlights with gas discharge technology for dipped and main beam, includes headlight cleaning

system and dynamic headlight range control; for intensive illumination of the road, both close-up and in the

Exterior mirrors with aluminium look, automatically dimming and electrically folding on both sides, aspheri-

Interior mirror, automatically dimming, a photocell detects if headlights of vehicle behind are too bright and

lighting profiles can be configured via the MMI; exterior: courtesy lighting below the exterior mirrors and LED

handles, door trims indirectly illuminated, reading lights integrated into the rear roof module; various

door handle lighting to make getting in and out of the vehicle much easier in the dark; automatically

also works with factory-fitted winter wheels; air pressures and wheel temperatures can be displayed in the MMI

size 9 J x 20 with 275/35 R 20 tyres (including space-saving spare wheel). From quattro GmbH

Winter wheels, 5-parallel-spoke S design, size 9 J x 20 with 265/35 R 20 tyres,

Wheel bolts with anti-theft locks, can only be loosened using adapter provided

5 LEDs in each inner headlight tube for daylight running light or position light function

activated when unlocking and opening the doors; includes active door reflectors

Front fog lights, incorporated into the front apron, rectangular with chrome trim

permissible top speed 240 km/h; cannot be fitted with snow chains

permissible top speed 210 km/h; can be fitted with snow chains

Tyre repair kit, with 12V compressor and tyre sealant

Spare wheel, space-saving (no-cost option)

distance, in a colour resembling daylight

automatically dims the mirror

cal, with memory function and integral LED indicator

Lights and mirrors

Lights, mirrors

Winter wheels, 16-spoke design, size 8 J x 19 with 235/45 R 19 tyres,

Seats, seating comfort, seat covers/leather packages

### Seats

Sports seats with memory function, pronounced side bolsters and comfort head restraints for the front seats; electrical adjustment of fore/aft position, seat height, seat and backrest angle, upper backrest, thigh support, lumbar support, head restraint and belt height and steering wheel; memory function for driver and front-passenger seats; steering wheel, left and right exterior mirrors, front head restraints and belt height. (Can only be ordered with Valcona leather, Natural leather or Alcantara/Leather)

Comfort seats with memory function, with softer upholstery and front comfort head restraints; electric adjustment and memory function same as sports seats with memory function

Individual rear seats, electrically adjustable, including automatic exit assistance, selectable via MMI. (Only in conjunction with comfort seats)

### Seating comfort

Fore/aft position of front-passenger seat electrically adjustable from the rear, allows additional legroom for the rear passenger behind the front passenger seat

Comfort head restraints in the rear, flexible side bolsters ensure good lateral support and more comfort; the side bolsters are manually adjustable individually

Comfort centre armrest at front, split for driver and front passenger, with fold-open storage compartments, adjustable angle

Lumbar support for driver and front-passenger seats, with electric horizontal and vertical adjustment

Lumbar support for the outer rear seats, with electric horizontal and vertical adjustment

Massage function for driver and front passenger seats, also for the outer rear seats if required; massages and relaxes the back muscles by moving the electric lumbar support. (Can only be ordered in conjunction with comfort seats and seat air conditioning)

Centre armrest at front for the driver and front passenger, one-piece folding design

Rest cushions, single or pair, in leather, for attaching to the rear head restraints; coordinated with the selected interior colour

Audi exclusive rest cushions, in leather or Alcantara. From quattro GmbH

**Seat heating** for driver and front-passenger seats and for the outer rear seats, heats the seat cushions, seat bolsters and backrests and is individually adjustable in 6 stages for each seat

Seat air conditioning at front, includes seat heating; ventilation of the seat centre panel of the two front seats for a pleasant seating climate, even when the outside temperature is high. (Can only be ordered in conjunction with comfort seats, perforated Valcona leather or Natural leather and massage function)

Seat air conditioning at front and rear, includes seat heating, ventilation of the seat centre panel of the two front seats and outer rear seats. (Can only be ordered in conjunction with comfort seats, perforated Valcona leather or Natural leather, massage function, individual seats in the rear and four-zone deluxe automatic air conditioner)

# Model S8 5.2 FSI quattro

Engine type	V10 petrol engine with direct fuel injection
Displacement in cc (valves per cylinder)	5204 (4)
Max. output <sup>1</sup> in kW at rpm	331/7000
Max. torque in Nm at rpm	540/3500

# Power transmission/wheels

Type of drive	quattro® permanent all-wheel drive
Transmission	6-speed tiptronic
Wheels	Cast aluminium wheels, 9 J x 20
Tyres	265/35 R 20

# Weights/capacities

Unladen weight² in kg		1940
Gross vehicle weight in kg		2540
Roof load/trailer nose weight in kg		100/95
Trailer load limit <sup>3</sup> in kg	unbraked	750
	12% gradient	2300
	8% gradient	2300
Fuel tank capacity, approx. in I		90

# Performance/consumption4

	250
	5.1
	SuperPlus unleaded 98 RON <sup>6</sup>
urban	19.5
extra-urban	9.5
combined	13.2
urban	464
extra-urban	226
combined	314
	EU4
	extra-urban combined urban extra-urban

### Notes


- The figure given was calculated using the specified measuring procedure (current applicable version of Directive 80/1269/EEC).
- Weight of car, unladen, without driver (calculated in accordance with the current applicable version of Directive 92/21/EEC). Optional equipment may increase the car's unladen weight and its drag coefficient, whereupon the possible payload limit and top speed will be reduced accordingly.
- The engine's power output always goes down with increasing altitude. At 1,000 m above sea level, and for every additional 1,000 m, deduct 10% from the weight of the outfit (trailer load limit + gross weight of the towing vehicle).
- <sup>4</sup> A vehicle's fuel consumption and CO<sub>2</sub> emissions do not just depend on how efficiently the vehicle uses fuel, but are also influenced by driving behaviour and other non-technical factors. CO<sub>2</sub> is the greenhouse gas primarily responsible for global warming
- 5 Regulated.
- We recommend using SuperPlus unleaded (98 RON). If this is not available use super unleaded (95 RON); power output will be slightly reduced.
- <sup>7</sup> The figures given were calculated using the specified measuring procedure (current applicable version of Directive 80/1268/EEC). The figures do not refer to one individual vehicle and do not form part of an offer, but rather should be used purely for purposes of comparison between the different vehicle models.


### Important note


Inspections are due as shown by the service display.


/ Technical data, dimensions / 48 // 49 /

# Audi S8









# Dimensions in millimetres.

Dimensions were measured with vehicle at unladen weight, ground clearance measured with vehicle carrying its maximum load. Luggage compartment volume in I: 500 (measured by the VDA test method using 200 x 100 x 50 mm blocks). Turning circle approx. 12.1 m

\*Maximum headroom.

# Vorsprung durch Technik www.audi.com.au

The models and equipment versions illustrated and described in this brochure and some services listed are not available in all countries. Some of the cars illustrated are equipped with optional equipment for which an extra charge is made. Details concerning the delivery specifications, appearance, performance, dimensions and weights, fuel consumption and running costs of the vehicle were correct to the best of our knowledge at the time of going to press. There may be some variations between the Australian vehicle specifications and those manufactured for other markets. Please speak to your Audi Dealer should you have any questions. Deviations from the colours and shapes shown in the illustrations may occur. No liability is accepted for errors and printing errors. The right to introduce modifications is reserved. Not to be reproduced, including in part, without the written approval of Audi AG.

Valid from August 2008
Printed in Germany