




Audi A5 Cabriolet





Until now, you looked at a vehicle.
Now you enjoy it.

The fuel consumption and CO₂ emissions figures can be found on page 56.






Driving pleasure

18
19

Until now, you opened a hood.
Now you open a new horizon.



„Above you the endless sky. The sun warming your skin. The wind rustling your hair. Time loses its significance as the skyline of the city



passes by and you move on to pastures new. A journey with the Audi A5 Cabriolet embodies the purest type of driving fun. The classic fabric hood represents a large portion of that fun. Ultimately, it shapes the car's special character. At the same time it is characterised by a high degree of comfort and well thought-out details. So it only takes 15 seconds until the fully automatic hood makes room for summer freshness. And only slightly longer to close when needed. You need not interrupt your discovery trip to do so: Up to a speed of 50 km/h the hood can be operated while driving. Only the optional acoustic hood is even more impressive. In closed condition it reduces noise so effectively that you can fully concentrate on your driving experience.



_In the cockpit the sun's coming up.

Superior quality materials create a sovereign atmosphere and emphasise the high processing quality. Each detail is ergonomic and precisely tailored to the driver. Such as the optional Audi Multi Media Interface. It enables navigation by means of 3D maps shown on the high-resolution display. At the same time, music and video files can be played with excellent tone and picture quality. Just in case you want to enjoy more than the wind in your hair and the countryside.





Audi A5 Cabriolet in Aurum Beige, metallic with cast aluminium wheels in 15-spoke star design. Front sports seats, upholstery and trim in black Fine Nappa leather, black dashboard, Aluminium hologram inlays, MMI Navigation plus with DVD player and Bang & Olufsen Sound System.

Audi A5 in Teak Brown, metallic with cast aluminium wheels in 5-arm Y-design. Climate-controlled comfort seats at front, Milano leather upholstery and trim in cardamom beige, dashboard in taupe beige/tan beige, inlays in Laurel nutmeg, symphony radio and Bang & Olufsen Sound System.



Wheels/tyres



Lightweight forged aluminium wheels,
6-arm design,
size 7.5 J x 17 with 225/50 R 17 tyres



Cast aluminium wheels,
6-spoke parabola design¹,
size 8 J x 17 with 245/45 R 17 tyres



Cast aluminium wheels,
7-arm design,
size 7.5 J x 17 with 225/50 R 17 tyres



Cast aluminium wheels,
15-spoke star design,
size 8.5 J x 18 with 245/40 R 18 tyres



Cast aluminium wheels,
7-arm parabolic design,
size 7.5 J x 17 with 225/50 R 17 tyres



Cast aluminium wheels,
5-arm Y design,
size 8.5 J x 19 with 255/35 R 19 tyres

Wheels/tyres Audi exclusive



Audi exclusive cast aluminium wheels,
5-spoke design,
size 8.5 J x 18 with 245/40 R 18 tyres.
From quattro GmbH



Audi exclusive cast aluminium wheels,
20-spoke design, two-piece,
size 9 J x 19 with 255/35 R 19 tyres.
From quattro GmbH



Audi exclusive cast aluminium wheels,
10-spoke design,
size 8.5 J x 18 with 245/40 R 18 tyres.
From quattro GmbH



Audi exclusive cast aluminium wheels,
7-double-spoke design,
size 9 J x 20 with 265/30 R 20 tyres.
From quattro GmbH



Audi exclusive cast aluminium wheels,
5-segment spoke design,
size 9 J x 19 with 255/35 R 19 tyres.
From quattro GmbH

Winter wheels/tyres



Lightweight forged aluminium winter wheels,
6-arm design¹,
size 7.5 J x 17 with 225/50 R 17 tyres,
can be fitted with snow chains



Cast aluminium winter wheels,
15-spoke star design,
size 8.5 J x 18 with 245/40 R 18 tyres, cannot be
fitted with snow chains

Model	A5 Cabriolet 2.0 TFSI	A5 Cabriolet 3.2 FSI	A5 Cabriolet 3.0 TDI quattro with diesel particulate filter
Engine type	4-cylinder inline petrol engine with direct fuel injection, exhaust gas turbocharging and Audi valvelift system	V6 petrol engine with direct fuel injection and Audi valvelift system	V6 diesel engine with common rail injection system and exhaust gas turbocharging
Displacement in cc (valves per cylinder)	1984 (4)	3197 (4)	2967 (4)
Max. output¹ in kW at rpm	155/4300–6000	195/6500	176/4000-4400
Max. torque in Nm at rpm	350/1500–4200	330/3000-5000	500/1500–3000

Power transmission/wheels

Type of drive	Front-wheel drive	Front-wheel drive	quattro® permanent all-wheel drive
Transmission	6-speed manual transmission	[multitronic®]	[S tronic]
Wheels	Lightweight forged aluminium wheels 7.5 J x 17	Lightweight forged aluminium wheels 7.5 J x 17	Lightweight forged aluminium wheels 7.5 J x 17
Tyres	225/50 R 17	225/50 R 17	225/50 R 17

Weights/capacities

Unladen weight² in kg	1630	[1710]	[1860]
Gross vehicle weight in kg	2130	[2210]	[2360]
Roof load/trailer nose weight in kg	80	80	80
Trailer load limit³ in kg	unbraked 750 12% gradient 1500 8% gradient 1700	[750] [1700] [1800]	[750] [1900] [2100]
Fuel tank capacity, approx. in l	65	65	64

Performance/consumption⁴

Top speed in km/h	241	[246]	[247]
Acceleration 0–100 km/h in s	7.5	[6.9]	[6.4]
Fuel grade	Super unleaded 95 RON ⁵	Super unleaded 95 RON ⁵	Diesel to EN 590
Fuel consumption⁶ in l/100 km	urban 9.1 extra-urban 5.4 combined 6.8	[12.1] [6.5] [8.6]	[8.5] [5.8] [6.8]
CO₂ emissions⁶ in g/km	urban 212 extra-urban 127 combined 159	[281] [151] [199]	[224] [153] [179]
Emissions standard	EU 5	EU 5	EU 5

Notes

- ¹ The figure stated was calculated using the specified measuring procedure (current version of Directive 80/1269/EEC).
- ² Weight of car, unladen, without driver (calculated in accordance with the current version of Directive 92/21/EEC). Optional equipment may increase the car's unladen weight and drag coefficient, whereupon the possible payload limit and the top speed will be reduced accordingly.
- ³ The engine's power output always goes down with increasing altitude. At 1,000 m above sea level, and for every additional 1,000 m, deduct 10% from the weight of the outfit (trailer load limit + gross weight of the towing vehicle). Figure for trailer load limit applies to factory-fitted trailer towing hitch. If using the vehicle with a trailer towing hitch for commercial purposes, a digital tachograph may be required under certain conditions.
- ⁴ A vehicle's fuel consumption and CO₂ emissions do not just depend on how efficiently the vehicle uses the fuel, but are also influenced by driving behaviour and other non-technical factors. CO₂ is the greenhouse gas primarily responsible for global warming.
- ⁵ We recommend using Super unleaded (95 RON). If this is not available, use regular unleaded (91 RON); power output will be slightly reduced.
- ⁶ The figures given were calculated using the specified measuring procedures. The figures do not refer to one individual vehicle and do not form part of any offer, but rather should be used purely for purposes of comparison between the different vehicle models.

Important note

Inspections are due as shown by the service display.

[] Data for multitronic®/or S tronic.

The models and equipment versions illustrated and described in this brochure and some services listed are not available in all countries. Some of the cars illustrated are equipped with optional equipment for which an extra charge is made. Details concerning the delivery specifications, appearance, performance, dimensions and weights, fuel consumption and running costs of the vehicle were correct to the best of our knowledge at the time of going to press. There may be some variations between the Australian vehicle specifications and those manufactured for other markets. Please speak to your Audi Dealer should you have any questions. Deviations from the colours and shapes shown in the illustrations may occur. No liability is accepted for errors and printing errors. The right to introduce modifications is reserved. Not to be reproduced, including in part, without the written approval of Audi AG.

Valid from December 2008

Printed in Germany