

THSISTOFAL

'Total Performance' was originally the name of the worldwide sales strategy adopted by Ford in the 1960s. Then it was simply 'Win on Sunday, sell on Monday'. 'Total Performance' at Ford Performance Vehicles in the 21st century is not an advertising or promotional theme but a commitment to engineering highperformance vehicles that deliver high performance in every area. Our vehicles are designed to fulfil the expectations of sporting drivers everywhere they drive. Total Performance is all about how the vehicle works in the real world, not the racetrack. FPV seeks to set and exceed new benchmarks in Australian high-performance motoring. Our world-class facilities, innovative and dedicated workforce and race-bred technology commit us to continually build on our engineering integrity and design innovation to produce the ultimate Australian high-performance vehicle. Welcome to our world!

Allan Moffat OBE – Australian Motorsport Legend and FPV Brand Ambassador. 4 times Bathurst Winner. 4 times Australian Touring Car Champion. 6 times Sandown Winner.

TOTAL PERFORMANCE



A BLAST FROM THE FUTURE

Inside the ergonomically designed cockpit, drivers will experience a whole new level of Human Machine Interface (HMI) design. A high-tech, user-friendly Interior Command Centre (ICC) with 8" colour touch screen puts smart technology and all the main in-car functions at the driver's fingertips. And when reverse gear is selected, the screen also displays vision from the GT's standard reverse camera. As you would expect, Bluetooth[®], iPod and USB connectivity are also standard in the mighty Boss 335 GT.

The iconic GT, for years the standard for Australian muscle cars, has charged ahead taking performance to a whole new level. Powered by the awesome, all-aluminium, 5.0 litre, double overhead camshaft Boss V8, FPV has supercharged and modified it to deliver a combined level of torque (570Nm) and power (335kW) that is simply unequalled by any Australian-built performance engine. The bi-modal quad exhaust system barks, growls, pops and burbles to let the world know you're coming. Choose the slick-shifting, 6-speed Tremec manual gearbox or the superb ZF 6-speed auto with Sequential Sports Shift to transmit all the power and torque safely to the road. Legendary factory GT racer Allan Moffat worked with FPV engineers and chassis specialists to help optimise the ride, handling and braking dynamics of the Boss 335 GT. You'll revel in the communicative steering, the bite of the 4-piston Brembo brakes, the immediacy of the throttle response and the pin-sharp handling of the finely tuned chassis. Just buzz down the driver's window and enjoy what surely must be the best sounding engine this side of Bathurst!

FPV.COM.AU







- a. Sports steering wheel and instrumentation
- b. Striking Boss 335 stripe package
- c. Bi-modal twin-pipe quad-outlet active exhaust system
- d. Optional FPV leather sports seats





It's the ultimate performance expression of the Boss 335 package. Behind the GT-P's unique 19", machine-faced, 5-spoke alloys is the incredible stopping power of cross-drilled and ventilated front and rear rotors with Brembo 6-piston calipers up front and 4-piston Brembos on the rear. They're just what the doctor ordered along with specially bolstered seats when the muscular, supercharged and hand-built 335kW V8 in the GT-P responds instantly to the throttle in any gear. At your command is a quantum of performance unmatched by any Australian-built powertrain. Indeed, the new Boss 335 GT-P sets an entirely new standard for Australian performance cars in the same way the first GT did over 40 years ago. The new GT-P is a car that melds traditional muscle car values with cutting-edge technology to produce a current and future classic!

00

FPV.COM.AU



18 Nov 2011

a. Brembo 6-piston brake calipers (front) with Brembo 4-piston brake calipers (rear b. Performance leather sports seats with suede bolsters and GT-P logo embroidery c. Striking Boss 335 stripe package

Inside, a high-tech, user-friendly Interior Command Centre (ICC) with 8" colour touch screen puts smart technology and all the main in-car functions at the driver's fingertips. The interface also delivers a fully integrated satellite navigation system with features like: 'Green Routing' that calculates the most economical, fastest and shortest routes available, a choice of 2D or 3D map modes, over-speed and speed camera warnings, 'Where am I?' feature to show points of interest, street house numbers left and right displayed, advanced lane guidance and signpost information, 'Junction View' graphic road representation and Suna Traffic Message Channel. When reverse is selected, the screen also displays vision from the GT-P's standard reverse camera. Bluetooth[®], iPod and USB connectivity are also standard equipment on the GT-P.

GTP



Outside 35°C

Navigation

Boundary Road



GTE

The same astonishing engine that powers the new Boss 335 GT also propels the svelte, luxurious GT E. High-performance executive vehicles, including those from Europe, now have a whole new standard to measure up to. The GT E's clean, crisp, elegant lines, subtle rear spoiler and colour-coded bumpers cloak the most powerful Australian built business express of all time. The 8-way electronically adjustable driver's seat gives you the perfect command position while the state-of-the-art ZF auto tailors its performance to your individual driving style. The full leather interior, complemented by superb dark walnut veneers, tells you this is a true luxury touring car. Even the sound system is the absolute premium with Bluetooth and USB connectivity as standard equipment. And while the supercharged, all-aluminium V8 punches out 335kW of power, FPV engineers have carefully tuned the suspension to deliver a perfect ride along with incredible road holding and grip. For supreme comfort and absolute luxury, the new Boss 335 GT E really is the choice of executives going places in a hurry or just enjoying life at the top!

Inside the GT E, a high-tech, user-friendly Interior Command Centre (ICC) with 8" colour touch screen puts smart technology and all the main in-car functions at the driver's fingertips. The interface also delivers a fully integrated satellite navigation system with features like: 'Green Routing' that calculates the most economical, fastest and shortest routes available a choice of 2D or 3D map modes, over-speed and speed camera warnings, 'Where am I?' feature to show points of interest, street house numbers left and right displayed, advanced lane guidance and signpost information, 'Junction View' graphic road representation and Suna Traffic Message Channel. When reverse gear is selected, the screen also displays vision from the GT E's standard reverse camera. Naturally the GT E also comes with standard Bluetooth®, iPod and USB connectivity.



FPV.COM.AU



- a. Luxury leather seats with embossed GT E logo
- b. Brembo 6-piston brake calipers (front) with Brembo 4-piston brake calipers (rear)





SUPERCHARGED PERFORMANCE STARTS HERE

Var this

The FPV GS carries on a Ford tradition started in 1969 when the first GS model was introduced – a full-on performance car designed to deliver incredible value. And today it's supercharged! Under the distinctive bonnet bulge is a 5.0 litre, double overhead camshaft, all-aluminium V8, supercharged to deliver 315kW of power and a massive 545Nm of torque. Available transmissions are a slick-shifting, 6-speed Tremec TR6060 manual gearbox or the superb ZF 6-speed auto with Sequential Sports Shift as a 'no cost' option. Quad bi-modal exhausts, 19" silver 5-spoke alloy wheels and unique GS stripe package tell the world this is an Aussie muscle car to be reckoned with.



- a. New front sports grille b. Performance 5-spoke 19" alloy wheels in Alpine Silver
- exhaust system

FPV.COM.AU



- c. Bi-modal twin-pipe guad-outlet
- d. 8" colour touch screen, reverse camera and reverse sensing system
- e. Striking GS stripe package

A high-tech, user-friendly Interior Command Centre (ICC) with 8" colour touch screen, iPod and Bluetooth® integration and USB connectivity puts smart technology and all the main in-car functions at the driver's fingertips. Safety is at a premium with driver and front passenger airbags, curtain airbags and front seat side thorax airbags. As you would expect, dynamic stability control, traction control, electronic brake-force distribution, electronic brake assist and a 4-channel anti-lock braking system are also standard. For those wanting to begin their FPV journey – your GS awaits you.





AUSTRALIA'S SUPERCHARGED WORKER

And this is a work environment you'll instantly fall in love with – a Prestige audio system with 8" colour display, iPod and Bluetooth® integration and USB connectivity plus a 4-way power sports driver's seat will make your day! To deliver the grip, handling and stopping power that enthusiastic drivers demand, the GS Ute also features an FPV sports tuned suspension, sports brakes and 19", 5-spoke alloy wheels with premium Dunlop Sport Maxx tyres. Right down to its iconic stripe package, the GS Ute shouts 'supercharged muscle' from every angle. At every Australian work site, it's absolutely The Boss!

There's nothing like the GS Ute for making a statement in the workplace and nothing packs a supercharged punch like it. The state-of-the-art, supercharged, 5.0 litre Boss V8 delivers 315kW and says 'you've got the power', but it's the 545Nm of pulling power that makes this ute the real boss of the worksite. If you enjoy a little manual labour you'll find the Tremec TR6060, 6-speed shift really suits your style but say the word and the super-smooth ZF 6-speed auto with Sequential Sports Shift is yours as a 'no cost' option. The GS Ute now features a specifically designed sports bar for greater functionality.

FPV.COM.AU









- b. Sports projector headlamps
- c. FPV soft tonneau cover with logo
- d. High-flow dual-outlet exhaust system
- e. Performance 5-spoke 19" alloy wheels in Alpine Silver

AUSTRALIA'S ULTIMATE BIG SIX

For some years now the turbocharged FPV F6 has set new performance standards with its DOHC, 24-valve, in-line six, delivering 310kW and 565Nm of torque. FPV's bespoke, performance-engineered suspension, a 6-speed Tremec manual gearbox or a superb ZF 6-speed automatic with Sequential Sports Shift (a no-cost option), brilliant new 19" alloys and 4-piston Brembo brakes make the F6 a driver's car par excellence – the ultimate expression of Australia's love affair with big sixes! Powerful and imposing, the F6 has graphite accents, a titanium-look mesh grille and subtle, exclusive F6 310 badging. For power, road holding, driveability and sheer driving enjoyment, the F6 310 is in a class of its own.



FPV.COM.AU





- a. 8" colour touch screen (with reverse camera and reverse sensing system) on sedan only
- b. Optional leather sports seats
- c. FPV soft tonneau cover with logo

Sporting the high-performance mechanicals and dynamics of the F6 310, the F6 Ute has its own distinctive persona. The grille on the lower intake has been deleted to expose the intercooler and give the F6 Ute a tough, in-your-face look. Superb 19" alloys in Graphite, dark headlight accents, titanium-look mesh grille, USB connectivity, an 8" colour touch screen, exclusive F6 310 tailgate badging and an FPV graphic on the tonneau cover give you a workhorse that looks and performs like a thoroughbred. Drive it to work or drive it to play – this is the ute that delivers more excitement, more performance and more sheer enjoyment. Just press the starter button!





EXECUTIVE PERFORMANCE GUARANTEED

The performance and dynamics of the incredible F6 310 are also available in the F6 E, an executive styling package with luxury appointments that are both opulent and understated. The F6 E's turbocharged power is delivered through the super-smooth, ZF 6-speed auto with Sequential Sports Shift and safely restrained by the cross-drilled and ventilated rotors, with Brembo 6-piston calipers on the front and 4-piston calipers on the rear. Luxury 10-spoke sports alloy wheels in Alpine Silver complete the subtly power-dressed exterior.

FPV.COM.AU

F6 E shown in Vanish.

But the luxury of power is further complemented by the F6 E's luxury interior and quality appointments. Exclusive Soho leather seats with embossed F6 E logo, an 8-way power-adjustable driver's seat with three-position memory, dark walnut wood-grain finish on the dashboard and doors, a premium sound system, Bluetooth®, iPod and USB connectivity, a reversing camera with reverse sensing system, an 8" colour touch screen and satellite navigation complete an impressive executive package. Full-on performance with full-on luxury – the F6 E is simply full on both!





- a. Luxury leather seats with embossed F6 E logo
- b. Brembo 6-piston brake calipers (front) with Brembo 4-piston brake calipers (rear)

FPV GT RANGE SPECIFICATIONS

FPV	GT E	GT-P	GT	
ENGINE				
Boss 335 high-performance 5.0 litre supercharged DOHC 32-valve all-aluminium V8	S	S	S	
Maximum power (DIN) – 335kW @ 5750rpm^	S	S	S	
Maximum torque (DIN) – 570Nm @ 2200–5500rpm^	S	S	S	
HTV 1900 front drive, rear entry twin vortices high-efficiency supercharger with ECU-controlled internal bypass system	S	S	S	
Two-piece high-flow aluminium intake manifold featuring: – tuned equal length runners – 'in-vee' supercharger mounting	S	S	S	
Intake VCT	S	S	S	
Sequential multipoint electronic fuel injection	S	S	S	
High-flow fuel pump and injectors	S	S	S	
Deep-skirted aluminium	S	S	S	
High-strength 6-bolt mains with cross bolting	S	S	S	
Forged steel crank	S	S	S	
Sintered forged steel connecting rods	S	S	S	
Piston cooling jets	S	S	S	
High-volume winged and internally baffled oil pan	S	S	S	
FPV high-flow cold air intake system with low-restriction conical filter	S	S	S	
Cast stainless steel high-flow low-restriction exhaust manifold	S	S	S	
Dual metal matrix thin foil technology catalysts	S	S	S	
FPV ECU-controlled high-flow twin-pipe quad-outlet active exhaust system	S	S	S	

FUEL CONSUMPTION#				
ADR81/02 (L/100km) – manual/automatic	13.7	13.6	/13.7	
Comparative CO ² emissions (grams/km) – manual/automatic	325	324	324/325	
Emission level – Euro IV	S	S	S	
Fuel tank capacity (litres)	68	68	68	

FPV	GT E	GT-P	GT
TRANSMISSION & DRIVELINE			
TR6060 6-speed manual with leather and satin chrome gear knob		S	S
ZF 6-speed high-torque automatic transmission with Sequential Sports Shift	S	NCO	NCO

RIDE & HANDLING			
FPV performance independent double-wishbone front suspension	S	S	S
Performance control blade independent rear suspension (IRS)	S	S	S
FPV 19" x 8.0 alloy wheel fitted with 245/35ZR19 Dunlop Sport Maxx tyre	S	S	S
Matching alloy spare wheel	S	S	S
Locking wheel nut	S	S	S
Limited slip differential	S	S	S

PERFORMANCE BRAKES			
355 x 32mm cross-drilled and ventilated front rotors with Brembo 4-piston calipers and 328 x 26mm cross-drilled and ventilated rear rotors with single red piston caliper			S
355 x 32mm cross-drilled and ventilated front rotors with Brembo 6-piston calipers and 330 x 28mm cross-drilled and ventilated rear rotors with Brembo 4-piston calipers	S	S	0

INTERIOR					
FPV badge on steering wheel and key fob	S	S	S		
FPV build number badge with unique model identifier	S	S	S		
Unique FPV starter button	S	S	S		
Human Machine Interface (HMI) with Internal Command Centre (ICC)					
8" colour touch screen with Bluetooth®, iPod and $$ USB connectivity	S	S	S		
Instrument Cluster					
White dial illumination with white LCD and FPV welcome message on start-up	S	S	S		
Gauges					
Speedometer (260kph)	S	S	S		
Tachometer	S	S	S		
Fuel level, engine temperature	S	S	S		
Engine oil temperature	S	S	S		
Supercharger boost pressure	S	S	S		
LCD information in cluster	S	S	S		
Odometer, Trip I and Trip 2	S	S	S		
Cruise control – ON/cruise set indicators	S	S	S		
Outside temperature display	S	S	S		

Trip computer – fuel used, avg fuel, inst fuel, avg speed, distance to empty, distance to destination, speed alert indicator Low oil pressure indicator Lamps on indicator Low fuel indicator High temperature indicator Door ajar alert Audible shift alert indicator – manual trans only CFC-free air-conditioning – dual-zone temperature control with	S S S S S S S S	S S S S S S S S	S S S S S S
Lamps on indicator Image: Constraint of the second sec	S S S S	S S S S	S S S
Low fuel indicator High temperature indicator Door ajar alert Audible shift alert indicator – manual trans only	S S S	S S S	S S
High temperature indicator Door ajar alert Audible shift alert indicator – manual trans only	S S	S S	S
Door ajar alert Audible shift alert indicator – manual trans only	S	S	
Audible shift alert indicator – manual trans only			S
,	S	S	_
CFC-free air-conditioning – dual-zone temperature control with	S		S
10-speed electronic ventilator fan		S	S
FPV floor mats	S	S	S
FPV scuff plates	S	S	S
Unique FPV leather console lid with Dark Silver stitch	S	S	S
Sports leather steering wheel with cruise control and audio switches	S	S	S
Alloy pedal covers	S	S	S
Power windows	S	S	S
Electrochromatic mirrors	S	S	S
Front door courtesy lights	S		
Reading lights	S	S	S
Sunvisor vanity mirror lamps – driver and passenger	S	S	S
Door trim inserts with suede-feel armrests	S	S	S
Environment colour – Shadow	S	S	S
Front dash and front door release panels – Dark Walnut	S		
Front dash and front door release panels – Micro Mesh Black		S	S
Overhead console – sunglasses holder	S	S	S

SEATING			
FPV sports seats			
'Silverstone' cloth in Shadow with suede-feel bolsters, GT logo embroidery and Silver stitching			S
'Soho' leather in Shadow with suede-feel bolsters, GT logo embroidery and Silver stitching			0
FPV performance sports seats			
'Soho' leather in Shadow with suede-feel bolsters, GT-P logo embroidery and Silver stitching		S	
FPV luxury seats			
'Soho' leather in Shadow with leather bolsters, embossed GT E logo	S		
4-way power driver's seat – cushion up/down and tilt			S
6-way power driver's seat – cushion up/down and tilt and fore/aft		S	

FPV 8-way pow cushion up Adjustable Rear seat

Rear cent

AUDIO

Premium au radio, single temperatur Bluetooth®

> USB conne On-glass ra

> Auxiliary au Satellite nav

FPV oval FPV fende Side mirr FPV mode Boss pow-FPV body Memor Reverse Body-co Rear lip FPV high Bumper Full body FPV uppe FPV uppe Sports Front f Front Fog light Fog light

Laminate

^ Torque figures derived using 98 RON. # Figures obtained from tests conducted to ADR 81/02, provided to compare the fuel consumption of FPV vehicles with others. Actual consumption may vary.

⁶ Ford has an arrangement to provide the Suna Traffic Message Channel broadcast for a minimum of 5 years from the time of vehicle manufacture. Coverage includes Melbourne, Sydney, Brisbane, Adelaide, Perth, Canberra and Gold Coast metropolitan areas. Refer to www.sunatraffic.com.au for full details.

^oBluetooth[®] is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their dealer on the ability of their mobile phone handset to integrate with the Bluetooth[®] system prior to making a purchase decision. ^{Ai}Pod[®] is a trademark of Apple Inc. Please consult your dealer for iPod[®] compatibility.

	GT E	GT-P	GT
ver-adjustable driver seat with 3-position memory – o/down & tilt & fore/aft & rake – seat back	S		
e driver's and passenger's seat lumbar support	S	S	S
with 60:40 split fold	S	S	S
re armrest with cup holders	S	S	S

audio system with 8" colour touch screen, AM/FM gle slot CD, 8 speakers, iPod integration and dual-zone ure control	S∆	S∆	S∆
1 [®] mobile phone integration	S°	S°	S°
nectivity	S	S	S
radio antenna	S	S	S
audio plug-in (MP3 capability)	S	S	S
avigation system with Suna Traffic Message Channel (TMC)	S٥	S٥	00

		_	
R STYLING			
badge on front grille and rear	S	S	S
er feature badge	S	S	S
or turn indicators	S	S	S
el badging on side doors and rear	S	S	S
er bulge on hood	S	S	S
stripe package		NCO	0
position mirrors	S		
uto-adjust mirror (LH)	S		
oured mirrors	S	S	S
poiler	S		
wing rear spoiler with centre strut with LED stop light		S	S
ccent detail – Argent		S	S
coloured bumpers	S		
r radiator and lower bumper grille mesh – Black Chrome	S		S
r radiator and lower bumper grille mesh – Satin Chrome		S	
ojecter headlamps	S	S	S
lights with Satin Chrome bezel		S	S
lights with High Chrome bezel	S		
nsert – Bright Chrome	S		
nsert – Satin Pearl Chrome		S	S
l windscreen with tinted band	S	S	S


FPV	GT E	GT-P	GT
WHEELS			
Premium 19" 5-spoke alloy wheels with machined face and Dark Argent accents			S
Premium 19" 5-spoke alloy wheels with machined face and Silver accents		S	
Luxury 19" 10-spoke sports alloy wheels in Alpine Silver	S		

SAFETY & SECURITY			
Driver airbag with dual-stage inflator (ARS)	S	S	S
Passenger airbag with single-stage inflator	S	S	S
Curtain airbags plus front seat side thorax airbags	S	S	S
Beltminder™ (front driver's side)	S	S	S
Front satellite crash sensor	S	S	S
Dynamic Stability Control (DSC)	S	S	S
Electronic Brakeforce Distribution (EBD)	S	S	S
Electronic Brakeforce Assist (EBA)	S	S	S
Traction Control System (TCS)	S	S	S
4-channel Anti-lock Braking System (ABS)	S	S	S
Reverse sensing system	S	S	S
Reverse parking camera	S	S	S
Central locking	S	S	S
Remote keyless entry – door lock/unlock and boot release	S	S	S
FPV ID Datadot identification	S	S	S
Alarm	S	S	S
Electronic engine immobilisation	S	S	S
Electronic safety emergency system (fuel pump off, engine off, door unlock when airbag is triggered)	S	S	S
Child-proof locks – rear doors	S	S	S
Towing pack	DFO	DFO	DFO
Fuel filler cap lock/unlock	S	S	S
Audible speed alert/overspeed	S	S	S
Standard jack, handle and wheel brace	S	S	S

TOWING & CAPACITIES				
Maximum towing mass (with braked trailer) $\mbox{kg}-\mbox{manual/automatic}$	1600□	1200/	1200/1600	
Boot capacity (litres)	535	535	535	



Edge Swift Swift Seduce Silver Metallic Silver Metallic Silver Metallic Silver Metallic Silver Metallic Silver Metallic Suiver Metallic Silver Metallic



¹⁰The maximum towing mass figures have been calculated using the Ford Approved Towing System. For further details on towing, please refer to the Owner's Manual. Towing limits are subject to State and Territory regulations. Please check the laws and regulations in the location in which you will be towing before starting the journey. S – Standard O – Factory fit option NCO – No cost option DFO – Dealer fit option

Swift available early 2012

FPV GS RANGE SPECIFICATIONS

FPV	GS	GS Ute
ENGINE		
Boss 315 high-performance 5.0 litre supercharged DOHC 32-valve all-aluminium V8	S	S
Maximum power (DIN) – 315kW @ 5750rpm^	S	S
Maximum torque (DIN) – 545Nm @ 2000–5500rpm^	S	S
HTV 1900 front drive, rear entry twin vortices high-efficiency supercharger with ECU-controlled internal bypass system	S	S
Two-piece high-flow aluminium intake manifold featuring: – tuned equal length runners – 'in-vee' supercharger mounting	S	S
Intake VCT	S	S
Sequential multipoint electronic fuel injection	S	S
High-flow fuel pump and injectors	S	S
Deep-skirted aluminium	S	S
High-strength 6-bolt mains with cross bolting	S	S
Forged steel crank	S	S
Sintered forged steel connecting rods	S	S
Piston cooling jets	S	S
High-volume winged and internally baffled oil pan	S	S
FPV high-flow cold air intake system with low-restriction conical filter	S	S
Cast stainless steel high-flow low-restriction exhaust manifold	S	S
Dual metal matrix thin foil technology catalysts	S	S
FPV ECU-controlled high-flow twin-pipe quad-outlet active exhaust system	S	
FPV high-flow dual-outlet exhaust system		S

FUEL CONSUMPTION#		
ADR81/02 (L/100km) – manual/automatic	13.6/13.7	14.0/14.2
Comparative CO ² emissions (grams/km) – manual/automatic	324/325	334/339
Emission level – Euro IV	S	S
Fuel tank capacity (litres)	68	81

FPV	GS	GS Ute
TRANSMISSION & DRIVELINE		
TR6060 6-speed manual with leather and Satin Chrome gear knob	S	S
ZF 6-speed high-torque automatic transmission with Sequential Sports Shift	NCO	NCO

RIDE & HANDLING		
FPV performance independent double-wishbone front suspension	S	S
Performance Control Blade Independent Rear Suspension (IRS)	S	
FPV 19" x 8.0 alloy wheel fitted with 245/35ZR19 Dunlop Sport Maxx tyre	S	S
Matching alloy spare wheel	S	S
Locking wheel nut	S	S
Limited slip differential	S	S

High series sports brakes (322mm front rotor with 303mm rear rotor) S S

INTERIOR			
FPV badge on steering wheel and key fob	S	S	
FPV build number badge with unique model identifier	S	S	
Unique FPV starter button	S	S	
Human Machine Interface (HMI) with Internal Command	Centre (ICC)	
8" colour touch screen with Bluetooth®, iPod & USB connectivity	S	S	
Instrument Cluster			
White dial illumination with white LCD and FPV welcome message on start-up	S	S	
Gauges			
Speedometer (260kph)	S	S	
Tachometer	S	S	
Fuel level, engine temperature	S	S	
Engine oil temperature	S	S	
Supercharger boost pressure	S	S	
LCD information in cluster	S	S	

FPV	GS	GS Ute
Odometer, Trip I and Trip 2	S	S
Cruise control – ON/cruise set indicators	S	S
Trip computer – fuel used, avg fuel, inst fuel, avg speed, distance to empty, distance to destination, speed alert indicator	S	S
Low oil pressure indicator	S	S
Lamps on indicator	S	S
Low fuel indicator	S	S
High temperature indicator	S	S
Door ajar alert	S	S
Audible shift alert indicator – manual transmission only	S	S
Outside temperature display	S	S
CFC-free air-conditioning – dual-zone temperature control with 10-speed electronic ventilator fan	O*	O*
CFC-free air-conditioning – single-zone temperature control	S	S
FPV floor mats	S	S
FPV scuff plates	S	S
Sports leather steering wheel with cruise control and audio switches	S	S
Alloy pedal covers	S	S
Front power windows	S	S
Rear power windows	S	
Reading lights	S	S
Door trim inserts with suede-feel armrests	S	S
Environment colour – Shadow	S	S

SEATING		
FPV sports seats		
'Active' cloth seats in Shadow	S	S
'Soho Weave' leather seats in Shadow	0	0
4-way power driver's seat - cushion up/down and tilt	S	S
Adjustable driver's and passenger's seat lumbar support	S	S
Rear seat with 60:40 split fold	S	
Rear centre armrest with cup holders	S	

FPV

Prestige au radio, single temperatur Prestige au radio, single temperatur Premium ai radio, single temperatur Bluetooth[®] USB conne On-glass ra Roof-mour Auxiliary al

> EXTERIO FPV oval

Satellite

Side fender GS badging Boss powe FPV body s Body-colo Front spor FPV rear s Sports bar FPV soft tr FUI body-

> Sports proj Front fog li Fog light in

> > amir

WHEELS Sports 19"

^ Torque figures derived using 98 RON. * Figures obtained from tests conducted to ADR 81/02, provided to compare the fuel consumption of FPV vehicles with others. Actual consumption may vary. * This feature can only be optioned in conjunction with Premium Audio Sound.

⁶ Ford has an arrangement to provide the Suna Traffic Message Channel broadcast for a minimum of 5 years from the time of vehicle manufacture. Coverage includes Melbourne, Sydney, Brisbane, Adelaide, Perth, Canberra and Gold Coast metropolitan areas. Refer to www.sunatraffic.com.au for full details.

^o Bluetooth[®] is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their dealer on the ability of their mobile phone handset to integrate with the Bluetooth[®] system prior to making a purchase decision. ^hIPOd[®] is a trademark of Apple Inc. Please consult your dealer for IPOd[®] compatibility.

	GS	GS Ute
dio system with 8" colour touch screen, AM/FM e slot CD, 6 speakers, iPod integration and single-zone re control	S	
dio system with 8" colour touch screen, AM/FM e slot CD, 4 speakers, iPod integration and single-zone re control		S
udio system with 8" colour touch screen, AM/FM e slot CD, 8 speakers, iPod integration and dual-zone re control	0	0
mobile phone integration	S°	S°
ctivity	S	S
adio antenna	S	
nted hinged antenna		S
udio plug-in (MP3 capability)	S	S
avigation system with Suna Traffic Message Channel (TMC)	O≬	O≬

R STYLING		
badge on front grille and rear	S	S
r turn indicators	S	S
g on rear cabin/tailgate	S	S
er bulge on hood	S	S
stripe package	S	S
ured mirrors	S	S
rts grille	S	S
poiler	S	
		S
onneau cover with logo		S
coloured bumpers	S	S
ojecter headlamps	S	S
lights with Dark Argent bezel	S	S
nsert – Satin Pearl Chrome	S	S
windscreen with tinted band	S	

" 5-spoke alloy wheels in Alpine Silver	S	S

FPV	GS	GS Ute
SAFETY & SECURITY		
Driver airbag with dual-stage inflator (ARS)	S	S
Passenger airbag with single-stage inflator	S	S
Side head/thorax air bags – driver/passenger seat mounted		S
Curtain airbags plus front seat side thorax airbags	S	
Beltminder™ (front driver's side)	S	S
Dynamic Stability Control (DSC)	S	S
Electronic Brakeforce Distribution (EBD)	S	S
Electronic Brakeforce Assist (EBA)	S	S
Traction Control System (TCS)	S	S
4-channel Anti-lock Braking System (ABS)	S	S
Reverse sensing system	S	
Reverse parking camera	S	
Central locking	S	S
Remote keyless entry – door lock/unlock and boot release	S	
Remote keyless entry – door lock/unlock		S
FPV ID Datadot identification	S	S
Alarm	S	S
Electronic engine immobilisation	S	S
Electronic safety emergency system (fuel pump off, engine off, door unlock when airbag is triggered)	S	S
Child-proof locks - rear doors	S	
Towing pack	DFO	0
Fuel filler cap lock/unlock	S	S
Audible speed alert/overspeed	S	S
Standard jack, handle and wheel brace	S	s

TOWING & CAPACITIES			
Maximum towing mass (with braked trailer) kg - manual/automatic	num towing mass (with braked trailer) kg – manual/automatic 1200/1600"		
Boot capacity (litres)	535		
Payload (kg)		540	
Cargo depth (mm)		442	



Swift available early 2012 [†] Not available on GS Ute

¹⁰The maximum towing mass figures have been calculated using the Ford Approved Towing System. For further details on towing, please refer to the Owner's Manual. Towing limits are subject to State and Territory regulations. Please check the laws and regulations in the location in which you will be towing before starting the journey. S – Standard O – Factory fit option NCO – No cost option DFO – Dealer fit option

FPV F6 RANGE SPECIFICATIONS

FPV	F6 E	F6	F6 Ute
ENGINE			
F6 310 high-performance 4.0 litre turbocharged DOHC 24-valve in-line 6	S	S	S
Maximum power (DIN) – 310kW @ 5500rpm^	S	S	S
Maximum torque (DIN) – 565Nm @ 1950-5200rpm^	S	S	S
Garrett GT3540 turbo	S	S	S
Aluminium air-to-air intercooler	S	S	S
Dual independentVCT	S	S	S
Sequential multipoint electronic fuel injection	S	S	S
High-flow fuel pump and injectors	S	S	S
Cast stainless steel high-flow low-restriction exhaust manifold	S	S	S
Metal matrix thin foil technology catalysts	S	S	S
FPV single-outlet high-flow exhaust system	S	S	S

FUEL CONSUMPTION#			
ADR81/02 (L/100km) – manual/automatic	12.6	12.3/ 12.6	13.1/ 13.6
Comparative CO ² emissions (grams/km) – manual/automatic	300.4	290.2/ 300.4	309.6/ 325.1
Emission level – Euro IV OBD	S	S	S
Fuel tank capacity (litres)	68	68	81

TRANSMISSION & DRIVELINE			
TR6060 6-speed manual with leather and Satin Chrome gear knob		S	S
ZF 6-speed high-torque automatic transmission with Sequential Sports Shift	S	NCO	NCO

RIDE & HANDLING			
FPV performance independent double-wishbone front suspension	S	S	S
Performance Control Blade Independent Rear Suspension (IRS)	S	S	
FPV 19" x 8.0 alloy wheel fitted with 245/35ZR19 Dunlop Sport Maxx tyre	S	S	S
Matching alloy spare wheel	S	S	S
Locking wheel nut	S	S	S
Limited slip differential	S	S	S

FPV	F6 E	F6	F6 Ute
PERFORMANCE BRAKES			
355 x 32mm cross-drilled and ventilated front rotors with Brembo 4-piston calipers and 328 x 26mm cross-drilled and ventilated rear rotors with single red piston caliper		s	S
355 x 32mm cross-drilled and ventilated front rotors with Brembo 6-piston calipers and 330 x 28mm cross-drilled and ventilated rear rotors with Brembo 4-piston calipers	S	0	
355 x 32mm cross-drilled and ventilated front rotors with Brembo 6-piston calipers and 328 x 26mm cross-drilled and ventilated rear rotors with single red piston caliper			0

INTERIOR			
FPV badge on steering wheel and key fob	S	S	S
FPV build number badge with unique model identifier	S	S	S
Unique FPV starter button	S	S	S
Human Machine Interface (HMI) with Internal Comma	nd Cer	ntre (IQ	CC)
8" colour touch screen with Bluetooth®, iPod and USB connectivity	S	S	S
Instrument Cluster			
White dial illumination with white LCD and FPV welcome message on start-up	S	S	S
Gauges			
Speedometer (260kph)	S	S	S
Tachometer	S	S	S
Fuel level, engine temperature	S	S	S
Engine oil temperature	S	S	S
Turbo boost pressure	S	S	S
LCD information in cluster	S	S	S
Odometer, Trip I & Trip 2	S	S	S
Cruise control – ON/cruise set indicators	S	S	S
Trip computer – fuel used, avg fuel, inst fuel, avg speed, distance to empty, distance to destination, speed alert indicator	S	S	S
Low oil pressure indicator	S	S	S
Lamps on indicator	S	S	S
Low fuel indicator	S	S	S
High temperature indicator	S	S	S
Door ajar alert	S	S	S
Audible shift alert indicator – manual transmission only		S	S
Outside temperature display	S	S	S
CFC-free air-conditioning – dual-zone temperature control with 10-speed electronic ventilator fan	S	S	0*
CFC-free air-conditioning – single-zone temperature control			S

FPV	F6 E	F6	F6 Ute
FPV floor mats	S	S	S
FPV scuff plates	S	S	S
Unique FPV leather console lid with Dark Silver stitch	S	S	S
Sports leather steering wheel with cruise control and audio switches	S	S	S
Alloy pedal covers	S	S	S
Front power windows	S	S	S
Rear power windows	S	S	
Electrochromatic mirrors	S	S	
Front door courtesy lights	S		
Reading lights	S	S	S
Sunvisor vanity mirror lamps – driver and passenger	S	S	S
Door trim inserts with suede-feel armrests	S	S	S
Environment colour – Shadow	S	S	S
Front dash and front door release panels – Dark Walnut	S		
Front dash and front door release panels – Optical Check		S	S
Overhead console – sunglasses holder	S	S	S

	S	S
	0	0
S		
	S	S
S		
S	S	S
S	S	
S	S	
	S S S	S O S S S S S S S S S S S S

AUDIO			
Premium audio system with 8" colour touch screen, AM/FM radio, single slot CD, 8 speakers, iPod integration and dual-zone temperature control	S	S	
Prestige audio system with 8" colour touch screen, AM/FM radio, single slot CD and 4 speakers, iPod integration and single-zone temperature control			

I FPV USB conr Bluetoot On-glass Roof-mo

Auxiliary Satellite n

FPV oval

FPV fende

Side fende Side mirr FPV mode FPV mod Memo Reverse Body-co Rear lip F6 rear s Sports b FPV soft I Bumper -Full body-FPV uppe Sports p

Fog lig

ront

Luxur

Driver a Passeng Side he

^ Torque figures derived using 98 RON # Figures obtained from tests conducted to ADR 81/02, provided to compare the fuel consumption of FPV vehicles with others. Actual consumption may vary. * This feature can only be optioned in conjunction with Premium Audio Sound.

⁶ Ford has an arrangement to provide the Suna Traffic Message Channel broadcast for a minimum of 5 years from the time of vehicle manufacture. Coverage includes Melbourne, Sydney, Brisbane, Adelaide, Perth, Canberra and Gold Coast metropolitan areas. Refer to www.sunatraffic.com.au for full details. ^oBluetooth[®] is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their dealer for iPod compatibility.

FPV.COM.AU

	F6 E	F6	F6 Ute
ectivity	S	S	S
[®] mobile phone integration	S°	S°	S°
adio antenna	S	S	
nted hinged antenna			S
audio plug-in (MP3 capability)	S	S	S
vigation system with Suna Traffic Message Channel (TMC)	S◊	O◊	O◊

R STYLING			
badge on front grille and rear	S	S	S
r feature badge	S	S	
er turn indicators			S
or turn indicators	S	S	
el badging on side doors and rear	S	S	
el badging on tailgate			S
position mirrors	S		
uto-adjust mirror (LH)	S		
oured mirrors	S	S	S
ooiler	S		
oiler with centre strut and LED stop light		S	
r			S
onneau cover with logo			S
ccent detail – Graphite		S	S
coloured bumpers			
r radiator and lower bumper grille mesh – Titanium	S	S	S
ojector headlamps	S	S	S
lights with Satin Chrome bezel		S	S
lights with High Chrome bezel	S		
nsert – Bright Chrome	S	S	S
I windscreen with tinted band	S	S	

19" 5-spoke sports alloy wheels in Graphite		S	S
9" 10-spoke sports alloy wheels in Alpine Silver			

& SECURITY			
rbag with dual-stage inflator (ARS)	S	S	S
r airbag with single-stage inflator	S	S	S
d/thorax air bags – driver/passenger seat mounted			S

FPV	F6 E	F6	F6 Ute
Curtain airbags plus front seat side thorax airbags	S	S	
Beltminder™ (front driver's side)	S	S	S
Front satellite crash sensor	S	S	S
Dynamic Stability Control (DSC)	S	S	S
Electronic Brakeforce Distribution (EBD)	S	S	S
Electronic Brakeforce Assist (EBA)	S	S	S
Traction Control System (TCS)	S	S	S
4-channel Anti-lock Braking System (ABS)	S	S	S
Reverse sensing system	S	S	
Reverse parking camera	S	S	
Central locking	S	S	S
Remote keyless entry – door lock/unlock and boot release	S	S	
Remote keyless entry – door lock/unlock			S
FPV ID Datadot identification	S	S	S
Alarm	S	S	S
Electronic Engine Immobilisation	S	S	S
Electronic safety emergency system (fuel pump off, engine off, door unlock when airbag is triggered)	S	S	S
Child-proof locks – rear doors	S	S	
Towing pack	0	0	0
Fuel filler cap lock/unlock	S	S	S
Audible speed alert/overspeed	S	S	S
Standard jack, handle and wheel brace	S	S	S

TOWING & CAPACITIES			
Maximum towing mass (with braked trailer) kg – manual/automatic	I600 [□]	1200/	1600
Boot capacity (litres)	535	535	
Payload (kg)			570
Cargo depth (mm)			442

F6 E	
Edge	Havana
	and the second s
Liebtaine Staile	Caduar
Lightning Strike	Seduce
Silhouette	Smoke
Vanish	Winter White
F6 & F6 UTE	
Edge	Lightning Strike
Swift	Kinetic
Vanish	Silhouette
Sunburst	Vixen
Winter White	

¹The maximum towing mass figures have been calculated using the Ford Approved Towing System. For further details on towing, please refer to the Owner's Manual. Towing limits are subject to State and Territory regulations. Please check the laws and regulations in the location in which you will be towing before starting the journey. S - Standard O - Factory fit option NCO - No cost option DFO - Dealer fit option

Swift available early 2012

TOTAL PERFORMANCE



www.fpv.com.au

This brochure is designed to provide a general introduction to Ford Performance Vehicles' products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Because of changes in conditions and circumstances, FPV reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to withdraw either permanently or temporarily any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest code sheet should be referred to for information on the availability, ordering and use of optional equipment. Always consult an authorised FPV Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. Ford Performance Vehicles Pty Ltd (ABN 46 050 575 178). Registered office: 33 Glenbarry Road, Campbellfield, Victoria 3061, Australia. Printed January, 2012. Customer service number 13 3673. FV 3340.

