

# Motion should take you wherever you want to go

Let you do whatever you like

It should let you get that bit extra done

Or explore that bit further

And never ask you to compromise







# THERE'S NO END TO WHERE IT CAN TAKE YOU It's been built to do everything you need. And even more But there's much more to BT-50 than muscle. Because than that. Mazda BT-50 gets behind you with strength while sometimes there's work to be done, there's always and ability proven in the toughest tests Australia could life to be lived. So you get athletic design instead of throw at it. boxy thinking. You access the latest entertainment and technology in a cabin that's more car than truck. So pack it full of tools or hook up a big load, and you know it's going to come through. In fact with towing and And you feel like you're driving a smoothly responsive payload capacities among the biggest around, you'll feel SUV, thanks to handling that echoes our sports car DNA. like nothing can stop you. Add the latest in safety and driver aids, and you've got anything but the usual ute. WATCH THE ALL NEW BT-50 ROAD TEST VIDEO >


# ALL THE STRENGTH YOU NEED. AND THEN SOME

Taking on the big jobs or taking off for a long weekend, you shouldn't have to compromise. Good thing BT-50 is built to go one better. Its ladder frame chassis is thoroughly beefed up to be one of the most rigid of any ute. As well as giving you accurate car-like handling, it enables BT-50 to perform feats of strength others struggle to match. Like towing up to a huge 3,350kg<sup>4</sup> and making light work of payloads up to 1,508kg<sup>7</sup>.

You've also got more than most others under the bonnet. New generation turbo diesel engines use advanced common-rail direct injection to squeeze out more muscle from less fuel. Boosted by a lag-reducing variable geometry turbocharger, the punchy 2.2 litre gives you a smooth 110kW and 375Nm of torque to work with. Go for the 3.2 litre unit's 147kW and massive 470Nm, and you'll easily overpower any challenge.

So how do you prefer to put the power down? A tough 6-speed manual puts full control in your hands, while the smart 6-speed auto will happily do all the work or let you make slick manual shifts.


With either, you can take on the rough stuff without breaking your stride. In 4x4 models, you flick between 2-High and 4-High on the move via a handy switch.







The right gear. Rugged 6-speed manual's precision-shifting ratios make the most of generous power. Intelligent, seamlessly smooth 6-speed automatic lets you take manual control when the mood takes you. In auto mode Active Adaptive Shift (AAS) intuitively selects the right gear for the conditions and your driving style.





yet uses only 7.6L/100km (combined)!

Black engine cover on XTR and GT models only.

out 147kW of power and 470Nm of torque using from just 8.4 litres per 100km (combined)! 4x2 Single Cab Chassis XT's four-cylinder 2.2 litre engine gives you 110kW and 375Nm,



### SPACE. IT'S THE ULTIMATE EXTRA

From the ground up, BT-50 has been created to be bigger, stronger, better.

You'll feel it when you tow what you thought you couldn't, or load up more than ever before. And you'll definitely feel it when you jump inside. In every direction the spacious, sporty interior has been opened up to stretch comfort way beyond what you expect.

Dual Cab models can take on five full-size adults with no fear of arguments over personal space. Single Cab models accommodate you generously too, with split bench seating that combines a driver's bucket seat with room for two others.

Maybe you need something that's somewhere in-between? The clever Freestyle Cab gives you extra interior practicality and seating for up to four, accessed by ingenious rear doors.

Sure you can carry heaps out back in BT-50's cargo box, but you might be surprised at what there's space for inside.

Look beside you, above you and even under the rear seats in Freestyle and Dual Cab, and you'll find a handy place to store drinks, sunnies, a set of tools and more.




**Really connected.** Bluetooth® enables hands-free phone use on the move and audio streaming.



**This way.** Satellite navigation features a clear 5 inch colour LCD screen in XTR and GT models.




**Comfy cuts.** Standard black cloth seat trim is comfortable and durable.








**Haul away.** Impressive strength and power makes BT-50 one of the best towers around. It can haul up to a huge 3,350kg<sup>4</sup> making light work of even the biggest loads. Optional tow bar shown above.

















**Well placed.** Handy storage spaces are all around you, including a split-level storage box in the centre console. Glove box is big enough to take a 16 inch laptop.






**No stopping you.** Just flick the handy console switch and BT-50's electronically controlled transfer case lets you jump between 2-High and 4-High - without even needing to stop.



**Locked on.** On 4x4 models a Locking Rear Differential (LRD) maximises off-road grip by locking the rear wheels so both receive the same amount of torque. So even when one wheel has lost traction, the other provides drive. Can be engaged and disengaged via console switch.





**Perfect start.** Safe, predictable starts on inclines are assured by Hill Launch Assist (HLA). It keeps the brakes applied as you remove your foot from the brake pedal to apply throttle. When there's enough torque for a smooth start, the brakes are released.

### YOU'LL FEEL MORE THAN SAFE

Mazda BT-50 lets you do more. And it will let you enjoy more confidence too.

Its responsive handling and steering mean you're well placed to avoid potential trouble - still an impressive safety arsenal is looking out for you. It begins with the superior occupant protection of a thoroughly reinforced body shell. Building your sense of safety are front airbags plus head-protecting curtain airbags in all models while Freestyle and Dual Cab models add side (front) airbags. All seats have three-position seatbelts, while front belts have pretensioners and load-limiters.

Two child restraint anchor points in the rear of Dual Cab and Freestyle Cab look after the kids. Every BT-50 has Dynamic Stability Control (DSC) incorporating Traction Control System (TCS) as standard.


What's more, the powerful brakes are backed up by ABS and Electronic Brake-force Distribution (EBD), which optimises braking force according to vehicle load. On top of that Emergency Brake Assist (EBA) monitors pedal application to recognise emergency braking, adding stopping power right when it's needed.

**Deeply reassuring.** High tensile steel and extensive reinforcing help achieve an occupant cell of exceptional strength.


superior occupant safety.

With up to six SRS airbags BF50 provides
































Without TSC.

Straight and true. Gusts of wind or other factors can cause a trailer to start swaying. Trailer Sway Control (TSC) controls your wheels' rotation speed to reduce swaying and heighten stability.







Keeping on track. DSC helps you keep control in all conditions. It manages the engine power and braking force delivered to individual wheels to avoid skids or grip loss.

### SINGLE CAB - AVAILABLE 2012

#### Single Cab gives you all the comfort, technology and tough workhorse ability you'll ever need.

#### ΧT

- 2.2 litre in-line 4 turbo diesel engine (110 kW / 375 Nm)
- 80 litre fuel tank capacity
- 6-speed manual
- 16 inch steel wheels with 215/70 tyres
- Headlamps (halogen)
- Power windows and mirrors (black)
- Air-conditioning

- Bluetooth® (hands-free compatible)<sup>5</sup>
- Cruise control
- Trip computer

• Floor covering: vinyl

- Audio system with: AM/FM tuner, single-disc
   CD player and 4 speakers
- Bluetooth® audio (MP3 player compatible)5
- USB input (iPod compatible)

- Airbags SRS: front (driver and passenger) and curtain (driver and passenger)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Hill Launch Assist (HLA)
- Ground clearance (laden): 135 mm
- Payload: 1,306 kg
- Towing capacity (braked)4: 2,500 kg

#### XT Hi-Rider

Features additional to XT:

- 3.2 litre in-line 5 intercooled turbo diesel engine (147 kW / 470 Nm)
- 16 inch steel wheels with 255/70 tyres
- Hill Descent Control (HDC) 4x4 only
- Locking Rear Differential (LRD) 4x4 only
- Ground clearance (laden): 200 mm
- Payload: 1,508 kg (4x2) 1,411 kg (4x4)
- Towing capacity (braked)4: 3,350 kg



**Very accommodating.** Single Cab's split bench seat combines driver bucket with space for two others.



**Keep informed.** Trip computer details useful information such as fuel economy, distance to empty and more.









### FREESTYLE CAB

#### Want more interior room and flexibility? Easy-a clever pillarless rear door frees up extra seating and storage.

#### ΧT

- 3.2 litre in-line 5 turbo diesel engine (147 kW / 470 Nm)
- 80 litre fuel tank capacity
- 6-speed manual
- 16 inch steel wheels with 255/70 tyres
- Headlamps (halogen)
- Power windows and mirrors (black)
- Air-conditioning
- Bluetooth® (hands-free compatible)<sup>5</sup>



4x2 Cab Chassis XT



Cruise control
 .

**Utility XTR** 

- Floor covering: vinyl
- Trip computer
- Audio system with: AM/FM tuner, single-disc
   CD player and 6 speakers
- Bluetooth® audio (MP3 player compatible)5
- USB input (iPod compatible)
- Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)

- Anti-lock Braking System (ABS)
- Child restraint anchor points (2)
- Dynamic Stability Control (DSC)
- Hill Descent Control (HDC) 4x4 only
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD) 4x4 only
- Ground clearance (laden): 200 mm
- Payload: 1,430 kg (4x2) 1,343 kg (4x4)
- Towing capacity (braked)<sup>4</sup>: 3,350 kg

#### XTR

Features additional to the XT:

- 17 inch alloy wheels with 265/65 tyres
- Door handles (chrome)
- Fog-lamps (front)
- Power mirrors (chrome)
- Rear step bumper (chrome)
- Side steps (aluminium finish)
- Air-conditioning (dual-zone climate control)
- Ambient temperature gauge

- Floor covering: carpet
- Leather wrapped: gear shift knob and steering wheel
- Satellite navigation
- High mount stop lamp
- Ground clearance (laden): 205 mm
- Payload: 1,163 kg



**Freestyle freedom.** Freestyle Cab's clever door system opens up extra versatility.



**Just cruising.** Selecting and setting your speed is easy via wheel-mounted controls.



#### DUAL CAB

Seriously heavy duty or a family day out - the more you want to do, the more Dual Cab's space and versatility have to offer.

#### ΧT

- 3.2 litre in-line 5 turbo diesel engine (147 kW / 470 Nm)
- 80 litre fuel tank capacity
- 6-speed manual or 6-speed automatic utilities only
- 16 inch steel wheels with 255/70 tyres
- Headlamps (halogen)
- Power windows and mirrors (black)
- Rear step bumper (black) utilities only

4X4 DUAL CAB UTILITY XTR IN GUNMETAL BLUE MICA FITTED WITH BOSS ADVENTURE PACK

**Utility XTR** 

Air-conditioning

- Bluetooth® (hands-free compatible)<sup>5</sup>
- Cruise control
- · Floor covering: vinyl
- Trip computer
- Audio system with: AM/FM tuner, single-disc
   CD player and 6 speakers
- Bluetooth® audio (MP3 player compatible)5
- USB input (iPod® compatible)
- Airbags SRS: front (driver and passenger),
   side (front) and curtain (front and rear)

- Anti-lock Braking System (ABS)
- Child restraint anchor points (2)
- Dynamic Stability Control (DSC)
- High mount stop lamp utilities only
- Hill Descent Control (HDC) 4x4 only
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD) 4x4 only
- Ground clearance (laden): 200 mm
- Payload: from 1,139 kg (4x4 auto)
- Towing capacity (braked)4: 3,350 kg











#### XTR

Features additional to the XT:

- 17 inch alloy wheels with 265/65 tyres
- Door handles (chrome)
- Fog-lamps (front)
- Power mirrors (chrome)
- Rear step bumper (chrome)
- Side steps (aluminium finish)
- Air-conditioning (dual-zone climate control)
- Ambient temperature gauge
- · Floor covering: carpet
- Leather wrapped: gear shift knob and steering wheel
- Satellite navigation
- Payload: from 1,097 kg (4x4 auto)

#### GT

Features additional to the XTR:

- · Headlamps auto on/off function
- Rear-view mirror with auto dimming function
- · Seat trim: leather6
- Wipers (front) 2-speed with rain-sensing function
- Payload: from 1,088 kg (4x4 auto)



Feels fantastic. Supportive sports seats trimmed in rich, luxurious leather<sup>6</sup> on GT and black cloth on XT and XTR.



**Secret spot.** Lifting the rear seat reveals useful extra storage space.



#### Boss Adventure Pack (as shown)

Available on 4x4 XTR and GT models

- Steel bull bar (black) airbag compatible
- Lightforce Genesis driving lights (2)
- 17 inch 5-spoke alloy wheels
- Tubular side steps (black) airbag compatible
- Sports bar (black)
- Soft tonneau cover

#### **Boss Sports Pack**

Available on 4x4 XTR and GT models

- Alloy bull bar airbag compatible
- Lightforce Genesis driving lights (2)
- 17 inch 7-spoke alloy wheels
- Tubular side steps (stainless steel) airbag compatible
- Alloy sports bar
- Hard tonneau cover (lockable)

4X2	
<b>SPECIFICATIONS</b>	,


4x2 Single Cab Chassis XT 4x2 Single Cab Chassis XT Hi-Rider 4x2 Freestyle Cab Chassis XT Hi-Rider 4x2 Dual Cab Utility XT Hi-Rider 4x2 Dual Cab Utility XTR Hi-Rider

Engine type		2.2 litre in-line 4 cylinder	3.2	2 litre in-line 5 cylinder 20 y	alve DOHC intercooled turbo	diesel
		16 valve DOHC intercooled turbo diesel		- mai e m mile e e, mile e e		
Engine capacity		2,198 cc		3	,198 cc	
Bore and stroke		86.0 mm x 94.6 mm		89.0 mr	m x 100.7 mm	
Compression ratio		15.5 : 1		1	5.5 : 1	
Maximum power		110 kW @ 3,700 rpm		147 kW	@ 3,000 rpm	
Maximum torque		375 Nm @ 1,500 - 2,500 rpm		470 Nm @ 1	,750 - 2,500 rpm	
Throttle control		Electronic (drive-by-wire)		Electronic	(drive-by-wire)	
Fuel system		Common-rail, electronic direct injection			nmon-rail, direct injection	
Fuel tank capacity		80 litres		8	0 litres	
Recommended fuel		Diesel			Diesel	
Fuel consumption <sup>1</sup>	man (combined)	7.6 litres per 100 km		8.4 litre	s per 100 km	
	auto (combined)	-	-	-	8.9 litres per 100 km	8.9 litres per 100 km
Emissions standard		Euro stage IV		Euro	stage IV	
Alternator		12 volts - 110 amps		12 volt	s - 110 amps	
Manual transmission		6-speed		6	-speed	
Automatic transmission			-		6-speed	6-speed
Gear ratio - man/auto	1st	5.441 / -	5.441 / -	5.441 / -	5.441 / 4.171	5.441 / 4.171
	2nd	2.839 / -	2.839 / -	2.839 / -	2.839 / 2.342	2.839 / 2.342
	3rd	1.721 / -	1.721 / -	1.721 / -	1.721 / 1.521	1.721 / 1.521
	4th	1.223 / -	1.223 / -	1.223 / -	1.223 / 1.143	1.223 / 1.143
	5th	1.000 / -	1.000 / -	1.000 / -	1.000 / 0.867	1.000 / 0.867
	6th	0.794 / -	0.794 / -	0.794 / -	0.794 / 0.691	0.794 / 0.691
	reverse	4.935 / -	4.935 / -	4.935 / -	4.935 / 3.403	4.935 / 3.403
	final drive	3.310 / -	3.550 / -	3.550 / -	3.550 / 3.730	3.550 / 3.730

Chassis								
Brake diameter	front			302 mm				
	rear			270 mm				
Brake type	front			Ventilated disc				
	rear	Drum						
Steering type			Rack and pini	on hydraulic power assist ste	eering			
Suspension type	front	Independent double wishbone with coil over dampers and anti-roll bar						
	rear	Rigid (live) rear axle with leaf springs						
Turning circle	kerb to kerb	11.8 m	12.4 m	12.4 m	12.4 m	12.4 m		
Tyre size		215/70 R16C	255/70 R16	255/70 R16	255/70 R16	265/65 R17		
Tyre index		108/106S		111T		112T		
Wheel size		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J		
Wheel type		Steel	Steel	Steel	Steel	Alloy		
Wheel size (spare)		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J		
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel		

Axle capacity	front	1,324 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg
	rear	1,752 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg
Gross Combined Mass (GCM) <sup>2</sup>	man	5,275 kg	5,950 kg	5,950 kg	5,950 kg	5,950 kg
	auto	-	-		5,950 kg	5,950 kg
Gross Vehicle Mass (GVM)	man	2,925 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg
	auto	-	-	-	3,200 kg	3,200 kg
Kerb weight	man	1,619 kg	1,692 kg	1,770 kg	1,944 kg	1,983 kg
	auto	-	-	-	1,964 kg	2,003 kg
Payload <sup>3</sup>	man	1,306 kg	1,508 kg	1,430 kg	1,256 kg	1,217 kg
	auto	-	-	-	1,236 kg	1,197 kg
Seating capacity		3	3	4	5	5
Tow ball download	maximum	250 kg	335 kg	335 kg	335 kg	335 kg
owing capacity <sup>4</sup>	braked	2,500 kg	3,350 kg	3,350 kg	3,350 kg	3,350 kg
	unbraked	750 kg				

		4x2 Single Cab Chassis XT	4x2 Single Cab Chassis XT Hi-Rider	4x2 Freestyle Cab Chassis XT Hi-Rider	4x2 Dual Cab Utility XT Hi-Rider	4x2 Dual Cab Utility XTR Hi-Rider
Dimensions						
Cargo box floor height	to ground		-	_	835 mm	841 mm
Cargo box floor length		-	-	-	 1,549 mm	1,549 mm
Cargo box floor width			-	-	1,560 mm	1,560 mm
Cargo box height		-	-	-	513 mm	513 mm
Cargo box tailgate ope	ning width	-	-	-	1,330 mm	1,330 mm
Cargo box top length		-	-	-	1,485 mm	1,485 mm
Cargo box top width		-	-	-	1,500 mm	1,500 mm
Cargo box width betwe	en wheel arches		-	-	1,139 mm	1,139 mm
Ground clearance	laden	135 mm	200 mm	200 mm		205 mm
	unladen	201 mm	232 mm	232 mm	232 mm	237 mm
Overall length		5,124 mm	5,124 mm	5,124 mm	5,373 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overall height		1,703 mm	1,800 mm	1,804 mm	1,815 mm	1,821 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	985 mm	1,234 mm	1,226 mm
Track	front	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		600 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		22.0°	27.6°	27.6°	27.6°	28.2°
Departure angle		24.0°	28.4°	28.4°		26.4°
Ramp breakover angle		17.0°	24.4°	24.4°	24.4°	25.0°



4X2 SPECIFICATIONS	4x2 Single Cab Chassis XT	4x2 Single Cab Chassis XT Hi-Rider	4x2 Freestyle Cab Chassis XT Hi-Rider	4x2 Dual Cab Utility XT Hi-Rider	4x2 Dual Cab Utility XTR Hi-Rider
Exterior					
Cargo box features: centre tailgate release (black)	-	-	-	•	_
centre tailgate release (chrome)	-	-	-	-	•
double wall construction		-	-	•	•
interior rope hooks (6)		-	-	•	•
Door handles (black)	•	•	•	•	-
Door handles (chrome)		-	-	-	•
Fog-lamps (front)		-	-	-	•
Freestyle door system			•		- <u> </u>
Front bumper (body coloured)	•	•	•	•	•
Fuel filler cap (lockable)	•	•	•		- <u> </u>
Green tinted windscreen, side and rear windows	•	•	•	•	•
Headlamps (halogen)	•	•	•	•	•
Metallic/Mica paint	0	0	0	0	0
Mudflaps (front)	•	•	•	•	•
Mudflaps (rear)		-	-	•	•
Power mirrors (black)	•	•	•	•	-
Power mirrors (chrome)		-		-	•
Power windows	•	•	•	•	•
Rear step bumper (black)			-	•	
Rear step bumper (chrome)			<u> </u>		•
Side steps (aluminium finish)	-	-	-	-	•
Interior					
Air-conditioning	•	•	•	•	
Air-conditioning (dual-zone climate control)			· <del></del>		•
Ambient temperature gauge			· <del></del>		•
Auxiliary 12 volt power outlets		•	•	•	•
Bluetooth® (hands-free compatible) <sup>5</sup>	•	•	•	•	•
Centre armrest console with dual compartments			•	•	•
Critical function warning lights/chimes		•	•	•	•
Cruise control	•	•	•	•	•
Cupholders	•	•	•	•	•
Door pockets	•	•	•	•	•
Driver's left footrest	•	•	•	•	•
Floor covering: carpet			· <del></del>		•
vinyl	•	•	•	•	
Glove box	•	•	•	•	- <del> </del>
Glove box (lockable and illuminated)			-		•
Illuminated entry system with delayed fade	•	•	•	•	•
Instrument panel light dimmer	•	•	•	•	•
Interior illumination: dome lamp		_	•	•	•
map reading spot lamps	•	•	•	•	•
power window switch (driver)	•	•	•	•	•
Leather-wrapped: gear shift knob		_		_	•
steering wheel		_		_	•
Low fuel warning light	•	•	•	•	•
Overhead sunglass storage box	•	•	•	•	•
Passenger assist grips	•	•	•	•	•
Satellite navigation	-	-	-	-	•
Seat trim: cloth	•	•	•	•	•
Seat (driver's bucket) with: adjustable head restraint	•	•	•	•	•
height and lumbar adjustment		_	_	_	•
rake and slide adjustment	•	•	•	•	•
Seat (passengers' front bench) with:					
adjustable head restraint		•			- <del>-</del>

Seat (passengers' front bucket) with: adjustable head restraint

	4x2 Single Cab Chassis XT	4x2 Single Cab Chassis XT Hi-Rider	4x2 Freestyle Cab Chassis XT Hi-Rider	4x2 Dual Cab Utility XT Hi-Rider	4x2 Dual Cab Utility XTR Hi-Rider
Interior (continued)					
Seat (passengers' front bucket) with: rake and slide adjustment	-	-	•	•	•
seat back pocket	-	-	•	•	•
Seat (passengers' rear bench) with: adjustable head restraints	-	-	-	•	•
foldable seat base and under-seat storage	-			•	•
Seat (passengers' rear jump) with: removable seat base and under-seat storage	-	-	•	-	-
Tachometer and electronic odometer/tripmeter	•	•	•	•	•
Tilt-adjustable steering wheel	•	•	•	•	•
Trip computer (current and average fuel consumption, distance to empty and average vehicle speed)	•	•	•	•	•
Vanity mirror (front passenger)	-	•	•	•	•
Window demister (rear)	•	•	•	•	•
Wipers (front) 2-speed with variable intermittent function	•	•	•	•	•
Audio					
AM/FM tuner	•	•	•	•	•
Auxiliary input (3.5mm MP3 player compatible)	•	•	•	•	•
Bluetooth® audio (MP3 player compatible) <sup>5</sup>	•	•	•	•	•
CD player, single disc (MP3/WMA compatible)	•	•	•	•	•
Speakers (4)	•	•	•	-	-
Speakers (6)	-	-	-	•	•
Steering wheel-mounted audio controls	•	•	•	•	•
USB input (iPod compatible)	•	•	•	•	•
Safety					
Airbags SRS: front (driver and passenger)	•	•	•	•	•
side (front)	-	-	•	•	•
curtain (front)	•	•			
curtain (front and rear)	-	-	•	•	•
Anti-lock Braking System (ABS)	•	•	•	•	•
Child restraint anchor points (2)	-	-	•	•	•
Childproof rear door locks	-	-		•	•
Dynamic Stability Control (DSC) - switchable on/off	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•
Engine immobiliser	•	•	•	•	•
Emergency Stop Signal (ESS)	•	•	•	•	•
High mount stop lamp	-	-	-	•	•
Hill Launch Assist (HLA)	•	•	•	•	•
Intrusion-minimising brake pedal	•	•	•	•	•
Left-hand-side convex (wide angle) exterior mirror	•	•	•	•	•
Load Adaptive Control (LAC)	•	•	•	•	•
One touch (up and down) power window (driver)	•	•	•	•	•
Remote central locking (2 transmitters with retractable key)	•	•	•	•	•
Roll Stability Control (RSC)	•	•	•	•	•
Seat-belt warning audible and visual (driver)	•	•	•	•	•
Seat-belt warning audible and visual (front passenger)	-	-	•	•	•
Seat-belts 3-point lap-sash (all seats)	•	•	•	•	•
Seat-belts (front) with: height adjustable shoulder anchorages	-	-	-	•	•
Seat-belts (front) with: pretensioners and load limiters	•	•	•	•	•
Side impact door beams	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
Trailer Sway Control (TSC)	•	•	•	•	•

● Standard Feature - Not Available o No Cost Option

	4x4	4x4	4x4	4x4	4x4	4x4	4x4
4X4	Single Cab	Freestyle Cab	Freestyle Cab	Dual Cab	Dual Cab	Dual Cab	Dual Ca
	Chassis	Chassis	Utility	Chassis	Utility	Utility	Utility
SPECIFICATIONS	XT	XT	XTR	XT	XT	XTR	GT

Powertrain								
Engine type				3.2 litre in-line 5 cyli	nder 20 valve DOHC ir	tercooled turbo diese	al .	
Engine capacity					3,198 cc			
Bore and stroke					89.0 mm x 100.7 mm			
Compression ratio					15.5 : 1			
Maximum power					147 kW @ 3,000 rpm			
Maximum torque				47	'O Nm @ 1,750 - 2,500	rpm		
Throttle control				1	Electronic (drive-by-wi	re)		
Fuel system				Commo	n-rail, electronic direct	injection		
Fuel tank capacity					80 litres			
Recommended fuel					Diesel			
Fuel consumption <sup>1</sup>	man (combined)				8.9 litres per 100 km			
	auto (combined)	-	-	-	-		9.2 litres per 100 km	
Emissions standard					Euro stage IV			
Alternator					12 volts - 110 amps			
Manual transmission					6-speed			
Automatic transmission		-	-	-	-		6-speed	
Gear ratio - man/auto	1st	5.441 / -	5.441 / -	5.441 / -	5.441 / -	5.441 / 4.171	5.441 / 4.171	5.441 / 4.171
	2nd	2.839 / -	2.839 / -	2.839 / -	2.839 / -	2.839 / 2.342	2.839 / 2.342	2.839 / 2.342
	3rd	1.721 / -	1.721 / -	1.721 / -	1.721 / -	1.721 / 1.521	1.721 / 1.521	1.721 / 1.521
	4th	1.223 / -	1.223 / -	1.223 / -	1.223 / -	1.223 / 1.143	1.223 / 1.143	1.223 / 1.143
	5th	1.000 / -	1.000 / -	1.000 / -	1.000 / -	1.000 / 0.867	1.000 / 0.867	1.000 / 0.867
	6th	0.794 / -	0.794 / -	0.794 / -	0.794 / -	0.794 / 0.691	0.794 / 0.691	0.794 / 0.691
	reverse	4.935 / -	4.935 / -	4.935 / -	4.935 / -	4.935 / 3.403	4.935 / 3.403	4.935 / 3.403
	final drive	3.550 / -	3.550 / -	3.550 / -	3.550 / -	3.550 / 3.730	3.550 / 3.730	3.550 / 3.730
Transfer gear	high	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	low	2.718	2.718	2.718	2.718	2.718	2.718	2.718

Chassis										
Brake diameter	front				302 mm					
	rear				295 mm					
Brake type	front				Ventilated disc					
	rear				Drum					
Steering type				Rack and pin	ion hydraulic power a	ssist steering				
Suspension type	front		Independent double wishbone with coil over dampers and anti-roll bar							
	rear	-	Rigid (live) rear axle with leaf springs							
Turning circle	kerb to kerb				12.4 m					
Tyre size		255/70 R16	255/70 R16	265/65 R17	255/70 R16	255/70 R16	265/65 R17	265/65 R17		
Tyre index			111T			111T		112T		
Wheel size		16 x 7.0 J	16 x 7.0 J 16 x 7.0 J 17 x 8.0 J 16 x 7.0 J 17 x 8.0 J 17 x 8.0 J 17 x 8.0 J							
Wheel type		Steel Steel Alloy Steel Steel Alloy Alloy								
Wheel size (spare)		16 x 7.0 J 16 x 7.0 J 17 x 7.5 J 16 x 7.0 J 17 x 7.5 J 17 x 7.5 J								
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel		

Axle capacity	front	1,480 kg						
	rear	1,850 kg						
Gross Combined Mass (GCM) <sup>2</sup>	man	5,950 kg						
	auto	-				5,950 kg	5,950 kg	5,950 kg
Gross Vehicle Mass (GVM)	man	3,200 kg						
	auto					3,200 kg	3,200 kg	3,200 kg
Kerb weight	man	1,789 kg	1,857 kg	2,037 kg	1,929 kg	2,044 kg	2,086 kg	2,095 kg
	auto	-	-	-	-	2,061 kg	2,103 kg	2,112 kg
Payload <sup>3</sup>	man	1,411 kg	1,343 kg	1,163 kg	1,271 kg	1,156 kg	1,114 kg	1,105 kg
	auto		_			1,139 kg	1,097 kg	1,088 kg
Seating capacity		3	4	4	5	5	5	5
Tow ball download	maximum	335 kg						
Towing capacity <sup>4</sup>	braked	3,350 kg						
	unbraked	750 kg						

			4x4	4x4	4x4	4x4	4x4	4x4	4x4
Cargo box filor height to ground			hassis	Chassis	Utility	Chassis	Utility	Utility	Dual Ca Utility GT
1,549 mm	Dimensions								
1,560 mm	Cargo box floor height to ground		-	-	835 mm	-	835 mm	841 mm	841 mm
Eargo box height - 513 mm - 133 mm - 1345 mm - 1485 mm - 150 mm - 133 mm - 1	Cargo box floor length		-		1,847 mm	_	1,549 mm	1,549 mm	1,549 mi
Cargo box taligate opening width	Cargo box floor width		-		1,560 mm	_	1,560 mm	1,560 mm	1,560 m
Targo box top length 1783 mm - 1,485 mm 1,485 mm 1,485 mm 1,485 mm 1,485 mm 1,485 mm 1,500 mm 1,850 mm 1,85	argo box height		_		513 mm	_	513 mm	513 mm	513 mm
argo box top width  1,500 mm - 1,500 mm 1,500 mm 1,500 mm 1,330 mm - 1,139 mm 1,330 mm 1,330 mm - 1,390 mm 1,330 mm 200 mm 200 mm 200 mm 200 mm 200 mm 200 mm 232 mm 237 mm 25,365 mm 5,360 mm 1,850 mm 1	Cargo box tailgate opening width		-		1,330 mm	_	1,330 mm	1,330 mm	1,330 m
argo box width between wheel arches	Cargo box top length		_		1,783 mm	_	1,485 mm	1,485 mm	1,485 m
round clearance laden 200 mm 1.850 mm 1.226 mm 1.226 mm 1.234 mm 1.226 mm 1.226 mm 1.234 mm 1.226 mm 1.234 mm 1.226 mm 1.234 mm 1.256 mm 1.2560 mm 1.560 mm 1.56	argo box top width		_		1,500 mm		1,500 mm	1,500 mm	1,500 m
round clearance laden 200 mm 1.850 mm 1.226 mm 1.226 mm 1.234 mm 1.226 mm 1.226 mm 1.234 mm 1.226 mm 1.234 mm 1.226 mm 1.234 mm 1.256 mm 1.2560 mm 1.560 mm 1.56	argo box width between wheel arc	hes			1,139 mm		1,139 mm	1,139 mm	1,139 mr
unladen 232 mm 237 mm 232 mm 237 mm 232 mm 5,365 mm 5,236 mm 5,365 mm 5,365 mm 5,365 mm 5,365 mm 1,850			200 mm	200 mm		200 mm	·		205 mr
Size				· <del></del>					237 mr
Deverall width  1,850 mm  1,560 mm  1,560 mm  1,560 mm  1,560 mm  1,560 mm  1,560 mm 1,560 mm  1,560 mm  1,560 mm  1,560 mm 1,5									5,365 m
									1.850 m
Nerhang   Front   919 mm   920 mm   1,226 mm									1,821 mi
rear 985 mm 1,226 mm 1,560 mm 1,226 mm 1,560 mm				· <del></del>					919 mn
rack front 1,560 mm 1									1,226 m
rear 1,560 mm 1,560 m									
Rading depth 800 mm 3,220 mm 5,124 mm 5,124 mm									
Acelebase 3,220 mm 3,				· <del></del>			· ——		
Approach angle 27.6' 27.6' 28.2' 27.6' 27.6' 28.2' 22.64' 28.4' 27.6' 26.4' 28.4' 27.6' 27.6' 28.4' 27.6' 27									800 mi
Peparture angle 28.4* 28.4* 26.4* 28.4* 27.6* 26.4* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 25.0* 28.4* 26				· <del></del>					3,220 m
Pamp breakover angle 24.4° 24.4° 25.0° 24.4° 24.4° 25.0° 25.0° 24.4° 25.0° 25.	· · · · · · · · · · · · · · · · · · ·								28.2°
CAB CHASSIS  -1,560 mm - 1,560 mm - 5,124 mm  -1,560 mm - 5,124 mm  -1,560 mm - 5,124 mm				· <del></del>					26.4°
3,220 mm 5,124 mm 5,124 mm 5,124 mm 5,124 mm	AB CHASSIS		—1,800 mm	1 20	00 mm				
200 mm	1,560 mm-+	1,560 mm	1,804 mm	20	00 mm			5,124 mm	
				<u> </u>	T		5		

5,365 mm

4X4 SPECIFIO	CATIONS	4x4 Single Cab Chassis XT	4x4 Freestyle Cab Chassis XT	4x4 Freestyle Cab Utility XTR	4x4 Dual Cab Chassis XT	4x4 Dual Cab Utility XT	4x4 Dual Cab Utility XTR	4x4 Dual Cab Utility GT
Exterior								
Cargo box features:	centre tailgate release (black)			_	-	•	-	_
	centre tailgate release (chrome)		-	•	-		•	•
	double wall construction		-	•		•	•	•
	interior rope hooks (6)			•		•	•	•
Door handles (black)		•	•		•	•		
Door handles (chrome)				•			•	•
Fog-lamps (front)		_		•			•	•
Freestyle door system		_	•	•		_		
Front bumper (body co	loured)	•	·	<u> </u>	•	<u> </u>		•
Fuel filler cap (lockable		•	•		•			
	en, side and rear windows	•	•	<u> </u>	•		<u> </u>	•
		•	· — •		•		<u> </u>	<del>`</del>
Headlamps (halogen)								
Metallic/Mica paint					0		0	
Mudflans (front)			- <u>•</u>	<u> </u>	<u> </u>	•	•	<u> </u>
Mudflaps (rear)			- <del>-</del>	<u> </u>				
Power mirrors (black)		•	·•	<del>-</del>	•	<u>•</u>		
Power mirrors (chrome	b)			<u> </u>				
Power windows			·•	<u> </u>	•			
Rear step bumper (black	()		-					-
Rear step bumper (chro	ome)			<u> </u>			•	•
Side steps (aluminium f	finish)			<u> </u>			•	<u> </u>
Under-body impact pro	tection	•	•	•	•	•	•	•
Interior								
Air-conditioning		•	·•	<del>-</del>	•	<u> </u>		
Air-conditioning (dual-zone climate control)								
Ambient temperature gauge				<u> </u>			<u>•</u>	
Auxiliary 12 volt power outlets			- <u>•</u>		<u> </u>	<u> </u>		•
Bluetooth® (hands-free compatible) <sup>5</sup>			·		<u> </u>	•	•	<u> </u>
Centre armrest console	with dual compartments		•	<u> </u>	•			•
Critical function warning lights/chimes			•	<u> </u>	•		•	•
Cruise control		•	•	<u> </u>	•	•	•	•
Cupholders		•	•	•	•	•	•	•
Door pockets		•	•	•	•	•	•	•
Driver's left footrest		•	•	•	•	•	•	•
Floor covering:	carpet		-	•	-		•	•
	vinyl	•	•		•	•	_	-
Glove box		•	•		•	•		_
Glove box (lockable and	d illuminated)	_	-	•	_		•	•
Headlamps auto on/off function								•
Illuminated entry system		•	•	•	•	•	•	•
Instrument panel light		•	•	•	•	•	•	•
Interior illumination:	dome lamp		· — •	<u> </u>	•	-	<u> </u>	-
carior munimation.	map reading spot lamps	•	· — •	<u> </u>	•	•	•	
	power window switch (driver)	•	· — •		•			
Loathor wrapped		<u> </u>	· — •	<u> </u>	<del>-</del>		<u> </u>	
Leather-wrapped:	gear shift knob							
	steering wheel			<u> </u>				
Low fuel warning light		<u> </u>	·	<u> </u>	•			
Overhead sunglass storage box			·•	<u> </u>	<u> </u>	<u> </u>		•
Passenger assist grips			·•	<u> </u>	<u> </u>	<u> </u>		•
Rear-view mirror with a	auto dimming function				-			•
Satellite navigation				<u> </u>			•	•
Seat trim:	cloth	•	•	•	•	•	•	-
	leather <sup>6</sup>				-			•
	h: adjustable head restraint	•	•	•	•	•	•	•
Seat (driver's bucket) witl							_	•
Seat (driver's bucket) with	height and lumbar	-	-	•	-			
Seat (driver's bucket) witl	height and lumbar adjustment rake and slide adjustment	-	- •	•	<u> </u>	•	•	•

	4x4	4x4	4x4	4x4	4x4	4x4	4x4
	Single Cab Chassis	Freestyle Cab Chassis	Freestyle Cab Utility	Dual Cab Chassis	Dual Cab Utility	Dual Cab Utility	Dual Cab Utility
	XT	хт	XTR	ХТ	хт	XTR	GТ
Interior (continued)							
Seat (passengers' front bucket) with: adjustable head restraint	-	•	•	•	•	•	•
rake and slide adjustment		•	•	•	•	•	•
seat back pocket		•	•	•	•	•	•
Seat (passengers' rear bench) with: adjustable head restraints	-	-	-	•	•	•	•
foldable seat base							
and under-seat storage				<u> </u>	<u> </u>	•	
Seat (passengers' rear jump) with: removable seat base and under-seat storage	-	•	•	-	-	-	-
Tachometer and electronic odometer/tripmeter	•	•	•	•	•	•	•
Tilt-adjustable steering wheel	•	•	•	•	•	•	•
Trip computer (current and average fuel consumption, distance to empty and average vehicle speed)	•	•	•	•	•	•	•
Vanity mirror (front passenger)	•	•	•	•	•	•	•
Window demister (rear)	•	•	•	•	•	•	•
Wipers (front) 2-speed with rain-sensing function	_	-			-		•
Wipers (front) 2-speed with variable intermittent function	•	•	•	•	•	•	-
Audio							
AM/FM tuner		•			•		
Auxiliary input (3.5mm MP3 player compatible)		•		<u> </u>	<u> </u>	<u>•</u>	
Bluetooth® audio (MP3 player compatible) <sup>5</sup>		·				•	
CD player, single disc (MP3/WMA compatible)	•		<u> </u>		<u> </u>	<u> </u>	<u> </u>
Speakers (4) Speakers (6)		·•	<u> </u>		<u> </u>	<u> </u>	<u> </u>
Steering wheel-mounted audio controls		· ——		<del>-</del>			<u> </u>
USB input (iPod compatible)	•	•	•	•	•	•	•
Safety							
Airbags SRS: front (driver and passenger)	•	•	•	•	•	•	•
side (front)	-	•	•	•	•	•	•
curtain (front)	•	-			-		-
curtain (front and rear)		•	•	•	•	•	•
Anti-lock Braking System (ABS)		•		<u> </u>	•		<u> </u>
Child restraint anchor points (2)		•		<u> </u>	<u> </u>	<u>•</u>	
Childproof rear door locks					•	<u> </u>	•
Dynamic Stability Control (DSC) - switchable on/off	•	•		<u> </u>	<u> </u>		<u> </u>
Electronic Brake-force Distribution (EBD)  Emergency Brake Assist (EBA)		· — •					
Engine immobiliser	•	•	•	•	•	•	•
Emergency Stop Signal (ESS)	•	•	•	•	•	•	•
High mount stop lamp	_	-	•		•	•	•
Hill Descent Control (HDC)	•	•	•	•	•	•	•
Hill Launch Assist (HLA)	•	•	•	•	•	•	•
Intrusion-minimising brake pedal	•	•	•	•	•	•	•
Left-hand-side convex (wide angle) exterior mirror	•	•	•	<u> </u>	•	<u> </u>	•
Load Adaptive Control (LAC)		•			•		
Locking Rear Differential (LRD) - switchable on/off		•	<u> </u>	<u> </u>	<u> </u>	•	•
One touch (up and down) power window (driver)		·•			•		•
Remote central locking (2 transmitters with retractable key)  Poll Stability Control (PSC)	•			<u> </u>	-	-	
Roll Stability Control (RSC) Seat-belt warning audible and visual (driver)	<u> </u>					<u> </u>	
Seat-belt warning audible and visual (front passenger)		•		•	-		-
Seat-belts 3-point lap-sash (all seats)	•	•	•	•	•	•	•
Seat-belts (front) with: height adjustable shoulder anchorages	-	-	-	•	•	•	•
Seat-belts (front) with: pretensioners and load limiters	•	•	•	•	•	•	•
Side impact door beams	•	•	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•	•	•
Trailer Sway Control (TSC)	•	•	•	•	•	•	•

● Standard Feature - Not Available o No Cost Option



## THE ACTIVE LIFESTYLE VEHICLE A NEW APPROACH TO UTILITY DESIGN

The latest Mazda BT-50 represents a bold departure from traditional utility design. We wanted its enhanced versatility to appeal to families, and people with active lifestyles. So we infused BT-50 with a highly dynamic presence, one that captures Mazda's sporting DNA. Chief Designer Ryo Yanagisawa expands: 'We drew inspiration from movement in the world around us. For example, we had a photograph of a lion. He looked like a magnificent predator about to pounce on his prey. It appeared both intelligent and powerful and I wanted the design to project that kind of image.' With the sort of distinctive sophistication you can appreciate in Mazda passenger cars, the latest BT-50 is a fresh direction. One that lets you enjoy Zoom-Zoom, no matter what you're doing.

#### Rest assured - your warranty

Mazda BT-50 is backed by a 2-year unlimited kilometre factory warranty. If you haven't reached 100,000 kilometres at the end of two years, cover extends to 3-years or 100,000 kilometres, whichever should occur first. For more on Mazda warranties, go to mazda.com.au

#### Maintain that Zoom-Zoom

Mazda BT-50 offers high levels of technology and capability. And the best way to look after them is with the Mazda Maintenance Program. Your car, and its impressive resale value, will benefit from factory-trained Mazda Technicians equipped with one of the world's most advanced computer diagnostic systems.

#### Help is at hand -Mazda Roadside Assistance

Flat batteries, running out of fuel, flat tyres - the unexpected does happen. That's when Mazda Roadside Assistance will keep you moving. You'll be covered 24 hours a day, 365 days a year Australia-wide, and only Mazda-approved technicians will work on your vehicle. Choose a Standard policy offering everything needed to get you going again, or Premium with extras like accommodation, a rental car and vehicle recovery. Either policy can be purchased across the Mazda range. See more at mazda.com.au

#### Accessories add enjoyment

Mazda BT-50 combines amazing versatility with refined design. And with Mazda Genuine Accessories, owning one becomes even more satisfying. They let you personalise your vehicle and protect your investment. They also deliver superb design, quality, fit and safety. Mazda Genuine Accessories let you add even more Zoom-Zoom.

All care is taken to ensure the accuracy of this brochure at the time of publication. Specifications, features and model availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Limited will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise. Mazda Australia Pty Limited ABN 78 004 690 804. 385 Ferntree Gully Road, Mt Waverley, Victoria 3149, Due to the nature of the printing process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Mazda Genuine Accessories fitted at the point of sale of a new Mazda BT-50 are covered under the Mazda 3-year or 100,000 kilometre (whichever should occur first) or 2-year unlimited kilometre warranty. Mazda Genuine Accessories fitted after the sale of a new Mazda vehicle are covered by the Mazda 2-year or 40,000 kilometre warranty (whichever should occur first). Published November 2011. MAZ10094. 126.028

#### **COLOURS**

#### Exterior







Titanium Grey

Metallic

Metallic









Black Leather<sup>6</sup> GΤ

#### Interior

Copper Red

Mica

Sparkling Gold







Black Cloth XTR

1 Fuel consumption figures are based on ADR81/02. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven. 2 Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo. 3 The weight of any vehicle occupants, options, accessories, modifications, cargo and towball download must be included when calculating payload weight. 4 Subject to State or Territory regulations. 5 Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Consult your Mazda Dealer for further information. 6 Leather interior includes Maztex material on selected high impact surfaces. 7 4x2 3.2L Single Cab Chassis XT



# MAKE YOUR MAZDA EVEN MORE REWARDING

Mazda BT-50 combines amazing versatility with refined design and durability.

And with Mazda Genuine Accessories, owning one becomes even more satisfying.

They let you personalise your vehicle and protect your investment. They also deliver superb design, quality, fit and safety. With Mazda Genuine Accessories you get to add even more Zoom-Zoom.



Weathershields (right or left hand front)
Let fresh air into the cabin, but not the weather.



**Collapsible sun screen**Keep your vehicle cool and protect the interior from the sun's harmful rays.



Carpet floor mats (set of two or four)
Stylish and durable tailor-made mats. Driver's side mat incorporates a heel pad.



**12 volt auxilary sockets**Contains two 15 amp sockets to provide power to small electrical items. (Utilities only.)



Rubber floor mats (set of two or four) Heavy duty tailor-made mats.



**Seat cover (front)**Made from durable, waterproof neoprene material, these airbag compatible covers keep your seats free from dirt and grime.



Seat covers (rear)
A lightweight, waterproof cover that shields the rear seats from spills, dirt, pet scratches and everyday wear and tear. (Dual Cab only.)



### PLAY VIDEO

#### Rear parking camera and auto-dimming rear view mirror

Provides added awareness to make reverse parking easier. Overlaid screen guides assist parking, auto-dimming function reduces glare.



Reverse parking sensors

Advanced sensors use warning tone to make parking easier, even with a tow bar. (Utilities only.)



Fog-lamps

Enjoy improved visibility in conditions such as fog, rain and snow.



Bonnet and headlight protectors

Prevent costly damage from stones and other debris.



Trav mat

Non-slip surface protects your utility's tray from marks and scratches. (Utilities only.)




#### Tie down rails and straps

Secure loads with convenience and confidence. Includes two rails, four tie downs and two straps per kit. (Dual Cab Utilities only.)



Keep rear seat passengers entertained with this convenient holder for your iPad (includes set of headphones).



#### Auto interface cable - for iPod

Stream music and track data from your iPod to the vehicle's audio system and multi information display.




Stay connected and safe in remote areas with this reliable 80 channel UHF radio unit.




#### Tow bar

Designed specifically for BT-50, with a 3,350kg towing capacity and 335kg tow ball download capacity\* (3.2L models) or 2,500kg towing capacity and 250kg tow ball download capacity\* (2.2L model).

Tow ball and wiring loom sold separately. \*Subject to State or Territory regulations. Please refer to your Mazda Dealer for further information.



Provides enhanced security and peace of mind. Includes dual zone tub protection



### Auto lights on/off

Monitors outside light levels and turns headlights on or off accordingly.



To see the full range of

Mazda Genuine Accessories, go to

Mazda.com.au

#### Also available

▶ PLAY VIDEO

Recovery kit

- ► Alloy wheel 16 inch 5-spoke ► Ashtray and cigarette lighter
- ► Bonnet protector (smoke)
- ► Canopy auto interior light
- ▶ Canopy roof racks ▶ Dual battery pack
- ► Ladder rack for sports bar (black) (Utilities only) ► Lighforce Genesis driving light filters

The Mazda Genuine recovery kit has everything you need to recover your vehicle should you become bogged or

stuck. Kit includes: snatch strap, tree trunk protector strap, winch extension strap, snatch block, bow shackles x2,

recovery blanket, heavy duty gloves, bag. (Hand winch and air compressor sold separately.)

- (Spot Clear, Combo Clear, Wide Clear, Spot Crystal Blue, Combo Crystal Blue
- or Wide Crystal Blue) ► Load leveller

- ► Rear recovery point
- ► Remote keyless entry for hard tonneau cover
- ► Slimline weathershields (front set)
- ► Slimline weathershields (set of four)
- ► Snorkel
- ► Tow ball
- ► Tow ball cover
- ► Trailer wiring harness

► Tub and tailgate liner (Utilities only)

All care is taken to ensure the accuracy of this brochure at the time of publication. Equipment shown in the brochure is for illustrative purposes only and does not come standard with the vehicle, or as Mazda Genuine Accessories. Specifications, features and availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on availability, specifications, features and prices. Mazda Australia Pty Limited will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise. Mazda Australia Pty Limited ABN 78 004 690 804, 385 Ferntree Gully Road, Mount Waverley, Victoria 3149. Mazda Genuine Accessories fitted at the point of sale of a new Mazda BT-50 are covered under the Mazda 3-year or 100,000 kilometre (whichever should occur first) or 2-year unlimited kilometre warranty. Mazda Genuine Accessories fitted after the sale of a new Mazda vehicle are covered by the Mazda 2-year or 40,000 kilometre warranty (whichever should occur first). iPod and iPad are trademarks of Apple Inc., registered in the U.S. and other countries. Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Bluetooth® accessory you intend to purchase as not all devices will operate correctly. Consult your Mazda Dealer for further information. Published November 2011. MAZ9939 126.029

BT:50

RECOVERY BLANKET



Nudge bar (polished)

Give the front of your BT-50 a tougher look. Incorporates mounts for optional Lightforce driving lights.



Nudge bar (black)



#### Lockable tool box (steel)

Lockable tool box helps you keep equipment organised and secure. Can be mounted to either side of the vehicle in a choice of four locations. (Dual Cab Utilities only.)



Lockable tool box (steel mesh)







# **Soft tonneau cover**Durable cover available for vehicles with or without sports bar. (Utilities only.)



# **Sports bar (polished)**A tough, stylish accessory with an integrated LED high

mount stop lamp. (Utilities only.)



Sports bar (black)
(Utilities only.)



### Ladder rack for sports bar (polished)

Makes carrying ladders and other long items straight forward. Load capacity up to 75kg. (Utilities only.)



#### Canopy

Attractive and secure in tough ABS plastic. Lockable rear door lifts for easy access to generous storage. (Dual Cab Utilities only.)