











CR-V

ACCORD EURO









Honda Australia Pty. Ltd. ACN 004 759 611 ABN 66 004 759 611 95 Sharps Road, Tullamarine, Victoria, 3043. Freecall 1800 804 954 honda.com.au/cars





youtube.com/HondaAustralia instagram.com/Honda\_Australia

Д° FSC

MIX Paper from ponsible sour

FSC<sup>®</sup> C005583

The specifications and major features listed herein are accurate as at the date of printing (July 2014/14YM). However, Honda Australia Pty. Ltd. reserves the right to change or modify specifications and major features at any time without prior notice. Due to ordering, shipping and freight factors, some colour, model, option and accessory availabilities may vary from time to time. Check with your Honda Dealer for current information. Only Genuine Honda Accessories are made to fit Honda vehicles. The fuel consumption figures quoted in this brochure are based on ADR81/02 test results. You may experience different results depending on driving conditions and the condition of the vehicle. Honda warranties apply where due care is exercised by the owner and the vehicle is maintained in accordance with the vehicle's owner's manual. Please refer to Honda's warranty documentation for exclusions and conditions. Honda Australia Pty. Ltd. recommends careful examination of all official Honda warranty documentation before purchasing. This brochure is printed on HannoArt, a paper that is certified carbon neutral by the Carbon Reduction Institute (CRI) from seedling to printer. Made with Totally Chlorine Free (TCF) pulp which has been sourced from managed plantation forests. HannoArt is manufactured under the world's best practice ISO 14001 Environmental Management System. Civic Sedan VTi-L HOD0499







Ready to be put to the test. It looks set to pounce – and it is. The Honda Civic Sedan is pure charisma, pairing sleek, coupelike styling and impressive performance with enviable fuel efficiency and the attention to safety you'd expect from Honda. Take your seat in the remarkably quiet wrap-around cockpit and feel the technology embrace you. Here you'll find every control

at your fingertips, including the Display Audio touchscreen<sup>#</sup> and a suite of safety features set to engage at a moment's notice. Whether it's passive or active safety, the Civic has it covered.

Now touch your foot to the accelerator and feel the advanced i-VTEC engine spring effortlessly into action. Responsive and ready, this is the moment the Civic Sedan has been waiting for.

CIVIC

## QUIET CONFIDENCE.

With beautiful form comes sensational function. The sweeping roofline, sleek windshield rake and low centre of gravity help to optimise airflow for a more aerodynamic ride. Every inch of the Civic Sedan has been designed for smooth performance. There's plenty to talk about, but one look at its refined exterior says it all. First you'll notice its contemporary curves, the distinctive character lines, lean pillars, elegant wing mirrors, and attractive chrome grille. Quite the first impression, you'll be instantly drawn to the way the Daytime Running Lights accent the headlights. Every subtle detail comes together to form a shape that exudes clever confidence, but has no need to boast.



Why settle for anything less when you can surround yourself in comfort?

The Civic Sedan may just defy physics. Somehow Honda has created an interior space that appears larger inside than out. Passengers who dream of adequate legroom will be stunned at all the space at their feet, while drivers of all shapes and sizes will appreciate the unrivalled support and comfort of a fully reclining height-adjustable seat.

With seats appointed in a wonderfully soft fabric trim. or luxurious leather<sup>^</sup> in the case

of the VTi-L and Sport models, the Civic Sedan invites you to shut the door on the world outside. Optimised visibility for both driver and passengers offers a clear view of the sights, while the car naturally dampens those outside sounds. This is achieved with extra-lightweight sound-absorption materials used throughout the cabin, and extrasmooth suspension. Welcome to your new sanctuary on wheels.

Everything you need in exactly the right place.

What good is technology if it's not a pleasure to use? Through this founding principle of ergonomic design and clever thinking, every control in the Civic Sedan has been put in easy reach. For example, the dual-zone dash displays the information most important to your drive right in front of you at all times. That makes sense.

The state-of-the-art touchscreen Display Audio system\* has all of your infotainment needs within easy reach.



And with the controls right there on your steering wheel, you can search for the perfect soundtrack to your drive without taking your attention off the road. To keep you up to speed, the Sport model also comes with built-in satellite navigation and SUNA live traffic updates<sup>^</sup>. Here, at the centre of the universe, you'll be amazed at how simple something so highly technical can be.



# State of the art technology at a touch.

The Display Audio system, found in the VTi model and above, brings the power of a compatible smartphone to the large colour touchscreen situated at the heart of the Civic Sedan. With just a tap, you can sync your favourite music or answer a call. Or you can use the steering wheelmounted controls, so you'll never have to take your hands off the wheel.

So wherever the Civic Sedan takes you, the sounds and features you love are never far away.





### Multimedia system

There's nothing like the perfect tune to complement a beautiful drive. With a CD player and DVD player<sup>t\*</sup>, USB ports and HDMI<sup>®</sup> port<sup>\*</sup>, plus Bluetooth<sup>®</sup> audio streaming<sup>°</sup>, all the Civic Sedan requires of you is to select a song for the journey. Of course, if you prefer surprises, you can always tune in to your favourite station with the AM/FM radio.



Bluetooth<sup>®</sup> connectivity°

Your smartphone and the Civic Sedan make the perfect pair. With Bluetooth<sup>®</sup> connectivity,<sup>°</sup> you can take calls while you keep your hands on the wheel. The Display Audio\* touch screen becomes your control centre, allowing you to browse contacts and call history<sup>‡</sup>, as well as stream tunes straight from your phone's music library. Talk about being in sync.



\*Available on VTi models and above. <sup>‡</sup>Operates only while vehicle is stationary. <sup>°</sup>Please check the list of compatible phones at honda.com.au/Bluetooth The Bluetooth word mark is owned by Bluetooth SIG, Inc. and use of such mark by Honda is under licence. <sup>∞</sup>SUNA is a registered trademark of Intelematics Pty. Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to www.sunatraffic.com.au for full details. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. HDMI is a registered trademarks are properties of their respective owners.

MP4

### USB/HDMI<sup>®</sup> connectivity

The Display Audio\* system makes browsing any audio library a breeze. With your compatible smartphone or MP3 media device plugged into the USB port, you can view the song title, artist, and even album art if this information is available. Scroll through your playlists right there on screen, or use the steering wheel-mounted controls. The display will even project MP4 video and photos via HDMI® provided your Civic Sedan is in park mode.

#### Built-in Navigation System

The Civic Sedan Sport model comes equipped with built-in Satellite Navigation housed on the Display Audio system. Live SUNA Traffic Updates<sup> $\infty$ </sup> ensure you are always on the right route.





# Eyes in the back of your head.

Camera observes 4 THE LOOM A W HOME Ð voi -MUTE ... Normal view 4 \*) HOME + voi voi -..... Wide view HOME + voi

Put the Civic Sedan into reverse and the multi-angle reversing camera in the VTi and above models is instantly at your service. Not just one, but three views ensure that anything behind you is in plain sight. Switch easily between an outstanding 180° wide angle, standard reverse view, or handy top-down mode. With dynamic guidelines to plot your projected path, the outlook is very good indeed.

BACK

Top-down view





### 60:40 split-fold seats

As if there wasn't enough space already, the innovative seating system flips up or folds down to nothing. With one simple fluid motion, vou can split the seats 60:40 to accommodate cargo of any shape.



Climate control The VTi-S and above have climate control air conditioning, so all you have to do is set the desired cabin temperature.

Rain-sensing wipers



Fog lights

voi

.....

The VTi-L and Sport models both come fitted with an exceptional pair of fog lights, designed to enhance the chrome grille while also offering a desirable safety benefit.

Rear parking sensors As soon as a car or object is getting close, you'll hear about it thanks to the reverse parking sensors in the VTi-L and Sport models, which make backing up a pleasure.



Paddle shifters The Civic Sedan Sport driving experience is enhanced with sporty paddle shifters for a race-inspired drive

Sunroof Not only does the sunroof on the Civic Sedan Sport open with an easy automatic slide and tilt motion, you can also adjust how much light it lets into the cabin

### Intelligent-Multi Information display (i-MID)

All models feature i-MID, a clever 5-inch full-colour screen. With a quick touch of the steering wheelmounted controls, i-MID will feed you a wealth of information about your trip including fuel economy, outside temperature, trip statistics and warnings.

#### Cruise control

Give yourself a break by locking in your perfect cruising speed and the Civic Sedan will do the rest. Not only will it make your trip a breeze, it will optimise your fuel economy. (VTi-S shown).





At the first sign of rain, the intelligent front wipers in the VTi-S and above models know it's time to go to work, adjusting their speed as needed.

Smart keyless entry with push button start As long as you're carrying your key, the VTi-S and above models will sense you approaching. Touch your door handle and the car automatically unlocks. Take your seat inside and the engine starts at the touch of a button. Magic.





#### Retractable mirrors

In the VTi-L and Sport models the adjustable door mirrors are also electrically retractable, allowing you to fold them safely out of harm's way when they're not in use. (Civic Sedan Sport shown).



### Power adjustable front seat With an 8-way power adjustment, the driver's seat

in the Civic Sedan Sport makes it easy to find your perfect driving position every time.

The only thing better than a clever car is one that's fun to drive. Turns out that's one more thing the Civic Sedan is an expert at.





### Engine

So often choosing a car involves a trade-off between efficiency and power. But that's not fun. Which is why Honda's engineers have developed the rebelliously efficient i-VTEC engine.

The 1.8 litre engine within the Civic Sedan Vi, VTi, VTi-S and VTi-L models delivers a handsome 104kW at 6500rpm and 174Nm of torgue at 4300rpm, and yet wields an economy rating of 6.7 litres per 100km\* in the automatic transmission. Meanwhile the impressive 2.0 litre engine inside the Civic Sport uses 7.5 litres per 100km<sup>^</sup> while transferring 114kW of power to the road with 190Nm of sheer pulling power.

Whichever of these superb engines drives your Civic Sedan, you'll enjoy the benefits of i-VTEC variable valve technology – guaranteed to bring the power when you put your foot down, while intelligently adjusting the inlet valve timing to conserve fuel on those long, pleasant stretches of road.

### clever transmission, and the Grade Logic Control in the Civic Sedan makes it one of the most intelligent automatics on the market. Forget 'gear hunting'. The Civic accordingly, making the shock of those jerky up-hill gear changes a problem of the past. The Civic Sport model comes with paddle shifters on the steering wheel to complement the automatic

Transmission

### Power Steering

A fun drive is one that rewards your actions with beautiful reactions. The Civic Sedan's lightweight Motion Adaptive Electric Power Steering (MAEPS) does exactly that. The power assist is applied to match your exact speed. So while you're circling the parking lot, power steering is in full supply. Yet while cruising down the highway, you'll enjoy a more direct feel.



In fact, the Civic was built for it. With its perfectly proportioned wheelbase and finely tuned suspension, you'll be astonished at the level of agility and manoeuvrability Honda has made possible.

The other thing you can expect is to use a lot less fuel than you may be used to. You can put that down in part to the variable valve technology found within the powerful i-VTEC engine. And let's face it: saving money on fuel is a lot of fun, too.

### Body structure

Nimble and responsive, a combination of MacPherson struts at the front and multi-link suspension at the rear will smooth over any noise or vibration from the road. Add this to the Civic's cleverly engineered chassis setup and you have a vehicle that translates every move you make into pure driving joy.





\*The fuel consumption figure is based on ADR81/02 combined test results for Civic Sedan VTi, VTi-S and VTi-L ^The fuel consumption figure is based on ADR81/02 combined test results for Civic Sedan Sport.

A clever car wouldn't be complete without knows when it's on an incline and adjusts transmission, while the Civic Vi comes with a 5-speed manual transmission.

### Eco Assist

The Civic Sedan doesn't just drive more frugally - it coaches you to drive more frugally. With Eco Assist, you'll learn to minimise your fuel usage and emissions. Who said that learning can't be fun?

### ECON Mode

Touch the ECON button and your Civic Sedan adjusts its engine behaviour, transmission style and air conditioning function to use even less fuel.

# IT MAY BE FUN TO DRIVE, BUT THE CIVIC SEDAN IS SERIOUS ABOUT SAFETY. **ONLY AUSTRALIA'S HIGHEST POSSIBLE RATING OF 5 ANCAP** STARS IS GOOD ENOUGH.

### Whiplash mitigating front head restraints

With specific spring range settings in both the seatback and bottom cushions, the Civic's front seats are designed to lessen the severity of neck injuries in case of a rear impact.

### Motion Adaptive Electric Power Steering (MAEPS)

Motion Adaptive Electric Power Steering detects instability and automatically adjusts steering pressure, making it easier to steer in the correct direction

CIVIC

### Airbags

The clever Honda i-SRS driver airbag system inflates at different rates depending on crash severity, seat belt usage and a host of other factors to help keep you safe behind the wheel. Dual front, side and full-length curtain airbags are standard.

### Daytime Running Lights

Daytime Running Lights add even more refined style to the Civic Sedan, while ensuring you're more visible to other drivers whatever the conditions.

> Anti-lock Braking System (ABS), **Electronic Brake-force Distribution** (EBD) and Brake Assist (BA)

When emergency braking is detected, BA applies maximum braking pressure, activating the ABS system. ABS helps stop the wheels locking under heavy braking, allowing you to maintain steering control whilst EBD works to maintain optimum brake balance.

With its 5-star ANCAP safety rating, the highest possible assessment, the Civic Sedan is one of the safest drives on the market.



### Advanced Compatibility Engineering (ACE)

The Civic Sedan has been designed with an innovative body structure, engineered to absorb and deflect the force of a frontal collision away from the passenger compartment, improving the safety of every occupant.

### Multi-angle reversing camera

The VTi, VTi-S, VTi-L and Sport models all feature a reversing camera, so you'll feel just as safe going backwards as you do going forwards.

### Vehicle Stability Assist (VSA) with Traction Control System (TCS)

Stay pinned firmly on course even in adverse driving conditions with this technology that detects then corrects potential understeer or oversteer. When necessary, VSA automatically reduces engine power and manages brake pressure to individual wheels to help regain control.



### Civic Vi

### The Civic Sedan Vi comes standard with:

- 1.8 litre i-VTEC engine
- 5-speed manual only

colour

model and

Select your

- 15-inch steel wheels
- Body coloured electrically adjustable door mirrors
- Body coloured exterior door handles
- Halogen headlights (auto off)
- Daytime Running Lights (DRLs)
- Remote keyless entry with boot release
- Air conditioning
- Cruise control
- Eco Assist and ECON Mode
- Black fabric seat trim
- 60/40 split fold rear seats
- Driver and front passenger illuminated vanity mirror - Intelligent-Multi Information Display (i-MID)
- Four speaker audio
- AM/FM radio with MP3 compatible CD player
- USB port
- Bluetooth<sup>®</sup> phone and audio connectivity<sup>°</sup>
- 5-star ANCAP safety rating
- SRS airbags: dual front, side and full-length curtain
- Advanced Compatibility Engineering (ACE) structure
- Anti-lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Motion Adaptive Electric Power Steering (MAEPS)
- Vehicle Stability Assist (VSA) with
- Traction Control System (TCS)
- Whiplash mitigation front head restraints



### Civic VTi

### Additional features over the Vi:

- 5-speed automatic only
- 15-inch alloy wheels
- Display Audio touchscreen with DVD player^
- Multi-angle reversing camera
- HDMI port



### Civic VTi-S

#### Additional features over the VTi:

- 16-inch alloy wheels
- Auto on/off dusk sensing halogen headlights
- Chrome exterior door handles
- Rain-sensing automatic front wipers
- Climate control air conditioning
- Leather-wrapped steering wheel
- Six speaker audio
- Smart keyless entry and push button start





### Civic VTi-L

### Additional features over the VTi-S:

- Black leather-appointed seat trim<sup>+</sup>
- Electric fold mirrors
- Front fog lights
- Piano black trim finish
- Reverse parking sensors



### **Civic Sport**

#### Additional features over the VTi-L:

- 2.0 litre i-VTEC engine
- Steering wheel-mounted gear shift paddles
- 17-inch alloy wheels
- Mirror-mounted side turn indicators
- Electric tilt/slide sunroof
- Built-in satellite navigation with SUNA live traffic updates<sup>≠</sup>
- 8-way power adjustable front driver seat







### Trims



Black fabric seat trim - Vi, VTi and VTi-S models.



Black leather-appointed<sup>†</sup>seat trim -VTi-L and Sport models.

### Colours



Modern Steel Metallic\*

°The Bluetooth word mark is owned by Bluetooth SIG, Inc. and use of such mark by Honda is under licence. Please check

the list of compatible phones at honda.com.au/bluetooth "SUNA is a registered trademark of Intelematics Pty. Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to sunatraffic.com.au for full details. ^DVD player only operates

- while vehicle is stationary. <sup>†</sup>Leather trim includes non-
- leather material on selected, high-impact surfaces. \*Metallic/Pearlescent paint additional cost.



**TURN HEADS AND CAPTURE HEARTS WITH** THE HIGHLY REFINED **MODULO SPORTS** PACK, BRINGING OUT THE SPORTY SIDE OF THE IMPRESSIVELY STYLISH CIVIC SEDAN.

And being genuine, you know they'll fit perfectly and perform flawlessly. For more information, contact your local Dealer or visit honda.com.au/civic

CIVIC

 Civic Sedan Sport shown in Alabaster Silver fitted with Modulo Sports Pack 18-inch allov wheels and exhaust pipe finisher

See your Honda Dealer for advice regarding Genuine Honda Accessories. Pictured accessories are all sold separately. All Genuine Honda Accessories installed at the time of retail sale of a new motor vehicle are covered by Honda's 3-year/100,000km Warranty. If installed after retail sale, they are covered for the remainder of the warranty or a minimum of 12 months – whichever is greater – provided that the accessory is fitted only to the vehicle for which it was intended by Honda Motor Co. \*Rear under spoiler is not compatible with the accessory rear mud guard set ^Side skirt set is not compatible with the accessory front mud guard set or tow bar. "Sports pedal set also shows the Accent lighting, which is sold separately. \*17-inch for VTi-S and VTi-L (alloy shown on left) 18-inch for Sport (alloy shown on right). Tyres sold separately. <sup>∞</sup>Available in metal and illuminated (shown) finish for front.

 Clockwise below Door sill garnish set\* Sports grille Rear tail spoiler - wing type Interior trim set (6-piece) Sports pedal set~ Alloy wheels (up-size)#





# Modulo Sports Pack.

Enhance the athletic look of your new Civic Sedan with the stunning Modulo Sports Pack. Designed to complement the existing design.

### Modulo Sports Pack includes:

- Front under spoiler
- Rear under spoiler\*
- Side skirt set^
- Rear tailgate spoiler (wing type)



Rear tail spoiler - duck tail type



























### DESIGNED BY HONDA, FOR YOUR HONDA.

The Civic Sedan is one smart-looking car. To help keep it that way, a range of Genuine Honda Accessories are available to protect your Civic Sedan against potential damage. Other additions have been designed to enable you to practically store and transport almost anything with minimum fuss.

### Other accessories include:

- Ash tray - Bonnet protector - Car body cover
- Cigar lighter - Door visor set
- Drink and utility holder set
- Exhaust pipe finisher
- Headlight protector set - Leather maintenance kit
- Tongue and towball storage bag
- Touch-up paint
- Towbar kit
- Trailer plug adapter
- Wheel lock nut set

See your Honda Dealer for advice regarding Genuine Honda Accessories. Pictured accessories are all sold separately. All Genuine Honda Accessories installed at the time of retail sale of a new motor vehicle are covered by Honda's 3-year/100,000km Warranty. If installed after retail sale, they are covered for the remainder of the warranty or a minimum of 12 months – whichever is greater – provided that the accessory is fitted only to the vehicle for which it was intended by Honda Motor Co. \*The front mud guard set is not compatible with the accessory side skirt set or tow bar. The rear mud guard set is not compatible with the accessory rear under spoiler. \*In the interest of aerodynamics, Honda recommends the roof rack set be removed when not in use.

### **Civic Sedan Specifications**

Description		Vi	VTi	VTi-S	VTi-L	Sport
NGINE						
ngine type ngine capacity	- SOHC i-VTEC In-line 4-cylinder - 1.8 litre - 1798cc	•	•	•	•	•
	- 2.0 litre - 1997cc	-	-	-	-	•
Compression ratio Bore x Stroke (mm)		10.6 : 1 81 x 87.3	10.6:1 81 x 96.9			
Fuel supply system	- Honda Programmed	•	•	•	•	•
uel type (minimum recommended)	Fuel Injection (PGM-FI) - Unleaded (91 RON)	•	•	•	•	•
Drive By Wire throttle (DBW)		•	•	•	•	•
RANSMISSION						
i-speed manual transmission		•	-	-	-	-
	- Grade Logic Control	-	٠	٠	•	•
	- paddle shifters - transmission shift lock	-	•	-	•	•
PERFORMANCE AND FUEL ECONOMY						
/laximum power (kW @ rpm)		104@6500	104@6500	104@6500	104@6500	114@6500
Aaximum torque (Nm @ rpm) uel consumption (litres/100km)* combined	- manual	174@4300 6.8	174@4300	174@4300	174@4300	190@4300
	- automatic	-	6.7	6.7	6.7	7.5
uel consumption (litres/100km)* urban	- manual - automatic	8.9	- 9.1	- 9.1	- 9.1	- 10.4
Fuel consumption (litres/100km)* extra urban	- manual	5.6	-	-	-	-
CO2 emission (g/km)* combined	- automatic	-	5.3	5.3	5.3	5.9
CO2 emission (g/km) combined	- manual - automatic	161	- 158	- 158	- 158	- 178
CO2 emission (g/km)* urban	- manual	212	-	-	-	-
CO2 emission (a/km)* ovtra urban	- automatic	- 132	216	216	216	245
CO2 emission (g/km)* extra urban Emission standard	- manual - automatic	- 132	- 125	- 125	- 125	- 139
	- ADR 79/04 (Euro 4)	•	•	•	•	•
CHASSIS						
Annocoque body construction	MacDharaon at the (frant)	•	•	•	•	•
Suspension type	- MacPherson strut (front) - Multi-link (rear)	•	•	•	•	•
teering type	- Motion Adaptive Electric Power Steering (MAEPS)	•	•	٠	۰	٠
Stabiliser bars Brakes	- Front and rear - Ventilated disc (front)	•	•	•	•	•
14/5	- Solid disc (rear)	•	•	•	•	•
XTERIOR						
Antenna	- in-glass	•	•	•	•	•
Door handles	- body coloured - chrome	•	•	•	-	•
Door mirrors	- body coloured	•	•	•	•	•
	- LED turn indicators	-	-	-	-	•
	- electric adjustable - electric folding	•	•	•	•	•
electric sunroof		-	-	-	-	•
Vindscreen wipers (front)	- 2-speed & intermittent	•	•	-	-	•
	- rain-sensing automatic	-	-	•	•	•
EXTERIOR LIGHTS Daytime Running Lights (DRLs)	- bulb type	•	•	•	•	•
Fog lights	- front				•	•
leadlights	- auto off - auto on/off dusk-sensing	•	•	•	•	•
	- auto on/on dusk-sensing	-	-	•	•	•
DRIVER AIDS Cruise control		•	•	•	•	•
CON Assist (speedometer display)		•	•	•	•	•
CON Mode		•	•	•	•	•
nstant fuel economy indicator ntelligent Multi Information Display (i-MID)	- odometer	•	•	•	•	•
<u> </u>	- trip meter (A/B)	•	•	•	•	•
	- clock - average fuel economy	•	•	•	•	•
	- range	•	•	•	•	•
	- average speed	•	•	•	•	•
	- elapsed time - outside temperature display	•	•	•	•	•
	- rear seatbelt status	•	•	•	•	•
Steering wheel-mounted controls	- audio, Bluetooth® phone°, cruise control, i-MID	•	•	•	•	•
COMFORT AND CONVENIENCE	[		•			
Accessory power outlet (12v)	- front (x1) - manual	•	•	•	-	-
	- climate control	-	-	•	•	•
Driver's footrest Dust and pollen filter		•	•	•	•	•
Grab rail (x4)		•	•	•	•	•
nterior illumination	- cabin light	•	•	•	•	•
	- luggage area light - map lights	•	•	•	•	•
	- sun visor vanity mirror light	•	•	•	•	•
ower windows	- one touch auto up/down function (driver)	•	•	•	•	•
ear window demister ear-view mirror	- day/night type	•	•	•	•	•
Keyless entry	- remote entry with boot release	•	•	۰	•	0
un visor vanity mirror	- smart entry and push button start - driver and passenger	•	-	•	•	•
eatbelt height adjuster	- front	•	•	•	•	•
teering column adjustment	- tilt and telescopic	•	•	•	•	•
Vindows	- heat absorbing	•	•	٠	•	•
EATING	- fabric	•	•	٠	_	_
Seat trim	- tabric -leather-appointed^	-	-	-	•	•
eats (front)	- driver seat manual height adjustment	•	•	•	•	-
eats (rear)	<ul> <li>driver seat power adjustment (8-way)</li> </ul>	-	-	_	-	•
Seats (rear)		•	•	•	•	•
	- 60:40 split-fold seat backs - centre fold down armrest	•				٠
lead restraints (x5)	- 60:40 split-fold seat backs	•	•	•	•	•

### **Civic Sedan Specifications**

Description		Vi	VTi	VTi-S	VTi-L	Sport
NTERIOR STYLING						
eather-wrapped steering wheel		-	-	•	•	•
TORAGE						
Cup holders (x8) Centre console box (with sliding front seat armrest)		•	•	•	•	•
oat hanger (x1)		•	•	•	•	•
love box		•	•	•	•	•
eat back pocket		•	•	•	٠	٠
		•	•	•	•	•
un visor ticket holder	- driver side	•	•	•	•	•
IULTIMEDIA						
isplay Audio featuring:		-	•	•	•	•
	<ul> <li>Built-in satellite navigation with SUNA live traffic updates*</li> </ul>	-	_	-	_	•
		-	•	•	•	•
		-	•	•	•	•
speaker audio system		•	•	-	-	-
speaker audio system	r opoditoro, 2 throotoro	-	-	•	•	•
M/FM radio		•	•	•	•	•
uetooth® phone and audio streaming°		•	•	•	•	•
D player, single disc (MP3/WMA compatible) beed-sensitive Volume Compensation (SVC)		•	•	•	•	•
DMI® port		-	1	1	1	1
SB port		1	2	2	2	2
uxiliary port		1	-	-	-	-
CTIVE SAFETY						
nti-lock Braking System (ABS)		•	•	•	•	•
ectric Brake-force Distribution (EBD)		•	•	•	•	•
mergency Brake Assist (EBA)		•	•	•	•	•
action Control System (TCS)		•	•	٠	•	•
ehicle Stability Assist (VSA)		•	•	•	•	•
ASSIVE SAFETY						
dvanced Compatibility Engineering (ACE) structure		•	•	•	•	•
RS Airbags	- front: driver and passenger, side and full length curtain	•	•	•	•	•
hild-proof rear door locks		•	•	•	•	•
hild safety seat anchorages		•	•	•	•	•
igh mounted brake light		•	•	•	•	•
onda G-force Control (G-Con) technology rogressive crumple zones		•	•	•	•	•
eatbelts (3 point)		•	•	•	•	•
		•	•	•	•	•
		•	•	•	•	•
eatbelts reminder	- all seats	•	•	•	•	•
ide impact protection		•	•	•	•	•
Vhiplash mitigating head restraints (front seat)		•	•	•	•	•
ARKING AIDS						
leverse parking sensors					•	•
Iulti-angle reversing camera	- 3 mode: normal, wide, top-down	-	•	•	•	•
	- dynamic or fixed guidelines	-	•	•	•	•
ECURITY						
ngine immobiliser		•	•	•	•	•
emote central locking		•	•	•	•	•
ecurity alarm system		•	•	•	•	•
IMENSIONS						
verall length (mm)		4540	4540	4540	4540	4540
verall width (mm)						
		1755	1755	1755	1755	1755
verall height (mm)		1435	1755 1435	1755 1435	1755 1435	1755 1435
verall height (mm) /heelbase (mm)		1435 2670	1755 1435 2670	1755 1435 2670	1755 1435 2670	1755 1435 2670
verall height (mm) /heelbase (mm)	- front	1435 2670 1500	1755 1435 2670 1500	1755 1435 2670 1500	1755 1435 2670 1500	1755 1435 2670 1500
verall height (mm) /heelbase (mm) ack (mm)	- front - rear	1435 2670 1500 1520	1755 1435 2670 1500 1520	1755 1435 2670 1500 1520	1755 1435 2670 1500 1520	1755 1435 2670 1500 1520
verall height (mm) /heelbase (mm) ack (mm)	- front - rear - non-load	1435 2670 1500	1755 1435 2670 1500	1755 1435 2670 1500	1755 1435 2670 1500	1755 1435 2670 1500
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm)	- front - rear - non-load - full load - front	1435 2670 1500 1520 150 110.1 991.5	1755 1435 2670 1500 1520 150	1755 1435 2670 1500 1520 150	1755 1435 2670 1500 1520 150	1755 1435 2670 1500 1520 150
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm)	- front - rear - non-load - full load - front - rear	1435 2670 1500 1520 150 110.1 991.5 942.4	1755 1435 2670 1500 1520 150 110.1 991.5 942.4	1755 1435 2670 1500 1520 150 110.1 991.5 942.4	1755 1435 2670 1500 1520 150 110.1 991.5 942.4	1755 1435 2670 1500 1520 150 110.1 991.5 942.4
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm)	- front - rear - non-load - full load - front - rear - front - front	1435 2670 1500 1520 150 110.1 991.5 942.4 1066	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eg room (mm)	- front - rear - non-load - full load - front - rear - front - rear	1435 2670 1500 1520 110.1 991.5 942.4 1066 919	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919	1755 1435 2670 1500 1520 1520 150 110.1 991.5 942.4 1066 919	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eg room (mm)	- front - rear - non-load - full load - front - rear - front - rear - front - rent	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438	1755 1435 2670 1500 1520 1520 110.1 991.5 942.4 1066 919 1438	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eg room (mm) noulder room (mm)	- front - rear - non-load - full load - front - rear - front - rear - front - rear - front - rear	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5
verall height (mm) heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eg room (mm) noulder room (mm)	- front - rear - non-load - full load - front - rear - front	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) ag room (mm) noulder room (mm) ip room (mm)	- front - rear - non-load - full load - front - rear - front - rear	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5	1755 1435 2670 1500 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5	1755 1435 2670 1500 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) ag room (mm) noulder room (mm) ip room (mm) ip room (mm)	- front - rear - non-load - full load - front - rear - front - rear	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) ag room (mm) noulder room (mm) ip room (mm) inimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES	- front - rear - non-load - full load - front - rear - front - rear	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1354.5 1283 1305.5 5.42	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42	1755 1435 2670 1500 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42	1755 1435 2670 1500 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) boulder room (mm) houlder room (mm) ip room (mm) linimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES bot capacity (litres)	- front - rear - non-load - full load - front - rear - front - rear	1435         2670         1500         1520         150         10.1         991.5         942.4         1066         919         1438         1354.5         1283         1305.5         5.42	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eag room (mm) houlder room (mm) inimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES bot capacity (litres) iel tank capacity (L)	- front - rear - non-load - full load - front - rear - front - rear - front - rear - front - rear - front - rear - front - rear - front - rear	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 150 110.1 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57
verall height (mm) heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eag room (mm) houlder room (mm) inimum turning radius at wheel centre (m) <b>/EIGHTS AND CAPACITIES</b> Dot capacity (litres) Jel tank capacity (L) erb weight (kg)	- front - rear - non-load - full load - full load - front - rear - front - rear	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/-	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1355.5 5.42 440 57 -/1255	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1245	1755 1435 2670 1500 1520 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eag room (mm) houlder room (mm) ip room (mm) linimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES oot capacity (litres) jel tank capacity (L) erb weight (kg)	- front - rear - non-load - full load - front - rear - front - f	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 150 110.1 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57
veral height (mm) /heelbase (mm) /heelbase (mm) round clearance (mm) ead room (mm) eg room (mm) houlder room (mm) ip room (mm) linimum turning radius at wheel centre (m) //EIGHTS AND CAPACITIES oot capacity (litres) uel tank capacity (L) erb weight (kg) pwing capacity (kg)	- front - rear - non-load - full load - full load - front - rear - trailer with brakes (manual/auto) - trailer without brakes - rear - front	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/- 1200/-	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235 -/800	1755 1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1355.5 5.42 440 57 -/1255 -/800	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1355.5 5.42 440 57 -/1245 -/800	1755 1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290 -/800
verall height (mm) /heelbase (mm) round clearance (mm) ead room (mm) eag room (mm) houlder room (mm) houlder room (mm) linimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES oot capacity (litres) uel tank capacity (L) erb weight (kg)	- front - rear - non-load - full load - full load - front - rear - trailer with brakes (manual/auto) - trailer with buakes - ball down force	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/- 1200/- 500	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235 -/800 500	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1255 -/800 500	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1245 -/800 500	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290 -/800 500
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eag room (mm) noulder room (mm) inimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES pot capacity (litres) uel tank capacity (L) arb weight (kg) powing capacity (kg)	- front - rear - non-load - full load - full load - front - rear - trailer with brakes (manual/auto) - trailer with buakes - ball down force	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/- 1200/- 500 50	1755 1435 2670 1500 1520 1500 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235 -/800 500 500	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1255 -/800 500	1755 1435 2670 1500 1520 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1245 -/1245 -/1245 500 50	1755 1435 2670 1500 1520 150 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290 -/800 50
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eag room (mm) houlder room (mm) ip room (mm) linimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES oot capacity (litres) jel tank capacity (L) erb weight (kg) pwing capacity (kg) eating capacity /HEELS AND TYRES	- front - rear - non-load - full load - full load - front - rear - trailer with brakes (manual/auto) - trailer with buakes - ball down force	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/- 1200/- 50 5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235 -/800 50 5 5	1755 1435 2670 1500 1520 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1355.5 5.42 440 57 -/1255 -/800 50 5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1245 -/800 50 5	1755 1435 2670 1500 1520 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290 -/800 50 5
verall height (mm)  heelbase (mm)  ack (mm)  round clearance (mm)  ead room (mm)  ag room (mm)  noulder room (mm)  inimum turning radius at wheel centre (m)  rEIGHTS AND CAPACITIES  bot capacity (litres)  rel tank capacity (L)  arb weight (kg)  wing capacity (kg)  eating capacity  HEELS AND TYRES  re size	- front - rear - non-load - full load - full load - front - rear - trailer with brakes (manual/auto) - trailer with buakes - ball down force	1435 2670 1500 1520 150 10.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/- 1200/- 50 5 195/65 R15 91H	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235 -/800 50 5 195/65 R15 91H	1755 1435 2670 1500 1520 150 110.1 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1255 -/800 500 50 5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1245 -/800 500 5 205/55 R16 91V	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290 -/800 500 55
verall height (mm) /heelbase (mm) ack (mm) round clearance (mm) ead room (mm) eag room (mm) houlder room (mm) ip room (mm) linimum turning radius at wheel centre (m) /EIGHTS AND CAPACITIES bot capacity (litres) uel tank capacity (L) erb weight (kg) bowing capacity (kg) eating capacity	- front - rear - non-load - full load - front - rear - front - f	1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 1210/- 1200/- 50 5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1235 -/800 50 5 5	1755 1435 2670 1500 1520 1520 1520 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1355.5 5.42 440 57 -/1255 -/800 50 5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1245 -/800 50 5	1755 1435 2670 1500 1520 150 110.1 991.5 942.4 1066 919 1438 1354.5 1283 1305.5 5.42 440 57 -/1290 -/800 50

•Standard equipment. Accessory option. – Not available. \*The figures quoted in this brochure are based on ADR81/02 test results. You may experience different results depending on driving conditions and the condition of the vehicle. \*The Bluetooth® word mark is owned by the Bluetooth SIG Inc. and use of such mark by Honda is under licence. Please check the list of compatible phones at honda.com.au/Bluetooth ^Leather trim includes some non-leather material on selected, high impact areas. ‡DVD player operates only while vehicle is stationary. \*SUNA is a registered trademark of Intelematics Pty. Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to www.sunartaffic.com.au for full details. \*Compatible with iPhone 5 (running iOST) or newer. Operates only while the vehicle is stationary. Requires HDMI cable, Apple-approved lightning cable and Digital AV adapter (these items may be purchased separately from your Honda Dealer). iPhone is a trademark of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. IOS is a trademark of Cisco in the U.S. and is used under license. HDMI is a registered trademark of HDMI Licensing LLC in the United States and other countries. All other trademarks are properties of their respective owners. You're never alone in a Honda.

Buy a Civic Sedan and you'll be amazed at how well you'll be looked after.

The care starts with a 3-year/ 100,000km warranty and 6-year rust perforation warranty.

You'll also have access to HondaONE, an exclusive website that gives you up-to-date service history, vehicle records, maintenance tips and service reminders.

Plus Honda have a range of benefits that ensure your Civic Sedan is as pleasurable to own as it is to drive.

### Dedicated Honda Care

Servicing your Civic Sedan at a local Honda Dealer will ensure you protect your investment and maximise its outstanding resale value. Dedicated Honda Care provides access to specialist diagnostic equipment and Honda Genuine Parts. There's also the advantage of factorytrained technicians with unparalleled knowledge of Honda products.

### Honda Warranty Plus<sup>+</sup>

limits and no cost for labour and parts for 5 years or 140,000km (inclusive of New Vehicle Warranty). You'll also be entitled to 5-year Premium Roadside Assist. Visit honda.com.au/warranty for

### Honda Insurance

If you're looking for cover as reliable as

- You'll enjoy a range of benefits, including:
- Honda is a total loss
- the first 3 years.

For more information visit honda.com.au or Freecall 1800 804 954

Honda warranties apply where due care is exercised by the owner and the vehicle is maintained in accordance with the Owner's nau/warranty for full terms and conditions. <sup>+</sup>5-year/140,000km Warranty Plus is inclusive of 3-year/100,000km New Vehicle Warranty. Please refer stion for conditions at honda.com.au/warranty ^Honda Insurance is underwritten by Allianz Australia Insurance Limited Licence No. 234 708, ABN In arranging this insurance Honda Australia Pty. Ltd ABN 66 004 759 611 and the authorised dealers act as agents of Allianz and not as your agent. In entering into a contract of for this policy, you acknowledge that the Product Disclosure Statement (PDS), your Schedule and any other document which we tell you forms part of this policy (Policy Docum sets out the entire agreement that exists between you and Allianz in connection with this policy. You also acknowledge that you have not relied on any prior representations w not expressly included in or are otherwise inconsistent with the Policy Documentation. Neither Honda nor any of its related companies have any liability in respect of this policy your Civic Sedan you really need Honda Motor Vehicle Insurance.

- 3-year new replacement if your

- Genuine Honda approved parts for

- Lifetime guarantee on authorised repairs. For more information visit

### Honda Finance

Whether you're buying a Honda for wide range of flexible finance and leasing options. So see your Honda Dealer to find a financial solution that suits you as perfectly as your Civic Sedan does. For more

### Honda Merchandise

CIVIC