


IMAGINATION DRIVES US


IMAGINATION DRIVES US





show how imagination is an integral part of our innovative cars.

Imagination is the world's most valuable resource. It's our window to the future, because if we can imagine it, we can create it. Mazda is built on a foundation of imagination and ingenuity. It's the fuel behind all we create and achieve. It has given us countless successes that once existed only in someone's imagination. These pages







10



6

12

PERFORMANCE

EXTERIOR



24-29

MODELS





















3




New BT-50 is built tough to take on any task, and do it in style. It delivers grunt when you need it, and refined comfort with every drive. Fill it with gear, pull a load or take it off road. As a workhorse or a weekend warrior, it's always up to the challenge.

Smart connectivity, navigation and driver aids mean BT-50 is clever as well as capable. The spacious cabin is a stylish surprise, with a level of passenger comfort that makes it feel more like a car. And it's all protected with advanced safety features like airbags and Dynamic Stability Control.

Equipped for work, play and everything in between, BT-50 can do it all - with added Zoom-Zoom.

5

POWERFUL YET REFINED





4x4 Dual Cab Utility GT in Titanium Flash Mica.

A CUT ABOVE









 \bigcirc

With all the comforts of a car, New BT-50 makes it hard to believe you're in a ute. The interior is decked out with quality trims and finishes, like a luxurious leather-bound steering wheel (XTR and GT only). Stay comfortable all year around with powerful heating and cooling, including dual-zone climate control in selected models.

Enjoy clever thinking with useful driver tech, like trip computer, cruise control, Sat Nav and wireless connectivity. Control it all safely from the steering wheel. Crank up the thumping 6-speaker audio system, including a CD player that hosts MP3 and WMA playback. The unit is also USB and Bluetooth[®] compatible, so you can make and answer phone calls with built-in hands-free connectivity!

4x4 Dual Cab Utility GT with black leather.²





When it comes to performance, New BT-50 brings the goods. Built tough from the ground up, its ladder-frame chassis provides reinforcement for maximum rigidity. The resulting stability can be felt in car-like handling, while the powerful engine makes towing light work. Speaking of towing, BT-50 is capable of pulling an impressive 3,500kg³ When it comes to payloads, it handles up to 1,533kg⁴ with ease.

Powered by new generation turbo diesel engines, you get more muscle from less fuel. Harnessing the power is up to you - choose from a rugged 6-speed manual for complete control, or a versatile 6-speed auto that also allows for smooth manual changes.

A GUTSY PERFORMANCE EVERY TIME





2.2L DIESEL ENGINE


Boosted by a variable geometry turbocharger to reduce lag, the 2.2L engine gives you bang for your buck with superior fuel efficiency. 4x2 Single Cab Chassis XT's four-cylinder engine gives you 110kW and 375Nm, yet uses only 7.6L/100km⁵ (Manual)

Black engine cover not available on 2.2L Engine.



AUTOMATIC TRANSMISSION

Let the intelligent six-speed auto do the work for you, or step in for manual gear shifts when the mood strikes. In auto mode, Active Adaptive Shift (AAS) kicks in - intuitively changing gears to suit your driving conditions.





Take on the toughest challenges effortlessly, thanks to advanced common-rail direct injection. A variable geometry turbocharger reduces lag on the gutsy 2.2L, delivering an effortless 110kW and 375Nm of torque. Choose the 3.2L, and you get 147kW with a whopping 470Nm.



BODY

High-tensile steel is behind the BT-50's durable body shell. Exceptionally strong, it also keeps overall weight down.





3.2L DIESEL ENGINE

Feel the power of a five-cylinder engine with common-rail direct injection and intercooling. Pumping out 147kW and 470Nm of torque from just 8.4 litres per 100km⁵ (combined), you get efficiency that's tough to beat.

Black Engine cover on XTR and GT models only.



MANUAL TRANSMISSION


Enjoy the smooth ride of a six-speed manual that delivers fluid precision-shifting ratios. Transition through gear changes with ease for a true sense of control over your vehicle's performance.



CHASSIS


Reinforced with a rigid ladder frame chassis, BT-50 is ready to take on the heavy-duty jobs. Front wishbone suspension and rear leaf suspension cushion the ride for car-like handling on and off the road.


THE STRENGTH TO TAKE ON ANY CHALLENGE



Equipped with power and backbone, BT-50 has an enviable towing capacity of up to 3,500kg³. Don't be afraid to give it heaps - it takes on payloads of up to 1,533kg⁴. Venture off the beaten track with the rugged 4x4. Backed by the latest driver support tech, uneven terrain has never been easier to conquer. Jump between 2-High and 4-High at the flick of a switch, without stopping the vehicle.


Operated via a console switch, electronic Locking Rear Differential (eLRD) gives you maximum traction on uneven terrain. By locking the rear wheels, torque is distributed evenly between them. If one wheel loses grip, the other continues to provide power turning the wheel to get traction on the ground.







4x4 Freestyle Cab Utility XTR in Blue Reflex Mica.









Whether it's power, strength or capability, New BT-50 consistently delivers more. When it comes to space, it's no different. While BT-50 boasts a generous cargo box in the back, you'll be surprised how much smart storage can be found around the cabin too. Tuck your gear away in the split-level centre console space, or the sizeable glovebox that swallows a 16-inch laptop. Drinks and sunnies have their own dedicated spaces, keeping them within grabbing reach on every trip.

THE CONFIDENCE OF FULL PROTECTION

Feel confident driving a vehicle that's big on safety. Driver support begins with a rigid ride and accurate handling, giving you the capacity to avoid potential hazards. In the event BT-50 does run into trouble, it's well equipped to deal with it. The reinforced body shell is fitted with front airbags and head-protecting curtain airbags in all models. Freestyle and Dual Cab models also come with the addition of side (front) airbags.

Every seat is armed with three-position seatbelts, with Dual Cab and Freestyle Cab models featuring two child restraint anchor points in the rear.


Roll Stability Control (RSC) monitors your driving data and applies appropriate measures to help prevent rollover. And when your cargo raises BT-50's centre of gravity, you've got Load Adaptive Control (LAC) for extra stability.


Dynamic Stability Control (DSC) helps keep traction in all conditions, managing the engine power and braking force delivered to individual wheels to avoid skidding or loss of grip.

ABS brakes feature Electronic Brake-force Distribution (EBD) which matches braking to vehicle load, while Emergency Brake Assist (EBA) boosts stopping power when emergency braking is sensed. An Emergency Stop Signal (ESS) activates the hazard lights to warn following drivers of sudden deceleration.

4x4 Dual Cab Utility GT in Titanium Flash Mica.









SAFETY REFLEX

Trailer Sway Control (TSC) adjusts braking and torque to correct any side-to-side swinging movement of towed loads.

BETTER BRAKING Stopping distance with EBA, ABS and EBD. Stopping distance with no assistance.

INCLINES MADE EASY

Remove your foot from the brake on an incline and Hill Launch Assist (HLA) keeps the brakes applied, releasing them when there's enough power for a smooth start. While you're on steep slopes, Hill Descent Control (HDC) kicks in to maintain steady control of your speed.



SINGLE CAB features include:

ΧТ

- 16 inch steel wheels
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Air-conditioning
- Cruise control
- Lockable glovebox
- Trip computer⁶
- Audio system with: AM/FM tuner, single-disc CD player (MP3 compatible) and 4 speakers
- Bluetooth[®] hands-free phone and audio capability¹

- Steering wheel-mounted audio controls
- Airbags SRS: front (driver and passenger) and curtain (driver and passenger)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Launch Assist (HLA)
- Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)

GET COMFORTABLE

The single cab features a bucket seat for the driver and bench seating for two others - all finished in durable cloth trim. Manual models offer generous split-seating.



CONNECTIVITY ON THE MOVE Make hands-free calls¹ and stream audio with built-in Bluetooth®

SMOOTH CRUISIN'

Powertrain:

■ 2.2 litre in-line 4 cylinder 16 valve

- DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 or 4x2 Hi-Rider
- Max power: 110kW @ 3,700rpm
- Max torque: 375Nm @ 1,500-2,500rpm
- Fuel consumption (combined): 7.6 l/100km⁵ (4x2, man) or 8.9 I/100km⁵ (4x2 Hi-Rider, auto)

OR

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 Hi-Rider or 4x4
- Max power: 147kW @ 3,000rpm Max torque: 470Nm @ 1,750-2,500rpm
- Fuel consumption (combined): 8.4 I/100km⁵ (4x2 Hi-Rider, man) or 8.9 I/100km⁵ (4x4, man) or
- 9.2 I/100km⁵ (4x4, auto)

Maintain a consistent speed and save fuel without the distraction of checking your speedometer.



FREESTYLE CAB features include:

ΧТ

- 16 inch steel wheels
- Freestyle door system
- Rear step bumper (black) - utility only
- Lockable tailgate utility only
 Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Air-conditioning
- Cruise control
- Lockable glovebox
- Trip computer⁶
- Audio system with: AM/FM tuner, single-disc CD player (MP3 compatible) and 4 speakers
- Bluetooth[®] hands-free phone and audio capability¹

- Steering wheel-mounted audio controls
- Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC) -
- 4x4 only ■ Hill Launch Assist (HLA)
- Locking Rear Differential (LRD) -4x4 only
- Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)
 - Audio system with: 6 speakers
 - Satellite navigation

climate control)

Floor covering: carpet

and gear shift knob

XTR features additional to XT include:

■ 17-inch alloy wheels

Door handles (chrome)

Front fog-lamps (Halogen)

Power mirrors (chrome)

Rear step bumper (chrome)

■ Side steps (tubular, polished)

■ Wipers (front) 2-speed with

rain-sensing function

Air-conditioning (dual-zone

Leather-wrapped steering wheel

Headlamps auto on/off function

VERSATILITY AND DURABILITY

All seats are finished in quality cloth trim, and how they're configured is up to you.



FREEDOM OF FLEXIBILITY Open up your interior options with a versatile rear door configuration.


In-built nav

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 Hi-Rider or 4x4
- Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- Fuel consumption (combined): 8.4 I/100km⁵ (4x2 Hi-Rider, man) or 8.9 I/100km⁵ (4x2 Hi-Rider, auto) or 8.9 I/100km⁵ (4x4, man) or 9.2 I/100km⁵ (4x4, auto)

THE RIGHT DIRECTION

In-built navigation leads the way so you can relax and enjoy the ride.



- Trip computer⁶
- Audio system with: AM/FM tuner, single-disc CD player (MP3 compatible) and 6 speakers
- Bluetooth[®] hands-free phone and audio capability¹
- Steering wheel-mounted audio controls
- Door handles (chrome)
 - Front fog-lamps (Halogen)

■ 17 inch alloy wheels

Headlamps auto on/off function Power mirrors (chrome)

■ Fuel consumption (combined):

8.4 I/100km⁵ (4x2 Hi-Rider, man) or


■ Trailer Sway Control (TSC)

XTR features additional to XT include:

- Reverse camera

GT features additional to XTR include:

- Power mirrors (heating and folding function) with turn indicator
- Privacy glass
- Front seats with: 8-way power adjustment (driver)
- Seat trim: Black leather²



GET COMFORTABLE

Inviting leather² seats feature 8-way power adjustment for maximum comfort. (GT only)

- **Powertrain:**
- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 Hi-Rider or 4x4
- Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- 8.9 I/100km⁵ (4x2 Hi-Rider, auto) or 8.9 I/100km⁵ (4x4, man) or 9.2 l/100km⁵ (4x4, auto)

HANDS-FREE CONVENIENCE

Built-in Bluetooth® allows you to stream audio and make hands-free¹ phone calls. (XTR and GT only)

4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	
Powertrain			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	
Engine type			cylinder 16 valve led turbo diesel	3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel					
Engine capacity		2,19	8 cc			3,198 cc			
Bore and stroke		86.0 mm	x 94.6 mm		8	9.0 mm x 100.7 m	im		
Compression ratio		15.	5:1			15.5 : 1			
Maximum power		110 kW @	3,700 rpm		14	17 kW @ 3,000 rp	m		
Maximum torque		375 Nm @ 1,50	00 - 2,500 rpm		470 N	lm @ 1,750 - 2,50	0 rpm		
Throttle control		Electronic (c	lrive-by-wire)		Elec	ctronic (drive-by-v	wire)		
Fuel system		Comm	on-rail,			Common-rail,			
	electronic di	rect injection		elec	tronic direct inje	ction			
Fuel tank capacity		80	itres			80 litres			
Recommended fuel		Die	esel			Diesel			
Fuel consumption⁵	man (combined)	7.6 litres per 100 km	-		8	.4 litres per 100 k	m		
	auto (combined)	-	8.9 litres per 100 km	-	8.9 litres per 100 km	-	8.9 litres per 100 km	8.9 litres pe 100 km	
Emissions standard		Euro s	tage IV			Euro stage IV			
Alternator		12 volts -	110 amps			12 volts - 110 amp	s		
Manual transmission		6-speed	-			6-speed			
Automatic transmission		-	6-speed	-	6-speed	-	6-speed	6-speed	
Gear ratio - man/auto	1st	5.441 / -	- / 4.171	5.441 / -	5.441 / 4.171	5.441 / -	5.441 / 4.171	5.441 / 4.17	
	2nd	2.839 / -	-/2.342	2.839 / -	2.839 / 2.342	2.839 / -	2.839 / 2.342	2.839 / 2.34	
	3rd	1.721 / -	- / 1.521	1.721 / -	1.721 / 1.521	1.721 / -	1.721 / 1.521	1.721 / 1.52	
	4th	1.223 / -	- / 1.143	1.223 / -	1.223 / 1.143	1.223 / -	1.223 / 1.143	1.223 / 1.143	
	5th	1.000 / -	- / 0.867	1.000 / -	1.000 / 0.867	1.000 / -	1.000 / 0.867	1.000 / 0.86	
	6th	0.794 / -	- / 0.691	0.794 / -	0.794 / 0.691	0.794 / -	0.794 / 0.691	0.794 / 0.69	
	reverse	4.935 / -	- / 3.403	4.935 / -	4.935 / 3.403	4.935 / -	4.935 / 3.403	4.935 / 3.40	
	final drive	3.310 / -	- / 3.550	3.550 / -	3.550 / 3.730	3.550 / -	3.550 / 3.730	3.550 / 3.73	
			,			,			
Chassis									
Brake diameter	front				302 mm				
	rear				270 mm				
Brake type	front				Ventilated disc				
	rear				Drum				
Steering type				Rack and pinio	on hydraulic power	assist steering			
Suspension type	front		Independ	dent double wish	bone with coil over	dampers and ant	i-roll bar		
	rear			Rigid (liv	e) rear axle with lea	af springs			
Turning circle	kerb to kerb	11.8 m	12.4 m	12.4 m	12.4 m	12.4 m	12.4 m	12.4 m	
Tyre size		215/70 R16C	255/70 R16	255/70 R16	255/70 R16	255/70 R16	255/70 R16	265/65 R17	
Tyre index		106/1085	111T	111T	111T	111T	111T	112T	
Wheel size		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	
Wheel type		Steel	Steel	Steel	Steel	Steel	Steel	Alloy	
Wheel size (spare)		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel	
		01001	5100.	51001	01001	01001	otter	0.001	
Weights and capacities									
Axle capacity	front	1,324 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	
	rear	1,752 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	
Gross Combined Mass (GCM) ⁷	man	5,425 kg	-	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	
	auto	-	6,000 kg	-	6,000 kg	-	6,000 kg	6,000 kg	
Gross Vehicle Mass (GVM)	man	2,925 kg	-	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	
	auto	-	3,200 kg	-	3,200 kg	-	3,200 kg	3,200 kg	
Kerb weight	man	1,622 kg	-	1,695 kg	1,773 kg	1,832 kg	1,922 kg	1,988 kg	
	auto	-	1,667 kg	-	1,798 kg	-	1,939 kg	2,005 kg	
Payload ⁸	man	1,328 kg	-	1,505 kg	1,427 kg	1,368 kg	1,278 kg	1,212 kg	
	auto	-	1,533 kg	-	1,402 kg	-	1,261 kg	1,195 kg	
Seating capacity		3	2	3	4	5	5	5	
	maximum	250 kg	350 kg	350 kg		350 kg	350 kg	350 kg	
Tow ball download ³		LOUNY	SSO Ng	SSO NY	550 Kg	550 Ng	550 Ng	550 Ng	
Tow ball download ³		2 500 kg	3 500 kg	3 500 kg	3 500 kg	3 500 ka	3 500 kg	3 500 kg	
Tow ball download ³ Towing capacity ³	braked	2,500 kg 750 kg	3,500 kg 750 kg	3,500 kg 750 kg	3,500 kg 750 kg	3,500 kg 750 kg	3,500 kg 750 kg	3,500 kg 750 kg	

– = Not available.

4x4		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Freestyle Cab Utility	3.2L Dual Cab Chassis	3.2L Dual Cab Utility	3.2L Dual Cab Utility	3.2L Dual Cab Utility			
Powertrain		XT	XT	XTR	XT	XT	XTR	GT			
Engine type			3.2 11	re in-line 5 cylinde		intercooled turbo	ulesel				
Engine capacity					3,198 cc						
Bore and stroke				89	9.0 mm x 100.7 m	m					
Compression ratio					15.5 : 1						
Maximum power					7 kW @ 3,000 rp						
Maximum torque				470 N	m @ 1,750 – 2,50	0 rpm					
Throttle control				Elec	tronic (drive-by-v	vire)					
Fuel system				Common-ra	iil, electronic dire	ct injection					
Fuel tank capacity					80 litres						
Recommended fuel					Diesel						
Fuel consumption⁵	man (combined)			8.	9 litres per 100 k	m					
	auto (combined)	9.2 litres per 100 km	9.2 litres per 100 km	9.2 litres per 100 km	-	9.2 litres per 100 km	9.2 litres per 100 km	9.2 litres per 100 km			
Emissions standard					Euro stage IV						
Alternator				1	2 volts - 110 amps	5					
Manual transmission					6-speed						
Automatic transmission		6-speed	6-speed	6-speed	-	6-speed	6-speed	6-speed			
Gear ratio - man/auto	1st	5.441 / 4.171	5.441 / 4.171	5.441 / 4.171	5.441 / -	5.441 / 4.171	5.441 / 4.171	5.441 / 4.171			
	2nd	2.839 / 2.342	2.839 / 2.342	2.839 / 2.342	2.839 / -	2.839 / 2.342	2.839 / 2.342	2.839 / 2.342			
	3rd	1.721 / 1.521	1.721 / 1.521	1.721 / 1.521	1.721 / -	1.721 / 1.521	1.721 / 1.521	1.721 / 1.521			
	4th	1.223 / 1.143	1.223 / 1.143	1.223 / 1.143	1.223 / -	1.223 / 1.143	1.223 / 1.143	1.223 / 1.143			
	5th	1.000 / 0.867	1.000 / 0.867	1.000 / 0.867	1.000 / -	1.000 / 0.867	1.000 / 0.867	1.000 / 0.867			
	6th	0.794 / 0.691	0.794 / 0.691	0.794 / 0.691	0.794 / -	0.794 / 0.691	0.794 / 0.691	0.794 / 0.691			
	reverse	4.935 / 3.403	4.935 / 3.403	4.935 / 3.403	4.935 / -	4.935 / 3.403	4.935 / 3.403	4.935 / 3.403			
	final drive		4.933 / 3.403 3.550 / 3.730		3.550 / -			3.550 / 3.730			
Transfor goar		3.550 / 3.730		3.550 / 3.730		3.550 / 3.730	3.550 / 3.730				
Transfer gear	high	1.000	1.000	1.000	1.000	1.000	1.000	1.000			
	low	2.718	2.718	2.718	2.718	2.718	2.718	2.718			
Chassis											
Brake diameter	front				302 mm						
	rear				295 mm						
Brake type	front	Ventilated disc									
	rear				Drum						
Steering type				Rack and ninior	n hydraulic power	assist steering					
Suspension type	front		Indeper	ident double wishb	, ,	-	-roll bar				
	rear		indeper) rear axle with le						
Turning circle	kerb to kerb			Rigiu (IIVe,	12.4 m	a. springs					
Tyre size	Keib to keib	255/70 R16	255/70 R16	265/65 R17	255/70 R16	255/70 R16	265/65 R17	265/65 R17			
'		255/70 RI6	255/70 RI6 111T	112T	255/70 RI6 111T	255/70 RI6 111T	205/05 R1/ 112T	205/05 R17 112T			
Tyre index											
Wheel size		16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	17 x 8.0 J			
Wheel type		Steel	Steel	Alloy	Steel	Steel	Alloy	Alloy			
Wheel size (spare)		16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	17 x 7.5 J			
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel			
Weights and capacities											
Axle capacity	front	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg			
	rear	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg			
Gross Combined Mass (GCM) ⁷	man	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg			
	auto	6,000 kg	6,000 kg	6,000 kg	-	6,000 kg	6,000 kg	6,000 kg			
Gross Vehicle Mass (GVM)	man	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg			
Korh weight	auto	3,200 kg	3,200 kg	3,200 kg		3,200 kg	3,200 kg	3,200 kg			
Kerb weight	man	1,792 kg	1,860 kg	2,042 kg	1,932 kg	2,022 kg	2,091 kg	2,104 kg			
D 1 19	auto	1,820 kg	1,885 kg	2,056 kg	-	2,036 kg	2,105 kg	2,118 kg			
Payload ⁸	man	1,408 kg	1,340 kg	1,158 kg	1,268 kg	1,178 kg	1,109 kg	1,096 kg			
	auto	1,380 kg	1,315 kg	1,144 kg	-	1,164 kg	1,095 kg	1,082 kg			
Seating capacity	man	3	4	4	5	5	5	5			
	auto	2	4	4	5	5	5	5			
		250.1.5	2E0.kg	350 kg	350 kg	350 kg	350 kg	350 kg			
Tow ball download ³	maximum	350 kg	350 kg	550 Kg	550 Kg						
Tow ball download ³ Towing capacity ³	maximum braked	350 kg 3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg			


– = Not available.





4x2		(A) 2.2L Single Cab Chassis XT	B 2.2L Single Cab Chassis XT	© 3.2L Single Cab Chassis XT	D 3.2L Freestyle Cab Chassis XT	E 3.2L Dual Cab Chassis XT	(F) 3.2L Dual Cab Utility XT	© 3.2L Dual Cab Utility XTR
Dimensions			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider
Cargo box floor height t	o ground	-	-	-	-	-	835 mm	841 mm
Cargo box floor length		-	-	-	-	-	1,549 mm	1,549 mm
Cargo box floor width		-	-	-	-	-	1,560 mm	1,560 mm
Cargo box height		-	-	-	-	-	513 mm	513 mm
Cargo box tailgate openi	ing width	-	-	-	-	-	1,330 mm	1,330 mm
Cargo box top length		-	-	-	-	-	1,485 mm	1,485 mm
Cargo box top width		-	-	-	-	-	1,500 mm	1,500 mm
Cargo box width betwee	n wheel arches	-	-	-	-	-	1,139 mm	1,139 mm
Ground clearance	laden	135 mm	200 mm	200 mm	200 mm	200 mm	200 mm	205 mm
	unladen	201 mm	232 mm	232 mm	232 mm	232 mm	232 mm	237 mm
Overall length		5,124 mm	5,124 mm	5,124 mm	5,124 mm	5,124 mm	5,373 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overall height		1,703 mm	1,800 mm	1,800 mm	1,804 mm	1,815 mm	1,815 mm	1,821 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	985 mm	985 mm	985 mm	1,234 mm	1,226 mm
Track	front	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		600 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		22.0°	27.6°	27.6°	27.6°	27.6°	27.6°	28.2°
Departure angle		24.0°	28.4º	28.4°	28.4°	28.4°	27.10	26.4º
Ramp breakover angle		17.0°	24.4°	24.4°	24.4°	24.4°	24.4°	25.0°


– = Not available.


























4x4		(H) 3.2L Single Cab Chassis XT	① 3.2L Freestyle Cab Chassis XT	(J) 3.2L Freestyle Cab Utility XTR
Cargo box floor height to	ground	-	-	841 mm
Cargo box floor length		-	-	1,847 mm
Cargo box floor width		-	-	1,560 mm
Cargo box height		-	-	513 mm
Cargo box tailgate openin	ng width	-	-	1,330 mm
Cargo box top length		-	-	1,783 mm
Cargo box top width		-	-	1,500 mm
Cargo box width between	n wheel arches	-	-	1,139 mm
Ground clearance	laden	200 mm	200 mm	205 mm
	unladen	232 mm	232 mm	237 mm
Overall length		5,124 mm	5,124 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm
Overall height		1,800 mm	1,804 mm	1,810 mm
Overhang	front	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	1,226 mm
Track	front	1,560 mm	1,560 mm	1,560 mm
	rear	1,560 mm	1,560 mm	1,560 mm
Wading depth		800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm
Approach angle		27.6°	27.6°	28.2°
Departure angle		28.4º	28.4º	26.4º
Ramp breakover angle		24.4°	24.4°	25.0°
– = Not available.				






SPECIFICATIONS

(K) 3.2L Dual Cab Chassis XT	L 3.2L Dual Cab Utility XT	M 3.2L Dual Cab Utility XTR	N 3.2L Dual Cab Utility GT
-	835 mm	841 mm	841 mm
-	1,549 mm	1,549 mm	1,549 mm
-	1,560 mm	1,560 mm	1,560 mm
-	513 mm	513 mm	513 mm
-	1,330 mm	1,330 mm	1,330 mm
-	1,485 mm	1,485 mm	1,485 mm
-	1,500 mm	1,500 mm	1,500 mm
-	1,139 mm	1,139 mm	1,139 mm
200 mm	200 mm	205 mm	205 mm
232 mm	232 mm	237 mm	237 mm
5,124 mm	5,373 mm	5,365 mm	5,365 mm
1,850 mm	1,850 mm	1,850 mm	1,850 mm
1,815 mm	1,815 mm	1,821 mm	1,821 mm
919 mm	919 mm	919 mm	919 mm
985 mm	1,234 mm	1,226 mm	1,226 mm
1,560 mm	1,560 mm	1,560 mm	1,560 mm
1,560 mm	1,560 mm	1,560 mm	1,560 mm
800 mm	800 mm	800 mm	800 mm
3,220 mm	3,220 mm	3,220 mm	3,220 mm
27.6°	27.6°	28.2°	28.2°
28.4°	27.1°	26.4°	26.4°
24.4°	24.4°	25.0°	25.0°







422		2.2L	2.2L	3.2L	3.2L	3.2L	3.2L	3.2L
4x2		Single Cab Chassis	Single Cab Chassis	Single Cab Chassis	Freestyle Cab Chassis	Dual Cab Chassis	Dual Cab Utility	Dual Cab Utility
Exterior		XT	XT Hi-Rider	XT Hi-Rider	XT Hi-Rider	XT Hi-Rider	XT Hi-Rider	XTR Hi-Rider
Cargo box	lockable centre tailgate	-	-	-	-	-	•	-
features	release (black) lockable centre tailgate	-	-	-	-	_	-	•
	release (chrome) double wall construction					_	•	•
	interior rope hooks (6)	_	_	_	_	_		•
Door handles (bla		•	•	•	•	•	•	-
Door handles (chr		-	-	-	-	-	-	•
Fog-lamps (front)		-	-	-	-	-	-	•
Freestyle door sys	tem	-	-	-	•	-	-	-
Front bumper (bo	dy coloured)	•	•	•	•	•	•	•
Fuel filler cap (loc	kable)	•	•	•	•	٠	-	-
	screen, side and rear windows	•	•	•	•	٠	•	•
Headlamps (Halog		•	•	•	•	•	•	•
Metallic/Mica pair	t	0	0	0	0	0	0	0
Mudflaps (front)		•	•	•	•	•	•	•
Mudflaps (rear)		-	-	-	-	-	•	•
Power mirrors (bl		•	•	•	•	•	•	-
Power mirrors (ch	romė)	-	-	-	-	-	-	•
Power windows	(black)	•	•	•	•	•	•	•
Rear step bumper		_	-	-		-	-	-
Rear step bumper Side steps (tubula	(cnrome) r, aluminium finish)	_	-	-	-	_	_	
Tailgate (lockable)		_	-	-	-	_	•	•
Lingute (roenable,								
nterior								
Air-conditioning		•	•	•	•	•	•	-
Air-conditioning (lual-zone climate control)	-	-	-	-	-	-	•
Ambient tempera	ure gauge	-	-	-	-	-	-	•
Auxiliary 12 volt p	ower outlets	•	•	•	•	٠	•	•
	nsole with dual compartments	-	•	-	•	•	•	•
	arning lights/chimes	•	•	•	•	•	•	•
Cruise control		•	•	•	•	•	•	•
Cupholders		•	•	•	•	•	•	•
Door pockets		•	•	•	•	•	•	•
Driver's left footre		•	•	•	•	•	•	•
loor covering	carpet	-	-	-	-	-	-	•
lovo her (la alut	vinyl	•	•	•	•	•	•	-
	e and illuminated)	•	•	•	•	•	•	•
eadlamps auto c		-	-	-	-	-	-	•
	system with delayed fade			•	•	•	•	-
nstrument panel	dome lamp	-	-	-		-		-
Interior illumination		-	•	-		-		-
	map reading spot lamps			•		•		•
Leather-wrapped	power window switch (driver)	-		-		-	-	•
Leather-wrapped						_	-	•
Low fuel warning	steering wheel	-	•	•		•		
Overhead sunglas						•		
Passenger assist (•		•		
	vith auto dimming function	-	-	-	-	-	-	
eat trim				•		-		
at trim at	cloth			•		•		
ver's bucket)	adjustable head restraint	-		-		•		
ith	height and lumbar adjustment			•		•		
at (nacconcore)	rake and slide adjustment		-		-	-	-	-
ont bench) with	adjustable head restraint	•	-	•	-	-		_
eat (passengers'	adjustable head restraint	-	•	-	•	٠	•	•
nt bucket) with								
tandard Feat	ure, – = Not available, O = No Cost	t Option.						

● = Standard Feature, - = Not available, O = No Cost Option, ■ = Manual only, ▲ = Automatic only.

SPECIFICATIONS

3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	3.2L Dual Cab Utility GT
-	-	-	-
-	•	•	•
-	-	•	•
•	• 	• 	• -
- • •	- • •	- • •	• • •
• - •	• • •	• • -	•
- • -	- • -	•	•
- - -	- -	- •	- •
•	•	•	•
• - -	• - -	-	- •
•	•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
•	•	•	•
•	• •	•	• • -
- •	- •	•	•
•	•	•	•
- - •	- - •	•	•
-	-	•	•
-	- - •	-	
•	-	-	•

4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR
Interior (continue	d)	A1	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider
Seat (passengers'	rake and slide adjustment	-	•	-	•	•	•	•
front bucket) with	seat back pocket	-	•	-	•	•	•	•
Seat (passengers'	adjustable head restraints	-	-	-	-	•	•	•
rear bench) with	foldable seat base and under-seat storage	-	-	-	-	•	•	•
	centre armrest	-	-	-	-	•	•	•
Seat (passengers' rear jump) with	removable seat base and under-seat storage	-	-	-	•	-	-	-
Tachometer and el	ectronic odometer/tripmeter	•	•	•	•	•	•	•
Tilt-adjustable stee	ering wheel	•	•	•	•	•	•	•
	rrent and average fuel nce to empty and average	•	•	•	•	•	•	•
Vanity mirror (fron	t passenger)	•	•	•	•	•	•	•
Window demister (•	•	•	•	•	•	•
	eed with rain-sensing function	-	-	-	-	-	-	•
Wipers (front) 2-sp		•	•	•	•	•	•	-
intermittent function								
Infotainment								
7.8-inch full colour	touch screen display	-	-	-	-	-	-	•
AM/FM tuner		•	•	•	•	•	•	•
Auxiliary input (3.5	imm MP3 player compatible)	•	•	•	•	•	•	•
Bluetooth [®] hands-f	free phone and audio capability ¹	•	•	•	•	•	•	•
CD player, single di	isc (MP3/WMA compatible)	•	•	•	•	•	•	•
Satellite navigation	ı	-	-	-	-	-	-	•
Speakers (4)		•	•	•	•	-	-	-
Speakers (6)		-	-	-	-	•	•	•
Steering wheel-mo	unted audio controls	•	•	•	•	•	•	•
USB input (iPod® c	ompatible)	•	•	•	•	٠	•	•
Safety and Securi								
Airbags SRS	front (driver and passenger)	•	•	•	•	•	•	•
	side (front)	-	-	-	•	•	•	•
	curtain (front)	•	•	•	-	-	-	-
	curtain (front and rear)	-	-	-	•	•	•	•
Anti-lock Braking S		•	•	•	•	•	•	•
Child restraint and		-	-	-	•	•	•	•
Childproof rear doo		-	-	-	-	•	•	•
	Control (DSC) – switchable on/off	•	•	•	•	•	•	•
	orce Distribution (EBD)	•	•	•	•	•	•	•
Emergency Brake A		•	•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•	•
Emergency Stop Si		•	•	•	•	•	•	•
High mount stop la		-	-	-	-	-	•	•
Hill Launch Assist (•	•	•	•	•	•	•
Intrusion-minimisir		•	•	•	•	•	•	•
	vex (wide angle) exterior mirror	•	•	•	•	•	•	•
Load Adaptive Con		•	•	•	•	•	•	•
Remote central loc		•	•	•	•	•	•	•
(2 transmitters wit	methactable Key)					_	_	
Reverse camera Roll Stability Contr			•			-		
	audible and visual (driver)	•		•		•		
Seat-belt warning a (front passenger)		-	-	-	•	•	•	•
Seat-belts 3-point I	ap-sash (all seats)	•	•	•	•	•	•	•
Seat-belts (front) with	height adjustable shoulder anchorages	-	-	-	-	•	•	•
	pretensioners and load limiters	•	•	•	•	•	•	•
Side impact door b	eams	•	•	•	•	•	•	•
Traction Control Sy	vstem (TCS)	•	•	•	•	•	•	•

● = Standard Feature, - = Not available, ▲ = Automatic only.

4x4		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Freestyle Ca Utility
Interior (continue		XT	XT	XTR
Seat (passengers' front bucket) with	adjustable head restraint	A	•	•
for bucket, with	rake and slide adjustment	A	•	•
	seat back pocket	A	•	•
Seat (passengers' rear bench) with	adjustable head restraints	-	-	-
ear bench) with	foldable seat base and under-seat storage	-	-	-
	centre armrest	-	-	-
Seat (passengers' rear jump) with	removable seat base and under-seat storage	-	•	•
Tachometer and e	lectronic odometer/tripmeter	•	•	•
Tilt-adjustable ste	ering wheel	•	•	•
	irrent and average fuel ance to empty and average	•	•	•
Vanity mirror (from	it passenger)	•	•	•
Window demister	(rear)	•	•	•
Wipers (front) 2-sp	beed with rain-sensing function	-	-	•
Wipers (front) 2-sp intermittent funct	beed with variable ion	•	•	-
Infotainment				
7.8-inch full colour	touch screen display	-	-	•
AM/FM tuner		•	•	•
Auxiliary input (3.	5mm MP3 player compatible)	•	•	•
Bluetooth® hands-	free phone and audio capability ¹	•	•	•
CD player, single d	lisc (MP3/WMA compatible)	•	•	•
Satellite navigatio	n	-	-	•
Speakers (4)		•	•	-
Speakers (6)		-	-	•
Steering wheel-mo	ounted audio controls	•	•	•
USB input (iPod® d		•	•	•
Airbags SRS	front (driver and passenger) side (front) curtain (front)	• -	•	•
	curtain (front and rear)	-	•	•
Anti-lock Braking	System (ABS)	•	•	•
Child restraint and	hor points (2)	-	•	•
Childproof rear do	or locks	-	-	-
Dynamic Stability (Control (DSC) - switchable on/off	•	•	•
Electronic Brake-f	orce Distribution (EBD)	•	•	•
Emergency Brake	Assist (EBA)	•	•	•
Engine immobilise	r	•	•	•
Emergency Stop S	ignal (ESS)	•	•	•
High mount stop la	amp	-	-	•
ngn mount stop n	ol (HDC)		•	•
Hill Descent Contr	01 (110 C)	•		
		•	•	•
Hill Descent Contr	(HLA)	•	•	•
Hill Descent Contr Hill Launch Assist Intrusion-minimisi	(HLA)	•	•	•
Hill Descent Contr Hill Launch Assist Intrusion-minimisi	(HLA) ng brake pedal Ivex (wide angle) exterior mirror	•	•	• • •
Hill Descent Contr Hill Launch Assist ntrusion-minimisi Left-hand-side cor Load Adaptive Col	(HLA) ng brake pedal Ivex (wide angle) exterior mirror		• • • • • • • • • • • • • • • • • • • •	• • • • • •
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Locking Rear Diffe	(HLA) ng brake pedal Ivex (wide angle) exterior mirror htrol (LAC)		• • • • • • • • • • • • • • • • • • • •	
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Locking Rear Diffe One touch (up and Remote central loo	(HLA) ng brake pedal avex (wide angle) exterior mirror ntrol (LAC) rential (LRD) - switchable on/off I down) power window (driver)		•	
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Locking Rear Diffe One touch (up and Remote central loo	(HLA) ng brake pedal nvex (wide angle) exterior mirror ntrol (LAC) rential (LRD) – switchable on/off I down) power window (driver) cking			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Locking Rear Diffe One touch (up and Remote central loo (2 transmitters wil	(HLA) ng brake pedal nvex (wide angle) exterior mirror ntrol (LAC) rential (LRD) - switchable on/off I down) power window (driver) cking th retractable key)			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Locking Rear Diffe One touch (up and Remote central lor (2 transmitters will Reverse camera Roll Stability Cont	(HLA) ng brake pedal nvex (wide angle) exterior mirror ntrol (LAC) rential (LRD) - switchable on/off I down) power window (driver) cking th retractable key)			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Locking Rear Diffe One touch (up and Remote central lor (2 transmitters wil Reverse camera Roll Stability Cont Seat-belt warning	(HLA) ng brake pedal avex (wide angle) exterior mirror htrol (LAC) rential (LRD) - switchable on/off I down) power window (driver) cking th retractable key) rol (RSC)			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Loacking Rear Diffe One touch (up and Remote central lor (2 transmitters will Reverse camera Roll Stability Cont Seat-belt warning (front passenger)	(HLA) ng brake pedal avex (wide angle) exterior mirror htrol (LAC) rential (LRD) - switchable on/off I down) power window (driver) cking th retractable key) rol (RSC) audible and visual (driver)			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cor Loacking Rear Diffe One touch (up and Remote central lor (2 transmitters will Reverse camera Roll Stability Cont Seat-belt warning (front passenger)	(HLA) ng brake pedal vvex (wide angle) exterior mirror htrol (LAC) rential (LRD) - switchable on/off I down) power window (driver) ching th retractable key) rol (RSC) audible and visual (driver) audible and visual			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cou Locking Rear Diffe One touch (up and Remote central loi (2 transmitters wil Reverse camera Roll Stability Cont Seat-belt warning (front passenger) Seat-belt warning Seat-belt sopoint Seat-belts 3-point Seat-belts	(HLA) ng brake pedal nvex (wide angle) exterior mirror ntrol (LAC) rential (LRD) - switchable on/off I down) power window (driver) cking th retractable key) rol (RSC) audible and visual (driver) audible and visual lap-sash (all seats) height adjustable shoulder			
Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Cou Locking Rear Diffe One touch (up and Remote central loi (2 transmitters wil Reverse camera Roll Stability Cont Seat-belt warning (front passenger) Seat-belt warning Seat-belt sopoint Seat-belts 3-point Seat-belts	(HLA) Ing brake pedal Ing brake pedal Ing brake pedal Ing brake pedal Introl (LAC) Introl (LAC) Introl (LAC) - switchable on/off I down) power window (driver) I down) power window (driver) I down) power window (driver) I down visual (driver) Introl (RSC) Introl (RS			

● = Standard Feature, - = Not available, ▲ = Automatic only.

SPECIFICATIONS

3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	3.2L Dual Cab Utility GT	
• • • • • • • • • • • • • • • • • • • •	• • • • • •	•	•	
	- -	•	•	
•	•	•	•	
•	• - •	•	•	
-	-	• • • •	•	
• •	• - -	• • -	• • -	
•	•	•	•	
• • •	• • •	• • •	• - • • • • • • • • • • • • • • • • • •	
• • • • •	•	•	•	
• • -	• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
• • • •	• • • • • •		•	
• • • • •	• • -	• • • •	• • • •	
•	•	•	•	
•	•	•	•	
•	•	•	•	37

ENJOY MAZDA BT-50 WITH CONFIDENCE


MAZDA BT-50 COLOUR AND TRIM

BODY COLOURS






Cool White



Titanium Flash Mica

Black Mica

INTERIOR TRIMS



Black cloth (XT)

Black leather² (GT)



Maintain that Zoom-Zoom

Your BT-50 deserves the best in care. Servicing with Mazda Service Select gives your vehicle the advantage of factory-trained Service Technicians and advanced computer diagnostic systems. As well as maintaining your Mazda in A1 condition, you'll also be protecting your vehicle's outstanding resale value.



Rest assured – your warranty

The quality built into BT-50 is backed up by a 2-year, unlimited kilometre factory warranty. If you haven't reached 100,000 kilometres at the end of two years, cover extends to 3-years or 100,000 kilometres, whichever should occur first.

BT-50 for your business

The BT-50 Fleet program offers tailored deals for businesses of any size. Contact your local Dealer for more information.



Help is at hand – Mazda Roadside Assistance

Flat batteries, running out of fuel, flat tyres – everyone faces hiccups from time to time. When the unexpected happens, Mazda Roadside Assistance is there to keep you moving. You'll be covered 24 hours a day, 365 days a year, all around Australia. Better still, your Mazda will only be worked on by Mazda-approved technicians. Choose a Standard policy offering everything needed to get going again, or Premium with extras like accommodation, a rental car and vehicle recovery. Either can be purchased across the entire Mazda range. (Terms and conditions apply.)

(1) Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Consult your Mazda Dealer for further information, (2) Leather interior includes some Maztex material on selected high impact surfaces, (3) When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations. (4) 2.2L Single Cab Chassis Hi-Rider XT. (5) Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. (6) Trip computer displays current and average fuel consumption, distance to empty and average vehicle speed. (7) Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo. (8) The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

All care is taken to ensure the accuracy of this brochure at the time of publication. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise. Mazda Australia Pty Ltd ABN 78 004 690 804. 385 Ferntree Gully Road, Mt Waverley, Victoria 3149. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. Due to the nature of the printing process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample.





True Red

Blue Reflex Mica





marpa

10

m

Like us on the official Mazda Australia fan page for the latest pictures, videos, events, news and competitions. Ask questions, give feedback or upload your own photos. Join the conversation at facebook.com/mazdaaus

Join the conversation on Twitter. Keep up with breaking Mazda news, videos and pictures from around the web. Tweet your questions, give feedback or post your own photos. twitter.com/mazdaaus



BT-50


OT-SO

Visit Mazda Australia's YouTube channel. You'll find video content with exclusive behind-the-scenes footage. youtube.com/zoomzoom

Published September 2015. MAZ11836 126.028

MAZDA BT-50 ACCESSORIES





MAKE YOUR MAZDA EVEN MORE REWARDING

BT-50

Be adventurous with your BT-50 and protect it with these tough and stylish accessories. Mazda Bull Bars are fully airbag compatible, ensuring safety and durability on those long drives.

- Black steel bull bar

The powerful Mazda BT-50 can take you on any adventure. Combining durability with superior passenger comfort, it's now even more impressive, with a refreshed exterior for a tough new look. Personalise and protect your BT-50 with Mazda Genuine Accessories that deliver superb design, quality and safety, all backed by a Genuine Mazda Warranty. Mazda Genuine Accessories give you even more Zoom-Zoom.

BOSS ADVENTURE PACK

Black alloy sports bar Black tubular side steps Lightforce driving lights Soft tonneau cover 17-inch 8-spoke black alloy wheels



4x4 Dual Cab Utility GT in Titanium Flash Mica fitted with Boss Adventure Pack.


BOSS SPORTS PACK


- Hard tonneau cover

- 17-inch 5-spoke alloy wheels

Prepare your BT-50 for some serious off-road fun and don't be afraid to go hard with tough-looking gear that guards against damage.

Lightforce driving lights Polished alloy bull bar Polished alloy sports bar Polished tubular side steps









BLACK ALLOY SPORTS BAR Give your BT-50 a sportier look with a black sports bar that houses an LED high mount stop lamp. (Utilities only)

POLISHED ALLOY SPORTS BAR Personalise your BT-50 with this tough-yet-stylish accessory. Featuring an integrated LED high mount stop lamp. (Utilities only)



BLACK NUDGE BAR Enhances the look of your BT-50 while adding extra protection. Features mounting for optional Lightforce driving lights.

POLISHED NUDGE BAR



BLACK LADDER RACK FOR SPORTS BAR Carry ladders and other long items with ease. Load capacity of 75kg. (Utilities only)



POLISHED LADDER RACK FOR SPORTS BAR

Transport ladders and other long items securely with a rack that's made for the job. Holds up to 75kg. (Utilities only)



SNORKEL Allows the engine to breathe in dusty conditions or through water crossings.

FENDER FLARES

Protect your BT-50's bodywork from rocks and road debris while drawing attention to its impressive wheel arches. Fender flares are available in matte black or body colour. (Front only or front and rear available)



Toughen up the front of your BT-50. Offers extra protection and incorporates mounts for optional Lightforce driving lights.





RETRACTABLE ALLOY TONNEAU COVER

Made from durable aluminium, this easily-accessible tonneau cover has multiple locking positions and can be operated with the pull strap. (Dual Cab Utilities only)



CAB CHASSIS TRAY MAT Protect the surface of your BT-50's tray with this tailor-made non-slip mat. (Single Cab Chassis only)



UTILITY TRAY MAT Give your utility tray a protective, non-slip surface that's fitted for maximum coverage. (Utilities only)



CANOPY

Cover your gear securely with this spacious canopy made from tough ABS plastic. Complete with a lockable rear door that lifts for easy access. Available with 3 window variations. (Dual Cab Utilities only)



TAILGATE DUST SEAL Fits to the inside of your BT-50's tailgate to restrict the entry of dust and water.



TAILGATE 'EZ DOWN'



TUB AND TAILGATE LINER

Surface protection tailored to your BT-50. This durable liner is highly resistant to UV light and withstands exposure to chemicals like paint and fuel. (Utilities only)

DUAL BATTERY KIT

Run powerful electrical equipment from this unit without the risk of draining your BT-50's main battery. Fitted with one standard 12V and one Merit socket. (Utilities only)



SINGLE 12-VOLT AUXILIARY SOCKET

Operate electrical appliances on-the-go with an independent 15-amp socket. (Utilities only)

Power electrical appliances with two in-built, 15-amp sockets with smart circuit, battery protection and handy torch light. Fitted with one standard 12V and one Merit socket.

Equip your tailgate with a damper that offers soft-release, hands-free lowering. (Coming soon)



DOUBLE 12-VOLT AUXILIARY SOCKET





RUBBER FLOOR MATS Heavy-duty mats custom-made for complete coverage.

CARPET FLOOR MATS



FRONT SEAT COVERS

Keep your front seats grime-free with these durable, customised covers. Made from waterproof neoprene, they're fully airbag compatible.



CLEAR BONNET PROTECTOR Protect your BT-50's bonnet from costly damage.

Keep your paintwork safe from chips and dents.



HEADLIGHT PROTECTORS Protect your BT-50's headlamps from damage caused by road debris.



MOBILE PHONE HOLDER

Safe, stylish and compatible with many phones, this holder gives drivers easy phone visibility and access. Allows for portrait and landscape use.

UHF RADIO UHF radio unit.



WEATHERSHIELDS

Made from UV-resistant acrylic, weathershields let fresh air in while keeping the elements out. (Front only)



SLIMLINE WEATHERSHIELDS

Allow fresh air into the cabin whatever the weather, allowing heat to escape and preventing windows from fogging. (Set of two or four)



SCUFF PLATES Protect door sills from scratching and scuffs with this stylish addition to your BT-50.



SAFETY PACK

Attract attention in an emergency situation and warn of hazards with this safety kit featuring lights, reflective vest and triangular road sign. (Coming soon)

Customised mats to prolong the life of your carpets. These durable mats include a heel pad for the driver's side.

REAR SEAT COVER

Prolong the life of your rear seats with this lightweight, waterproof cover. Shields from dirt, spills, pets and everyday wear and tear. (Dual Cab only)



Stay connected and safe in remote areas with this reliable 80 channel



FRONT PARKING SENSORS

Manoeuvre your BT-50 into tight spaces with front sensors that give you audible guidance.

REVERSE PARKING SENSORS

Park your BT-50 with ease with this four-sensor system. A warning tone helps prevent bumper damage by alerting you to obstacles. (Utilities only)



MIRROR-INTEGRATED REVERSE PARKING CAMERA

A screen displays rear-camera vision in the rear view mirror for safer reversing and assistance with parking, while the auto-dimming function reduces glare.



TOW BAR

A custom tow bar made specifically to accommodate the BT-50's impressive braked towing capacity of 3,500kg and 350kg maximum tow ball download (Hi-Rider models only), or 2,500kg braked towing capacity and a 250kg maximum tow ball download.¹ (2.2L manual model only)



ELECTRONIC BRAKE CONTROLLER

Supplies power to a towed trailer's electric brakes when the BT-50's brakes are applied.

ALSO AVAILABLE:

- Audio retractable Lightning cable
- Audio retractable Micro USB cable
- Black tubular side steps (Freestyle models)
- Dual battery kit (for tub and tailgate liners & Cab Chassis models)
- Front and rear parking sensors kit
- Heavy duty canopy roof racks
- Lightforce anti-theft kit
- Polished tubular side steps (Freestyle models)
- Railguards (Utilities only)
- Remote keyless entry for hard tonneau cover
- Retractable audio cable (3.5mm male-to-male)

- Slimline canopy roof racks
- Soft tonneau cover
- (Freestyle models)
- Tow ball
- Tow ball cover
- Trailer wiring harness
- Tray mat (Freestyle models)
- Tub and tailgate liner (Freestyle models)
- 16-inch 5-spoke alloy wheels
- 16-inch 8-spoke black alloy wheels

SEE THE FULL RANGE OF MAZDA GENUINE ACCESSORIES AT MAZDA.COM.AU





1. Tow ball and wiring loom sold separately. Subject to State or Territory regulations. All care is taken to ensure the accuracy of this brochure at the time of publication. Equipment shown in the brochure is for illustrative purposes only and does not come standard with the vehicle, or as Mazda Genuine Accessories. Specifications, features and availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on availability, specifications, features and prices. Mazda Australia Pty Ltd will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise. Mazda Australia Pty Ltd will Not 4690 804, 385 Ferntree Gully Road, Mount Waverley, Victoria 3149. Mazda Genuine Accessories fitted at the point of sale of a new Mazda BT-50 are covered under the Mazda 3-year or 100,000 kilometre (whichever should occur first) or 2-year unlimited kilometre warranty. Mazda Genuine Accessories fitted after the sale of a new Mazda vehicle are covered by the Mazda 2-year or 40,000 kilometre warranty (whichever should occur first). Published August 2015. MAZ11643 126.029