

Technical Information

Specifications

		2.5 Petrol			dCi
BODY	4x2 MT	4x2 CVT	4x4 CVT	4x2 AT	4x4 AT
Specification	Everession	Expression,	BOSE®	BOSE®	BOSE®
	Expression	BOSE®	Premium		Premium
Body type			5 door SUV		
Seating capacity			5		
ENGINE		4 cylind	er in-line tra	neverse	
Type		2488	er iri-iirie tra		95
Capacity (cc) Number of cylinders/		2400		19	95
valves			4/16		
Compression ratio		9.6:1		15.	7:1
Max. power (kW @ rpm)		126 @ 600	0	127 (@ 3750
Max. torque (Nm @ rpm)		226 @ 4400)	360 @	2000
Fuel type	Un	leaded 91 R	ON	Die	esel
(recommended) TRANSMISSION					
	6-speed	CVT (Con	tinuously	6-sr	peed
Type	manual		ansmission)		matic
Driven wheels	Front	Front	4x4	Front	4x4
Speeds at 1000 rpm in 1st gear	7.23	8.7	79	8.4	42
2nd gear	13.19			1/1	.71
3rd gear	19.36				.34
4th gear	25.54	N,	/A		.46
5th gear	31.15				.36
6th gear	36.81	52.	.38		.63
STEERING					
-	1				
Type		Ele	ectric Variab	ole	
Turning circle		Ele		ole	
Turning circle between kerbs (m)		El	11.6	ble	
Turning circle between kerbs (m) Turns lock-to-lock		El		ble	
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS	6.5		11.6 3		71/210
Turning circle between kerbs (m) Turns lock-to-lock		lx17	11.6 3 7Jx18	6.5Jx17	7Jx18
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS			11.6 3		7Jx18 225/55 R 18
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels		lx17	11.6 3 7Jx18 225/55	6.5Jx17 225/60	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system		lx17 0 R 17	11.6 3 7Jx18 225/55	6.5Jx17 225/60 R 17	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness)		lx17 0 R 17 Ventilated	11.6 3 7Jx18 225/55 R 18 disc (320mr	6.5Jx17 225/60 R 17 m x 28mm)	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system		lx17 0 R 17 Ventilated	11.6 3 7Jx18 225/55 R 18	6.5Jx17 225/60 R 17 m x 28mm)	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system		Ventilated	11.6 3 7Jx18 225/55 R 18 disc (320mr	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm)	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness)		Ventilated	11.6 3 7Jx18 225/55 R 18 disc (320mr	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm)	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension		Ventilated	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm)	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension		Ventilated	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm)	225/55
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds)	225/6	lx17 0 R 17 Ventilated Ventilated Ma	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm)	225/55 R 18
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION	225/6	Ventilated Ventilated Mai	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut	225/55 R 18
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION° Emission standard	225/6	Ventilated Ventilated Mai	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut	225/55 R 18
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION	225/6	Ventilated Ventilated Mai	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut	225/55 R 18
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Rear suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION^ Emission standard Combined cycle	225/6 191 9	Ventilated Ventilated Mai 186 9.9	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink 185 10.3	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut 190 11.5	225/55 R 18 189 11.9
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION Emission standard Combined cycle (L/100km) CO ₂ emissions (g/km) Extra urban cycle	191 9 9.6 230	Ventilated Ventilated Mai 186 9.9 Euro 4 9.3 223	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink 185 10.3	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut 190 11.5 Eur 7 181	189 11.9 7.6 200
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION Emission standard Combined cycle (L/100km) CO ₂ emissions (g/km) Extra urban cycle (L/100km)	225/6 191 9 9.6 230 7.7	186 9.9 Euro 4 9.3 223 7.9	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink 185 10.3	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) rrut 190 11.5 Eur 7 181 5.8	189 11.9 0 5 7.6 200 6.5
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION Emission standard Combined cycle (L/100km) CO ₂ emissions (g/km) Extra urban cycle (L/100km)	191 9 9.6 230	Ventilated Ventilated Mai 186 9.9 Euro 4 9.3 223	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink 185 10.3	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut 190 11.5 Eur 7 181	189 11.9 7.6 200
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION^ Emission standard Combined cycle (L/100km) CO2 emissions (g/km) Extra urban cycle (L/100km) Urban cycle (L/100km)	225/6 191 9 9.6 230 7.7 12.9	Ix17 O R 17 Ventilated Ventilated Mai 186 9.9 Euro 4 9.3 223 7.9 11.8	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink 185 10.3 9.5 228 8	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) crut 190 11.5 Eur 7 181 5.8 8.9	189 11.9 7.6 200 6.5 9.7
Turning circle between kerbs (m) Turns lock-to-lock TYRES AND WHEELS Wheels Tyres BRAKING Front braking system (diameter x thickness) Rear braking system (diameter x thickness) Front suspension Rear suspension PERFORMANCE Max. speed (km/h) 0–100 km/h (seconds) FUEL CONSUMPTION Emission standard Combined cycle (L/100km) CO ₂ emissions (g/km) Extra urban cycle (L/100km)	225/6 191 9 9.6 230 7.7	186 9.9 Euro 4 9.3 223 7.9	11.6 3 7Jx18 225/55 R 18 disc (320mr disc (292mr cPherson St Multilink 185 10.3	6.5Jx17 225/60 R 17 m x 28mm) m x 16mm) rrut 190 11.5 Eur 7 181 5.8	189 11.9 0 5 7.6 200 6.5

	2.5 Petrol		2.0 dCi		
	4x2 MT	4x2 CVT	4x4 CVT	4x2 AT	4x4 AT
WEIGHTS (KG)					
Gross vehicle weight	21	50	2200	2300	2361
Max. towing weight, unbraked			750		
Max. towing weight, braked		2000		13	50
Max. towball download			200		
VOLUME (L)					
Above rear parcel shelf			450		
Maximum boot space with rear seat folded down			1380		
Fuel tank			65		

[^]Vehicle tested in accordance with ADR 81/02 based on combined cycle (city/highway). Actual fuel consumption and ${\rm CO_2}$ emissions depend on factors such as traffic conditions, vehicle condition and how you drive.

Features

	Expression	BOSE®	BOSE® Premium
SAFETY AND SECURITY			
Driver and front passenger airbags	•	•	•
Driver and front passenger side airbags	•	•	•
Front and rear curtain airbags	•	•	•
BRAKES			
Anti-lock Braking System (ABS)	•	•	•
Emergency Brake Assist (EBA)	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•
Electronic Stability Control (ESC)	•	•	•
Emergency response system: Automatic door unlocking, injection and ignition deactivation, activation of hazard warning lights	•	•	•
LIGHTING			
Automatic dusk sensing headlights	•	•	•
"See me home" function headlights	•	•	•
LED daytime running lights	_	•	•
Front and rear fog lights	•	-	-
Rear fog lights	-	•	•
Manual height adjustable headlights	•	•	-
Automatic height adjustable headlights	-	-	•
Bi-Xenon directional headlights and headlight washers	-	-	•
PARKING AIDS			
Front and rear parking sensors	-	•	•
Rear view camera	•	•	•
Day and night rear view mirror	•	•	•
Automatic parking brake	•	•	•

	Expression	BOSE®	BOSE® Premium
SAFETY FEATURES			
Blind Spot Warning (BSW)	-	•	•
All mode 4x4-i	-	-	•
Hill Start Assist (HSA)	•	•	•
Hill Descent Control	-	-	•
Driver seat belt warning light and tone	•	-	-
Driver and front passenger seat belt warning light and tone	_	•	•
One-touch door locking	•	•	•
Height adjustable front seatbelts with pretensioner and load limiter	•	•	•
Height and tilt adjust front headrests	•	•	•
3 height adjustable rear headrests	•	•	•
LED turn indicator lights on door mirrors with highway mode	•	•	•
3 three-point rear seatbelts with load limiter	•	•	•
3 child seat anchorage points for rear seats	•	•	•
Cruise Control with speed limiter	•	•	•
SECURITY FEATURES			
Engine immobiliser	•	•	•
Renault Anti-Intruder Device (R.A.I.D.) - automatic locking of doors while driving (activated above 30km/h)	•	•	•
Remote central locking with Renault Smart Key Card	•	•	•
Alarm	•	•	•
INTERIOR FEATURES			
COMFORT			
Hands-free entry and engine start	-	•	•
Dual zone climate control	•	•	•
Cabin filter and air recycling function	•	•	•
Adjustable rear lateral air vents	-	•	•
Height and reach adjustable leather steering wheel	•	•	•
CONVENIENCE	ı	1	l
12V socket (front, centre console and rear)	•	•	•
Automatic windscreen wipers with rain sensor	•	•	•
Rear windscreen wiper Electric front & rear windows with front window	•	•	•
anti-pinch function and one-touch control		·	
Multi-function trip computer	•	•	•
Lit glove box	•	•	•
Lidded underfloor storage for rear passengers Storage (front and rear side doors, back seat	•		
pockets and smoking accessory) Front central console with removable bin and			
rear passenger drawer			
Lighting (front, rear ceiling and boot)	•	•	
Driver and front passenger vanity mirrors Child minder mirror		•	•
			•
Temporary spare wheel ENTERTAINMENT	·	•	•
Arkamys audio system with CD, MP3 and fingertip controls		-	_
BOSE® audio system with subwoofer, digital amplifier, CD, MP3 and fingertip controls	-	•	•
Multimedia connection box (AUX input and USB support)	•	•	•
Bluetooth® phone pairing*	•	•	•

	Expression	BOSE®	BOSE® Premium
SEATING			
Height adjustable driver's seat	•	-	_
Electrically adjustable driver's seat with manual lumbar support	-	•	•
Flat split folding rear seats 60:40	•	•	•
Rear central armrest	•	-	-
Rear central armrest with cup-holders	-	•	•
Ski flap in rear seats	•	•	•
STYLING			
Black and aluminium look cabin highlights	•	-	_
Carbon fibre, aluminium look cabin highlights and piano black effect	-	•	•
Dark charcoal cloth upholstery	•	-	-
Dark charcoal perforated leather upholstery with white stitching and detail	-	•	•
BOSE® branded front door sills	-	•	•
Grey floor mats	-	•	•
Leather wrapped gear knob	•	•	•
EXTERIOR FEATURES			
STYLING			
Electric panoramic glass sunroof	-	0	•
Body coloured electric door mirrors	•	_	_
Satin grey finish door mirrors	-	•	•
Electric heated folding door mirrors	•	•	•
Chrome door strip	•	•	•
Satin grey finish front and rear skids	•	•	•
Satin grey finish aluminium roof rails	•	•	•
Satin grey finish door handles	•	•	•
Rear privacy glass	-	•	•
17" Silver alloy wheels	•	-	-
17" Bi-Ton alloy wheels	-	•	-
18" Bi-Ton alloy wheels	-	-	•
Rear mud flaps	•	•	•
OPTIONS			
Electric panoramic glass sunroof	-	0	•
WARRANTY			
5 Year/Unlimited kms with 24 Hour Roadside Ass	istance		
*Bluetooth compatibility may vary depending on ph	none		

 ${\rm *Bluetooth\ compatibility\ may\ vary\ depending\ on\ phone.}$

• = Standard

O = Factory Option

— = Not Available



Colours



White (QXB) S



Pearl White (QXA) M



Mars Grey (WXC) M



Metallic Black (GXA) M




Acerola Red (NAH) M



Ultra Silver (KXC) M



Mineral Beige (HXA) M



DIMI	ENSIONS (mm)	
Α	Wheelbase	2690
В	Overall length	4520
С	Front overhang	955
D	Rear overhang	875
Е	Front track	1545
F	Rear track	1550
G	Overall width including moulding strips	1855
G1	Width with door mirrors folded/unfolded	1855/2120
Н	Height with roof bars (unladen)	1705
H1	Height with tailgate open (unladen)	2061
J	Boot sill height (unladen)	750
K	Running clearance (diesel/petrol)	186/204
L	Cabin length (to second row seats)	1927
М	Front elbow width	1451
M1	Rear elbow width	1475
Ν	Front shoulder width	1433

DIM	ENSIONS (mm)	
N1	Rear shoulder width	1421
P1	Front seat headroom	946
P2	Rear seat headroom	885
Q	Rear cabin headroom above the rear axle	810
Υ	Upper boot entrance width	1100
Y1	Lower boot entry width	1071
Y2	Interior width between wheel arches	1071
Z	Boot entry height	805
Z1	Loading length behind rear seats	908
Z2	Loading length on the floor behind front seats	1585
Z3	Maximum loading length with passenger seat folded down	2600
Z4	Height under luggage shelf	452
4	Wading depth	450
1	Approach angle	27°
2	Ramp break over angle	21°
3	Departure angle	31°


Renault KOLEOS Sport Way L.E.

Specifications and features

SPEC AVAILABLE	Sport Way L.E.
Body type	SUV
Seating capacity	5
ENGINE	2.5L Petrol
Туре	4 Cylinder in-line Transverse
Capacity (cc)	2488
Number of cylinders/valves	4/16
Compression ratio	9.6:1
Max. power (kW @ rpm)	126 @ 6000
Max. Torque (Nm @ rpm)	226 @ 4400
Fuel type (recommended)	Unleaded 91 RON
TRANSMISSION	
Туре	CVT (Continuously Variable Transmission)
Driven wheels	Front
Speeds at 1000 rpm in 1st gear	8.79
6th gear	52.38
STEERING	
Type	Electric Variable
Turning circle between kerbs	11.6
Turns lock-to-lock	3
WHEELS	
Wheels (inches)	7Jx18
Tyres	225/55 R 18
BRAKING	
Front Braking system (diameter x thickness)	Ventilated discs (320mm x 28mm)
Rear braking system (diameter x thickness)	Ventilated discs (292mm x 16mm)
Front suspension	MacPherson Strut
Rear suspension	Multilink
PERFORMANCE	
Max. speed (km/h)	186
0-100 km/h (seconds)	9.9
FUEL CONSUMPTION ^A	
Emission standards	Euro 4
Combined cycle (L/100km)	9.3
	9.5
CO₂ emissions (g/km)	223
CO₂ emissions (g/km)	223
CO ₂ emissions (g/km) Extra urban cycle (L/100km)	223 7.9
CO ₂ emissions (g/km) Extra urban cycle (L/100km) Urban cycle (L/100km)	223 7.9
CO ₂ emissions (g/km) Extra urban cycle (L/100km) Urban cycle (L/100km) CAPACITY (L)	223 7.9 11.8
CO ₂ emissions (g/km) Extra urban cycle (L/100km) Urban cycle (L/100km) CAPACITY (L) Fuel tank	223 7.9 11.8
CO ₂ emissions (g/km) Extra urban cycle (L/100km) Urban cycle (L/100km) CAPACITY (L) Fuel tank Max boot space with rear seat folded down	223 7.9 11.8
CO ₂ emissions (g/km) Extra urban cycle (L/100km) Urban cycle (L/100km) CAPACITY (L) Fuel tank Max boot space with rear seat folded down WEIGHTS (kg)	223 7.9 11.8 65 1380

SPEC AVAILABLE	Sport Way L.E.
SAFETY AND SECURITY	
Driver and front passenger airbags and side airbags	Std
Front and rear curtain airbags	Std
Anti-lock Braking System (ABS)	Std
Emergency Brake Assist (EBA)	Std
Electronic Brake-force Distribution (EBD)	Std
Electronic Stability Control (ESC)	Std
Emergency response system: Automatic door unlock, injection and ignition deactivation, activation of hazard warning lights	Std
Automatic dusk sensing headlights	Std
"See me home" function headlights	Std
Front and rear fog lights	Std
Manual height adjustable headlights	Std
Front and rear parking sensors	Std
Rear view camera	Std
Automatic parking brake	Std
Automatic dimming rear view mirror	Std
Blind Spot Warning (BSW)	Std
Hill Start Assist (HSA)	Std
Cruise control with speed limiter	Std
Renault Anti-Intruder Device (R.A.I.D) - automatic locking of doors while driving (activated once above 30km/h)	Std
Remote central locking with Renault Smart Key Card	Std
Alarm	Std
INTERIOR FEATURES	6.1
Hands-free entry and engine start	Std
Dual zone climate control air conditioning	Std
Cabin filter and air recycling function	Std
Adjustable rear air vents Height and reach adjustable leather steering wheel with red stitching	Std Std
Automatic windscreen wipers with rain sensor	Std
Child minder mirror	Std
2 rear aviation style tables	Std
Quick release flat folding floor system	Std
BOSE® audio system with subwoofer, digital amplifier, CD, MP3, and fingertip controls	Std
Bluetooth® phone pairing*	Std
R-Link Enhanced Satellite Navigation system with 7" touchscreen	Std
Electrically adjustable front seats with manual lumbar support	Std
Heated front seats	Std
Aluminium look cabin with deep crimson highlights	Std
Dark charcoal perforated leather upholstery with red stitching and detail	Std
Carbon finish front and rear skids	Std
Satin grey finish aluminium roof rails	Std
Rear privacy glass	Std
18" Bi-Ton Sport Way alloy wheels	Std
WARRANTY	
	Std

^Vehicle tested in accordance with ADR 81/02. Actual fuel consumption and CO2 emissions depend on factors such as traffic conditions, vehicle condition and how you drive. *Bluetooth compatibility may vary depending on phone



For more information call 1800 009 008 or visit www.renault.com.au. Details at May 2015 and subject to change. Vehicles displayed in this brochure are overseas models and shown for illustration purposes only. Australian vehicles may differ in characteristics, specifications, equipment, accessories and colours than shown in this brochure. Please see your Renault dealer for full specification and vehicle option queries. Vehicle Distributors Australia Pty Ltd reserve the right to modify its models without notice including their characteristics, specifications, equipment, accessories and colours. Publication date May 2015. Vehicle Distributors Australia Pty Ltd 4 Nexus Court, Mulgrave, Victoria 3170.