





Flexible layout



From bundles of joy to beloved grandparents, the Honda Odyssey ensures enjoyment for all. Because the family that rides together, makes memories together.

The Odyssey not only has the space for growing families, but the features to keep everyone happy while you roll down the road. One touch power sliding doors make entering and exiting effortless. Inside, there's a flexible seating layout that's easily adaptable to any size family. And for those looking for an extra bit of luxury, the VTi-L model is equipped with two roomy captain's chairs* in the second row.

As you're riding along you'll find that conversations really flow — thanks to a cleverly placed conversation mirror. You'll also find there's little fuss over the interior temperature with a tri-zone climate control system.* Because everyone knows it's a whole lot easier to enjoy your time together when everyone feels completely comfortable and right at home.

Tri-zone climate control*

Conversation mirror

Captain's chairs*^

One touch power sliding doors

A JOY TO DRIVE.

The joy of moving you moves us. Which is why we designed the Honda Odyssey to bring as much joy to the driver as it does the passenger.

From its car-like handling, to the many ways it keeps you connected to the outside world, the Odyssey is far more than a people mover. An integrated sat-nav system* makes sure you and your family are always pointed in the right direction, while an infotainment system keeps everyone aboard happy no matter how long the drive.

From the driver's point of view, an easy-to-read digital driving display keeps you informed and up-to-date at all times. While a multi-angle reversing camera helps ensure everything is clear before you take off. So whether you're running errands or road-tripping with the family, you're sure to find the Honda Odyssey a pure joy to drive.



Infotainment

Car-like handling



012345678

Built-in sat-nav*





Multi-angle reversing camera





SENSING

REACTS TO A HAZARD BEFORE YOU MIGHT



FORWARD COLLISION WARNING

By constantly keeping an eye out for vehicles ahead, Forward Collision Warning (FCW) reduces the stress of driving in heavy traffic. If the system determines that a collision may occur, you'll be given an instant visual and audible alert to help you avoid whatever is in your path.



COLLISION MITIGATION BRAKING SYSTEM

If you happen to miss the Forward Collision Warning and a collision is likely, the Collision Mitigation Braking System (CMBS) will go one step further by applying the brakes. This helps to mitigate the severity of an accident.

KEEPS YOU IN A SAFE POSITION



ROAD DEPARTURE MITIGATION SYSTEM AND LANE KEEPING ASSIST SYSTEM

If the Road Departure Mitigation System detects that you are drifting out of a lane with solid lines without signalling, you'll be steered gently back into the lane. In rare cases, gentle braking will be applied to keep you safe. The Lane Keeping Assist System will read the lane and sense as you drift from its centre, applying corrective steering torque to maintain perfect lane position.



ADAPTIVE CRUISE CONTROL

By detecting the vehicle in front of you, this lets you maintain a set speed and following distance without you having to keep your foot on the brake or accelerator.

SAFETY FOR YOUR PEOPLE.

Nothing is more important than your family's safety. That's why the Honda Odyssey is packed full of clever and cutting edge safety technology to protect you and your precious cargo.

First, there's Honda Sensing* — an intelligent suite of driver assist technologies designed to get you where you're going safely. Then there's the rear cross traffic alert, blind spot alert and a 360-degree multiview camera for all around safety. You'll also find 6-airbags as

well as ISOFIX child safety seat attachments.*
And to top it all off, there's even smart parking assist* that automatically guides the Odyssey into any standard parking space with ease.

This all adds up to a 5-star ANCAP safety rating – the highest possible assessment a car can receive. So you can rest easy and focus on your family and the road ahead.

8 *VTi-L only. Overseas model shown.

POWER FOR YOUR PEOPLE.

With the performance and efficiency you would expect of a much smaller car, the Honda Odyssey engine is designed to deliver pure joy for you and

The Odyssey boasts the latest Honda Earth Dreams Technology — an engine that provides the perfect balance of power and efficiency. Add a Continuously Variable Transmission (CVT) to the mix and it's no wonder the Odyssey delivers both better fuel economy and a smoother ride for you and your family.

There's also an Eco mode that adjusts engine behaviour, transmission and air conditioning with the push of a button. With reduced fuel consumption and emissions, know that you're leaving a better planet for your children.





Rear bumper and bootlip protector



Accent lighting



Door visor set



SELECT YOUR MODEL



VTi

- 2.4 litre DOHC i-VTEC 4 cylinder engine with auto idle stop
- Automatic Continuously Variable Transmission
- Aero kit with chrome trim
- Steering wheel mounted paddle shifters
- Leather-wrapped steering wheel
- 17-inch alloy wheels
- Electrically retractable and heated door mirrors
- Front fog lights
- Cloth seat trim
- Dual zone climate control
- LED Daytime Running Lamps
- Dusk-sensing projector-beam halogen headlights
- Display Audio including:
- 7-inch full colour touchscreen
- AM/FM radio and CD player
- Bluetooth° phone and audio connectivity
- USB connectivity
- Speed-sensitive volume compensation
- Vehicle information
- Eight seats (2nd row with 3 seater bench)
- Multi-angle reversing camera
- Anti-lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Emergency Stop Signal (ESS)
- Hill Start Assist (HSA)
- Vehicle Stability Assist (VSA)
- SRS airbags: dual front, side and full length curtain
- Tyre deflation warning system
- 3rd row 40/20/40 split fold seats
- One-touch power sliding rear door (passenger side)



VTi-L

Additional features over the VTi

- 17-inch two-tone alloy wheels
- 7 seats with second row captain's chairs - Black leather-appointed^ seat trim
- Heated front seats
- Built-in SUNA[†] satellite navigation
- Smart Keyless entry and push button start
- LED strip-style fog lights
- Dusk sensing LED projector beam headlights
- LED active cornering lights
- Premium aero kit with chrome trim
- Electric sunroof - Rear privacy glass
- Tri-zone climate control with independent rear control
- Honda Sensing including:
- Forward Collision Warning (FCW)
- Lane Departure Warning (LDW)
- Lane Keep Assist System(LKAS) - Road Departure Mitigation (RDM)
- Adaptive Cruise Control (ACC)
- Collision Mitigating Braking System (CMBS)
- ISOFIX child restraint anchorages (2nd row) - Smart parking assist (SPA)
- Rear cross traffic alert
- 360 degree camera
- Blind-spot information system
- Auto-dimming rear view mirror
- 8-way power adjustable driver seat - One-touch power sliding door (both sides)

COLOURS

Cobalt Blue Pearlescent



Premium Spice Purple Pearlescent



Premium Twinkle Black Pearlescent



Super Platinum Metallic



Platinum White Pearlescent



TRIMS

Black fabric seat trim - VTi



Black leather-appointed seat trim^ - VTi-L



WHEELS

▶ 17" alloy wheels – VTi



17" alloy wheels (two-tone) - VTi-L



[°]Requires compatible Bluetooth device. Compatibility and functionality will vary depending on the device. The Bluetooth word mark is owned by Bluetooth SIG, Inc. and use of such mark by Honda is under licence.

^Leather-appointed means some parts of the seats may contain non-leather material. 3rd row seats contain no leather material. †SUNA is a registered trademark of Intelematics Pty Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to sunatraffic.com.au for full details.

ODYSSEY SPECIFICATIONS

gime capacity			VTi	VTi-L
Sept	OWERTRAIN			
Mary	ngine type:	DOHC inline 4 cylinder i-VTEC	•	•
Separate	ngine capacity			2.4L - 2356cc
Stock prisoned protection (1997) 1				
Stands S		unleaded (RON 91)		
The Property of the Property				
September	rive By Wire throttle (DBW)		•	•
Command Comm	uto idle stop:	on/off switch	•	•
Page	RANSMISSION			
STATE STAT	utomatic:		•	•
Somm percent Michagnia 1988 6 Coronay 1988 6 Coronay	EDECOMANCE AND FUEL ECCONOMY	transmission smit lock		
Sement seame for Seminal seame			129kW @ 6200rpm	120kW @ 6200rp
and insumption (files (files))** **Commission of plane** **Commission				
Part Continue Co		combined (automatic)		
Resistant Signate		urban (automatic)	9.4	9.6
Seach standarde. ASS 195 ASS				
MASSIS				
16 19 19 19 19 19 19 19		ADR/9/04 (Euro 5)	•	•
Separation MapPort M				
Second S				
Texa Adaptive Peters Peters Steering 1985 198	spension:			
Part	Antion Adaptive Electric Power Steering			
Part	rakes:			
Table			•	•
Table	TERIOR			
miles and or 11:			•	-
circk Sourced: With smoot be plot opporation Image: Control of the process of the plot of the pl		aero front and rear bumpers with chrome trim, dark chrome grille		
Property				
or banacies boly coloured circ				
Table		ıııgıass		
Destriction		hody coloured		
Image: Continue Image: Con	01 11111 01 0.			
International Content			•	•
Performance			-	•
Agrication of the proposition			•	•
### Command				
are window demister 4. page and and variable intermittent 6. a. p.		hydrophilic		
Page				
pint pearly memmany		2 speed and variable intermittent		
CERUNEAN				
Section Sect		intermittent with reverse goal of noninnination		
Front - LED strip		front – halogen with chrome garnish	•	
Sealing Seal	ng rights.		-	•
LED Daytime Planting Lights (DRL)	eadlights:		•	-
Commitment Com		LED projector beam	-	•
Base				
FED active cornering lights				
De and top puddle light				
Diginated limited li	D roor door puddlo light	LED active cornering lights		
Digital prights € (adaptive) NURSEA NDS (adaptive)			•	
usise control . (adaptive) Assist system and ECON mode . . ubit-function steering wheel controls . . ubit information Display (MID): . . Ubit Informatio	D guide tail lights		•	
usise control . (adaptive) Assist system and ECON mode . . ubit-function steering wheel controls . . ubit information Display (MID): . . Ubit Informatio	RIVER AIDS			
A Assist system and E COM mode • <td< td=""><td></td><td></td><td>•</td><td>(adaptive)</td></td<>			•	(adaptive)
ulti-function steering wheel controls € € 1 2 1 1 2			•	
Description	ulti-function steering wheel controls		•	•
	ulti Information Display (MID):			
Instant and average fuel economy				
Page				
A set of the set of				
Author Control Contr				
Outside temperature display				
Control (100 1				
			•	•
	OMFORT AND CONVENIENCE			
Tri-zone climate control with independent rear control			•	•
rear air conditioning with 2nd and 3rd row ceiling vents	r conditioning:		•	
State Stat			-	
ot type parking brake • • wer windows: one touch auto up/down function (driver) • • one touch auto up/down function (all) • • with remote key fob operation • • ee touch power sliding rear doors: passenger side • • driver side automatic operation via dashboard and key fob • • ear view mirror: day/night • • ear door roll up sunshades • • • and telescopic steering column • • • remote central locking and keyless entry • • • • anart keyless entry and push start button • <td< td=""><td></td><td></td><td></td><td></td></td<>				
wer windows: one touch auto up/down function (driver) one touch auto up/down function (all) ivit remote key fob operation	nt tyne narking hrake	STOTOW HOOF VEHILS		
one touch auto up/down function (all) - • with remote key fob operation • • e touch power sliding rear doors: passenger side • • driver side automatic operation via dashboard and key fob • • ar view mirror: day/night • • ar door roll up sunshades - • • ar door roll up sunshades - • • mote central locking and keyless entry • • • ard keyless entry and push start button - • • tand telescopic steering column - • • TERIOR LIGHTING • • • D capin lights • • • D capin lights • • • D front door courtesy lights • • • gagage areal lights • • • nvisor vanity mirror light—illuminated: driver and front passenger • • •		one touch auto up/down function (driver)		
with remote key fob operation a sasenger side driver side automatic operation via dashboard and key fob ar view mirror: day/night auto dimming auto				
Passenger side Pass				
Automatic operation via dashboard and key fob	e touch power sliding rear doors:	passenger side	•	
auto dimming				•
ar door roll up sunshades ride central locking and keyless entry and push start button arat keyless entry and keyless entry arat keyless entry and keyless entry arat keyles	ar view mirror:			-
mote central locking and keyless entry and push start button	ar door roll un sunsbados	auto uninining		
art keyless entry and push start button				
t and telescopic steering column FERIOR LIGHTING Dimap lights Dimap				
TERIOR LIGHTING D map lights				
D map lights • • • • • • • • • • • • • • • • • • •				
D Cabin lights • • • • • • • • • • • • • • • • • • •			•	•
D front door courtesy lights • • • • • • • • • • • • • • • • • • •				
eggage area lights nvisor vanity mirror light – illuminated: ATING AND INTERIOR e e e e e e e e e e e e e				
EATING AND INTERIOR				
	nvisor vanity mirror light — illuminated:	driver and front passenger	•	•

ODYSSEY SPECIFICATIONS

eather-wrapped steering wheel		VTi	VTi-L
		•	•
strument panel inlay:	brown woodgrain effect	•	-
	black woodgrain effect	-	•
ont seat adjustment:	driver's seat 8 way power	-	•
	passenger seat 4 way power	-	•
	driver's seat height adjustment – manual	•	-
eated front seats		-	•
ear seating:	second row 3 seat bench	•	-
	second row 2 captain's chairs with armrests and footrest (ottoman), storage compartment	-	•
	retractable 3rd row seating — split fold	•	•
TORAGE			
oat hook:	x1	•	•
everage holders:		10	8
ovebox:	(with damper)	•	•
olit seat back pockets:	driver and front passenger	•	•
inglasses holder with conversation mirror	arror and none passongor	•	•
invisor ticket holder:	driver's side only	•	•
	arror o dido orny		
ULTIMEDIA			
uchscreen Audio featuring:	7-inch colour display	•	•
	AM/FM radio	•	•
	CD player single disc (MP3/WMA compatible)	•	•
	Bluetooth® phone and audio connectivity°	•	•
	customisable wall paper	•	•
	Siri® Eyes free mode [±]	•	•
	MP4 movie file play [‡]	•	•
	vehicle information (fuel economy, trip computer)	•	•
	HDMI port	•	•
	USB port (x2)	•	•
	speed-sensitive volume compensation	•	•
	built-in satellite navigation with SUNA [≠] live traffic updates	-	•
peaker audio system:	4 speakers, 2 front tweeters	•	•
	grand and an arrangement of the second		
CTIVE SAFETY	Forward Collinion Worning (ECNA)		-
nda Sensing featuring:	Forward Collision Warning (FCW)	-	•
	Collision Mitigation Braking System (CMBS)	-	•
	Lane Departure Warning (LDW)	-	•
	Lane Keep Assist System (LKAS)	-	•
	Road Departure Mitigation System (RDM)	-	•
	Adaptive Cruise Control (ACC)	-	•
nti-lock Braking System (ABS)		•	•
ake Assist system (BA)		•	•
ectronic Brake-force Distribution (EBD)		•	•
nergency Stop Signal (ESS)		•	•
II Start Assist (HSA)		•	•
action Control System (TCS)		•	•
ehicle Stability Assist (VSA)		•	•
ind spot information system		-	•
re deflation warning system		•	•
ASSIVE SAFETY			
dvanced Compatibility Engineering (ACE) structure		•	•
RS airbags:	front	•	•
	side	•	•
	full-length curtain	•	•
ild proof rear door locks		•	•
	2-442	5	4
	2nd and 3rd row		•
ild restraint anchorages:	ISOFIX (up to 2) – second row	-	•
ild restraint anchorages:	ISOFIX (up to 2) – second row	-	7
ild restraint anchorages: ild restraint anchorages: ad restraints:	ISOFIX (up to 2) — second row adjustable		7
ild restraint anchorages: ild restraint anchorages: ad restraints: atbelt reminder:	ISOFIX (up to 2) – second row	- 8	7
ild restraint anchorages: ild restraint anchorages: add restraints: atbelt reminder: de impact protection	ISOFIX (up to 2) – second row adjustable front	8	7
ild restraint anchorages: ild restraint anchorages: vad restraints: atbelt reminder: de impact protection	ISOFIX (up to 2) – second row adjustable front height adjustable (front)	- 8 •	7 •
ild restraint anchorages: ild restraint anchorages: addrestraints: addrestraints: addrestraints: de impact protection atbelts (3-point):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front)	- 8 •	7 • •
ild restraint anchorages: ild restraint anchorages: vad restraints: atbelt reminder: de impact protection	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row	- 8 • •	7 • • •
ild restraint anchorages: ild restraint anchorages: add restraints: atbelt reminder: de impact protection atbelts (3-point):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front)	- 8 • •	7 • • • •
ild restraint anchorages: ild restraint anchorages: aud restraints: atbelt reminder: de impact protection atbelts (3-point):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row	- 8 • •	7 • • •
ild restraint anchorages: ild restraint anchorages: ead restraints: tabelt reminder: de impact protection aatbelts (3-point): hiplash mitigating front seats ARKING AIDS	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats	- 8 • • • • • • • • • • • • • • • • • • •	7
ild restraint anchorages: ild restraint anchorages: ild restraints: ad restraints: atbelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera:	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: aat estraints: atbelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system:	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats	- 8 • • • • • • • • • • • • • • • • • • •	7
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: aat estraints: atbelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system:	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: aad restraints: atbelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats IRKING AIDS Juli-angle reversing camera: Jultiview camera system: hart Parking Assist (SPA)	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: aad restraints: atbelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nart Parking Assist (SPA) ar cross traffic alert	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: aad restraints: tatbelt reminder: de impact protection tatbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nant Parking Assist (SPA) tar cross traffic alert ECURITY	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7
illd restraint anchorages: illd restraint anchorages: illd restraint anchorages: aad restraints: tatbelt reminder: de impact protection tatbelts (3-point): hiplash mitigating front seats ARKING AIDS ultiviangle reversing camera: ultiview camera system: mart Parking Assist (SPA) ter cross traffic alert ECURITY gine immobiliser and security alarm system	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7
illd restraint anchorages: illd restraint anchorages: add restraints: satbelt reminder: de impact protection satbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nart Parking Assist (SPA) sear cross traffic alert ECURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	7
illd restraint anchorages: iild restraint anchorages: iild restraints: eader restraints: eatbelt reminder: de impact protection eatbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nart Parking Assist (SPA) ear cross traffic alert ECURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES rerall length (mm)	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraints: add restraints: atbelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nart Parking Assist (SPA) ar cross traffic alert ECURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES ereall length (mm) erall width (mm)	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 - 0 - 0 - 0 - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	7 • • • • • • • • 4845 1820
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ad restraints: atbelt reminder: te impact protection atbelts (3-point): hiplash mitigating front seats IRKING AIDS Ilti-angle reversing camera: ultiview camera system: hart Parking Assist (SPA) ar cross traffic alert ICURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall width (mm) erall height (mm) erall height (mm)	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • 4845 1820 1695
ild restraint anchorages: ild restraint anchorages: ald restraint anchorages: at de restraints: at belt reminder: le impact protection at belts (3-point): hiplash mitigating front seats IRKING AIDS Ilti-angle reversing camera: Iltiview camera system: hart Parking Assist (SPA) ar cross traffic alert CURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall width (mm) erall height (mm) erall height (mm)	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 - 0 - 0 - 0 - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	7 • • • • • • • • 4845 1820
Id restraint anchorages: Id restraint anchorages: ad restraint anchorages: at destraint anchorages: at destraints: at belt reminder: e impact protection at belts (3-point): iniplash mitigating front seats RKING AIDS Ilti-angle reversing camera: Iltiview camera system: art Parking Assist (SPA) are ar cross traffic alert CURITY ine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES arall leight (mm) arall height (mm) areall belgase (mm)	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes	- 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • 4845 1820 1695
Id restraint anchorages: Id restraint anchorages: Id restraint anchorages: ad restraints: atbelt reminder: e impact protection atbelts (3-point): iiplash mitigating front seats RKING AIDS Ilti-angle reversing camera: Iltiview camera system: art Parking Assist (SPA) ar cross traffic alert CURITY jine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall height (mm) erall height (mm) lecelbase (mm) ck (mm):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down	- 8 8 • • • • • • • • • • • • • • • • • •	7
Id restraint anchorages: Id restraint anchorages: Id restraint anchorages: ad restraints: stbelt reminder: e impact protection atbelts (3-point): siplash mitigating front seats RKING AIDS Ilti-angle reversing camera: Iltiview camera system: art Parking Assist (SPA) ar cross traffic alert CURITY gine immobiliser and security alarm system WENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall width (mm) erall height (mm) erall height (mm) lenelbase (mm) cck (mm): bund clearance (mm):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: Ild restraint anchorages: Ild restraint anchorages: atbelt reminder: Ie impact protection atbelts (3-point): iniplash mitigating front seats IRKING AIDS Ilti-angle reversing camera: Iltiview camera system: Intraking Assist (SPA) Intraking Assist	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ald restraint anchorages: at destraint anchorages: at destraint since: at belt reminder: le impact protection at belts (3-point): iniplash mitigating front seats literation of the seats literat	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ald restraint anchorages: at destraint anchorages: at destraint since: at belt reminder: le impact protection at belts (3-point): iniplash mitigating front seats literation of the seats literat	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ald restraint anchorages: at destraint anchorages: at destraint since: at belt reminder: le impact protection at belts (3-point): iniplash mitigating front seats literation of the seats literat	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: at de restraints: at belt reminder: le impact protection at belts (3-point): iniplash mitigating front seats IRKING AIDS Ilti-angle reversing camera: Iltiview camera system: Intert Parking Assist (SPA) ard cross traffic alert CURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall height (mm) erall height (mm) neelbase (mm) cck (mm): pound clearance (mm): inimum turning radius at wheel centre (m) re mass (kg): wing capacity (kg):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes	- 8 8 • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ad restraints: attelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: hart Parking Assist (SPA) arr cost traffic alert country gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall width (mm) erall height (mm) heelbase (mm) back (mm): nimum turning radius at wheel centre (m) re mass (kg): wing capacity atting capacity	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ad restraints: attelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: hart Parking Assist (SPA) arr constraffic alert country gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall width (mm) erall height (mm) heelbase (mm) back (mm): nimum turning radius at wheel centre (m) re mass (kg): wing capacity atting capacity	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ad restraints: attelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nart Parking Assist (SPA) ar cross traffic alert ECURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES rerall length (mm) rerall width (mm) rerall height (mm) heelbase (mm) ack (mm): ound clearance (mm): inimum turning radius at wheel centre (m) re mass (kg): wing capacity (kg):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: aad restraints: tatbelt reminder: de impact protection reatbelts (3-point): hiplash mitigating front seats ARKING AIDS ultiview camera system: mart Parking Assist (SPA) hard cross traffic alert ECURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES rerall length (mm) heelbase (mm) ack (mm): ound clearance (mm): inimum turning radius at wheel centre (m) rer mass (kg): wing capacity (kg): lettank capacity (L) VRES & WHEELS	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ald restraints: atbelt reminder: te impact protection atbelts (3-point): hiplash mitigating front seats IRKING AIDS Ilti-angle reversing camera: Iltiview camera system: hart Parking Assist (SPA) ar cross traffic alert ICURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall width (mm) erall height (mm) heelbase (mm) book (mm): nimum turning radius at wheel centre (m) re mass (kg): wing capacity (kg): IRES & WHEELS re size	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ald restraints: ald restraints: atbelt reminder: le impact protection atbelts (3-point): iniplash mitigating front seats likkING AIDS liti-angle reversing camera: ultiview camera system: lart Parking Assist (SPA) ard cross traffic alert CURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES erall length (mm) erall width (mm) erell width (mm) enelbase (mm) lock (mm): lound clearance (mm): lonimum turning radius at wheel centre (m) eramss (kg): wing capacity (kg): let Res & WHEELS ere size heel size	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
Id restraint anchorages: Id restraint anchorages: Id restraint anchorages: ad restraints: stbelt reminder: e impact protection atbelts (3-point): iiplash mitigating front seats RKING AIDS Ilti-angle reversing camera: Iltiview camera system: art Parking Assist (SPA) ar cross traffic alert CURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES arall length (mm) arall height (mm) erall width (mm) erall height (mm) enelbase (mm) ck (mm): und clearance (mm); nimum turning radius at wheel centre (m) e mass (kg): wing capacity (kg): ating capacity el tank capacity (L) RES & WHEELS e size leel type:	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •
ild restraint anchorages: ild restraint anchorages: ild restraint anchorages: ad restraints: attelt reminder: de impact protection atbelts (3-point): hiplash mitigating front seats ARKING AIDS ulti-angle reversing camera: ultiview camera system: nart Parking Assist (SPA) ar cross traffic alert ECURITY gine immobiliser and security alarm system MENSIONS, WEIGHTS AND CAPACITIES rerall length (mm) rerall width (mm) rerall height (mm) heelbase (mm) ack (mm): ound clearance (mm): inimum turning radius at wheel centre (m) re mass (kg): wing capacity (kg):	ISOFIX (up to 2) – second row adjustable front height adjustable (front) pre-tensioner and load limiter (front) Automatic Locking Retractors (ALR) – centre row Emergency Locking Retractors (ELR) – all seats normal, wide, top down modes front, side, rear, 360° top-down front and rear unladen automatic trailer with brakes trailer without brakes	- 8 8 • • • • • • • • • • • • • • • • •	7 • • • • • • • • • • • • • • • • • •

•Standard feature. —Not available. *The figures quoted are based on ADR81/02 test results. *Leather-appointed seat trim means some parts of the seats may contain non-leather material. *Requires compatible device. The Bluetooth word mark is owned by Bluetooth SIG, Inc. and use of such mark by Honda is under licence. *SUNA is a registered trademark of Intelematics Pty. Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to sunatraffic.com.au for full details. *Requires compatible iOS7 device (iPhone® 4S or newer). Apple, iPhone and Siri are trademarks of Apple Inc., registered in the U.S and other countries. *Operates only while the vehicle is stationary. Requires HDMI cable and Digital AV adapter (these items may be purchased separately from your Honda Dealer). HDMI is a registered trademark of HDMI Licensing LLC in the United States and other countries. *5-year unlimited kilometre warranty available on all vehicles except those used for a Commercial Purpose, where a 5-year/140,000 kilometre (whichever occurs first) warranty is applicable.



















facebook.com/HondaAustralia



youtube.com/HondaAustralia



instagram.com/HondaAustralia





Honda Australia Pty. Ltd. ACN 004 759 611 ABN 66 004 759 611 95 Sharps Road, Tullamarine, Victoria, 3043. 1800 804 954 honda.com.au/cars