

The Joy is in the detail.



To truly appreciate the CR-V, you need to delve into the details.

It's those smart little intuitive touches, from front to back and everywhere in between, designed to make every journey more enjoyable.

And when those details come together, joyful human moments are made.

Because the CR-V is here to enjoy, in all its delightful detail.



A Joy to behold.

From the honeycomb grille up front to the polished dual exhaust finishers* in the back, even at first glance you can see the little details start to shine through.

LED Daytime Running Lights

Day or night, you can see and be seen with stunning LED daytime running lights.

Tall Tail Lights

Lined with LEDs and angled up high, they're as distinctive as they are visible from afar.

Distinctive Alloys

We factor in more 'wow' with a distinctive range of 17", 18" and 19" alloy wheels.

Automatic Power Tailgate with Kick Sensor#

Opens and closes with a kick of the foot, just like magic. Available on the VTi X and above.



^{*}Available on the VTi and above.

^{*}Kick Sensor will not function if your vehicle is fitted with a towbar.



Power. Efficiency. Innovation. Thanks to Honda engineering, you get all three.

140kW VTEC Turbo Engine

Turbocharging your joy with up to 240Nm of torque. On VTi and above.

Continuously Variable Transmission

Saving fuel never felt so smooth.

Real Time AWD Capability

A real control freak (in the best way possible).

Fuel Consumption

Just 7 litres per 100km^.

Earth Dreams Technology

Engineered to minimise your environmental impact and maximise your performance. On VTi and above.

Let the sunshine in.

With better views and more comfort for you and all your precious cargo, the CR-V is full of surprises that are sure to delight.

Slim A-Pillars

Less metal. More glass. Better lines of sight.

Up to 10 (yes 10) Cupholders*

More milkshakes. Much less mess.

Panoramic Sunroof

Take it all in every time you head out. Available on VTi L7 and VTi LX AWD.

Heated Front Seats

A warm welcome on a winter morning. Available on VTi L AWD and above.

Huge Centre Console

A surprising amount of room, right under your elbow.





Clever and completely seamless.



Apple CarPlay®^ and Android Auto™#

Connect and call your mum, sing car-aoke, get lost (and found), plus loads more. The CR-V even tells the air con to be quiet when you have a call or question.



LaneWatch~

Simply tap your turn signal or indicate left for a clear view of the kerbside. Goodbye blind spots.



Wireless Charging*

Simply set your phone on the charging pad to charge up every time you head out. Cord free-dom!

A few more intuitive touches...

Available on all models.

Rear Courtesy Wiper

Dual Zone Climate Control Electric Parking Brake Available on VTi and above.

Smart Keyless Entry with Push Button Start Available on VTi X and above.


Built-in Sat Nav

Auto Headlights with High Beam Support

[^]Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. CarPlay and Siri requires iPhone 5 model and above running iOS 7.1 or higher.

[#]Google, Android and Android Auto are trademarks of Google LLC. To use Android Auto on your car display, you'll need an Android phone running Android 5.0 or higher, an active data plan, and the Android Auto app.

[~]Available on VTi X and above. *Available on VTi L7 and VTi LX AWD.



Safe in every sense.

With a 5-star ANCAP safety rating, specially designed body structure plus loads more, the CR-V is one safe SUV.

Multi-Angle Reversing Camera

Shift into reverse and the rear camera comes to life – with three views and dynamic guidelines to get you into or out of tight spots.

Driver Attention Monitor

Tells you to pull over for a power nap before you get too tired behind the wheel.

ISOFIX

The internationally recognised standard for attaching child safety seats. Quick and easy to secure and protect your most precious cargo.

Advanced Compatibility Engineering (ACE)™ Body Structure

Each and every component has been designed to absorb and deflect the energy from a collision and keep you safer.

Honda Sensing[†].





Lane Keeping Assist System (LKAS)

Provides steering input to help keep the vehicle in the middle of a detected lane and provides audible and visual alerts if the vehicle is detected drifting out of its lane.



Lane Departure Warning (LDW)

When the vehicle enters the warning area, the LDW alerts you with slight steering wheel vibration as well as a warning display.



Forward Collision Warning (FCW)

Alerts you when it detects the possibility of your vehicle colliding with the vehicle in front of yours.




Collision Mitigation Braking System (CMBS)

CMBS is designed to alert you when a potential front collision is determined, as well as to reduce your vehicle speed to help minimise collision severity when a collision is deemed unavoidable




Road Departure Mitigation System (RDMS)

Alerts and helps to assist you when the system detects a possibility of your vehicle unintentionally crossing over detected lane markings.



Adaptive Cruise Control (ACC) with Low Speed Follow (LSF)

Helps maintain a constant vehicle speed and a set following interval behind a vehicle detected ahead of yours and, if the detected vehicle comes to a stop, can decelerate and stop your vehicle.



High Beam Support System (HBSS)*

Automatically changes your headlights from low to high on a clear road, and then back to low beam when an oncoming vehicle is detected.

Images used for illustration purposes only.

⁺Honda SENSING technologies are driver-assist technologies and should not be used in place of safe driving practices. Drivers should continue to monitor the road at all times. The accuracy and operation of Honda Sensing technologies may vary based on weather, speed, traffic, road conditions, markings and other factors. Honda Sensing suite available from VTi grades and above. Features within the suite may vary per grade.

^{*}High Beam Support System (HBSS) available on VTi X and above.

Every model will make you smile.



5 Seats, 2WD

Key features:

- 2.0L SOHC i-VTEC engine
- 113kW @ 6,500rpm and 189Nm @ 4,300rpm
- Continuously variable transmission
- Electric parking brake with automatic brake hold
- 17-inch alloy wheels
- Dual zone climate control
- LED Daytime Running Lights (DRLs)
- Air Conditioning with rear vents
- Advanced Display Audio (7-inch colour touchscreen)
- USB connectivity x4
- Apple CarPlay®^
- Android Auto™# with Google Assistant
- Bluetooth® phone and audio connectivity°
- Multi-angle reversing camera
- Anti-lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Emergency Stop Signal (ESS)
- Hill Start Assist (HSA)
- Vehicle Stability Assist (VSA)
- SRS airbags: dual front, side and full length curtain
- Driver Attention Monitor (DAM)
- Full size alloy spare wheel
- Tyre Pressure Monitoring System (TPMS)
- Cruise Control with adjustable Speed Limiter
- Trailer Stability Assist



5 Seats, 2WD

Additional key features over the Vi:

- 1.5L Turbo engine
- 140kW @ 5600rpm and 240Nm @ 2000-5000rpm
- Smart keyless entry with push start button
- Dual Exhaust Finishers
- 8 speakers
- Honda SENSING+:
 - Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF)
- Forward Collision Warning (FCW)
- Collision Mitigation Braking System (CMBS)
- Lane Departure Warning (LDW)
- Road Departure Mitigation System (RDM)
- Lane Keeping Assist (LKAS)



7 Seats, 2WD

Additional key features over the VTi:

- 7 seats
- 3rd row cooling vents





5 Seats, 2WD

Additional key features over the VTi:

- Hands-free power tailgate
- Built-in satellite navigation
- Front and rear parking sensors
- LaneWatch camera
- Automatic dusk-sensing headlights with High Beam Support System (HBSS)
- Leather-wrapped steering wheel
- 18-inch alloy wheels



5 Seats, AWD

Additional key features over the VTi X:

- All wheel drive
- Leather-appointed[†] seat trim
- Front heated seats
- 8-way powered driver seat with memory function



7 Seats, 2WD

Additional key features over the VTi L AWD:

- 7 seats
- 2WD System
- Wireless charger~
- Panoramic Sunroof
- Privacy Glass
- Full LED headlights & fog lights
- Active cornering lights
- Roof rails
- Auto rain-sensing wipers
- Ambient lighting
- 3rd row cooling vents



5 Seats, AWD

Additional key features over the VTi L AWD:

- 19-inch alloy wheels
- Full LED headlights & fog lights
- Roof rails
- Panoramic Sunroof
- Privacy glass
- Active-cornering lights
- Wireless charger
- Auto rain-sensing wipers
- Leather gear shifter
- 4-way powered front passenger seat
- Digital Radio (DAB+)±
- Heated door mirrors
- Auto-dimming rear view mirror

[^]Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. CarPlay and Siri requires iPhone 5 model and above running iOS 7.1 or higher. #Google, Android and Android Auto are trademarks of Google LLC. To use Android Auto on your car display, you'll need an Android phone running Android 5.0 or higher, an active data plan, and the Android Auto app. °Requires Compatible Device. The Bluetooth word mark is owned by The Bluetooth SIG, Inc. and use of such mark by Honda is under licence. +Honda SENSING technologies are driver-assist technologies and should not be used in place of safe driving practices. Drivers should continue to monitor the road at all times. The accuracy and operation of Honda Sensing technologies may vary based on weather, speed, traffic, road conditions, markings and other factors. Honda Sensing suite available from VTi grades and above. Features within the suite may vary per grade. †Leather-appointed seat trim means some parts of the seats may contain synthetic material. ~Requires smart phones with wireless charging capabilities. ±Digital radio station coverage dependent on vehicle location.

Joy is in the colours.



Ignite Red Metallic* shown

Joy is in the touch.





^{*}Colours available on VTi and above.



The Joy is in (all) the detail

Powertrain Engine type Engine capacity Compression ratio		Vi	VTi	VTi 7	VTiX	VTi L AWD	VTi L7	VTi LX AW
		SOHC i-VTEC In line	DOHC VTEC Turbo In line	DOHC VTEC Turbo In line	DOHC VTEC Turbo In line	DOHC VTEC Turbo In line	DOHC VTEC Turbo In line	DOHC VTEC
		4-cylinder 2.0L – 1997cc 10.6	4-cylinder 1.5L – 1498cc 10.3	4-cylinder 1.5L – 1498cc 10.3	4-cylinder 1.5L – 1498cc 10.3	4-cylinder 1.5L – 1498cc 10.3	4-cylinder 1.5L – 1498cc 10.3	4-cylinder 1.5L – 1498c 10.3
Bore x stroke (mm) Fuel type (minimum recommended) Transmission	Unleaded (RON 91)	81x96.9 •	73x89.5 •	73x89.5 •	73x89.5	73x89.5 •	73x89.5 •	73x89.5 •
Automatic	Continuously Variable Transmission (CVT) with steering wheel-mounted paddle shifters	-	-	-	-	-	•	•
Performance and fuel economy Maximum power (kW @ rpm) Maximum torque (Nm @ rpm)		113 @ 6500 189 @ 4300	140 @ 5600 240 @ 2000-	140 @ 5600 240 @ 2000-	140 @ 5600 240 @ 2000-	140 @ 5600 240 @ 2000-	140 @ 5600 240 @ 2000-	140 @ 5600 240 @ 2000
Fuel consumption (litres/100km)*	combined urban	7.6 10	5000 7 8.8	5000 7.3 9.2	5000 7.3 9.2	5000 7.4 9.3	5000 7.3 9.2	5000 7.4 9.2
CO2 emissions (g/km)* Emission standard	extra urban combined ADR 79/04 (Euro 5)	6.3 174	6 160 •	6.2 166	6.2 166	6.3 168	6.2 166	6.3 169
Chassis Suspension type	MacPherson strut (front)	•	•	•	•	•	•	•
Brakes	Multi-link (rear) Ventilated disc (front) Solid disc (rear)	•	•	•	•	•	•	•
Exterior Door handles Antenna	body coloured shark fin	•	•	•	•	•	•	•
Panoramic sunroof Door mirrors	electrically adjustable	- •	-	-	-	•	•	•
	integrated indicators integrated LED indicators reverse auto-tilt (passenger side)	•	•	• -	-	-	-	•
Exhaust pipe finisher	electrically retractable heating function	<u>-</u> -	-	-	-	-	-	•
Tailgate spoiler Roof rails Wipers (front)	body coloured variable intermittent	-	-	-	-	-	•	•
Exterior lights	auto rain-sensing	-	-	-	-	-	•	•
Headlights Front fog lights	halogen LED with Active Cornering Lights (ACL) auto dusk sensing	- -	- -	- -	-	- •	•	•
	High Beam Support System (HBSS) LED Daytime Running Lights (DRL) LED	•	•	•	•	•	•	•
Tail lights Driver aids	LED	•	• A dentine	A dentina	• A da matica	A de ativo	• A domatico	A dantina
Cruise control ECON mode		•	Adaptive Cruise Control	Adaptive Cruise Control	•	•	•	Adaptive Cruise Contro
LCD Driver Information Interface with Steering wheel-mounted controls Comfort and convenience	colour display	•	•	•	•	•	•	•
Accessory power outlet (12v) Active Noise Control (ANC)	centre console	-	•	•	•	•	•	•
Wireless charger~ Climate control	dual-zone climate control with rear ventilation ducts (dual)	•	•	•	- - -	- - -	<u>-</u> -	<u>-</u> -
Rear air vents	i-dual-zone climate control with rear ventilation ducts (i-dual) 3rd row cooling vents	- - -	- - -	- - •	•	•	•	•
Driver's footrest Dust and pollen filter Electric parking brake with brake hold	<u> </u>	•	•	•	•	•	•	•
Power windows	auto up/down function (driver) auto up/down function (driver and all passengers)	-	-	• •	-	-	-	-
	key fob operation (all windows remote down) key fob operation	-	-	-	-	-	-	-
Automatic walk-away door locking Hands-free power tailgate with height	(all windows remote up/down) adjust	-	•	•	•	•	•	•
Privacy glass Rear view mirror	rear day/night auto-dimming	•	•	•	•	•	<u>.</u>	-
Remote keyless entry Smart keyless entry with push button	start	-	•	•	•	•	•	•
Sunvisor vanity mirror Tilt and telescopic steering column	driver and front passenger illuminated (driver and front passenger)	-	•	•		•	•	•
Conversation mirror Seating and interior Interior lighting	map lights	•	•	•	•	•	•	•
	cargo area light glovebox light	-	:	:	:	•	•	•
Seat trim material Front seats	2-tone premium fabric black leather-appointed [†] heating function	<u>-</u> -	-	-	-	•	•	•
Driver's seat	manual height adjustment 8-way power adjustment two-position memory	- -	-	-	-	•	-	-
Front passenger's seat Rear seats	4-way power adjustment centre fold down armrest – 2 cup holders	- •	•	•	-	- •	-	•
Leather-wrapped steering wheel Leather-wrapped gear shift knob		-		-	-	-	-	•
Storage Beverage holders	x10 x8	-	-	•	-	-	•	-
Coat hook Seat back pocket	x1 front passenger seat	•	•	•	•	•	•	•
Tonneau cover Sunvisor ticket holder (driver-side)	driver seat	- -	•	-	•	•	<u>-</u>	•
Sunglass holder Infotainment Advanced display audio	AM/FM radio	•	•	•	•	•	•	•
7-inch touchscreen) featuring	Android Auto™# with Google Assistant	•	•	•	•	•	•	•
	Apple CarPlay® with Siri® Eyes Free mode‡ Bluetooth® connectivity with audio streaming° Digital Radio (DAB+)^	<u>.</u>	•	<u>:</u>	•	<u>.</u>	<u>.</u>	
USB connectivity	Garmin® satellite navigation± (with SUNA± Live Traffic updates) x2 ports	-	-	-	-	-	-	<u>•</u>
Speakers	x4 ports front speakers (x2) rear speakers (x2)	•	•	•	•	•	•	•
Active safety	tweeters (x4)	-	•	•	•	•	•	•
Honda Sensing featuring	Forward Collision Warning (FCW) Collision Mitigation Braking System (CMBS)	-	•	•	•	•	•	•
	Lane Departure Warning (LDW) Lane Keep Assist System (LKAS) Road Departure Mitigation System (RDM)	<u>-</u> - -	•	•	•	•	•	•
	Adaptive Cruise Control (ACC) with Low Speed Follow (LSF) High Beam Support System (HBSS)	-	•	•	•	•	•	•
LaneWatch	Tigit Bodin dapport dystam (TBOO)	-	-	-	•	•	•	•
ANCAP 5-Star Rating		•	:	•	•	•	•	•
		•	•	•		•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (El Emergency Stop Signal (ESS) Hill Start Assist (HSA)		•	•	•	•	•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (EE Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA)		•	•	•	•	•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (El Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP	3D)	•	•	•	•	•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Et Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (MS) ACE) structure front	· · · · · · · · · · · · · · · · · · ·	•	•	•	•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etemergency Stop Signal (ESS) Hill Start Assist (HSA) Criver Attention Monitor (DAM) Electronic Brake Booster (EBB) Wehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags	MS) ACE) structure front side full-length curtain full-length curtain (all three rows)	•	•	•	•	•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etemergency Stop Signal (ESS) Hill Start Assist (HSA) Criver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyree Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags	MS) ACE) structure front side full-length curtain	•	•	•	•	•	•	•
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Et Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child restraint anchorages	MS) ACE) structure front side ffull-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5)	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • •			•	•	
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Et Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child restraint anchorages Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt reminder	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Anti-lock Braking System (ABS) Anti-lock Braking System (ABS) Anti-lock Braking Assist System (AHAS) Blectronic Brake-force Distribution (Elemergency Stop Signal (ESS) Bill Start Assist (HSA) Anti-lock Brake Booster (EBB) Behicle Stability Assist (VSA) Arailer Stability Assist (VSA) Arailer Stability Assist (TSA) Araile	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·		
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etc. Emergency Stop Signal (ESS) Hill Start Assist (HSA) Criver Attention Monitor (DAM) Electronic Brake Booster (EBB) Chicle Stability Assist (VSA) Trailer Stability Assist (TSA) Trailer Stability Assist (TSA) Creater Monitoring System (TP Creater Monitoring Syst	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front	• • • • • • • • • • • • • • • • • • •			- - - - - - - - - - - - -	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etcheronic Brake Booster (EBB) Electronic Brake Booster (EBB) E	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear	• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etc. Emergency Stop Signal (ESS) Hill Start Assist (HSA) Clectronic Brake Booster (EBB) Felicition Brake Booster (EBB) Felic	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and all passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down	• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·		
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etemergency Stop Signal (ESS) Hill Start Assist (HSA) Criver Attention Monitor (DAM) Electronic Brake Booster (EBB) Chicle Stability Assist (VSA) Frailer Stability Assist (TSA) Frailer Stability Assist (TSA) Frailer Stability Assist (TSA) Creater Stability Engineering (CSA) Child restraint anchorages Child-proof rear door locks Head restraints (x5) Createl treminder Createl t	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and all passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Et Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child restraint anchorages Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt reminder Seatbelts (3-point) Side impact protection Parking aids Parking sensors Multi-angle reversing camera (3 modes) Security Engine immobiliser Dimensions, weights and capacities Overall length (mm) Overall width (mm) Overall width (mm) Ground clearance (mm)	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down dynamic guidelines	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • •		
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Et Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt reminder Seatbelts (3-point) Side impact protection Parking aids Parking aids Parking aids Parking sensors Multi-angle reversing camera (3 modes) Security Engine immobiliser Dimensions, weights and capacities Overall length (mm) Overall height (mm) Overall height (mm) Mheelbase (mm) Ground clearance (mm) Minimum turning radius at wheel cent Kerb weight (kg)	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down dynamic guidelines unladen tre (m)	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5	4635 1855 1689 2660 208 5.5 1636
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etemergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt reminder Seatbelts (3-point) Side impact protection Parking aids Parking aids Parking sensors Multi-angle reversing camera (3 modes) Security Engine immobiliser Dimensions, weights and capacities Overall length (mm) Overall width (mm) Overall height (mm) Wheelbase (mm) Ground clearance (mm) Minimum turning radius at wheel cent Kerb weight (kg) Towing capacity (kg)	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down dynamic guidelines unladen ree (m) trailer with brakes trailer without brakes ball down force	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1536 1500 600 100	4635 1855 1679 2660 198 5.5 1604 1000 600	4635 1855 1679 2660 198 5.5 1540 1500 600 100	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1642 1000 600	• • • • • • • • • • • • • • • • • • •
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Et Emergency Stop Signal (ESS) Hill Start Assist (HSA) Driver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Trailer Stability Assist (TSA) Tyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child restraint anchorages Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt reminder Seatbelts (3-point) Side impact protection Parking aids Parking aids Parking aids Parking sensors Multi-angle reversing camera (3 modes) Security Engine immobiliser Dimensions, weights and capacities Overall width (mm) Overall height (mm) Overall height (mm) Mheelbase (mm) Ground clearance (mm) Minimum turning radius at wheel cent Kerb weight (kg)	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down dynamic guidelines unladen ree (m) trailer with brakes trailer without brakes ball down force	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1604 1000 600	4635 1855 1679 2660 198 5.5 1540 1500 600	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	4635 1855 1855 1858 2660 208 5.5 1636 1500 600
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (EE Emergency Stop Signal (ESS) Hill Start Assist (HSA) Criver Attention Monitor (DAM) Electronic Brake Booster (EBB) Vehicle Stability Assist (VSA) Frailer Stability Assist (VSA) Frailer Stability Assist (TSA) Fyre Pressure Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child-proof rear door locks Head restraint anchorages Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt pretensioner Seatbelts (3-point) Side impact protection Parking aids Parking sensors Multi-angle reversing camera (3 modes) Security Engine immobiliser Dimensions, weights and capacities Dverall length (mm) Dverall height (mm) Dverall height (mm) Mheelbase (mm) Ground clearance (mm) Minimum turning radius at wheel cent Kerb weight (kg) Fowing capacity (litres in VDA standard) Seating capacity Seating capacity Seating capacity	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and all passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down dynamic guidelines unladen tre (m) trailer with brakes trailer without brakes ball down force rear seats down load to roof	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1604 1000 600 100 150 1509 936 472 7	4635 1855 1679 2660 198 5.5 1540 1500 600 100 522 1717 1084	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1642 1000 600 100 150 1486 936 472 7	• • • • • • • • • • • • • • • • • • •
ANCAP 5-Star Rating Anti-lock Braking System (ABS) Agile Handling Assist System (AHAS) Electronic Brake-force Distribution (Etemergency Stop Signal (ESS) Hill Start Assist (HSA) Criver Attention Monitor (DAM) Electronic Brake Booster (EBB) Wehicle Stability Assist (VSA) Frailer Stability Assist (TSA) Frailer Stability Assist (TSA) Green Green Monitoring System (TP Passive safety Advanced Compatibility Engineering (SRS airbags Child-proof rear door locks Head restraints (x5) Seatbelt pretensioner Seatbelt reminder Seatbelts (3-point) Side impact protection Parking aids Parking aids Parking sensors Multi-angle reversing camera (3 modes) Security Engine immobiliser Dimensions, weights and capacities Dverall length (mm) Dverall width (mm) Dverall width (mm) Dverall width (mm) Ground clearance (mm) Minimum turning radius at wheel cent (erb weight (kg) Fowing capacity (kg)	MS) ACE) structure front side full-length curtain full-length curtain (all three rows) top tether (x3) boot floor tether (x2) (3rd row) ISOFIX (x2) (2nd row) (x5) (x2 – 3rd Row) driver and front passenger driver and all passengers Emergency Locking Retractors (ELR) – all seats Automatic Locking Retractors (ALR) – 2nd row front rear normal, wide, top-down dynamic guidelines unladen tre (m) trailer with brakes trailer without brakes ball down force rear seat up rear seats down load to roof rear seats down load to window	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1536 1500 600 100 522 1717 1084	4635 1855 1679 2660 198 5.5 1604 1000 600 100 150 1509 936 472	4635 1855 1679 2660 198 5.5 1540 1500 600 100 522 1717 1084	• • • • • • • • • • • • • • • • • • •	4635 1855 1679 2660 198 5.5 1642 1000 100 150 1486 936 472	• • • • • • • • • • • • • • • • • • •

[•]Standard equipment. –Not available. DAccessory option.*The figures quoted are based on ADR81/02 combined test results. You may experience different results depending on driving conditions and the condition of the vehicle. "Requires smart phones with wireless charging capabilities. †Leather appointed seat trim means some parts of the seats may contain synthetic material. #Android, Android Auto and Google are trademarks of Google Inc. Android Auto and Google Assistant requires Android 5.0 (Lollipop) or above. ‡Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. CarPlay and Siri requires iPhone 5 model and above running iOS 7.1 or higher. "Requires Compatible Device. The Bluetooth word mark is owned by The Bluetooth SIG, Inc. and use of such mark by Honda is under licence. ^Digital radio station coverage dependent on vehicle location. #Garmin® is a trademark of Garmin Ltd. or its subsidiaries, registered in the USA and other countries. Garmin map updates can be downloaded for free at www.honda.com.au/owners/garmin-map-updates.html. Updates at your local Honda dealer may incur a nominal fee. Accurate as of September 2020.



Full sized alloy spare wheel Warranty 5-year unlimited km warranty

6-year rust perforation warranty 12 months/10,000km or when the engine oil monitor light illuminates (whichever comes first)

Add more joy.

Make the CR-V yours with a few Honda Genuine Accessories – designed to make every journey that much more joyful.



Some more accessories

Exterior / Towbar Bike Attachment** / Roof Rack – Cross Bar Set*** / Rear Bumper Protector

Interior / Seat Covers - Front & Rear / Deluxe Tailored Mat Set / Luggage Area Protector Tray / Door Sill Garnish Set

^{*1500}kg (braked) Tow capacity on Vi, VTi, VTi X, VTi L AWD, VTi L AWD models. 1000kg (braked) Tow capacity on VTi 7 & VTi 17 models. 600kg (unbraked) Tow capacity on all CR-V 21YM models. Towbar capacity subject to regulatory requirement, tow bar design, vehicle design and towing equipment limitations. Due to standard equipment the kick sensor function available with the hands free power tailgate (for VTi X, VTi L7, VTi L AWD, VTi LX AWD) is disabled once a tow bar is fitted. **Towbar Bike Attachment has capacity of 2 bikes. ***Roof Rack only applicable on VTi L7 & VTi LX AWD variants. 75kg capacity.



/HondaAustralia 🔘 🛗 🕇