

BUILT TO DELIVER.



EXPRESS SHORT WHEELBASE





The functional size of the Express short wheelbase allows up to 5.2m³ cargo capacity, while still allowing you to navigate tight parking and load spaces that a larger vehicle can't. Floor to ceiling door access on both sides and at the rear, coupled with a low, flat floor enables flexible and efficient use of the cargo space.

Available in 6-speed manual or 6-speed dual clutch automatic transmission, Express short wheelbase is powered by a 1.6L twin turbo diesel or 2.0L turbo diesel engine and has standard features including, Daytime Running Lights (DRL), Rear Parking Sensors, Electronic Stability Control, heated side mirrors with electric adjustment, single zone air conditioning and cruise control.

EXPRESS LONG WHEELBASE






If you need to carry extra long items or just need more space, the Express long wheelbase with up to 6.0m³ cargo capacity can provide increased load flexibility for your needs. Available in 6-speed manual or 6-speed dual clutch automatic transmission powered by a 1.6L twin turbo or 2.0L turbo diesel engine, it effortlessly delivers performance and comfort day after day.

Automatic models across the range offer additional features including front fog lights, Rear View Camera with Rear Parking Sensors, Automatic Dusk Sensing Headlights and Automatic Rain Sensing Wipers.

YOUR MOBILE OFFICE.



The Express van' driver cockpit is a flexible and comfortable space, with an intuitive dashboard design plus all the technology and storage space you need right at your fingertips.

A generous cargo area doesn't mean you compromise on comfort and space. In fact, the Express offers ample room up front with a dual passenger bench seat for up to three passengers (including driver).


Keep your Smartphone charging in the convenient docking station, while you access Bluetooth® DAB+ radio, music streaming and hands-free phone connectivity via the Single DIN head unit.

Multiple USB ports ensure smart devices are always charged and your crew is ready to go.

Express 2.0 litre SWB and LWB models feature Mitsubishi's innovative Smartphone link Display Audio (SDA)^ providing a true extension of your smartphone via Android Auto™ or Apple CarPlay. Connected to an impressive 7" touchscreen, you can access your phone's compatible apps, make calls, send and receive messages and listen to music from any source including DAB+ radio. Also features integrated Satellite Navigation system to ensure you make that next appointment with ease.



CLEVER FOR CARGO.



The Express van provides flexiblilty and efficient loading and unloading options to suit your operational needs. Rear twin barn doors have an 85-degree and 160-degree stop and can accept a pallet directly from a forklift while GLX+ LWB is also available with convenient lift-up rear tailgate. Left and right side sliding doors provide easy access from the street or footpath.

Multiple tie down anchors help keep your items secure at all times, and extra long length cargo can slide under the passenger bench seat into the passenger footwell. Total payload ranges from 1115-1200 kg across the Express range, with up to 2000kg braked towing capacity and a 200kg roof load limit.



Power and Efficiency

Both SWB and LWB models offer the choice of two engine variants. The highly efficient 1.6L twin turbo Diesel engine provides 103kW of power and 340Nm of torque, utilising a 6-speed manual transmission.

The 2.0L single turbo diesel engine offers impressive performance with 125kW of power and 380Nm of torque. This is delivered via a 6-speed dual clutch automatic transmission, providing fast, smooth gear shifting and ensuring the most efficient use of power and torque.

Both engines provide a perfect balance in terms of performance and fuel efficiency.

Protect your people. Protect your business.

Workplace safety is paramount and the Express van delivers it with active and passive safety features that provide greater driver control.

Electronic Stability Control (ESC)

Mitsubishi's Electronic Stability Control is a sophisticated driver aid that senses loss of traction and then applies the brakes and/or reduces power to the wheels to keep your Express van on track.

Hill Start Assist (HSA)

Steep city streets or congested shopping mall ramps are no longer a problem with Mitsubishi's Hill Start Assist technology. It prevents the car from rolling backwards by maintaining braking force to give you time to move your foot from brake to accelerator.

Electronic Brakeforce Distribution (EBD)

Mitsubishi's Electronic Brakeforce Distribution works hand-inhand with the Anti-lock Braking Systems control unit to assess load and distribute braking force between the front and rear wheels. When you have a load in the rear, the system distributes more braking force to the rear wheels to improve stability under high brake loads, and shorten the stopping distance when compared to fixed brake distribution.

Rear Parking Sensors and Camera

Mitsubishi's Rear View Camera# and Parking Sensors assist when maneuvering in tight spots. Sensors detect and warn you if you're getting too close to objects behind you when reversing.

Rain Sensing Wipers#

Mitsubishi's Rain Sensing Wipers activate automatically when moisture is detected on the windscreen, allowing you to keep your hands on the wheel and your focus on the road ahead.

Dusk Sensing Headlights#

Mitsubishi's Dusk Sensing Headlights automatically illuminate in fading light or when travelling through a tunnel, allowing you to keep your hands on the wheel and your focus on the road ahead.

KEY SPECIFICATIONS

Standard

Not available

	SWB 2WD GLX MAN	LWB 2WD GLX MAN	SWB 2WD GLX AUTO	LWB 2WD GLX AUTO	LWB 2WD GLX+ AUTO	LWB 2WD GLX+ AUTO	
Engine							
Туре	1.6L R9M450	Twin Turbo		2.0L M9R710	Turbo Diesel		
Size (L)	1	6	2				
Compression ratio	15.4:1		15.0:1				
Displacement (cc)	1598		1997				
Bore x Stroke (mm)	80.0 x 79.5		85.0 x 88.0				
Maximum Power (kW@rpm)	103 @ 3500		125 @ 3500				
Maximum Torque (NM@rpm)	340 @ 1500		380 @ 1500				
Fuel Type	Diesel		Diesel				
Fuel consumption (ADR 81/02 per 100km)*	6.2		7.3				
CO2 Emissions - g/km	164		191				
Fuel tank capacity (L)	80		80				
Transmission		U			50		
	Mar	au al		Auto	matic		
Туре	Manual 6		Automatic				
Number of speeds	•	5			6		
Manual shift mode		•					
Chasis							
Front brakes			Ventilat	ted disc			
Rear brakes				d disc			
Front suspension	Macpherson strut, lower wishbone & stabiliser bar						
Rear suspension		Coil sprung,	reinforced trai	ling arm with p	oan hard rod		
Wheels & Tyres							
Wheel type			St	eel			
Wheel size (inches)			16 x	6.03			
Tyre size			215/65 R16C				
Spare wheel type				e (steel)			
Active Safety			7 011 512	c (Secci)			
Emergency Stop Signal function (ESS)							
Emergency Brake Assist system (EBA)		=					
Hill Start Assist (HSA)		•					
Active Stability Control (ASC)		-					
Roll Over Mitigation					-		
Active Traction Control (ATC)							
Anti-lock Braking System (ABS)		•					
					_		
Electronic Brakeforce Distribution (EBD)		='			=		
Brake Override System (BOS)							
Security		_					
Auto door lock	-	='			_		
Encrypted engine immobiliser							
Driver Assistance							
Cruise control							
Adjustable Speed limiter		1					
Electrochromatic rear view mirror		-		ı			
Blindspot mirror (mounted on passenger sun visor)		1					
ECO drive function							
Grip Control / Extended Grip							
Automatic dusk sensing headlights		-		I			
Automatic rain sensing wipers		-		1			
Rear wiper and washer		1		1			
Intermittent rear wiper and washer				ı			
Parking Assistance							
Rear view camera							
Rear parking sensors							
Airbags							
Driver & front passenger SRS airbags					-		
Driver side SRS airbags							
Curtain SRS airbags							
Seat Belts	alibays						

^{*}Australian Standard ADR 81/02. Figures to be used for comparison across vehicles. Driving conditions will affect actual results.

		SWB 2WD	LWB 2WD	SWB 2WD	LWB 2WD	LWB 2WD	LWB 2WD	
	Audio & Multimedia	GLX MAN	GLX MAN	GLX AUTO	GLX AUTO	GLX AUTO+	GLX+ AUTO	
	Speakers	2				2		
ו≧ַם	1 DIN head unit	-		-				
중요.	7" touchscreen multimedia head unit							
∂Σ	Apple CarPlay Android Auto							
5 F	Embedded navigation							
35	Bluetooth connectivity with voice control & audio streaming							
~Σ	Digital Audio Broadcast (DAB) radio							
	AM/FM radio USB input					1		
0	Comfort & Convenience							
ZÜ	Keyless entry with central door locking							
ĮΧΖ	Multifunction steering wheel controls					_		
₽₽	Tilt & telescopic steering column Auto up/down driver control - driver side window					= =		
유필	Accessory socket (12V)	_	2			2		
Σź	Air Conditioning							
COMFORT AND	Manual temperature control					-		
00	Dust and pollen filter		•			-		
	Exterior							
	Door handles finish Lights	Material Black Halogen Halogen Manual Halogen - Incandescent			Mater	ial Black		
~	Headlights low beam			Halogen				
EXTERIOR	Headlights high beam			Halogen Halogen Manual Halogen Halogen Incandescent				
i ž	Headlight levelling function							
<u> </u>	Daytime Running Lights (DRL) Fog lights (front)							
ı Ş	Brake lights							
	Door Mirrors							
	Electric adjustment							
	Heating function	■ Material Black		Material Blask				
	Finish Styling	Materia	ai Riack	Material Black				
	Vinyl floor covering							
	Seating							
	Fabric seat trim					_		
œ	Driver's seat manual adjustment Driver's seat lumbar adjustment		-					
	Driver's seat fold down centre arm rest					_		
I & I	Centre seat with mobile office features	-			-			
INTERIOR	Storage							
=	Cup holders	3 2				2		
	Bottle holders Door pockets - front							
	Laptop storage	-			-			
	Under seat storage box (passenger & centre seat)	-		-				
	Rear coat hangers	-	-		-		•	
	Rear Cargo tie down points	14	16	14	16		20	
응뜽	Rear step bumper					•	.0	
ĭ ₹	Side cargo doors		2			2		
58	Rear cargo doors	Barn		Barn		Tailgate		
	Bulkhead with cargo load-through door Interior trim panel on rear lower ¾ sidewall	-		_				
	Exterior Dimensions							
	Overall length (mm)	4999	5399	4999		5399		
	Overall width (mm)				56			
	Overall height (mm)	7000	7,00		71	7,00		
l Z	Wheelbase (mm) Turning circle, kerb to kerb (m)	3098 11.8	3498 13.2	3098 11.8		3498 13.2		
품	Ground clearance (mm) - minimum, kerb weight	11.0	13.2		50	13.2		
WEIGHTS	Weights and Capacities							
3_	Kerb mass (kg)	1810	1860	1870	1920	1955	1950	
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg]	2960	3060	1870 2985		3070	1950	
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg]	2960 4960	3060 5060		4	3070 700		
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg]	2960	3060	2985 1105		3070	1950	
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg)	2960 4960 1150	3060 5060 1200	2985 1105 16	1140	3070 700 1115		
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg)	2960 4960	3060 5060	2985 1105 16 1715	4 1140 25 50	3070 700		
	Kerb mass (kg) Gross vehicle mass (GVM) – [kg] Gross combination mass (GCM) – [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity – braked (kg) Towing capacity – unbraked (kg)	2960 4960 1150	3060 5060 1200	2985 1105 16 16 1715	4; 1140 25 50	3070 700 1115		
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg) Towing capacity - maximum towball load (kg)	2960 4960 1150	3060 5060 1200	2985 1105 16 16 1715 7!	4 1140 25 50	3070 700 1115		
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg) Towing capacity - unbraked (kg) Towing capacity - maximum towball load (kg) Maximum roof load (kg) Cargo	2960 4960 1150 2000	3060 5060 1200 2000	2985 1105 16 16 1715 7! 8	41 1140 25 50 60	3070 200 1115 1630		
DIMENSIONS AND W	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg) Towing capacity - maximum towball load (kg) Maximum roof load (kg) Cargo Capacity (m3) - VDA	2960 4960 1150 2000	3060 5060 1200 2000	2985 1105 16 1715 7! 8 20	41 1140 25 50 60	3070 700 1115 1630		
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg) Towing capacity - unbraked (kg) Towing capacity - maximum towball load (kg) Maximum roof load (kg) Cargo Cargo Cargo Cargo room length (mm)	2960 4960 1150 2000	3060 5060 1200 2000	2985 1105 16 1715 7! 8 21 5.2 2537	47 1140 25 50 50 0	3070 200 1115 1630		
	Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg) Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg) Towing capacity - maximum towball load (kg) Maximum roof load (kg) Cargo Capacity (m3) - VDA	2960 4960 1150 2000	3060 5060 1200 2000	2985 1105 16 16 1715 7! 8 21 5.2 2537	41 1140 25 50 60	3070 700 1115 1630		

MODEL FEATURES





....

FEATURES:

- 1.6L Twin Turbo Diesel Engine

GLX SWB MANUAL

- 6 Speed Manual Transmission
- Driver & Front Passenger SRS Airbag
- Halogen Headlights
- Daytime Running Lights (DRL)
- Rear Bumper With Integrated Step
- 2 x Rear Wipers For Barn Doors
- 16" Steel Wheels
- 3 Seat Capacity
- Passenger Bench Seat
- Driver Seat With Centre Armrest, Manual Height & Lumbar Adjustment
- Left & Right Hand Side Sliding Doors
- Rear Barn Doors
- Driver & Passenger Side Curtain SRS Airbags
- Driver Thorax SRS Airbag
- Rear Park Assist
- Digital Audio Broadcast (DAB)
- Bluetooth® Hands-Free Telephone
- Bluetooth® Music Streaming
- Audio & Bluetooth® Control On Steering Wheel
- Smartphone Docking Station With USB Socket
- Cruise Control With Limiter
- 12 Tie Down Anchors In Cargo Area
- Single Zone Air Conditioning

MiTEC Mitsubishi Motors Intuitive Technology

- Anti-Lock Braking System (ABS)
- Electronic Stability Control (ESC)
- Active Traction Control (ATC)
- Electronic Brakeforce Distribution (EBD)
- Roll Over Mitigation (ROM)
- Emergency Brake Assist (EBA)
- Emergency Stop Signal (ESS)
- Hill Start Assist (HSA)

GLX SWB AUTOMATIC

INCLUDES ALL GLX MANUAL PLUS:

- 2.0L Single Turbo Diesel Engine
- 6 Speed Dual Clutch Automatic Transmission
- Front Fog Lights
- Smartphone Link Display Audio (SDA) With 7" Touch Screen
- Android Auto™ & Apple CarPlay
- Navigation With Voice Control, Speed Limit Display & Live Traffic Updates.

MiTEC Mitsubishi Motors Intuitive Technology

- Rear View Camera With Display In 7" Colour Touch Screen
- Automatic Rain Sensing Wipers
- Automatic Dusk Sensing Headlights



GLX LWB MANUAL

FEATURES:

- 1.6L Twin Turbo Diesel Engine
- 6 Speed Manual Transmission
- Driver & Front Passenger SRS Airbag
- Halogen Headlights
- Daytime Running Lights (DRL)
- Rear Bumper With Integrated Step
- 2 x Rear Wipers For Barn Doors
- 16" Steel Wheels
- 3 Seat Capacity
- Passenger Bench Seat
- Driver Seat With Centre Armrest, Manual Height & Lumbar Adjustment
- Left & Right Hand Side Sliding Doors
- Rear Barn Doors
- Driver & Passenger Side Curtain SRS Airbags
- Driver Thorax SRS Airbag
- Rear Park Assist
- Digital Audio Broadcast (DAB)
- Bluetooth® Hands-Free Telephone
- Bluetooth® Music Streaming
- Audio & Bluetooth® Control On Steering Wheel
- Smartphone Docking Station With USB Socket
- Cruise Control With Limiter
- 14 Tie Down Anchors In Cargo Area
- Single Zone Air Conditioning

MiTEC Mitsubishi Motors Intuitive Technology

- Anti-Lock Braking System (ABS)
- Electronic Stability Control (ESC)
- Active Traction Control (ATC)
- Electronic Brakeforce Distribution (EBD)
- Roll Over Mitigation (ROM)
- Emergency Brake Assist (EBA)
- Emergency Stop Signal (ESS)
- Hill Start Assist (HSA)



GLX LWB AUTOMATIC

INCLUDES ALL GLX SWB AUTOMATIC

- 2.0L Single Turbo Diesel Engine
- 6 Speed Dual Clutch Automatic Transmission
- Front Fog Lights
- Smartphone Link Display Audio (SDA) With 7" Touch Screen
- Android™ & Apple CarPlay
- Navigation With Voice Control, Speed Limit Display & Live Traffic Updates

MiTEC Mitsubishi Motors Intuitive Technology

- Rear View Camera With Display In 7" Colour Touch Screen
- Automatic Rain Sensing Wipers
- Automatic Dusk Sensing Headlights



GLX+ LWB AUTOMATIC

INCLUDES ALL GLX LWB AUTOMATIC

- Bulkhead With Window & Trapdoor To Accomodate Long Items
- Plastic Interior Side Wall Panels
- Passenger Bench With Tablet On Foldable Backrest
- Passenger Underbench Seat Storage




GLX+ LWB AUTOMATIC LIFT UP TAILGATE

INCLUDES ALL GLX+ LWB AUTOMATIC PLUS:

- Lift Up Rear Tailgate With Handle
- Rear Tailgate Window Winer
- Rear Window Demister



BETTER-FOR-BUSINESS ACCESSORIES





Towbar Kits, to suit with and without Rear Step



50mm Towball - Chrome



Tow Ball Cover



7 Pin to Round Large Trailer Plug



Electric Trailer Brake Kit



Rear Step without Towbar



Rear Step with Towbar



Aluminium Roof Bar with Stop (SWB & LWB)



Aluminium Roof Bars (Pair) with Stops (SWB & LWB)



Aluminium Roof Rack with Roller (SWB & LWB)



Steel Roof Rack (Barn Doors, SWB & LWB)



Steel Walkway (Barn Doors, SWB & LWB)



Galvanised Steel Ladder (Barn Doors)



Steel Ladder Epoxy (Barn Doors)



Cargo Entry Protector



Barn Doors Protector



Barn Door Window Protection Grille



Lift Door Window Protection Grille



Front Weathershields



Cargo Barrier



Horizontal Cargo Net



A-Pillar Support Handle



B-Pillar Support handle



D-Pillar Support handle



LED Interior Lights



Rubber Cargo Mat (SWB & LWB)




Wood Wheel Arch Protector (SWB & LWB)



Wood Wall Panels - 2 Sliding Doors (SWB & LWB)



Wood Flooring – 2 Sliding Doors (SWB & LWB)



Front Fog Lights



Front Park Assist



Mirror Rear View Camera



Alarm



Rubber Floor Mats (Front)



Carpet Floor Mats (Front)



Tablet Support



Safety & First Aid Kit



Mitsubishi Genuine Accessories have been designed to maintain the integrity of your vehicle and work with all driving systems. Please ensure if fitting non-genuine accessories that they do not interfere with any of the vehicle safety sensors as this may lead to system malfunction and/or false activation. Some accessories are not offered by Mitsubishi on certain models as they interfere with vehicle safety sensors. GENUINE ACCESSORY WARRANTY Mitsubishi Motors Australia Limited warrants that Genuine Accessories will be free from defects in material under conditions of normal use and service within Australia. When Genuine Accessories are fitted prior to the owner taking delivery of the vehicle, Genuine Accessories are recovered by a 36 months or 100,000km Warranty. When Genuine Accessories are fitted after the owner has taken delivery of the new vehicle, Genuine Accessories are warranted for whichever is the greater of the following. The balance of 36 months or 100,000km (whichever occurs first) from date of vehicle delivery: or •12 months or 20,000km (whichever occurs first) from date of fitment. Pictures shown for illustration purpose and may not be product specific. Please check with you Mitsubishi dealer for specific model application.

COLOUR



White



9



Silver (M)




Black (M)
(M) Metallic

BOOK A TEST DRIVE

\$ BUILD AND PRICE

EXTERIOR DIMENSIONS (MM)







UPHOLSTERY



Black bolster with grey facing seat fabric

AUSTRALIA'S FIRST







All Mitsubishi Motors vehicles come with the Mitsubishi Diamond Advantage* – 10 Years Warranty* and 10 Years Capped Price Servicing^ and Roadside Assistance so that no matter where the road takes you, we will be there with you. Ask your Dealer or visit mitsubishi-motors.com.au to find out more.

*Conditions apply. Excludes Government, Rental and National Business customers. See Mitsubishi-motors.com.au for further details. *10 Year/150,000km Capped Price Servicing (whichever occurs first and when all scheduled services are completed at a Mitsubishi Dealership).

*All Year/150,000km Capped Price Servicing (whichever occurs first). Includes the first 10 regular services (at 15,000km/12 month scheduled intervals). Some items excluded or subject to separate warranty. Any non-regular service from a dational cost, Servicing must be completed by a Mitsubishi Dealer within 7,500km or 6 months of the service due date. Valid from date of vehicle registration. Always consult your authorised Mitsubishi Dealer for the latest details, options, availability and conditions on New Wehicle warranty. All product illustration and specifications referred to herein are believed to be correct at the time of publication approval. Subject to any applicable Federal, State or Territory Laws or ordinances, which may apply from time to time. Mitsubishi Motors Australia Limited reserves the right, without notice, or obligation, to discontinue or make changes to designs, specifications, colours and products referred herein at any time without incurring any liability to any purchase thereof. Mitsubishi Motors Australia Limited. ABN 53 007 870 395 © MItsubishi Motors Australia Limited. ABN 53 007 870 395 © Mitsubishi Motors Australia Limited. ABN 53 007 870 395 EXPOAZ1 22MY MMA1909