







MORE THAN JUST

A NEW LOOK

MODERN TAKE ON INDUSTRIAL STRENGTH. The new 2023 Ram ProMaster® arrives with a new front fascia and grille, which includes standard quad-halogen reflector headlamps that are 28 percent brighter with 15 percent more range versus the previous headlamps and fog lamps. The three-piece front fascia was constructed with the headlamps positioned out of the low-speed collision zone to minimize repair costs. A standard modular bumper with integrated step-to-assist makes changing wiper blades and cleaning the windshield easy.



CLASS-EXCLUSIVE

FWD

FRONT-WHEEL-DRIVE SYSTEM1* Excels in adverse weather conditions 4,680-LB

MAXIMUM PAYLOAD²

(3500 Cargo Van, 136-inch wheelbase, Standard Roof)

BEST-IN-CLASS

36.3-FT

TURNING DIAMETER1 (118-inch-wheelbase Cargo Van)

56-INCH

MAXIMUM CARGO WIDTH BETWEEN THE WHEEL WELLS²

(Cargo Van)

STANDARD V6 HORSEPOWER

276 HP²

(with 250 lb-ft of torque)

BEST-IN-CLASS

21-INCH LOWEST LOAD FLOOR HEIGHT²





ROOM FOR MORE WITH THE ALL-NEW

AVAILABLE SUPER HIGH ROOF

Available in three roof heights, including a new Super High Roof configuration (late availability), Ram ProMaster® delivers colossal cargo volume and impressive interior cargo height. The Super High Roof configuration on the 159-inchextended wheelbase Cargo Van adds 10 inches of head room when compared to the next closest configuration. Not only does this boost cargo volume, but it makes for abundant head room when working in the back of the van.

SPEND YOUR DAY IN

PREMIUM ACCOMMODATIONS

LEATHER-WRAPPED STEERING WHEEL Available



UCONNECT® 5 NAV WITH 10.1-INCH RADIO Available

STEERING WHEEL SWITCH BANKS

ELECTRONIC PARKING BRAKE

PUSH-BUTTON START

1 USB PORT Type A and C

115-VOLT OUTLET Available

12-VOLT CHARGING SOCKET

WIRELESS PHONE CHARGING PAD Available



Ram ProMaster® doubles as a mobile workstation, so it's imperative to offer tech conveniences. Inspired by the available luxury in Ram Pickups, the upscale interior focuses on refined appearance, next-generation technology, and an even greater concentration on comfort and convenience.




RAM PROMASTER®: SAFETY AND SECURITY ASSISTANCE TO HELP

KEEP YOUR BUSINESS ON THE MOVE




MOST AVAILABLE SAFETY AND SECURITY FEATURES EVER OFFERED ON RAM PROMASTER.

Technology will continue to evolve, and you can count on Ram ProMaster to keep pace. A wide array of standard and available features work together to create the maneuverability to help navigate jobsites and tight city streets.



Available 360° SURROUND-VIEW CAMERA SYSTEM³



STANDARD PARKVIEW® REAR BACK-UP CAMERA® with DYNAMIC GRID LINES




Available BLIND SPOT MONITORING (BSM)⁴ with REAR CROSS-PATH DETECTION³ AND SIDE-MIRROR NOTIFICATION SIGNAL LIGHT



Available PARALLEL AND PERPENDICULAR PARK ASSIST⁵



Available PARKSENSE® FRONT AND REAR PARK ASSIST⁵



STANDARD FULL-SPEED FORWARD
COLLISION WARNING PLUS with
PEDESTRIAN/CYCLIST
EMERGENCY BRAKING⁶



STANDARD TRAFFIC SIGN RECOGNITION⁷ (optional color cluster shown)




STANDARD DROWSY-DRIVER DETECTION⁸

MOST ADVANCED RAM PROMASTER® EVER MADE?

Thanks to a suite of standard and available Safety and Security systems, the risk of an unexpected incident may be reduced as technology warns the driver of potential hazards. This van's protection plan includes the standard and available features that can help recognize traffic signs, detect a drowsy driver, assist with speed control and apply the brakes if needed.




STANDARD CROSSWIND ASSIST



SURROUNDING TECHNOLOGY TO

ENHANCE YOUR CONFIDENCE


Available BLIND SPOT MONITORING (BSM)⁴ with REAR CROSS-PATH DETECTION³ AND SIDE-MIRROR NOTIFICATION SIGNAL LIGHT



Available **DIGITAL REARVIEW MIRROR**




NO SURPRISES, JUST CONFIDENCE





FORWARD-THINKING PROTECTION



BRAKE!

MONITORING SAFE AREA AHEAD



SENSING POSSIBLE OBSTRUCTION



STANDARD FULL-SPEED FORWARD COLLISION WARNING PLUS (FSFCW+) WITH PEDESTRIAN/CYCLIST EMERGENCY BRAKING.


The FSFCW+ with Pedestrian/Cyclist Emergency Braking⁶ system provides both audible and visual warnings to help alert the driver when it detects a potential frontal collision. The warnings are intended to help provide the driver with enough time to react to, avoid or mitigate the potential collision.



NO MORE OBSTRUCTED REAR VIEWS.

SEE MORE, GET THE PICTURE

Available on all models, the 9.2-inch-wide LCD monitor **DIGITAL REARVIEW MIRROR** delivers real-time video from a rear-facing camera. The camera is located on the back of the van, so the view is unobstructed compared to a traditional rearview mirror. Unlike back-up cameras, the vehicle doesn't need to be in Reverse to activate, and the view is a high resolution. The camera view is also adjustable for brightness and can tilt up and down for better rear visibility.





STANDARD AND AVAILABLE SAFETY AND SECURITY FEATURES:

- 360° Surround-View Camera System³
- 7-inch Full-Color Thin Film Transistor (TFT) Center Cluster Display
- Active Drive Assist System
- Adaptive Cruise Control (ACC) with Stop and Go⁸
- Blind Spot Monitoring (BSM)⁴ with Rear Cross-Path Detection³
- Daytime Running Headlamps
- Digital Rearview Mirror with Auto-Dimming
- Front Fog Lamps with Cornering Function
- Full-Speed Forward Collision Warning Plus with Pedestrian/ Cyclist Emergency Braking⁶
- Intelligent Speed Assist¹⁰
- LaneSense® Lane Departure Warning Plus¹¹
- New Parallel and Perpendicular Park Assist⁵
- ParkSense® Front and Rear Park Assist⁵
- ParkSense Rear Park Assist⁵
- Traffic Sign Recognition⁷
- Wide, Power-Heated Mirrors or Power-Folding, Heated Mirrors



MULTI-COLLISION BRAKING.

In the event that a collision does occur, this system moderately applies the brakes after impact to stop the vehicle from rolling and to help avoid a potential second collision. The system knows to trigger the brakes by interacting with the seat restraint modules, including whether an air bag¹² is deployed or if the fuel cutoff switch is activated. By applying the brakes right away, the system helps prevent further damage or injury that could occur through the continuing motion of the vehicle due to the collision. Standard.



INTELLIGENT SPEED ASSIST (ISA).10

Through a speed-sign-recognition video camera and/or GPS-linked speed limit data via the available navigation system, ISA¹⁰ alerts drivers of the current speed limit and can automatically adjust the speed of the vehicle as needed. As the ISA¹⁰ system reads changing speed limit signs, the throttle is adjusted to stay within the speed limit (or an acceptable +/- offset). Available.



LANESENSE® LANE DEPARTURE WARNING PLUS."

Via its forward-facing camera, the Ram ProMaster® LaneSense Lane Departure Warning Plus¹¹ system is designed to identify the lines on the road. The system then determines where the vehicle is placed between the lines and monitors the vehicle's movement down the road. Available.

RAM PROMASTER

SAFETY AND SECURITY FEATURES

ADAPTIVE CRUISE CONTROL WITH STOP AND GO.8

The system uses a radar sensor and forward-facing camera mounted at the front of the vehicle to help detect objects in its path. If the lane ahead is clear, the system will maintain the set speed. When slower traffic is detected, the system is designed to automatically adjust to a safe distance (which is selected by the driver) by using throttle control and limited braking. Available.

RAIN-SENSITIVE WINDSHIELD WIPERS.

A glass-mounted infrared sensor located near the rearview mirror continually sends infrared beams against the windshield to detect raindrops. Once detected, the system's control strategy signals the wipers to operate and adjusts wiper speed based on rain accumulation. Available.

AUTOMATIC HEADLAMPS.

A forward-facing camera and rain/dusk sensor can process images to detect oncoming or forward lights. When these components detect an approaching vehicle's headlamps, a preceding vehicle's taillamps or ambient light, the system turns off the high beams to minimize distraction to other drivers. Available.

FRONT FOG LAMPS WITH CORNERING FUNCTION.

Refinements in the relating lens elements help ensure wider spread light and improved accuracy when the steering wheel is turned and while turn signals are activated. As a result, the fog lamps are designed to provide additional illumination when cornering. Available.

HEAVY-DUTY ANTILOCK BRAKING SYSTEM (ABS).

All 2023 Ram ProMaster vehicles are equipped with heavy-duty brake systems that are designed to deliver impressive stopping power. Included are large-diameter-sized four-wheel heavy-duty disc brakes with thick pads for projected long-term durability. Standard.

ELECTRONIC STABILITY CONTROL (ESC).13

The Ram ProMaster ESC¹³ features a sophisticated four-channel (independent control to all four corners of the vehicle) active handling system. The ESC¹³ system links the vehicle's dynamic control systems to assist the driver in maintaining control under demanding or adverse conditions (such as wet, snow-covered or icy roads) and during tight turns and evasive maneuvers. Standard.



THE RIGHT WIDTH FOR THE RIGHT FIT

Regardless of which 2023 Ram ProMaster® Cargo Van model you choose, fitting a standard pallet between the wheel wells won't be an issue. Need a shelf system? With a best-in-class interior width² and near vertical walls, that won't be an issue either. The cavernous space inside ProMaster is also the perfect space for transporting equipment and materials or creating a mobile work area.



THE RIGHT HEIGHT FOR YOUR TRADE


56

CARGO HEIGHT



64

CARGO HEIGHT



7/2

CARGO HEIGHT



AVAILABLE **SUPER HIGH ROOF** (late availability)

STANDARD ROOF

AVAILABLE HIGH ROOF



118-INCH WHEELBASE, **STANDARD** ROOF

MAXIMUM CARGO CAPACITY:

259.2 CU FT



136-INCH WHEELBASE, HIGH ROOF (shown here)

MAXIMUM CARGO CAPACITY:

303.7 CU FT (STANDARD ROOF), **352.9 CU FT** (HIGH ROOF)



159-INCH WHEELBASE, HIGH ROOF

MAXIMUM CARGO CAPACITY:

420.2 CU FT

ONE SIZE DOES NOT FIT ALL.

CONFIGURE TO MEET YOUR NEEDS






159-INCH WHEELBASE, EXTENDED, **SUPER HIGH** ROOF (shown here, late availability)

MAXIMUM CARGO CAPACITY:

462.9 CU FT (HIGH ROOF)



CARGO MANAGEMENT, NO PROBLEM



UP TO 17 AVAILABLE SIDEWALL AND FLOOR CARGO TIE-DOWNS.

Cargo Van models feature up to 10 in-floor D-rings to help secure cargo. Want more? Up to an abundant 17 floor and sidewall tie-downs provide stabilization and security for your cargo when you're on the move.





RAM PROMASTER®:

BUILT TO DELIVER

Like a great coworker, Ram ProMaster makes light of heavy work with up to 462.9 cu ft of cargo capacity, 4 a best-in-class 4,680-lb maximum payload and easy access to the cargo area.



When your job requires lots of parcel handling or final-mile delivery, a van with a rear roll door makes things easier. On extended High Roof models, opt for the new anodized aluminum **ROLL-UP REAR DOOR UNIT** (late availability). Not only does it optimize access but weight and durability as well.



BEST-IN-CLASS

21-INCH LOWEST LOAD FLOOR HEIGHT²



FOR ENTERTAINMENT OR ASSISTANCE,

TECHNOLOGY AT YOUR FINGERTIPS

The standard Uconnect® 5 comes with a 7-inch touchscreen, while the available Uconnect 5 NAV features a 10.1-inch touchscreen with Navigation. Both technology hub options boast impressive processing power and dual smartphone wireless connectivity. They also feature personalization options, such as profiles that save your settings, useful home screen widgets and comfort control. These advanced and intuitive systems help you stay connected, informed and entertained while on the job.



UCONNECT 5 WITH 7-INCH DISPLAY.


- 7-inch Color Touchscreen
- AM/FM Stereo Audio System
- Four-speaker Sound System
- Uconnect Voice Command

RAM

CONNECT

- Steering Wheel-mounted Audio Controls
- Wireless Apple CarPlay®15 Support
- Wireless Android Auto™¹6
- Connected Services with Ram Connect¹⁷ (3-month trial subscription)










UCONNECT 5 NAV WITH 10.1-INCH DISPLAY.

- 10.1-inch Color Touchscreen
- AM/FM Stereo Audio System
- HD Radio
- Uconnect Voice Command
- SiriusXM® with 360L® (6-month trial subscription)
- Steering Wheel-mounted Audio Controls
- Wireless Apple CarPlay¹⁵ Support
- Wireless Android Auto¹⁶
- TomTom Based Navigation with Maps Over-the-Air (MOTA)
- Connected Services with Ram Connect¹⁷ (3-month trial subscription)






159-INCH WHEELBASE WITH CREW VAN PACKAGE



136-INCH WHEELBASE WITH CREW VAN PACKAGE


THE CREW VAN PACKAGE FOR

YOUR TEAM AND EQUIPMENT



CREW VAN PACKAGE.


Room to take six to the jobsite is one thing; having enough room for passengers, their gear and materials is everything. The available Crew Van Package has comfortable, wide, three-seat bench seating; it also features the Mopar® Crew Van Kit, which includes a driver-side second-row fixed window and passenger-side sliding door with window. With the interior designed to accommodate underseat loading, longer items fit easily. Best yet, the durable fabrication is lightweight, which results in minimum sacrifice to the payload capacity.



- Up to six-person seating capacity
- Welcoming cabin climate control
- Minimal cabin noise
- Secure protection from shifting cargo
- Capable volume and payload area
- Partition with window


WHATEVER YOUR NEEDS,

WE HAVE A SEAT COMBINATION THAT FITS



BUCKET SEATS

- Standard four-way adjustable driver seat with spring suspension.
 A passenger seat is available as a no-charge option
- Available six-way adjustable seats with manual lumbar support and available heated seating surfaces



UP TO FIVE-PERSON SEATING

Add the available Crew Van Package

THREE-OCCUPANT SEATING

- Single driver bucket seat joined by an available integrated two-person bench seat
- The middle seatback insert folds down to become a convenient writing surface



UP TO SIX-PERSON SEATING

• Add the available Crew Van Package

SWIVEL SEATING

- Available swivel bucket seats with 180° inboard swivel range,
 35° outboard swivel, a 58° recliner and a continuous height adjuster
- Increases space between seats with easier access to the rear cargo area



UP TO FIVE-PERSON SEATING

Add the available Crew Van Package



RAM PROMASTER®

AUTHENTIC ACCESSORIES



CARGO LOAD FLOOR.^{20,21} On its own, our limited factory-warranted²² Cargo Load Floor is ideal, using a modular design that fits all models and invites add-on kits. Features include an anti-slip surface, aluminum entry-point ramps, two integrated floor rails, four side rails (two per side) plus perfectly fitting hardware for all of it. Available only as an upfit when initially ordering your Ram ProMaster Cargo Van. Learn more at MOPAR.COM



CARGO TIE-DOWN TRACK SYSTEM. This is multitasking at its best. The load floor system includes two in-floor tracks and two side tracks—one on each wall. Fitting all tracks are four 5/16-inch carriage bolts and four L-Channel Quick-Connect rings to securely strap down cargo (straps not included).



RAM PROMASTER®

AUTHENTIC ACCESSORIES

When it comes to Ram ProMaster, not all parts and accessories are created equal. As the official provider for the Ram Brand, only Mopar® Parts and Accessories can ensure the proper fit, finish and functionality. That's because they're original equipment, engineered by the same people who designed your vehicle, which means you can personalize your ride with complete confidence. Learn more at MOPAR.COM













NEXT-GENERATION

3.6L PENTASTAR® V6

276 HORSEPOWER WITH

250 LB-FT OF TORQUE

- Two-stage variable valve lift
- Variable Valve Timing (VVT)
- Cooled Exhaust Gas Recirculation (EGR)
- High-tumble intake ports

NEXT-GENERATION PENTASTAR ENGINE ENHANCEMENTS

- Increased compression ratio: 11.3:1
- Lower internal friction
- Reduced weight

| HORSEPOWER | 276 hp | | | | |
|---|---------------------------------|--|--|--|--|
| TORQUE | 250 lb-ft | | | | |
| CONFIGURATION | 60° V6 | | | | |
| DISPLACEMENT | 220 cu in (3,604 cc) | | | | |
| BORE x STROKE | 3.78 x 3.27 in (96 x 83 mm) | | | | |
| BLOCK MATERIAL | Aluminum deep skirt design | | | | |
| CYLINDER HEAD MATERIAL | Aluminum alloy | | | | |
| AIR INDUCTION | Naturally aspirated | | | | |
| VALVE TRAIN | Chain-drive DOHC, 24-valve | | | | |
| FUEL DELIVERY | Sequential, multiport injection | | | | |
| RECOMMENDED FUEL | Unleaded regular (87 octane) | | | | |
| COMPRESSION RATIO | 11.3:1 | | | | |
| ALTERNATOR | 180-amp (220-amp available) | | | | |
| OIL CAPACITY | 6 quarts | | | | |
| MAXIMUM RECOMMENDED OIL CHANGE INTERVAL | 10,000 miles | | | | |

STANDARD 9-SPEED **AUTOMATIC TRANSMISSION** High efficiency in all gears and speeds thanks to nested carriers, dog clutches and advanced hydraulic control unit architecture A wide ratio spread brings outstanding launch characteristics and smooth transfer between gears Short mid-range gears help to ensure quick transitions, and higher gears—7th, 8th and 9th transitions—relate to help lower engine rpm speeds

TECHNOLOGY FOR

YEAR-ROUND CONFIDENCE

ELECTRIC RACK AND PINION STEERING.

The Electric Power Steering (EPS) contains its own Electronic Control Unit (ECU) to monitor vehicle speed, torque applied (using the Dynamic Steering Torque (DST) system) to the steering wheel, and other variables to determine the level of steering assist needed at any given moment. Increasing the power to the power steering motor helps to reduce the driver's effort needed to turn the steering wheel lock to lock, which is especially helpful in tight parking or delivery situations. The convenient telescoping steering column is an unusual and welcome feature in the commercial world. We've made it standard on all models.

ROBUST FRONT AND REAR SUSPENSION TECHNOLOGY.

In front, a MacPherson strut front suspension utilizes large, 62-mm, twin-tube shock absorbers for solid support of the powertrain. This system is enhanced with GVW-tuned cast iron control arms for impressive durability, road manners and handling—even under heavy loads. Rear suspension technology is a beam axle/leaf spring design that's light and simple yet robust.

ANTILOCK BRAKING SYSTEM (ABS).

Our ABS controls and monitors each wheel independently. The high-performance brake system provides superb stopping power—notably, when trailering. Ram ProMaster® brakes even include electronic lining wear sensors that notify the driver (via an icon in the cluster) when pad replacement is imminent to help mitigate more expensive repairs.

UNIBODY ENGINEERING.

A solid backbone is a designed-in advantage to the body-frame integral (unibody) engineering of your Ram ProMaster model, with each chassis mass-optimized and tuned for ideal performance. This integrated frame structure features boxed frame components, multiple crossrails and longitudinal rails—and all are crucially welded together. Depending on wheelbase length, you'll find up to eight tough structural crossmembers, giving every Ram ProMaster model the ladder-frame integrity that ensures proper stiffness and long-term durability.



CLASS-EXCLUSIVE FRONT-WHEEL DRIVE (FWD):

Advantages to FWD are substantial. It enables outstanding control—especially valuable in snowy climates. It also utilizes the weight in the front end to help ensure great front-tire "road grab." By dispensing with the fore-to-aft drivetrain employed by our competitors, FWD also functions as a direct contributor to the best-in-class lowest load floor height?



RAM PROMASTER® CUTAWAY:

YOUR SPIN ON OUR BLUEPRINT



Combine industrial-grade capability with the right upfit and your Ram ProMaster Cutaway is ready for the job. The numbers speak for themselves: 3500 weight class only, built on a 159-inch wheelbase. Max length of 250.6 inches. Heavy-duty tuned suspension with a MacPherson strut front unit. Muscular 9,350-lb GVWR, impressive 12,000-lb GCWR and towing up to 5,600 lb,4 with payload up to 5,220 lb.4 Spec out your ideal model at **RAM.COM/PROMASTER**

| CUTAWAY | |
|--------------------------------------|--|
| PAYLOAD (weight given in lb; must | |
| include weight of upfit) | |
| MAX PAYLOAD ¹⁴ | |

| 35 | 00 |
|-----------|-------------------|
| 159" WB | 159" WB, EXTENDED |
| 104.7" CA | 104.7" CA |
| 5.220 | 5.170 |

WB = wheelbase CA = cab-to-axle



ADAPTABLE PEOPLE-MOVER CAPABILITY

DRIVE**ÁBILITY**

Comfort, safety and security. You'll find these and more in our Windowed Van. Designed around the needs of people, it's available in 2500 and 3500 weight classes on the 159-inch wheelbase in your choice of two lengths. For optimum passenger comfort, the High Roof is standard. As with every Ram ProMaster, there is an abundance of upfit possibilities, plenty of cargo room and the solid power of the Pentastar® V6 engine.

If you require a Special Needs interior upfit, the flexibility of Windowed Van is your go-to solution. If additional power is needed, our available auxiliary switches can help handle the ancillary devices of ambulances, mobile medical clinics and DriveAbility Program applications.



159-INCH WHEELBASE



159-INCH WHEELBASE, EXTENDED

Utilize the extended body on Windowed Van to create a significantly larger interior. The 14.4-inch extension adds nearly 43 cu ft of volume—the perfect solution when you need extra room for luggage or storage.

| RAM PROMASTER® BUYER'S GUIDE | SALES CODE | Cargo Van | Windowed V | Cutaway |
|--|------------|-----------|------------|---------|
| ENGINE/TRANSMISSION | | | | |
| 3.6L PENTASTAR® V6 WITH 9-SPEED AUTOMATIC | ERF/DFH | 22A | 22A | 22A |
| MECHANICAL FEATURES | 0)/// | 0 | 0 | |
| ADDITIONAL KEY FOBS — 2 | GXK | 0 | 0 | 0 |
| ALTERNATOR — 180-amp | BAD | • | • | _ |
| — 220-amp | BAJ | 0 | 0 | • |
| AUXILIARY FUEL TAP | XFZ | • | • | • |
| BATTERY — 95-amp | ВСҮ | • | • | • |
| — 100-amp | BDC | 0 | 0 | 0 |
| — Auxiliary Power Connector | BC1 | • | • | • |
| CROSSWIND ASSIST | BNU | • | • | • |
| ELECTRONIC PARK BRAKE | XC4 | • | • | • |
| ELECTRIC POWER STEERING | SBL | • | • | • |
| ELECTRONIC STABILITY CONTROL (ESC) ¹³ | BNB | • | • | • |
| ENGINE BLOCK HEATER | NHK | 0 | 0 | 0 |
| FUEL TANK — 24-gallon | NFE | • | • | • |
| FULL-SIZE SPARE TIRE (includes underslung tire carrier) | TBB | 0 | 0 | 0 |
| PUSH-BUTTON START | GX4 | • | • | • |
| SPEED CONTROL | NHM | 0 | 0 | 0 |
| SPEED LIMITER — 65-mph maximum speed | JJ4 | 0 | 0 | 0 |
| — 70-mph maximum speed | JJ5 | 0 | 0 | 0 |
| — 77-mph maximum speed | JJ9 | 0 | 0 | 0 |
| SUSPENSIONS — Heavy-duty (2500/3500) | SDB | • | 0 | _ |
| — Light-duty (118-inch-wheelbase 1500 models only) | SDA | • | _ | _ |
| — Medium-duty (136-inch-wheelbase 1500 models only) | SDJ | • | _ | _ |
| — Premium heavy-duty (3500 models only; Cargo Van and Windowed Van require 159-inch wheelbase) | SDD | 0 | 0 | • |
| — Touring | SDC | _ | • | - |
| TEMPORARY SPARE TIRE MOUNT | TBA | _ | _ | 0 |
| UPFITTER ELECTRONIC MODULE — Vehicle System Interface Module | XXS | 0 | 0 | 0 |
| EXTERIOR FEATURES | | | | |
| BLACK FRONT FASCIA | MLF | • | • | • |
| BLACK REAR BUMPER | MBN | • | • | _ |
| CHROME GRILLE (included with Premium Appearance Group; requires fog lamps) | MFE | O/P | O/P | 0/P |
| CLASS IV HITCH RECEIVER | XFH | 0 | 0 | _ |
| DAYTIME RUNNING LAMPS (DRLs) (included with Safety Group) | LMK | 0/P | 0/P | 0 |
| • = Standard 0 = Optional P = Available within Package — = Not Available | | | | |

| | SALES COI | Cargo Van | Windowed | Cutaway |
|---|-----------|-----------|----------|---------|
| EXTERIOR FEATURES (continued) | | | | |
| DOORS, REAR — 260-degree-opening | GLF | • | • | _ |
| — Hinged with fixed glass (includes deep-tint sunscreen glass) | GLB | 0 | • | _ |
| DOORS, SIDE — Left side with fixed window (includes deep-tint sunscreen glass; not available on 118-inch-wheelbase models, 136-inch-wheelbase models with Standard Roof, or Crew Van Package) | GKT | 0 | _ | _ |
| — Right side with no glass | GKA | • | _ | _ |
| Right side with fixed window (High Roof models only; includes deep-tint sunscreen glass; included with Crew Van Package) | GKS | 0/P | • | _ |
| FRONT FOG LAMPS WITH CORNERING FUNCTION (included with Convenience Group, Driver Convenience Group, Advanced Safety Group, Safety Group, Black Appearance Package and Premium Appearance Group) | LNJ | 0/P | 0/P | 0/P |
| FRONT LED FOG LAMPS (included with LED Premium Exterior Lighting Group) | LNV | Р | P | Р |
| FRONT LICENSE PLATE BRACKET | MDA | 0 | 0 | 0 |
| HALOGEN HEADLAMPS | LMA | • | • | • |
| — Automatic (included with LED Premium Exterior Lighting Group and Premium Convenience Group) | LMG | Р | Р | Р |
| — Auto High-Beam Headlamp Control (included with LED Premium Exterior Lighting Group and Premium Convenience Group) | LMS | Р | P | Р |
| MIRRORS — Manual-adjustable/manual-folding | GTP | • | • | • |
| Power-adjustable/power-folding, heated (included with Driver Convenience Group and Safety Group) | GTR | 0/P | 0/P | _ |
| — Wide, power-adjustable, heated | GTB | 0 | 0 | 0 |
| RAIN-SENSITIVE WINDSHIELD WIPERS (included with LED Premium Exterior Lighting Group and Premium Convenience Group) | JHC | Р | P | Р |
| RAM GRILLE IN BLACK WITH CHROME RAM BADGE | ME6/MFF | • | • | • |
| ROOF CLEARANCE LAMPS — Front | LNC | • | • | • |
| — Rear | LNG | • | • | _ |
| SPLASH GUARDS — Vehicle Set (by Mopar®) | MKN | 0 | 0 | _ |
| STEP — Rear Bumper Extension (not available with Class IV hitch receiver; see your dealer for availability; by Mopar) | MDM | 0 | 0 | _ |
| Sliding Door Step, Right Side (not available on 118-inch-wheelbase models; see your dealer for availability; by Mopar) | MRZ | 0 | 0 | _ |
| TAILLAMP EXTENSION WIRING | XGF | _ | _ | • |
| WHEELS — 16-inch Silver-painted steel with center cap | WCS | • | • | • |
| — 16-inch Silver-painted aluminum | WJR | 0 | 0 | 0 |
| — 16-inch Black-painted with machined-face aluminum | WNY | 0 | 0 | _ |
| — 16-inch Black-painted aluminum (included with Black Appearance Package) | WNA | Р | P | Р |
| — 16-inch Black-painted steel | WDL | 0 | 0 | 0 |
| WINDOW — Left side, second-row fixed with deep-tint sunscreen glass (optional on High Roof Cargo Van only; included with Crew Van Package) | GEA | 0/P | • | _ |
| WINDOW DEFROSTER — Rear (requires rear doors with glass on Cargo Van models) | GFA | 0 | • | _ |
| | | | | |

^{• =} Standard 0 = Optional P = Available within Package — = Not Available

| RAM PROMASTER® BUYER'S GUIDE | SALES CODE | Cargo Van | Windowed Va | Cutaway |
|---|------------|-----------|-------------|---------|
| INTERIOR FEATURES AIR CONDITIONING — Air Conditioning Delete; heater only | HCD | 0 | 0 | 0 |
| — Manually controlled, with heat | HAA | • | • | 0 |
| Rear Heater Air Conditioning Prep Package (not available with Air Conditioning Delete) | HDG | 0 | 0 | 0 |
| ASSIST HANDLE — Rear Doors (by Mopar®) | CSR | 0 | 0 | 0 |
| AUXILIARY POWER OUTLET — 12-volt, front | JJJ | • | • | |
| — Rear | JKP | 0 | 0 | _ |
| — 115-volt | JKV | 0 | 0 | 0 |
| AUXILIARY UPFITTER SWITCHES — 2 | LHL | 0 | 0 | 0 |
| CARGO AREA LIGHTING — Incandescent | LPE | • | • | _ |
| CARGO COMPARTMENT FLOOR MAT (not available with Crew Van Package; by Mopar) | CKL | 0 | _ | _ |
| CARGO LED LAMP, REAR (included with Interior LED Lighting Group; not available with Crew Van Package) | LDB | 0/P | O/P | _ |
| — Ambient LED Interior Lighting (packaged with Interior LED Lighting Group and Convenience Group) | LHA | Р | Р | 0/P |
| CARGO PARTITION — None | СТР | • | • | _ |
| — With sliding window (not available with Crew Van Package) | XJ1 | 0 | _ | _ |
| — Without window (not available with Crew Van Package) | CWC | 0 | _ | _ |
| CARGO TIE-DOWNS — Sidewall | CKT | • | _ | _ |
| CLUSTER — 3.5-inch Thin Film Transistor (TFT) Black-and-White Driver Information Display | JAE | • | • | • |
| 7-inch TFT color Driver Information Display (included with Active Drive Assist System and Premium Convenience Groups) | JAL | Р | Р | Р |
| FLOOR MATS — Premium Carpet (not available with passenger double seat; by Mopar) | CCL | 0 | 0 | _ |
| — All-Weather (not available with passenger double seat; by Mopar) | CCK | 0 | 0 | _ |
| INSTRUMENT PANEL WITH BRIGHT BEZELS | JBD | 0 | 0 | 0 |
| POWER DOOR LOCKS — Speed-sensitive | JPH | • | • | • |
| REAR-DOOR CARGO NET (included with Convenience Group) | CKR | Р | P | _ |
| REARVIEW MIRROR, DIGITAL | GRG | 0 | 0 | 0 |
| REARVIEW MIRROR, INSIDE DELETE (new for 2023MY) | CD9 | • | • | • |
| SEATING SURFACES — Cloth | *A7 | • | • | • |
| — Vinyl (not available with Crew Van Package) | *B7 | 0 | 0 | 0 |
| Leather-trimmed bucket (includes driver and passenger swivel seats with 6-way adjustments) not available with Crew Van Package) | *AL | 0 | 0 | 0 |
| SEATS — 4-way manually adjustable driver bucket | JVA/JWA | • | • | • |
| — Driver 6-way adjustable with 2-way manual lumbar adjust (included with leather-trimmed bucket seats) | JVB | 0 | 0 | 0 |
| Driver and passenger 6-way adjustable with 2-way manual lumbar adjust (included with leather-trimmed bucket seats) | JWB | 0 | 0 | 0 |
| ■ Standard 0 = Optional P = Available within Package — = Not Available | | | | |

^{• =} Standard 0 = Optional P = Available within Package — = Not Available

| | SALES CODE | Cargo Van | Windowed Van | Cutaway |
|---|------------|-----------|--------------|---------|
| INTERIOR FEATURES (continued) | | | | |
| SEATS (continued) — Driver swivel (not available with vinyl bucket seats or cargo partition; included with leather-trimmed bucket seats; optional with driver 6-way adjustable seat with 2-way manual lumbar adjust) | CEA | 0/P | 0/P | 0/P |
| — Heated driver (optional with driver 6-way adjustable seat with 2-way manual lumbar adjust; not available with driver swivel seat or leather-trimmed bucket seats) | CMB | 0 | 0 | 0 |
| — Passenger bucket (included with leather-trimmed bucket seats) | CDY | O/P | O/P | 0/P |
| — Heated passenger (requires heated driver seat; not available with passenger swivel seat; optional with passenger 6-way adjustable seats with 2-way lumbar adjust) | CMC | 0 | 0 | 0 |
| — Passenger double (not available with driver swivel seat or passenger 6-way adjustable seats with 2-way lumbar adjust) | CAA | 0 | _ | _ |
| Passenger Seat Delete (includes deactivation of the passenger air bag¹² and deletion of the passenger seat belt mount; not available with passenger bucket seat, double seat or leather-trimmed bucket seats) | CD9 | • | • | • |
| Passenger swivel (not available with vinyl bucket seats or cargo partition; included with leather-trimmed bucket seats; optional on passenger 6-way adjustable seats with 2-way manual lumbar adjust; requires driver swivel seat) | CHR | 0/P | 0/P | 0/P |
| SHELF ABOVE ROOF TRIM (included with Convenience Group) | CTA | Р | Р | Р |
| SPRAY-ON FLOOR LINER (not available with Crew Van Package; by Mopar) | XMF | 0 | 0 | _ |
| STEERING COLUMN — Telescoping | SUC | • | • | • |
| STEERING WHEEL — Leather-wrapped (included with Advanced Safety Group and Active Drive Assist System) | SCC | 0/P | 0/P | 0/P |
| TIRE PRESSURE MONITORING LIGHT | XGM | • | • | • |
| UPFIT INTERFACE CONNECTORS (included with Rear-Speaker Wiring Prep) | BC3 | • | • | • |
| WALL PANELS — Upper- and Lower-side (not available with Crew Van Package; by Mopar) | CTE | 0 | _ | _ |
| — Lower-side (included with upper- and lower-side wall panels; not available with Crew Van Package) | CMG | 0/P | 0 | _ |
| WINDOWS — Power with 1-touch down feature | JPY | • | • | • |
| — Window Guards, Rear (not available on 118-inch-wheelbase or 136-inch-wheelbase Standard Roof Cargo Vans or 136-inch-wheelbase 2500 Windowed Van; by Mopar) | XGC | 0 | 0 | _ |
| WIRELESS PHONE CHARGING PAD (included with Premium Convenience Groups) | RFX | Р | Р | Р |
| WOOD FLOOR — Rear (not available with Spray-On Floor Liner or Crew Van Package) | CME | 0 | 0 | _ |
| UCONNECT® MULTIMEDIA | | | | |
| GLOBAL TELEMATICS BOX MODULE (TBM) | RDG | • | • | • |
| REAR-SPEAKER WIRING PREP (includes upfit interface connectors) | RED | • | • | • |
| UCONNECT 5 NAV WITH 10.1-INCH DISPLAY — Includes Navigation, HD radio, Android Auto, Apple CarPlay Support, Integrated Voice Command, integrated center stack radio and Sirius XM with 360L with 6-month trial subscription (included with Premium Convenience Group) | UBN | Р | Р | Р |
| UCONNECT 5 WITH 7-INCH DISPLAY — Includes Android Auto, ¹⁶ Apple CarPlay ¹⁵ support, Integrated Voice Command, integrated center stack radio and SiriusXM Radio ¹⁹ with 6-month trial subscription | UBC | • | • | • |
| • = Standard 0 = Optional P = Available within Package — = Not Available | | | | |

 $[\]bullet$ = Standard 0 = Optional P = Available within Package — = Not Available

| RAM PROMASTER® BUYER'S GUIDE | SALES CODE | Cargo Van | Windowed Va | Cutaway |
|---|------------|-----------|-------------|---------|
| SAFETY & SECURITY | | | | |
| 360° SURROUND-VIEW CAMERA SYSTEM ³ (included with Driver Convenience Group and Advanced Safety Group; requires wide, power-heated mirrors or power-folding/heated mirrors) | XAK | Р | P | - |
| ACTIVE DRIVE ASSIST SYSTEM — Includes 7-inch Thin Film Transistor (TFT) color cluster, ACC with Stop and Go ⁸ and leather-wrapped steering wheel | SJJ | 0 | 0 | 0 |
| ADAPTIVE CRUISE CONTROL (ACC) WITH STOP AND GO ⁸ (included with Active Drive Assist System; restrictions apply) | NHZ | 0/P | 0/P | 0/P |
| AIR BAGS ¹² — Driver and front-passenger | CGW | • | • | • |
| — Supplemental side-curtain front | CJ4 | • | • | • |
| — Supplemental front-seat side | CJ1 | • | • | • |
| BLIND SPOT MONITORING (BSM) ⁴ WITH REAR CROSS-PATH DETECTION ³ (included with Advanced Safety Group, Lane Management Group and Safety Group; requires wide, power-heated mirrors or power-folding/heated mirrors) | XAN | 0/P | 0/P | - |
| DOT-CERTIFIED ROADSIDE SAFETY KIT (by Mopar®) | ACL | 0 | 0 | 0 |
| DROWSY-DRIVER DETECTION ⁸ | XNM | • | • | • |
| FULL-SPEED FORWARD COLLISION WARNING PLUS WITH PEDESTRIAN/CYCLIST EMERGENCY BRAKING ⁶ | LSU | • | • | • |
| INTELLIGENT SPEED ASSIST ¹⁰ (included with Advanced Safety Group) | NH4 | Р | P | Р |
| LANESENSE® LANE DEPARTURE WARNING (LDW) PLUS ¹¹ (included with Advanced Safety Group and Lane Management Group) | LAS | P | P | Р |
| MULTI-COLLISION BRAKING | BNA | • | • | • |
| PARKSENSE® FRONT AND REAR PARK ASSIST5 (requires front fog lamps) | XAG | 0/P | 0/P | |
| PARKSENSE REAR PARK ASSIST ⁵ (included with Safety Group) | XAA | 0/P | 0/P | _ |
| PARKVIEW® REAR BACK-UP CAMERA ³ KIT | XA3 | _ | _ | • |
| PARKVIEW REAR BACK-UP CAMERA ³ WITH DYNAMIC GRID LINES (not available with 360° Surround-View Camera System ³) | XAC | • | • | - |
| REARVIEW AUTO-DIMMING DIGITAL DISPLAY MIRROR (included with Safety Group on Super High Roof) | GRG | 0/P | 0 | 0 |
| REMOTE KEYLESS ENTRY | GXM | • | • | • |
| REMOTE PROXIMITY KEYLESS ENTRY (included with Premium Convenience Group; requires ParkSense Rear Park Assist ⁵ or ParkSense Front and Rear Park Assist ⁵ on Cargo Van or Windowed Van) | GXD | Р | Р | Р |
| REMOTE START SYSTEM ²⁶ (included with Driver Convenience Group) | XBM | 0/P | 0/P | 0 |
| SECURITY ALARM ²⁷ | LSA | 0 | 0 | 0 |
| TRAFFIC SIGN RECOGNITION ⁷ | SJB | • | • | • |
| — Traffic Sign Information (included with Premium Convenience Group) | SJF | Р | Р | Р |
| • - Standard O - Ontional P - Available within Package Not Available | | | | |

^{• =} Standard 0 = Optional P = Available within Package — = Not Available

| | SALES CO | Cargo Var | Windowe | Cutaway |
|--|----------|-----------|---------|---------|
| PACKAGES/GROUPS | | | | |
| ADVANCED SAFETY GROUP — Includes front fog lamps with cornering, Intelligent Speed Assist, LaneSense LDW Plus, Leather-wrapped steering wheel, BSM4 with Rear Cross-Path Detection on Cargo Van and Windowed Van, and 360° Surround-View Camera System on Cargo Van and Windowed Van (requires wide, heated mirrors or power-folding/heated mirrors and ACC with Stop and Go8; restrictions apply) | ALP | 0 | 0 | 0 |
| AMBIENT LED INTERIOR LIGHTING (packaged with Interior LED Lighting Group and Convenience Group) | LHA | P | P | 0/P |
| BLACK APPEARANCE PACKAGE — Includes front fog lamps, Black Ram grille badge, Black exterior badging and 16-inch Black-painted aluminum wheels | AMQ | 0 | 0 | 0 |
| CONVENIENCE GROUP — Includes front fog lamps with cornering function, Ambient LED Interior Lighting, shelf above roof trim, underseat storage tray and rear-door cargo net on Cargo Van and Windowed Van models | AJK | 0 | 0 | 0 |
| CREW VAN PACKAGE — Includes Mopar Crew Van Kit, driver-side second-row fixed window, passenger sliding door with window and second-row bench seat (provides seating for up to 5 including driver; up to 6 passengers with front-passenger double seat; restrictions apply; requires High Roof) | AAF | 0 | _ | - |
| DELIVERY PACKAGE 2 — Includes radio mute on Reverse, engine auto shutoff and driver feedback system (requires speed limiter with 65-mph, 70-mph or 77-mph maximum speed) | AZB | 0 | 0 | 0 |
| DRIVER CONVENIENCE GROUP — Includes Remote Start System, ²⁶ power-folding/heated mirrors, front fog lamps with cornering, BSM ⁴ with Rear Cross-Path Detection ³ and 360° Surround-View Camera System ³ | AAC | 0 | 0 | - |
| INTERIOR LED LIGHTING GROUP — Includes rear cargo LED lamp and Ambient LED Interior Lighting (not available with Convenience Group) | AD6 | 0 | 0 | _ |
| LANE MANAGEMENT GROUP — Includes LaneSense LDW Plus ¹¹ and BSM ⁴ with Rear Cross-Path Detection ³ on Cargo Van and Windowed Van (requires wide, power-heated mirrors or power-folding/heated mirrors; not available with Advanced Safety Group) | AWC | 0 | 0 | 0 |
| LED PREMIUM EXTERIOR LIGHTING GROUP — Includes front LED fog lamps, auto headlamps with automatic high beams, LED reflector headlamps and rain-sensitive windshield wipers | AFG | 0 | 0 | 0 |
| PREMIUM APPEARANCE GROUP — Includes chrome grille and front fog lamps with cornering function (not available with Convenience Group, Driver Convenience Group, Advanced Safety Group, LED Premium Exterior Lighting Group, Safety Group or Black Appearance Group) | ALU | 0 | 0 | 0 |
| PREMIUM CONVENIENCE GROUP — Includes remote proximity keyless entry, wireless charging pad, rain-sensitive windshield wipers, 7-inch TFT color cluster, automatic headlamps, Auto High-Beam Headlamp Control, Uconnect® 5 NAV with 10.1-inch display and Traffic Sign Information (requires ParkSense Front and Rear Park Assist⁵ or ParkSense Rear Park Assist⁵ speed control, and ACC with Stop and Go8; restrictions apply) | ADK | 0 | 0 | 0 |
| PREMIUM CONVENIENCE GROUP (B) — Includes wireless charging pad, rain-sensitive windshield wipers, 7-inch TFT color cluster, automatic headlamps, Auto High-Beam Headlamp Control, Uconnect 5 NAV with 10.1-inch display and Traffic Sign Information (requires speed control and ACC with Stop and Go8; restrictions apply) | AXD | 0 | 0 | 0 |
| SAFETY GROUP — Includes Digital Rearview Mirror with auto-dimming, power-folding/heated mirrors, front fog lamps with cornering, daytime running headlamps, ParkSense Rear Park Assist ⁵ and BSM ⁴ with Rear Cross-Path Detection ³ | AJ1 | 0 | 0 | - |
| SAFETY GROUP (A) — Includes power-folding/heated mirrors, front fog lamps, daytime running headlamps and BSM ⁴ with Rear Cross-Path Detection ³ | AXK | 0 | 0 | _ |
| | | | | |

^{• =} Standard 0 = Optional P = Available within Package — = Not Available

RAM PROMASTER® EXTERIOR COLORS



Bright White



Bright Silver Metallic



Ceramic Gray



Granite Crystal Metallic



Black



Sandstone Pearl



Spitfire Orange



Flame Red



Deep Cherry Red Crystal Pearl




Patriot Blue Pearl Coat


INTERIOR FABRICS




Black Cloth Standard



Black Vinyl Available



Black Bristol Leather Available



Black/Diesel Gray Bristol Leather Available

WHEELS



16-inch
Painted Steel Wheel
with Center Cap
Standard




16-inch
Black-Painted Steel Wheel
with Center Cap
Available



16-inch Satin Silver Alloy Wheel Available



16-inch
Diamond-Cut Alloy Wheel
with Black Pockets
Available



16-inch Gloss Black Alloy WheelAvailable

RAM PROMASTER® SPECIFICATIONS

| | CARGO VAN | | | | | | | | | WINDOV | OWED VAN CU | | WAY | | |
|---|------------------|------------------|--------------|------------------|--------------|--------------|------------------|--------------|--------------|--------------|--------------------|--------------|------------------|-----------|------------------|
| | | 1500 | | | 2500 | | | | 3500 | | | 2500 | 3500 | 35 | 00 |
| | 118" WB | 136" | WB | 136" | WB | 159" WB | 136" | WB | 159" WB | 159" WB, | EXTENDED | 159" WB | 159" WB, EXT. | 159" WB | 159" WB, EXT. |
| CAPABILITY | STANDARD ROOF | STANDARD ROOF | HIGH ROOF | STANDARD ROOF | HIGH ROOF | HIGH ROOF | STANDARD ROOF | HIGH ROOF | HIGH ROOF | HIGH ROOF | SUPER HIGH ROOF | HIGH ROOF | HIGH ROOF | 104.7" CA | 104.7" CA |
| GVWR ²⁵ (lb) | 8,550 | 8,550 | 8,550 | 8,900 | 8,900 | 8,900 | 9,350 | 9,350 | 9,350 | 9,350 | TBD | 8,900 | 9,350 | 9,350 | 9,350 |
| GCWR ²⁵ (lb) | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 | TBD | 12,000 | 12,000 | 12,000 | 12,000 |
| BASE CURB WEIGHT (Ib) | 4,538 | 4,636 | 4,747 | 4,643 | 4,746 | 4,900 | 4,672 | 4,795 | 4,921 | 4,919 | TBD | 4,953 | 5,076 | 4,134 | 4,182 |
| MAXIMUM PAYLOAD¹⁴ (Ib) | 4,010 | 3,910 | 3,800 | 4,260 | 4,150 | 4,000 | 4,680 | 4,560 | 4,430 | 4,430 | TBD | 3,950 | 4,270 | 5,220 | 5,170 |
| FRONT GAWR ²⁵ (lb) | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | 4,629 | TBD | 4,629 | 4,629 | 4,629 | 4,629 |
| REAR GAWR ²⁵ (lb) | 5,004 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | 5,291 | TBD | 5,291 | 5,291 | 5,291 | 5,291 |
| CURB-TO-CURB TURNING (ft) | 36.3 | 40.7 | 40.7 | 40.7 | 40.7 | 46.8 | 40.7 | 40.7 | 46.8 | 46.8 | TBD | 46.8 | 46.8 | 40.7 | 46.8 |
| MAXIMUM TOWING ¹⁴ (lb) SAE J2807 Compliant | 6,910 | 6,800 | 6,700 | 6,800 | 6,700 | 6,480 | 6,700 | 6,600 | 6,480 | 6,410 | TBD | 6,480 | 6,410 | 5,600 | 5,600 |
| DIMENSIONS | | | | | | | | | | | | | | | |
| BODY HEIGHT (in) | 91.7 | 93.0 | 103.6 | 93.0 | 103.6 | 102.1 | 93.0 | 103.6 | 102.1 | 102.5 | TBD | 102.1 | 102.5 | 87.3 | 87.3 |
| OVERALL BODY LENGTH (in) | 195.4 | 213.2 | 213.2 | 213.2 | 213.2 | 236.2 | 213.2 | 213.2 | 236.2 | 250.6 | TBD | 236.2 | 250.6 | 236.2 | 250.6 |
| VEHICLE WIDTH WITHOUT MIRRORS (in) | 81.3 | 81.3 | 81.3 | 81.3 | 81.3 | 81.3 | 81.3 | 81.3 | 81.3 | 81.3 | TBD | 81.3 | 81.3 | 81.3 | 81.3 |
| VEHICLE WIDTH WITH MIRRORS EXTENDED (in) | 112.2 | 112.2 | 112.2 | 112.2 | 112.2 | 112.2 | 112.2 | 112.2 | 112.2 | 112.2 | TBD | 112.2 | 112.2 | 112.2 | 112.2 |
| CARGO BODY LENGTH AT FLOOR (in) | 103.1 | 120.6 | 120.6 | 120.6 | 120.6 | 147.0 | 120.6 | 120.6 | 147.0 | 161.3 | TBD | 147.0 | 161.3 | _ | _ |
| CARGO WIDTH AT FLOOR (in) | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | 75.6 | TBD | 75.6 | 75.6 | _ | _ |
| CARGO WIDTH AT WHEEL WELL (in) | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | 56.0 | TBD | 56.0 | 56.0 | _ | _ |
| SIDE-DOOR OPENING WIDTH (in) | 42.3 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | TBD | 49.2 | 49.2 | _ | _ |
| SIDE-DOOR OPENING HEIGHT (in) | 58.5 | 58.5 | 69.1 | 58.5 | 69.1 | 69.1 | 58.5 | 69.1 | 69.1 | 69.1 | TBD | 69.1 | 69.1 | _ | _ |
| REAR-DOOR OPENING WIDTH (in) | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | TBD | 63.4 | 63.4 | _ | _ |
| REAR-DOOR OPENING HEIGHT (in) | 59.8 | 59.8 | 70.5 | 59.8 | 70.5 | 70.5 | 59.8 | 70.5 | 70.5 | 70.5 | TBD | 70.5 | 70.5 | _ | _ |
| MAXIMUM CARGO HEIGHT (in) | 66.9 | 66.9 | 77.1 | 66.9 | 77.1 | 77.1 | 66.9 | 77.1 | 77.1 | 77.1 | TBD | 77.1 | 77.1 | _ | _ |
| MAXIMUM CARGO VOLUME ¹⁴ (cu ft) | 259.2 | 303.7 | 352.9 | 303.7 | 352.9 | 420.2 | 303.7 | 352.9 | 420.2 | 462.9 | TBD | 420.2 | 462.9 | _ | _ |
| CAB TO REAR AXLE (in) | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | 104.7 | 104.7 |
| OVERHANGING REAR AXLE TO END OF FRAME (in) | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | 39.6 | 39.6 |

WB = wheelbase CA = cab-to-axle

| | PROMASTER® FIGURATIONS | | 500 | 25 | 500 | | 3500 | |
|---------------------|----------------------------|---------|-----------|---------|-------------------------------|-----------|----------|-------------------|
| | . 10 010 110 | 118" WB | 136" WB | 136" WB | 159" WB | 136" WB | 159" WB | 159" WB, EXTENDED |
| | STANDARD ROOF | 8' | 10' | 10' | | 10' | | |
| CARGO VAN | AVAILABLE HIGH ROOF | | 10' | 10' | 12' | | 12' | 13' |
| | AVAILABLE SUPER HIGH ROOF | | | | | | | 13' |
| CREW VAN PACKAGE | HIGH ROOF ONLY | | 6.4' 8.1' | 6.4' | 8.3' 10' | 6.4' 8.1' | 8.3' 10' | 9.5' |
| WINDOWED VAN | HIGH ROOF ONLY | | | | 12' | | | 13' |
| CUTAWAY | STANDARD ROOF ONLY | | | | HEIGHT ATING (AT 49" WIDE) | | | 104 |



THE DEALER NETWORK FOR YOUR BUSINESS.

Your commercial dealer is committed to providing you, the small business owner, with the vehicle support you need for your business—from servicing all makes and models of your existing lineup to selling you the right vehicles needed to perform the work that you do to providing next-in-bay service because we know downtime is costing you money. **Business Link** sales professionals are trained to properly "job-rate" the right vehicle for your work application and provide expertise in commercial financing options. Over 1,000 nationwide **Business Link** dealers are available to assist you and your business.

Membership is free. Membership helps us to identify you as a small business owner so we can provide you with both the service you deserve and update you with offers that can help reduce the cost of doing business. Enroll today!

Business Link has you covered.

- Full Range of Stellantis Commercial Vehicles Extended Service Hours
- Free Membership
- Priority Service

- Dedicated Staff of Commercial Vehicle Experts
- Free Alternate Transportation

- Commercial Incentives
- Expertise in Commercial Financing Options
- 24/7 Towing Service Available

For more information, go to

STELLANTISFLEET.COM/PROGRAMS/BUSINESS-LINK-DEALERS/ENROLLMENT.HTML

or call us toll-free at 877-2THLINK (877-284-3546)



INCENTIVES FOR SMALL BUSINESSES.

Running a business presents plenty of challenges. Like cutting costs, not corners. Like saving time and money while avoiding hassles. The ON THE JOB28 commercial incentive program provides assistance in customizing and servicing your business vehicles.

ON THE JOB²⁸ allowances make your business more profitable!

- UP TO \$1,000 Commercial Graphics Program Allowances²⁹
- UP TO \$1,000 Commercial Equipment/Upfit Allowances30

CHRYSLER CAPITAL

A commercial line of credit from Chrysler Capital is ideal for qualified business customers looking for a flexible, easy way to manage growing vehicle needs. Chrysler Capital streamlines the process—and with pregualification, you're ready to buy a vehicle when you need it. Ask your BusinessLink dealer for details.













Drive a vehicle with on-the-job street cred—and then take it to the next level. Here is where you'll find an exclusive collection of the useful, the cool and the stylish—from clothing and caps to coolers and tools. Make the Ram Brand identity part of your everyday lifestyle.

Official Branded Merchandise Site: RAM.COM/OUTFITTER

FEED YOUR NEED FOR RAM MERCHANDISE

Ram Truck owners don't view their trucks as just transportation but as extensions of themselves. Check out an exclusive line of gifts and accessories for the Ram Truck enthusiast. From authentic apparel to rugged work gear, as well as electronics and drinkware, all lifestyle items are as distinctive as your Ram Truck.

AMAZON.COM/RAMTRUCKSTORE













For more information, visit RAM.COM/PROMASTER



Join fellow Ram enthusiasts and tell your story by posting comments, participating in discussions, and sharing your photos and videos. Join our community on Facebook, Twitter, YouTube, TikTok, Instagram and LinkedIn.

RAM.COM/RAM-LIFE.HTML




acebook.com/ramtrucks




twitter.com/ramtrucks











instagram.com/ramtrucks





1 Class is based on Large Commercial Van segment (Class 2). 2 Class is based on Large Commercial Van segment (Class 2). Based upon the latest available current competitive information. Always check entire surroundings visually before proceeding. A Always check visually for vehicles prior to changing lanes. 5 Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. 6 This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 7 Traffic Sign Recognition is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Always check traffic signs visually while driving. 8 This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 9 Based upon Standard Safety and Technology Features on a ProMaster. 10 Intelligent Speed Assist is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic system is a driver convenience system. can impact recognition and display of the sign. Driver must remain aware of traffic conditions and maintain control of the vehicle. 11This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. 12 Always sit properly in designated seating positions with seat belts securely fastened at all times. 13 Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. 14 When properly equipped. See dealer for details. 15 Requires compatible iPhone. See dealer for phone compatibility. Data plan rates apply. Vehicle user interface is a product of Apple. Apple CarPlay is a trademark of Apple Inc. iPhone is a trademark of Apple Inc., registered in the US and other countries. Apple terms of use and privacy statements apply. 16 To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Google, Android, Android Auto and other marks are trademarks of Google LLC. 17 All vehicles properly equipped to receive connected services come with a three-month trial of the full suite of Ram Connect services effective from the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive service. Upon expiration of the trial period, purchase of a subscription is required to continue or renew services. Ram Connect is available only on equipped vehicles purchased within the United States, Canada and Puerto Rico. Services can only be used where cellular coverage is renew services. Ram Connect is available only on equipped vehicles purchased within the United States, Canada and Puerto Rico. Services can only be used where centural coverage is available. See the applicable Terms of Service for complete terms and conditions, including service limitations. 18 App features may vary between vehicle, model year, and the connected services available. 19 Your service will automatically stop at the end of your trial subscription unless you decide to continue service. If you do not wish to enjoy your trial subscription, you can cancel it by calling the number below. If you decide to continue service after your trial subscription, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. Please see our Customer Agreement at www.siriusxm.com for complete terms and how to cancel, which includes calling us at 1-866-635-2349. All fees, content and features are subject to change. 20 Part numbers vary by wheelbase. 21 Available only at time of vehicle order. 22 Backed by the 3-Year/36,000-Mile Basic Limited Warranty. Visit www.Mopar.com for complete details and a copy of the Basic Limited Warranty. As Queen the paying the payin load capacity and heavy-duty equipment required. Do not exceed rated tow.capacity of the vehicle as equipped. Trailer may require items not supplied by Mopar. 24 Not available for vehicles equipped with 118-inch wheelbase. 25 Assumes properly equipped vehicle and 150-lb allowance for driver. Additional options, equipment, passengers and cargo weight must be subtracted.

See dealer for details. 26 Check state and local laws regarding the use of remote start systems. 27 Vehicle must be locked and system activated for alarm to sound. 28 ON THE JOB is a retail incentive program; see your dealer for official rules. Inquire about eligibility by calling 877-ONTHEJOB or by logging on to stellantisfleet.com/programs/business-link-dealers/enrollment.html. The purchaser or lessee must be a qualified commercial customer for more than 30 days prior to the date of the vehicle purchase. An official ON THE JOB Customer Acknowledgment Form must be signed by the customer (provided by the dealer). 29 Allowance varies by graphic program. See dealer for details. Take retail delivery by 01/02/2024. 30 Allowance varies by upfit and model. See dealer for details. Take retail delivery by 01/02/2024.

©2023 FCA US LLC. All Rights Reserved. Ram, Mopar, Ram ProMaster, the Ram's Head logo, the Business Link design, LaneSense, ParkSense, ParkView, Pentastar and Uconnect are registered trademarks, and DriveAbility & design and the On The Job design are trademarks of FCA US LLC. Chrysler Capital is a registered trademark of FCA US LLC and licensed to

Sortimo is a registered trademark of Sortimo International GmbH. Knapheide is a registered trademark of Knapheide Manufacturing Company. Facebook and logo are registered Solution is a legistered trademark of North international diffusion internation diffusion international diffusion internation diffusion internation diffusion internation diffusion internation diffus logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. TikTok is a trademark of byteDance Ltd. TomTom is a registered trademark of TomTom International BV. Amazon and all related logos and marks are trademarks of Amazon.com, Inc. or its affiliates. Nexen is a trademark of Nexen Tire Corporation. IGL00 is a trademark of Igloo Products Corp.

ABOUT THIS CATALOG: Since the time of publication, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.