

FROM THE BACK BLOCKS TO THE CONCRETE CANYONS.

THE JACKAROO SE CAN TAKE THE ROUGH WITH THE SMOOTH.

Years in the bush have meant learning a few survival tricks. Like power mirrors that fold in for narrow tracks. Years in town have given it a more polished side. From obvious things like the new exterior styling, to smaller acknowledgments of civilization, like remote central locking. a compact disc player, and optional air conditioning.

Jackaroo SE and Monterey models now come with a wider wheel track and re-tuned suspension. The benefits are superior straight line stability, tracking and enhanced overall ride quality. This improved ride quality results from increased rear suspension travel, and is particularly noticeable when the wagon is laden or travelling in rough road conditions.







FEATURES:

spotlamps.

Pushbutton cor for Shift-On-The eather-wrap steering wheel. Map reading



Power window


central locking keyless entry. Anti-lock Brakin System optiona SE automatic.

Standard on ev are driver and









JACKAROO DIESEL











FEATURES:

118kW of power at 3900rpm, 333Nm of torque at 2000rpm.

Turbocharger for responsive highway and towing performance.

Limited slip differential.

Electronic engine immobiliser.
Tachometer.



All Jackaroo diesel models offer the choice of four speed automatic transmission. It's standard on Monterey.





ROUGHINGSIT

MONTEREY OFFERS A CHOICE OF TURBO DIESEL OR V6 PETROL ENGINES WITH AUTOMATIC TRANSMISSION.

FEATURES:

Torque On Demand,[™] to adjust torque split between front and rear wheels for better traction.

Anti-lock Braking System.

Headlamp washer/wipers. Fog lamps integrated in bumper.

Automatic climate control air conditioning for total passenger comfort.


6 disc CD changer, with 6 speaker sound system.

Monterey is a supremely comfortable way to tow a horse float, boat, off-road camper trailer or round-Australia caravan.


Sports-style alloy wheels further complement Monterey's presence on the road.

Wide track and wheel arch flares bring a

This is the top of the range. And the view from the top is something to behold. The Monterey is loaded with luxurious appointments like electrically adjustable driver and passenger seats, leather upholstery, chrome mirrors, leather wrap gear shift and hand brake, a light touch of wood grain trim, and an environment meter complete with compass, altimeter, external thermometer and barometer.








Typical Jackaroo. It just goes and goes and goes. It won't rest until you tell it to. You have two choices. A 3.5 litre V6 petrol or a 3.0 litre 4 cylinder intercooled turbo diesel. Both are quiet, reliable and durable. Both provide a high level of power and responsiveness. The sort of power you'd expect to find only in large 4WD's, but with the responsiveness and manoeuvrability of a mid-sized 4WD. Both are as eager as a couple of cattle dogs.

3.5 V6 DOHC 158KW PETROL ENGINE

The 3.5 litre DOHC 24 valve V6 petrol engine features a variable induction system.

- 158kW of power at 5400rpm, 310Nm of torque at
- Variable induction system, with variable length intake runners for improved low-end torque.
- The variable intake manifold changes the length of the induction tract by opening and closing valves in the induction system.
- The valve is closed at low to medium engine speeds. thus providing a long tract length and high low-end
- At high engine speeds the valve is opened, improving peak performance.
- Fuel aimed at the inlet valve utilises valve heat for thorough vaporization. This promotes better combustion, stable idle and reduced exhaust
- Scissor-gear driven camshafts eliminate free play for quieter operation.
- Deep-skirt block design, and four vertical and two horizontal main bearing cap bolts, combine to maximise block stiffness and bearing durability.






3.0 DOHC 16 VALVE **4 CYLINDER DIRECT** INJECTION TURBO DIESEL WITH INTERCOOLER.

With the acclaimed diesel available on all models, the freedom of the open road has never been easier to access. And it is the most powerful diesel in its class.

- 118kW power at 3900rpm, 333Nm of torque at 2000rpm.
- · Four cylinder, intercooled turbo design.
- · Intercooler keeps intake air at optimum temperature for maximum combustibility.
- · Alloy cylinder head for light weight and efficient engine cooling.
- · High pressure fuel injection for improved vaporization, combustion, enhanced fuel efficiency, lower emissions.
- · Engine oil cooler.
- · Aluminium crankcase for reduced noise and better
- · Twin balance shafts and high rigidity cylinder block contribute to low noise, and vibration reduction.
- · 'Drive-by-wire' throttle for precise pedal feel.
- · Self-tensionina timina belt for auietness, reliability and serviceability.
- Designed to meet strict Euro 2 emissions standards.









THERE ARE SOME THINGS NO JACKAROO WOULD GO WITHOUT.

It's a question of survival. Over the years, over the suspension shattering roads of the Flinders, the Kimberlevs and the Pilbara, over unmarked mountain

tracks, over places that have never felt the tread of a solid 4x4, we've learnt what it takes to survive.

Every Jackaroo comes with independent front and four link rear-coil suspension. Our SE and Monterey models have Wide Track, And the V6 models, with their focus on performance, offer dynamic handling and pin-sharp steering. There's absolutely no doubt, they've got what it takes,



Logical Window Switches. The electric window controls on SE & Monterey, are conveniently for improved visibility and safety. positioned on the door armrests, and angled towards the occupants to make them easier to operate.



High Visibility 5 rear brake lights and 4 indicators



Centre Console. A centre console with both driver and passenger access, houses the controls to heat, adjust, and fold in the exterior mirrors on the SE and




Secure Storage. rear seats has space to store larger valuables. The lockable glove box is friendly, air conditioning system. the choice for smaller items.



Air Conditioning A compartment concealed under the Optional on Jackaroo and SE is a state of the art, environmentally



Side Impact beams. Sturdy beams in the side doors help reduce the chance of injury in the event of an accident.



damping between

chassis and body

vibration transfer

minimises road

to increase passenger

clearance with

confidence.

line stability and

but also a wide.

handsome stance.

trackina.

Excellent Manoeuvrability. Practical design combines a long wheelbase with relatively short overall length to give amazing manoeuvrability. The turning circle is a practical 11.6 metres. The approach and departure angles are an impressive 40 degrees and 31 degrees respectively, so you can get out of tight spots in the bush vet still move around with ease in the city.





for long range

Ventilated disc

wheels stay

brakes on all four

cooler and resist

repeated heavy

fading even under

between refuels.

comfortable

towing vehicle.

Strong Chassis. The strength and construction techniques of the box chassis reflect Jackaroo's reputation in the 4WD world as a robust. reliable workhorse.

Limited slip differential.

A limited slip rear differential is standard on every model. This automatically transfers power to the rear wheel with the best grip, helping to improve traction and handling.



Electric Seats.

Off-road driving demands a commanding seating position. Monterey makes it easier to achieve, with electric driver's seat adjustment for legroom and height. The front passenger seat also slides electrically, to optimise legroom for a comfortable journey.



16" wheels come in alloy on the SE (shown above) & Monterey models. Tyres have been upgraded with reinforced construction for better puncture resistance on all models.



Integrated Control Stalks.

Stalk mounted controls are easily reached. The wiper/cruise control, standard on SE and Monterey petrol models, incorporates a mist function for misty days.



Auto Transmission

4 Speed electronic automatic transmission is optional on all Jackaroo petrol and diesel models with winter, power and economy modes to increase control in all conditions.







THE SMARTEST WAY TO OWN A NEW HOLDEN

Smart choices.

A smart way to get into a new Holden is by talking to Holden Financial Services. A wide range of options is on offer and you can select the terms. conditions and pricing structure to best suit your lifestyle. The SmartChoices range offers affordable. flexible, low monthly repayments1 and the security of a guaranteed minimum buyback price.2 For more information contact your Holden Dealer or call Holden Customer Assistance on 1800 033 349.

Smartcare.

Holden offers a range of competitively priced insurance products that provide tailor-made protection. The SmartCare comprehensive policy offers new car replacement, agreed value and a genuine Holden Approved parts guarantee plus a range of additional premium beneifts.3 For more information see your local Holden Dealer or call the Holden SmartCare Hotline on 1800 060 094.

The Holden MasterCard.

With the Holden MasterCard, 5% of every dollar you spend on credit purchases goes toward your rebate on a new Holden⁴ You can redeem a maximum core rebate of \$3000 on any new Holden.4 Use your Holden MasterCard at exclusive Holden MasterCard Bonus Partners and you'll receive an extra 1% bonus rebate that you can earn. You'll also pay no annual card fee in the first year, get up to 45 days interest free on credit card purchases, and a competitive rate of interest.5 To apply, visit any Westpac/Challenge Bank/Bank of Melbourne branch, your local Holden Dealer or call the Holden MasterCard 24-hour customer line on 1300 650 696.

The package wouldn't be complete without extra peace of mind.

We're with you all the way.

Holden drivers are backed by the most comprehensive customer care package on the road. With over 300 dealers and 900 Roadside Assistance centres nationwide, few other cars in Australia are supported with the level of customer care offered to Holden owners.

3 year or 100.000km New Vehicle Warranty.

Your peace of mind, guaranteed, Every Holden comes with a 3 year or 100,000km New Vehicle Warranty,6 whichever comes first. This factory backed bumper to bumper warranty covers everything including the engine, transmission, clutch, interior and exterior components.

An extended New Vehicle Warranty is able to be purchased. For more details, contact Holden Customer Assistance on 1800 033 349 or your Holden Dealer.

3 vear/24 hour Roadside Assistance.

Go anywhere, anytime, with complete confidence. Holden Roadside Assistance, one of Australia's most comprehensive assistance packages, is complimentary for 3 years or 100,000km, whichever comes first.7

In the event of the unexpected happening, from your keys being locked in the car to mechanical and accident advice, you can get in touch with our 24 hour hotline, 365 days of the year, by calling the tollfree number 1800 817 100.

This service is delivered by Assist Australia and the combined resources of the Australian motoring organisations.

A decidedly different level of service.

Dealer support when you need it, where you

With dealers strategically located nationwide, the Holden Service Network is the largest in the country. Our service centres are staffed by a team of trained technicians who have access to regular factory training, bringing them up to speed on the latest technology.

If you want to know more about the extensive benefits of Holden ownership, contact Holden Customer Assistance on 1800 033 349, Monday -Friday, 8am - 6pm. EST.

Fees and charges apply. For the annual percentage rate applicable to you contact your local Holden Dealer. 2. Conditions apply. A disposal fee of \$385 (inc1 GST) applies plus charges for excess wear and tear or excess kilometres may also apply. apply. A disploan led of \$550 (inc 1937) applies plus charges for exclusions what and deal of exclusions may also apply. 3. Refer to the policy wording for specific terms, conditions and exclusions. 4. Earning and redemption of rebate is subject to the Holden MasterCard Rebate Program Rules. A maximum of \$3000 in the form of Holden MasterCard 'core' rebate folias any additional "bonus" rebate accumulated via the partner program) accrued over a maximum of 5 years may be applied per eligible vehicle purchased. Webigle sales for which a fleet allowance is paid are not eligible for Holden MasterCard. applied par engine vertice por charge. Vertice sales for which a new anowards is but all the loc disjoint for houter twister are rebate. 5. The interest-free period applies where the card account is fully paid by the due date each month. 6. Refer to your owner's handbook or see your Holden Dealer for full terms and conditions. 7. Roadside Assistance may not be available in some rural areas. Refer to your Holden Roadside Assistance booklet or see your Holden Dealer for terms and conditions.







JACKAROO







Radiant Red





Fiord Blue metallic



Alpine White

Empire Blue mica





Light Silver metallic

Ebony Black



Moonmist Grev



Light Silver metallic



Empire Blue mica Light Silver metallic

Beige leather Monterey interior

Grev Jersev

Jackaroo interior

Grev Moquette

Jackaroo SE interior





Moonmist Grev





Moonmist Grev

Satin Gold metallic Moonmist Grev



	JACKAROO	J. DIESEL	SE	SE DIESEL	MONTEREY	M. DIESEL
POWERTRAIN	_	_				_
158kW, 3.5 litre V6 petrol engine.	S		S		S	
118kW, 3.0 litre 4 cyl. turbocharged diesel engine.		S		S		S
Air cleaner snorkel.	Α		Α		Α	
5-speed manual transmission.	S	S	S	S		
Electronic control 4-speed automatic transmission. Power, winter & economy mode.	0	0	0	0	S	S
Shift-On-The-Fly 4WD selection.	S	S	S	S		
Torque On Demand TM (TOD) to apply torque to front wheels as conditions demand.					S	S
Cruise control.		Α	S	Α	S	Α
Limited slip differential.	S	S	S	S	S	S
MECHANICAL						
Power steering. Variable assist.	S	S	S	S	S	S
Independent Front Suspension.	S	S	S	S	S	S
Coil spring rear suspension.	S	S	S	S	S	S
Anti-lock Braking System (ABS). 3-channel, 4 sensor. (Option only avail. with auto trans.)			Р	Р	S	S
WHEELS						
16 x 7JJ steel wheels. Chrome centre cap.	S	S				
16 x 7JJ alloy wheels. Chrome centre cap.	Α	Α				
16 x 7JJ five spoke alloy wheels. Chrome centre cap.			S	S		
16 x 7JJ 12-spoke alloy wheels. Chrome centre cap.					S	S
245/70R16 107S tyres. (Permissible aftermarket fitment of LT 225/75R16 106S or LT 235/70R16 108N tyres.)	S	S	S	S	S	S
EXTERIOR						
Colour coded grille with chrome inserts.	S	S	S	S	S	S
Rocker panel protection moulding, below door line.			S	S	S	S
Chrome window surrounds.					S	S
Chrome trim on exterior mirrors.					S	S
Side steps.	Α	Α	Α	Α	Α	Α
Foglamps, front. Integrated into bumper.					S	S
Driving lamps.	Α	Α	Α	Α	Α	Α
Headlamp guards.	Α	Α	Α	Α	Α	Α
Bonnet protector.	Α	Α	Α	Α	Α	Α
Radiator insect screen.	Α	Α	Α	Α	Α	Α
Nudge bar.	Α	Α	Α	Α	Α	Α
Bullbar. Airbag compatible. (Monterey: deletes fog lamps.)	Α	Α	Α	Α	Α	A
Wheel arch flares.			S	S	S	S
Mudflaps (flexible) front & rear.	S	S				
Mudflaps (moulded) front & rear.			S	S	S	S

Bodyside mouldings & bumper inserts.

Monotone paint with clear coat.

FEATURES

	JACKARO	J. DIESE	2	SE DIESE	MONTERE	M. DIESE
Two-tone paint.			S	S	S	S
Door handles in chrome.			S	S	S	S
Rear window dust deflector.	S	S	S	S	S	S
Full stainless steel long life exhaust system.	S		S		S	
Spare wheel cover, vinyl.			S	S		
Spare wheel hard cover.					S	S
Spare wheel hard cover (2 piece Light Silver metallic).	A	Α	А	А		
Corrosion protection.	S	S	S	S	S	S
Underbody impact protection package for: Transfer case. Radiator. Fuel tank.	S	S	S	S	S	S
Underbody impact protection package for exhaust.	S		S		S	
DRIVER						
Leather-wrap steering wheel.			S	S		
Leather-wrap & woodgrain-style steering wheel.					S	S
Steering wheel height adjust.			S	S	S	S
Leather on gear shift, handbrake & 4WD transfer control lever.					S	S
Power mirrors. Power fold-in. Heated.			S	S	S	S
Wipers intermittent setting.	S	S				
Wipers variable intermittent.			S	S	S	S
Headlamp wipers & washers.					S	S
Rear window wiper/washer. Intermittent.	S	S	S	S	S	S
Demist, auto off.	S	S	S	S	S	S
Remote fuel filler door release.	S	S	S	S	S	S
Digital clock.	S	S	S	S	S	S
Headlamps left on, audible warning.	S	S	S	S	S	S
Tachometer.	S	S	S	S	S	S
Gauges: Temperature. Fuel.	S	S	S	S	S	S
- Oil pressure. Volts.	S	S	S	S		
Multi-function clock: Time. Average speed. Stopwatch. Service reminder. Outside temperature.			S	S		
Environment meter: Compass. Outside temperature. Barometer. Altitude.					S	S
Dual trip meter function.	S	S	S	S	S	S
Warning lamps include: Oil pressure. Alternator. Low fuel. 4WD engaged.	S	S	S	S	S	S
- Torque On Demand™ (TOD) status.					S	S
- Check engine.	S		S		S	
- Fuel sediment.		S		S		S
- Auto transmission oil temperature. Check transmission. (Fitted with auto trans.)	0	0	0	0	S	S
 - Auto transmission 'gear selected' indicator in instrument cluster. Winter or power mode selected. (Fitted with auto trans.) 	0	0	0	0	S	S
- Brake failure. Parking brake on. Fasten seat belt reminder at engine start.	S	S	S	S	S	S
- Low brake vacuum.		S		S		S

四月四日

	JACKARO	J. DIESI	-	SE DIES	MONTERE	M. DIESI
SOUND SYSTEM					Н	
AM/FM stereo electronic tune radio. Local/distant selector switch. Automatic station store memory.	S	S	S	S	S	S
Preset station scan.	S	S	S	S	S	S
Cassette player. Auto reverse.	S	S			S	S
Automatic program search.	S	S	S	S	S	S
Dolby noise reduction.	S	S			S	S
Metal tape equalisation.					S	S
Blank tape skip.	S	S			S	S
Compact disc input socket.	S	S				
Compact disc player (single disc).	Α	А	S	S		
Compact disc changer (6 disc).					S	S
Six speaker elements	S	S	S	S	S	S
SEATING						
Seat trim in full cloth. Jersey trim.	S	S				
- Moquette trim.			S	S		
- Leather trim.					S	S
Bucket front seats.	S	S	S	S	S	S
- 'Captain seat' inboard armrest on each.			S	S	S	S
Front seat head restraints, padded. Height adjust.	S	S	S	S	S	S
Driver seat height & cushion tilt adjust.			S	S	S	S
Electric front seats, heated & adjustable. Driver 4-way: fore / aft & height. Passenger 2-way: fore / aft.					S	S
Driver's left footrest.	S	S	S	S	S	S
Split reclining rear seat – 10 positions.	S	S	S	S	S	S
Third row rear seats.	S	S	S	S	S	S
Driver & front passenger airbag.	S	S	S	S	S	S
Front seat belt sash height adjust.	S	S	S	S	S	S
Seat belts lap/sash, retracting, front & rear window seats.	S	S	S	S	S	S
Rear seat centre armrest.	S	S	S	S	S	S
Two height adjustable rear head restraints.	S	S	S	S	S	S
CHILDREN					П	
Rear seat child restraint anchor points.	S	S	S	S	S	S
Childproof rear door & end gate locks.	S	S	S	S	S	S
Power window override switch.			S	S	S	S
CABIN COMFORT						
Air conditioning.	0	0	0	0		
Climate control air conditioning.	т	П		Ť	S	S
Bronze tinted side & rear windows.	S	S	S	S	S	S
Power windows, front & rear. Illuminated	Ť	Ť	S	S	S	S
switches. Express down driver's window.						
Cigarette lighter & ashtray, front.	S	S	S	S	S	S
Ashtray, rear.	S	S	S	S	S	S
Vanity mirror, passenger side.	S	S	S	S	S	S

Interior lighting has time delay on entry.

	JACKAROC	J. DIESE	15	SE DIESEI	MONTERE	M. DIESE
'Courtesy lamps,' front doors.	S	S	S	S	S	S
Map reading spotlamps, front. Card holder.			S	S	S	S
Cut pile carpet, front & rear.	S	S	S	S	S	S
Rubber floor mats, front. Heavy duty.	Α	Α	Α	Α	Α	Α
Carpeted floor mats, tailored.	Α	Α	Α	Α	Α	Α
Woodgrain style trim, all doors & glovebox.					S	S
Driver assist grip on windscreen 'A' pillar.	S	S	S	S	S	S
Passenger overhead assist handles, front & rear.	S	S	S	S	S	S
Windscreen sunshade, front.	Α	Α	Α	Α	Α	Α
Weathershield, in standard width or slimline, driver & front passenger window.	A	A	Α	Α	Α	Α
Weathershield, slimline, rear windows.	Α	Α	Α	Α	Α	Α
STORAGE, CARGO, TOWING						
Twin cup holders in centre console.	S	S	S	S	S	S
Rear armrest cup holders.	S	S	S	S	S	S
Glovebox with lamp.	S	S	S	S	S	S
Centre facia storage compartment.	S	S			S	S
Centre console compartment.	S	S	S	S	S	S
Front door storage bins.	S	S	S	S	S	S
Storage pocket rear of driver & passenger seat.	S	S	S	S	S	S
Storage compartment under rear seat.	S	S	S	S	S	S
60/40 split fold rear seat.	S	S	S	S	S	S
Cargo safety barrier.	Α	Α	Α	Α	Α	Α
Spare wheel & tyre mounted on back door.	S	S	S	S	S	S
70/30 split rear doors.	S	S	S	S	S	S
Load tie-down rope hooks.	S	S	S	S	S	S
Carpeted cargo area. Cut pile.	S	S	S	S	S	S
Cargo liner, including end gate.	Α	Α	Α	Α	Α	Α
Heavy duty cargo floor mat.	Α	Α	Α	Α	Α	Α
Lamp in cargo area. End gate switch.	S	S	S	S	S	S
12 volt outlet in cargo area.	S	S	S	S	S	S
Aero style roof carry bars. Additional accessories include basket & attachments for sailboard, ski rack.	A	A	А	Α	А	A
Towing equipment.	Α	Α	Α	Α	Α	Α
Tow hook front & rear.	S	S	S	s	S	S
SECURITY	3	3	3	3	3	
Remote lock controller key flashes hazard lamps & operates dome lamp.			S	S	S	S
Operates central locking for keyless entry.	f	f	S	S	S	S
- Enables / disables alarm system.			S	S	S	S
- Unlocks / locks end gate.	f	f	S	S	S	S
Red interior warning lamp shows for 10 seconds that vehicle is protected, then flashes			S	S	S	S
Engine disabled to immobilise vehicle when key removed from ignition.	S	S	S	S	S	S
Audio system security electronics using PIN.	S	S	S	S	S	S

요리용리는리

	3.0 LITE TURBO			ROL		
ENGINE	4 cylinde	rs, in-line.	6 cylinders, V	-configuration.	BRAKES	
	Twin bala	nce shafts.				
	Alumini	um alloy	Alumini	um alloy	SUSPENSION	Fr
	head 8	sump.	head, block	& crankcase.		
	Do		camshafts oper per cylinder.	ate		R
	EI		ntial fuel injection	on.	STEERING	
			Engine ma	anagement	TRACK (mm)	Jacka
			syst	tem.	SE & I	Monte
		Computer	diagnostics.		TURN CIRCLE (kerb	to ker
			High energy	, integrated,	OFF ROAD (Degree	s)
			coil-per-cylir	nder ignition.		
	Common rail		Multipoint p	ort injection.	WHEELBASE (mm)	
	injection f combustion. D				EXTERIOR DIMENS	IONS
		rger with	Version	e length		
	interd	-		nanifold.		Jacka
			Stainless st	eel exhaust.	SE & I	Monte
BORE × STROKE (mm)	95.4 x	104.9		x 85.0	INTERIOR DIMENS	IONS (
CAPACITY (cc)	29	99	34	194	Jacka	roo Fr
COMPRESSION RATIO (:1)	19	1.0	9	.1		R
RECOMMENDED PETROL			91 RO	N (ULP)	CARGO (L)	
OCTANE RATING						
POWER (DIN, kW)	118@3	900rpm	158 @ 5	5400rpm	TOWING (kg)	
TORQUE (DIN, Nm)	333 @ 2	:000rpm	310@	3000rpm		
FUEL TANK (L)		8	35		FRAME	
GEAR RATIOS (:1)	Manual	Auto	Manual	Auto	KERB WEIGHT (Est	. kg)
1st	3.954	2.804	3.954	2.856		Jacka
2nd	2.330	1.532	2.330	1.618		Monte
3rd	1.436	1.000	1.436	1.000	-	wonte
4th 5th	1.000	0.705	1.000	0.723	PAYLOAD (kg)	
	0.788	15.1.4.000	0.788			Jacka
TRANSFER GEAR RATIOS		High: 1.000	Low: 2.051			Monte
FINAL DRIVE RATIO (:1)		4	300		SERVICE	
CLUTCH/ CONVERTER Manual	Diaphrag	m coring proces	ire plate. Dry sin	alo clutch		
CONVERTER IMANUAL			orings. Diameter			
Automatic			up on 2nd, 3rd			
AXLES Front			d axle tube, full			
Hone		-	offset joint. Cap	-		
Rear			h limited slip dit			

CDECICICATIONS

	3.0 LITR TURBO			TRE V6 TROL			
BRAKES		Four wheel v	entilated disc.				
	Disc diameter: front 280mm, rear 313mm.						
SUSPENSION Front		Independent wishbone arms. Torsion bar springs.					
Rear	Stabiliser bar. Gas pressurised double acting dampers.						
Rear	4 link. Coil springs with stone guard. Gas pressurised dampers.						
STEERING	Recirculating ball. Engine speed sensitive power assist.						
TRACK (mm) Jackaroo	Front: 1455 Rear: 1460						
SE & Monterey	Front: 1515 Rear: 1520						
TURN CIRCLE (kerb to kerb, m)		1	1.6				
OFF ROAD (Degrees)	Gradeabilit	y Approa	ch angle De	parture angle			
	42		10	31			
WHEELBASE (mm)		27	760				
EXTERIOR DIMENSIONS (mm)	Length	Width	Height	Ground			
				clearance			
Jackaroo	4775	1745	1840	205 at GVM			
SE & Monterey	4775	1835	1840	205			
INTERIOR DIMENSIONS (mm)	Leg	Shoulder	Head	Hip			
Jackaroo Front	1036	1455	1010	1364			
Rear	993	1455	1010	1359			
CARGO (L)	Rear seat up. To top of seatback: 1203						
		Rear seat dow	n. To roof: 244	6			
TOWING (kg)			500	_			
			Dealer for deta				
FRAME			section. Welde				
KERB WEIGHT (Est. kg)	Manual	Auto	Manual	Auto			
Jackaroo	2045	2045	1925	1940			
SE Monterey	2125	2125 2190	2005	2020 2085			
PAYLOAD (kq)	Manual	Auto	Manual	Auto			
Jackaroo SF	555 475	555 475	675 595	660 580			
Monterey	4/5	410	292	515			
SERVICE			3 months (lab				
	Service		0,000km or 6 r comes first.	nunurs,			
		wilchever					
			Extended life 100,000km				
				ed spark plugs.			
				ealer 'Tech 2'			
				ised analysis			
			1	for engine			
			managem	nent system.			

A word about this catalogue. We have treat to make this catalogue as comprehensive and factual as possible. Forever, mice the time of printing some of the information, vol.17 find here may have been updated. Also, some of the equipment shown or described through this catalogue may have been updated. Also, some of the equipment shown or described through this catalogue may have changes at any firm evillation focis, in prices, colours, materials, equipment and models. You change at any firm evillation focis, in prices, colours, materials, adjustment and models. You change the price of the prices of