

holden.com.au





VECTRA




NEW VECTRA. NEW THINKING. One glance tells you this Vectra is all new. An uninterrupted sweep from nose to tail. A new balance of mould breaking design and cutting edge technology. And a purposeful, yet understated, stance on the road. Designed and engineered in Europe to exacting

standards, the Vectra range won Europe's coveted Golden Steering Wheel Award in 2002. From the CD hatch and sedan to the CDX and CDXi hatches, the Vectra range reflects a new confidence, challenging convention, rewriting rules and delivering all-new levels of performance, refinement and driving pleasure.



3.2 Litre V6 Engine (155 kW)







































iberis neu

As these are printed colours and not actual samples, variations between those illustrated and actual paint/trim may occur. Metallic paints may be an extra cost item and certain colours may not be available from time to time. Customers are encouraged to contact their Holden Retailer for current colour availability.







The Vectra range gives you the confidence to drive. Holden adds to that a sense of security with Holden SmartChoices.

SMARTCHOICES

A smart way to get into a new Holden is by talking to Holden Financial Services. A wide range of options is on offer and you can select the terms, conditions and pricing structure to best suit your lifestyle. The SmartChoices range offers affordable, flexible, low monthly repayments¹ and the security of a guaranteed minimum buyback price.² For more information contact your Holden Retailer or call Holden Customer Assistance on 1800 033 349.

SMARTCARE

Holden offers a range of competitively priced insurance products that provide tailor-made protection. The SmartCare comprehensive policy offers new car replacement, agreed value and a Holden Approved parts guarantee plus a range of additional premium benefits.³ For more information see your local Holden Retailer or call the Holden SmartCare Hotline on 1800 060 094.

THE HOLDEN MASTERCARD

With the Holden MasterCard, 5% of every dollar you spend on credit purchases goes toward your rebate on a new Holden.⁴ You can redeem a maximum core rebate of \$3000 on any new Holden.⁴ Use your Holden MasterCard at exclusive Holden MasterCard Bonus Partners and you'll receive an extra 1% bonus rebate. Holden Retailers are Bonus Partners. When you make a credit purchase at a Holden Retailer you'll earn a 2% bonus rebate.⁵ You'll also pay no annual fee in the first year, get up to 45 days interest free on credit card purchases, and a competitive rate of interest.⁶ To apply, visit any Westpac/Challenge Bank / Bank of Melbourne branch, your local Holden Retailer or call the Holden MasterCard 24-hour customer line on 1300 650 696.

THE PACKAGE JUST WOULDN'T BE COMPLETE WITHOUT THAT EXTRA PEACE OF MIND

WE'RE WITH YOU ALL THE WAY.

Holden drivers are backed by one of the most comprehensive customer care packages on the road. With over 300 Retailers and 900 Roadside Assistance centres nationwide, few cars in Australia enjoy the level of customer care offered to Holden owners.

3-YEAR OR 100,000KM NEW VEHICLE WARRANTY.

Your peace of mind, guaranteed. Every Holden comes with a 3-year or 100,000km New Vehicle Warranty, whichever comes first. This factory backed warranty covers items including the engine, transmission, interior and exterior components.

A Holden Extended Warranty is able to be purchased. For more details, contact Holden Customer Assistance on 1800 033 349 or your Holden Retailer

3-YEAR/24-HOUR ROADSIDE ASSISTANCE.

Go anywhere, anytime, with complete confidence. Holden Roadside Assistance, one of Australia's most comprehensive assistance packages, is complimentary for 3 years.⁸

In the event of the unexpected happening, from your keys being locked in the car to mechanical and accident advice, you are able to get in touch with our 24-hour hotline, 365 days of the year, by calling the toll-free number 1800 817 100.

This service is delivered by Assist Australia and the combined resources of the Australian motoring organisations.

A DECIDEDLY DIFFERENT LEVEL OF SERVICE.

Retailer support when you need it, where you need it. With Retailers strategically located nationwide, the Holden Service Network is one of the largest in the country. Our service centres are staffed by a team of trained technicians who have access to regular factory training, bringing them up to speed on the latest technology.

If you want to know more about the extensive benefits of Holden ownership, contact Holden Customer Assistance on 1800 033 349, Monday–Friday, 8am–7pm and Saturday 9am–1pm EST.

SPECIFICATIONS

per cylinder. Direct (distributorless) ignition controlled by engine management system. Sequential multipoint fuel injection. Selective knock control. Electronic throttle control. Electric cooling fan. Aluminium cylinder Aluminium cylinder head, block & sump. Aluminium cylinder head.	Highway	2.2 16V EC Manual 8.5 5.8 Rack & pinic Road Independe aluminium u subframe.
per cylinder. Direct (distributorless) ignition controlled by engine management system. Sequential multipoint fuel injection. Selective knock control. Electronic throttle control. Electric cooling fan. Aluminium cylinder head, block & sump. 4 cylinders, in-line. Twin balance shafts. Dual mass flywheel. Variable intake (L/100) Aluminium controlled by engine nage into point in the control i	Okm) City Highway DL TANK (L) RING ENSION Front	8.5 5.8 Rack & pinic Road Independe aluminium u subframe.
Aluminium cylinder head, block & sump. 4 cylinders, in-line. Twin balance shafts. Dual mass flywheel. Variable intake Aluminium cylinder head. 6 cylinders. V-configuration. SUSPI	RING ENSION Front	Road Independe aluminium u subframe.
head, block & sump. head. 4 cylinders, in-line. Twin balance shafts. Dual mass flywheel. Variable intake Multi-Ram, variable	ENSION Front	Road Independe aluminium u subframe.
Twin balance shafts. V-configuration. Dual mass flywheel. Variable intake Multi-Ram, variable		aluminium u subframe.
	Rear	Independer
mamoid.	ricui	
Oil/water heat exchanger. Warms cold oil, cools hot oil.		longitudinal ar
Ignition coil per cylinder, over each spark plug.		
BORE x STROKE (mm) 86.0 x 94.6 87.5 x 88	K (mm)	
CAPACITY (cc) 2198 3175		
COMPRESSION RATIO 10.0	CIDCLE ()	F
	CIRCLE (m) to kerb)	
TORQUE (ECE, Nm) 203 @ 4000rpm 300 @ 4000rpm BRAK	ES	Fc
GEAR RATIOS Manual Auto Manual Auto (:1) 1st 3.58 4.68 3.38 4.68 2nd 2.02 2.94 1.88 2.94	Anti-lock Braking System (ABS)	
	ctronic Brakeforce Distribution (EBD)	
Final Drive Ratio 3.95 2.65 4.05 2.44	Emergency Brake Assist (EBA)	
RECOMMENDED 91 (ULP). 95 (PULP). PETROL OCTANE Alternative: 95 (PULP). Temporary alternative: 91 (ULP).	Cornering Brake Control (CBC)	

	2.2 16V E	COTEC 4	3.2 24V ECOTEC V6			
FUEL ECONOMY* (L/100km) City Highway	Manual 8.5 5.8	Auto 10.0 6.4	Manual 9.5 7.0	Auto 11.0 6.6		
PETROL TANK (L)		6	1			
STEERING		Rack & pinion. Electro-hydraulic power steering. Road speed sensitive variable assist.				
SUSPENSION Front	Independent. MacPherson struts. Lightweight aluminium uprights & control arms. Mounted on subframe. Coil springs. Gas pressure dampers. Stabiliser bar.					
Rear		Independent. Four-link: three transverse & one longitudinal arm. Coil springs. Gas pressure dampers. Stabiliser bar.				
			CDXi: Sports suspension			
TRACK (mm)	CD & CDX Front: 1525 Rear: 1514					
	CDXi Front: 1525 Rear: 1517					
TURN CIRCLE (m) (Kerb to kerb)	CD & CDX: 10.89 CDXi: 11.06					
BRAKES		Four wheel dis	sc, front ventila	ated.		
Anti-lock Braking System (ABS)		4-sensor, 4-channel				
Electronic Brakeforce Distribution (EBD)	Standard					
Emergency Brake Assist (EBA)	Standard					
Cornering Brake Control (CBC)	Standard					

	2.2 16V	ECOTEC 4	3.2 24V ECOTEC V6				
ELECTRONIC TRACTION CONTROL		Stan	dard				
ELECTRONIC STABILITY PROGRAM (ESP PLUS)			Stan	dard			
KERB WEIGHT (kg) Sedan	Manual CD: 1391	Auto CD: 1421	Manual	Auto			
Hatch	CD: 1406	CD: 1436	CDXi: 1510	CDX: 1527 CDXi: 1535			
TOWING (kg) Braked Trailer	15	15 00 your Holden		50 600 tails			
GROUND CLEARANCE (mm)	12	128 12					
CARGO Sedan VOLUME (L)			op of seat back) 500 n (to roof) 1050				
Hatch			o of seat back) 480 n (to roof) 917				
WHEELBASE (mm)		27	00				
EXTERIOR DIMENSIONS (mm)	Length	Width	Width (Mirrors)	Height			
Sedan & Hatch	4596	1798	2036	1460			
INTERIOR DIMENSIONS (mm)	Leg	Shoulder	Head	Hip			
Sedan Front Rear	1063 928	1415 1390	990 954	1361 1343			
Hatch Front Rear	1063 919	1411 1390	990 954	1361 1343			
SERVICE	or 12 month 'Tech 2' co manageme for accesso	ns, whichever of mputerised an ent system. Ma pries. Maintena	ction, then eve comes first. Ho alysis available aintenance-free ance-free igniti ent every 60,0	olden Retailer for engine e drive belt ion system.			

^{*}Fuel consumption figures based on AS2877 tests. These figures are provided to assist you in comparing the fuel consumption of Vectra with other vehicles. The actual fuel consumption will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.

individual wheels.

GLOSSARY OF TERMS

ABS/Electronic Traction Control features:

- ABS provides additional vehicle control by preventing the wheels from locking up, allowing you to steer while braking heavily in slippery conditions.
- Electronic Traction Control when sensors detect imminent driving wheel spin engine torque is reduced. If one wheel is about to spin, braking is applied to transfer torque to wheel with better traction.

Active front head restraints – active head restraints on the front seats help prevent whiplash injury from severe collisions. shorter emergency stopping distance.

They move upwards and forwards to meet the head as it moves back, helping reduce whiplash.

ESP Plus – latest generation Electronic Stability Program. Via several sensors, ESP recognises critical driving situations

Cornering Brake Control – senses different wheel rotational speeds & controls braking of individual wheels to help prevent oversteer/understeer.

Electronic Brakeforce Distribution – distributes brakeforce front & rear, enhancing braking, including when heavily laden.

Emergency Brake Assist – senses urgency when brake pedal pressed and increases braking pressure, promoting shorter emergency stopping distance.

Via several sensors, ESP recognises critical driving situations and helps the driver retain control over the vehicle by regulating engine torque and applying the brakes of

Pedal release system – in the event of a severe collision, the pedal release system automatically drops the pedals away from the driver, helping minimize injuries to lower limbs.

Sun sensor climate control – advanced form of climate control which detects the intensity of the sunlight and

communicates it to the climate control system, providing precise cabin temperature.

5-speed automatic transmission features:

- Active Select makes driving more enjoyable by giving you the option of automatic or manual transmission mode by simply tapping the gear into the second shift gate.
- Adaptive transmission with this transmission system, the gear change shift points automatically adapt and modify according to your personal driving style (be it sporty or economical).

^{1.} Fees and charges apply. For the annual percentage rate applicable to you contact your local Holden Retailer. Subject to credit approval and current terms and conditions. 2. Conditions apply. A disposal fee of \$385 (incl GST) applies plus charges for excess wear and tear or excess kilometres may also apply. For full terms and conditions, please refer to relevant policies at your Holden Retailer. 3. Refer to the policy wording for specific terms, conditions and exclusions. 4. Earning and redemption of rebate is subject to the Holden MasterCard Rebate Program Rules. A maximum of \$3000 in the form of Holden MasterCard 'core' rebate (plus any additional 'bonus' rebate accumulated via the partner program) accrued over a maximum of 5 years may be applied per eligible vehicle purchased. Vehicle sales for which a fleet allowance is paid are not eligible for Holden MasterCard rebate. 5. At participating Retailers only. Credit card purchases of new or used vehicles are not eligible for the 2% bonus rebate at Holden Retailers. 6. The interest-free period applies where the card account is fully paid by the due date each month. 7. Refer to your owner's handbook or see your Holden Retailer for full terms and conditions and exclusions. 8. Roadside Assistance may not be available in some rural areas. Refer to your Holden Retailer for terms and conditions.


FEATURES

	SED		HATCH	ı
	8	9	CDX	CDXi
POWERTRAIN				
2.2 litre, twin camshaft, 16 valve ECOTEC 4 cylinder engine.	S	S		
3.2 litre quad cam, 24 valve ECOTEC V6 engine.			S	S
5-speed close ratio manual transmission.	S	S		S
5-speed automatic electronic control transmission.				
Choice of manual shifts. Indicator in tachometer face				
shows gear manually selected.	0	0	S	0
Automatic transmission adaptive shift program matches				
shifts with sports or economy driving style, or special				
conditions including hills or towing.	0	0	S	0
Automatic transmission selects neutral at idle when brake				
pedal applied to save fuel. Economy, Sport & Winter mode.	0	0	S	0
MECHANICAL				
Four sensor/four channel Anti-lock Braking System (ABS).	S	S	S	S
Electronic Brakeforce Distribution (EBD).	S	S	S	S
Emergency Brake Assist (EBA).	S	S	S	S
Cornering Brake Control (CBC).	S	S	S	S
Traction Control (TC).	S	S	S	S
Electronic Stability Program (ESP Plus).				
Helps contain oversteer or understeer.				S
Road speed sensitive variable power assist.	S	S	S	S
Double-isolated front suspension, using subframe.	S	S	S	S
Four-link Independent Rear Suspension (IRS).	S	S	S	S
Sports suspension.				S
WHEELS				
16" x 6.5" luxury alloy wheels. 215/55 R16 93H tyres.	S	S		
16" x 6.5" sports alloy wheels. 215/55 R16 93V tyres.			S	
17" x 7" alloy wheels. 215/50 R17 91W tyres.				S
Tyre valve cap tool located behind fuel filler flap.	S	S	S	S
EXTERIOR				
Body colour bumpers.	S	S	S	S
Sports bumpers, front & rear.				S

	SED		1	
	8	8	CDX	CDXi
Body colour rocker mouldings.				S
Dark head & tail lamp styling.				S
Twin branch exhaust with stainless steel extensions.				S
Chrome grille surround.	S	S	S	S
Foglamps, front.			S	S
Bonnet protector. Headlamp protector.				
Mudflaps front & rear.	А	А	А	А
Body colour mirrors.	S	S	S	S
Body colour door handles.			S	S
Body colour bodyside mouldings.	S	S	S	S
Metallic paint.	0	0	0	0
Rear spoiler.				S
Foglamp, rear.	S	S	S	S
Anti-corrosion: Key sheet metal zinc alloy-coated.				
Body dipped for zinc phosphatising & primer.	S	S	S	S
DRIVER				
Steering wheel height & reach adjust.	S	S	S	S
Leather wrap steering wheel rim.			S	S
Sports steering wheel.				S
Leather wrap handbrake grip.				S
Power mirrors. Heated. Auto off.	S	S	S	S
Variable intermittent wipers.	S	S	S	S
Rear window wiper/washer. Intermittent function.		S	S	S
Cruise control.	S	S	S	S
Headlamp level adjust, electric.	S	S	S	S
Parking lamps selectable for left or right side or both.	S	S	S	S
Headlamps auto off after leaving parked car.				
30 second delay, operated by driver when required.	S	S	S	S
Audible warning if headlamps left on.	S	S	S	S
Tachometer.	S	S	S	S
Multi-function display: Time. Date. Outside temperature.				

	SED	НАТСН		
	CD	9	CDX	CDXi
Graphic Information Display: Time. Date. Outside				
temperature. Flashing temperature warning at 4° Celsius.				
Warning messages. Audio settings. Trip computer functions.				
Climate control functions.			S	S
Check control: Low fluid level in windscreen washer, power				
steering. Remote control key batteries. Brake light bulb &				
circuit. Indicator light bulb & circuit. External lamp bulbs.			S	S
Trip computer, including: Distance to empty.				
Fuel used on trip. Average economy. Instant economy.				
Average speed. Trip distance.			S	S
Warning lamps include: Seatbelt. Oil pressure. Alternator.				
Low fuel. Parking brake on. Door, boot lid or tailgate open.				
Engine oil level. Engine coolant level. Disc brake pad wear.				
Bulb failure.	S	S	S	S
SOUND SYSTEM				
Blaupunkt AM/FM stereo electronic tune radio. Seek.				
Preset station scan. 18 FM/12 AM preset stations.	S	S	S	S
Blaupunkt compact disc player (single disc).	S	S		
Blaupunkt compact disc in-dash changer (6 disc).			S	S
Multi-function or graphic display includes: Radio band.				
Preset station number. Frequency. CD functions.	S	S	S	S
Speed dependent automatic volume control.	S	S	S	S
Sound system remote controls on steering wheel.	S	S	S	S
Nine speakers.	S	S	S	S
SEATING				
Cloth trim.	S	S		
Velour trim.			S	
Black leather trim. Heated front seats.				
Individual temperature controls.				S
Padded front seat head restraints. Height & tilt adjust.	S	S	S	S
Active front seat head restraints & seatbacks to help				
reduce risk of injury in collision from behind.	S	S	S	S

HIII HIII HATTI AND THE STATE OF THE STATE O	SED	HATCH		
	0	9	CDX	CDXi
High rise centre console.	S	S	S	S
Centre armrest, front. Slide adjustment forward.	S	S	S	S
8-way adjustment of driver's and front passenger seat:				
Slide. Cushion tilt. Height. Recline.			S	S
8-way adjustment of driver's seat: Slide. Cushion tilt.				
Height. Recline.	S	S		
Sports front seats.				S
Driver's seat adjustable lumbar support.	S	S	S	S
Front passenger's seat adjustable lumbar support.			S	S
Driver & front passenger airbag (full size).	S	S	S	S
Driver & front passenger side impact airbag.	S	S	S	S
Driver & front passenger seat belt force limiter,				
controls maximum force on chest.	S	S	S	S
Pyrotechnic front & rear window-seat seat belt				
pre-tensioners.	S	S	S	S
Front & rear window-seat belt sash height adjust.	S	S	S	S
Anti-submarining ramps in all seats reduce risk of sliding				
under seat belt in a collision.	S	S	S	S
Brake & clutch pedals release in severe frontal collision.	S	S	S	S
Three padded rear seat head restraints.				
Height adjust.	S	S	S	S
Centre armrest, rear.	S	S	S	S
All seat belts retracting lap/sash.	S	S	S	S
Child restraint anchor points for all rear seats.	S	S	S	S
Childproof rear door locks.	S	S	S	S
CABIN COMFORT				
Heating/ventilation system includes pollen filter.				
Rear outlet vents.	S	S	S	S
Air conditioning.	S	S	S	
Climate control. Dual zone. Auto/manual mode.				
Air quality sensor recirculates cabin air when it detects				
unwanted gases outside.				S



	SED	HATCH		
	9	9	XO	
Storage pockets rear of driver/passenger seat.			S	
Storage compartment in rear armrest.	S	S	S	
Coat hooks.	S	S	S	
60/40 split fold of both rear seatback & cushion.	S	S	S	
Fold-down rear seat centre 'ski' hatch.	S	S	S	
Storage compartments each side of cargo area.		S	S	
Fully carpeted load area.	S	S	S	
Luggage anchorages.	S	S	S	
Lamp in boot or cargo area.	S	S	S	
Roof carry bars. Roof rack.	А	А	Α	
Towing equipment. (See specifications.)	А	А	А	,
SECURITY				
Radio frequency remote control key operates:				
Interior lighting. Door deadlocks. Boot or tailgate.				
Fuel filler door.	S	S	S	
Key operates central locking for keyless entry through				
driver's door only. Operates all doors when button				
pressed twice.	S	S	S	
Key can close all power windows by remote key.	S	S	S	
Key has rolling security code.	S	S	S	
Engine immobilised automatically when key removed				
from ignition.	S	S	S	
Audible warning if key left in ignition.	S	S	S	
Doorlock in driver's door only. Lock cylinder 'freewheels'				
if anything other than correct key is inserted.	S	S	S	
Hinged, removable cargo cover, with colour keyed carpet.		S	S	
Sound system display in multi-function display				
separate from radio/cassette player to deter theft.				
Security PIN coding.	S	S	S	
ROAD SAFETY				
Warning triangle for roadway.	А	А	А	,
First aid kit.	А	Α	Α	,