







CROSS

12:03pm Saturday

I wonder if all adventurers felt this way. When you're in the middle of it all, the exciting moments seem to happen in slow motion.

12:03:21 I hit the creek and, so the experts tell me, a complex system of technologies is engaged, each working seamlessly together. It's called Cross Trac, Holden's first all wheel drive system. It's designed for Australian conditions. It's built to do this. And it certainly feels like that.

12:03:22 The back wheels enter the water. Under the car, the transfer case at the rear of the automatic transmission is busy splitting the drive, front and rear. Three open differentials then distribute the power to each wheel as required. Seems to be working perfectly so far.


12:03:23 Nearly halfway through. Inside the car, I'm sitting behind a spray of water. Underneath, there are a thousand things happening. The refined Traction Control System puts me in command; I'm Captain Can-Do. How cool is this!

12:03:25 The front wheels are out of the water. The slightly wider track gives me extra stability and control. If I can do this, anyone can do this.

12:03:26 The back wheels are out. Underneath, everything returns to normal. In the driver's seat, nothing will ever be normal again. It all happened so easily, I feel like turning around and doing it all over again! What an Adventra!

rear differential centre differential

front differential





Cross Trac transfer case

rear-axle output – 62%

epicyclic centre differential and torque splitter front-axle output – 38%





ADVENTRA

Steering wheel controls They just make it easier and easier
Multi function display When, where, why and how far. Any other questions?
Cruise control I just can't be without it
Front and rear power windows Every trip has its ups and downs
Air conditioning Everyone can be as comfortable as me







Double Overhead Camshaft improves valve positioning and creates better fuel and air mixture flow, which in turn leads to better performance. Four valves per cylinder, two inlet and two outlet, help the engine breathe better, for greater performance. Towing and acceleration is enhanced, delivering better overall driveability.



New variable intake manifold timing is an active system that for outstanding performance and driveability. The variable intake manifold changes the plenum volume to assist resonance tuning of the inlet adjusted to best meet the driver flow. At lower engine speeds requirements at that moment. cylinder charging is boosted to provide maximum torque. At higher engine speeds ram air cylinder charging occurs

Electronic Throttle Control co-ordinates the driver's intentions with actions of various powertrain control components, helping maximise performance and optimise fuel consumption.



New alloy construction for performance and strength. The alloy construction means that not only is the engine lighter, but it can also withstand higher combustion temperatures and that means efficiency and lower exhaust emissions.*



- 3.6 litres
- Lightweight, alloy construction

for increased power.

- 188kW of power at 6500rpm
- 330Nm of torque at 3600rpm

Alloytec High Output V6 Engine

The passion of driving has found a new expression. One of the most sophisticated and advanced production engines ever manufactured in Australia, the high performance Alloytec High Output V6 engine delivers exhilarating performance. It is a world-class engine and Adventra drivers will be able to enjoy the responsiveness and outstanding driveability of this new automotive technology for years to come. The high performance Alloytec High Output V6 engine brings new levels of power and torque.*


Five speed automatic transmission The high performance Alloytec High Output V6 engine is available with a new five speed automatic transmission. This assures drivers enjoy smooth, crisp and almost seamless gear shifts.

Active Select is available on the CX6 and LX6 models. Active Select is activated by pressing the 'AS' button in the centre console. It provides the option of automatic or manual transmission shift modes. Paddle shift controls on the steering wheel then allow drivers to change from automatic to manual at a touch.

Safety Features Adventra puts peace of mind and safety first so you can drive on with added confidence.

Hill descent control regulates downhill speed and allows a

smooth, controlled hill descent without the driver needing to touch the brake pedal. When this feature is switched on, the system automatically applies the brakes and limits the speed of the vehicle. By adjusting the cruise control switches, the vehicle speed can be increased or decreased.



Control-Link Independent Rear

Suspension, with dual control arms, helps keep Adventra stable on the road at all times. This is particularly useful in challenging cornering situations.



Electronic Brake-force

Distribution (EBD) regulates the force between the front and rear brakes to provide improved braking balance, EBD is standard across the Adventra range.




weight transfer due to braking


ABS 8 technology helps to optimise stopping distances. Improved Traction Control reduces slip of driven wheels by using engine and brake control. This helps maintain grip in difficult driving conditions.

Electronic Brake Assist uses sensors to detect a panic situation and immediately add braking pressure to all wheels so the ABS system reduces stopping distances.

The Brake Assist system provides additional braking assistance by allowing the driver to reach the ABS threshold sooner and therefore help reduce stopping distances.







Corner Brake Control (CBC)

During heavy braking on corners the CBC function is activated. CBC senses different wheel rotational speeds and co-ordinates the brakes as they are applied to individual wheels. This helps to ensure vehicle stability is maintained.







Features	SX6	CX	LX6				LX6					
Powertrain				Black rear décor panel with dual reversing lamps	S	c		Road speed dependent sensitive wipers				
3.6 litre high performance Alloytec High Output V6 engine	S	S		Body colour rear décor panel with dual reversing lamps	,		S	Variable intermittent road speed sensitive wipers				
Strut Brace	3	J	,	Aluminium skid plate cladding, front and rear.	S	S	S	Rear window wiper/washer. Intermittent switches				
5-speed electronic control automatic transmission.	S	S	S	Aluminium rocker panel inserts	3		J	up to normal speed when reverse gear selected				
Power or economy mode				Chrome oval exhaust tip	S	S	S	Rear Park Assist. Auto switch off when trailer harness plugged in				
Active Select		S	S	Tailgate dust deflector, containing quick-response LED stop lamp	S	S	S	Automatic headlamps. Switch on at twilight or low light. Off in				
Electronic Throttle Control	S	S	S	Licence plate frames, standard height or slimline	А	Α	Α	normal daylight. Manual override. Variable sensitivity to low light				
Cross Trac All Wheel Drive (AWD) system. Full time operation	S	S	S	Underbody protection plate	А	Α	Α	Headlamps auto off after leaving parked car. Variable delay				
Control and handling				Galvanised underbody panels.	S	S	S	Trip computer includes:				
Control-Link Independent Rear Suspension	S	S	S	Full immersion body corrosion protection				 Average Speed. Odometer. Average economy on trip Trip distance. Trip time to go. Trip distance to go 				
Level Ride Suspension, with Superlift shock absorbers			S	Stainless steel long life exhaust system	S	S	S	Audible and visual overspeed warning (4 adjustable settings)				
Superlift shock absorbers	А	Α		Nudge bar	А	Α	Α	Distance to empty. Digital speedometer display				
Anti-lock Braking System (ABS)	S	S	S	Country Roo bar	H/A	H/A	H/A	- Stop watch				
Brake Assist (BA)	S	S	S	Flexible mudflaps	А	Α	Α	 Customisation Mode. Enables/disables features including: Auto headlamp sensitivity and approach time. Auto door locking 				
Electronic Brake Assist (EBA)	S	S	S	Occupant Safety				when transmission in Drive. One or two-stage door unlock.				
Electronic Brake-force Distribution (EBD)	S	S	S	Active front seat head restraints and seatback help reduce risk			S	Rest reminder. Speed dependent audio volume. Mode and Select				
Corner Braking Control (CBC)	S	S	S	of injury if vehicle struck from the rear				button scrolls through information and customises settings				
Four wheel Traction Control, using Automatic Brake	S	S	S	Driver and front passenger airbag (full size)	S	S	S	Additional Trip computer functions:				
Differential (ABD)				Strengthened upper B pillar to reduce side impact velocity	S	S	S	 Triple window display Elapsed trip time. Fuel used on trip 				
Electronic Stability Program (ESP®)	S	S	S	to head, neck and chest				Remaining fuel. Instant fuel economy				
Hill descent control	S	S	S	Driver and front passenger side impact airbag	S	S	S	– Customisation Mode. Additional features include:				
Wheels				Front lap/sash seat belts have webbing clamps and pyrotechnic	S	S	S	Tracks two trips (Eg short day trip within long interstate trip).				
17" x 7.5" six-spoke alloy wheels.	S			pre-tensioners. Buckle mounted to seat for consistent fit when seat moved forward or back				Confirmation beeps to Priority Key commands. Calibration adjustment				
225/55 R17 97H (road biased) tyres. Alloy spare wheel				Front seat belt force limiter, controls maximum force on chest	S	S		Ice warning (visual)				
17" x 7.5" machined face five-spoke alloy wheels. 225/55 R17 97H (road biased) tyres. Alloy spare wheel		S		Front seat belt sash height adjust		S		Service reminder. Appears 1,000km before service is due				
17" x 7.5" machined face five-spoke alloy wheels				Anti-submarining ramps in seats reduce risk of sliding under	S	S		Rest reminder. Variable driving time				
with sports graphite ports. 225/55 R17 97H (road biased) tyres.			3	seat belt in a collision	3	3	3	Auto transmission 'gear selected' indicator in multi function display				
Alloy spare wheel				All seat belts retracting lap/sash	S	S	S	Satin chrome accent rings around instruments				
16" x 7" steel wheels. Dueller 215/65 R16C (Winter tread) tyres	А	Α	Α	Rear seat child restraint anchor points	S	S		Tachometer				
18" x 8" 'L' series machined face six-spoke alloy wheels (4)	Н	Н	Н	Driver				Sports auxiliary gauges				
245/45 R18 SO3 directional tyres				Steering wheel height and reach adjust	S	S	S					
Alloy wheel lock nuts. Set of four	H/A	H/A	H/A	Satin chrome spokes on steering wheel			S	Low coolant warning				
Exterior				Leather wrap wheel. Onyx		S		Low fuel warning				
Chromed projector headlamps		S		Sports profile leather wrap wheel. Onyx				Warning and chime: Parking brake on while vehicle moving. Low fuel. High engine temperature. Low traction conditions				
Projector headlamps. Black bezels			S	Sports profile leather wrap wheel. Red	Н	Н		Variable instrument dimming control				
Front foglamps			S	Sports profile leather wrap wheel. Anthracite – Silver foil	Н.	Н.	Н	Mobile phone power socket in console				
Driving lights – HID or Halogen	А	Α	Α	Leather-wrap satin chrome gear knob and handbrake handle.	- "	S	S	Mobile phone holder				
(Mount to Country Roo or Nudge Bar)				Onyx		3	3	<u>·</u>				
Headlamp guards	А	Α	Α	Leather wrap satin chrome gear knob and handbrake handle. Red	Н	Н	Н	Sound system able to accommodate mobile phone. Auto mute when phone is in use				
Bonnet protector	А	Α	Α	Leather wrap satin chrome gear knob and handbrake handle.	Н.		Н	Bluetooth mobile phone kit				
Wheel arch flares	S	S	S	Anthracite – Silver foil				Satellite navigation (Global positioning system)				
Metallic paint	S	S	S	Cruise control	S	S	S					
Exterior mirrors in black	S			Power exterior mirrors	S	S	S	Sound system				
Exterior mirrors in body colour and black		S		Heated exterior mirrors. Auto off			S	Blaupunkt AM/FM stereo electronic tune radio. Local/distant selector switch. Automatic station store memory				
Exterior mirrors in full body colour with memory			S	Passenger side exterior mirror dips when reverse gear selected			<u> </u>	Radio display repeats in multi function display.				
Towing mirrors	А	Α	Α	to show low-level hazards				Programmable on/off				

	SX6	CX6	LX6
Sound system remote controls on steering wheel	S	S	
Illuminated sound system remote controls on steering wheel			S
Speed dependent volume control. Programmable on/off	S	S	S
Single disc in-dash CD player	S		
6 disc in-dash CD player	Н	S	S
5 preset graphic equalizer: vox, pop, with boost function		S	S
Six speakers. Total 80 watts	S	S	
Premium sound system, with 10 speaker elements, including subwoofer. Total 260 watts			S
Power antenna, fully automatic. Auto retract with remote control Power or Priority Key	S	S	S
Seating			
Seat trim in full cloth	S		
Seat and upper door trim in leather. Metro		S	
Leather faced seats with leather door trim inserts. Suede lower trim. Onyx			S
Circa coloured seat and door trim in leather. Matching lower suede inserts. (Available with selected exterior colours)			0
Lambswool seat inserts	А	Α	Α
Bucket seats. High rise centre console armrest	S	S	
Bucket sports seats with side support wings on cushion and seat back. High rise padded leather console armrest			S
Padded front seat head restraints. Height adjust	S	S	
Electric 4-way driver's seat height adjust. Includes front and rear cushion tilt	S	S	
Electric 8-way adjustment of front seats: Slide. Cushion tilt. Height. Recline			S
Driver's seat has memory settings for 3 drivers			S
Driver and front passenger seat adjustable lumbar support	S	S	S
Folding 3rd row 'Plus 2' child seat. Flock woven cloth or Metro leather	А	А	
Folding 3rd row 'Plus 2' child seat. Onyx and Circa leather			Α
Rear seat centre armrest		S	S
Two height adjustable rear seat head restraints		S	
Three height adjustable rear seat head restraints			S
Cabin comfort			
Air conditioning with rear outlet vents	S		
Single zone electronic climate control. Auto/manual mode. Rear outlet vents		S	
Dual zone electronic climate control: driver and front passenger. Auto/manual mode. Rear outlet vents			S
Priority Key for 2 people automatically restores when unlocking car, settings for: Climate control. Sound system. Trip computer. Audible and visual overspeed warning. Instrument dimmer. Antenna height. Headlamps-off time delay. Preferred driver's seat position and exterior mirror position (LX6 only)		S	S
Power windows, front and rear. Express down driver and front passenger windows. Remain powered on time delay after engine switched off. Override switch for rear windows	S	S	S

SX6 CX6 LX6

S S

S S S

S S S

S S S

S S S

S S S

S S

S S S

S S S

S S S

S S S

S S S

S S S

S S S

S S S

S S S

S S S

A A A

S S S

S S S

S S S

H/A H/A H/A

S S

S

	SX6	CX6	LX6	
Electric sunroof. Tilt and slide. Can slide fully or to 2 preset	Н	Н	S	Vinyl carpe
positions. Auto close when vehicle switched off, unless overridden.				Roof rails
Anti-jam facility. Auto close when vehicle immobilised.				Roof cross
Factory fitted.	H/A	H/A	H/A	Luggage ca
Overhead DVD player Alloy pedal cluster	Н	Н	H	Roof mour
=	A	А	<u> А</u>	Roof mour
Cigarette lighter and ashtray, front and rear	S		A	Roof mour
Vanity mirror, driver and passenger side	3	S		Tailgate wi
Vanity mirror, driver and passenger side. Illuminated, with cover			S	or remote o
Interior lighting, time delay on entry. Automatic illumination	S	S	S	1600kg to
when ignition is turned off. Auto off after 1 hour				1600kg to
Footwell lamps, front		S	S	2100kg to
Centre console illumination			S	Security
Front reading spotlamps		S	S	Remote co
Rear reading lamp	S	S	S	Remote co
Satin chrome interior door handles		S	S	Key operat
Plastic sill plates	S	S		 Operates Programma
Stainless steel sill plates	Н	Н	S	– Engages
Rubber floor mats (front and one piece rear)	Α	Α	Α	– Releases
Carpeted floor mats, tailored	Α	Α	Α	 Operates door only.
Passenger overhead assist handles, folding, front and rear	S	S	S	Operates
Aero windscreen sunshade, front	А	Α	Α	– Enables/c
Weathershield, in standard width or slimline,	Α	Α	Α	– Unlocks o
driver and front passenger window				Key has rol
Storage, cargo, towing				Horn chirps
Twin cup holders in centre console	S			Flashing re
Twin fold-out cup holders in instrument panel		S	S	Engine disa
Garage remote holder	А	Α	Α	from ignition
Mobile phone concealed storage compartment		S	S	if anything
Centre console compartment with lid	S	S	S	Slip-type st
Front door storage bins	S	S	S	front whee
Sunglasses holder	S	S	S	Doors can
Storage pocket rear of driver and passenger seat	S	S	S	is shifted in
60/40 split fold rear seat back	S	S	S	Retracting
Rear storage compartments including cup holders		S	S	Sound syst
and bottle holder				Road safe
Car fridge – 31 litres	А	Α	А	Off-road re
12 volt power outlet – Cargo compartment	А	S	S	Emergency On-board
Rear Cargo Organiser	А	Α	Α	Unlocks do
Roof pod	А	Α	Α	Warning tr
Cargo safety barrier	А	Α	Α	First aid kit
Flexible cargo tie-down net	А	Α	S	
Cargo area safety net	А	Α	S	
Load tie-down rails and hooks	S	S	S	
Load tie-down rail protector strip	Α	Α	Α	S: Standard
Load tie-down strap kit	А	Α	S	O: Option
Carpeted cargo area	S	S	S	H: Option
				A: Accesso

et protector with fold-out bumper protector A A A S S S A A A carrier with tie-down points. S unted tray with spare wheel carrier A A A inted bike carrier A A A unted ski carrier. Scissor-type or universal A A A rindow opens for quick access, using glovebox button S S S operation using Power or Priority Key owbar mount S S S A A A owbar package A A A owing package ontrol Power Key S S S ontrol Priority Key S S S ates interior lighting es exterior lamps, to show location of car at night. mable time delay s door deadlocks when pressed twice s central locking for keyless entry through driver's Programmable on/off s all doors when button kept pressed /disables alarm system opening tailgate window S S S olling security code ps if door is ajar when remote locking S S S ed interior warning lamp shows vehicle is protected S S S sabled to immobilise vehicle when key removed S S S tion. Unique code for each vehicle in driver's door only. Lock cylinder 'freewheels' S S S g other than correct key is inserted steering lock. If steering wheel is forced, S S S els will not turn be set to lock automatically when transmission S S S into Drive. Programmable on/off roller cargo blind S S S tem will operate only in original vehicle, to deter theft S S S ecovery kit A A A ry mode after seat belt pre-tensioners are triggered. S S S computer turns engine and fuel pump off. oors. Turns dome lamp on triangle for roadway A A A A A A

SX6 CX6 LX6

- tandard feature
- on on from Holden By Design

Engine	3.6 litre 60-degree Double Overhead Cam V6 with 4 valves per cylinder. Sequential fuel injection. High energy, distributorless ignition. Twin knock control sensors with individual cylinder adaptive control. Onboard diagnostics. Electric cooling fan. Stainless steel exhaust. Low restriction air intake with acoustic dampening chambers. Continuously variable camshaft phasing for inlet and exhaust cams. Variable intake manifold. Coil-on-plug							
Capacity (cc)	3565							
Compression ratio (:1)	10.2							
Maximum power (ECE, kW)^	188 @ 6500rpm							
Maximum torque (ECE, Nm)^	330 @ 3600rpm							
Gear ratios (V6)	1st 3.42 2n	d 2.21 3rd 1.60	4th 1.00 5th 0.75	Final drive ratio 3.46	6:1			
Recommended petrol octane rating	91 (ULP)							
Cross Trac All Wheel Drive (AWD)	Cross Trac constant All Wheel Drive, with 38% front, 62% rear torque split							
Petrol tank (L)	75							
Brakes	Four-channel. Four wheel disc. Larger diameter ventilated front rotor. Heavier duty front brake pad material							
Anti-lock Braking System (ABS)	4-channel							
Electronic Brake-force Distribution (EBD)	Optimises braking under all load conditions If one wheel is about to spin, Automatic Brake Differential (ABD) applies braking to it, to transfer engine torque to wheels with better traction							
Automatic Brake Differential (ABD)								
Brake Assist (BA)	Provides additional braking assistance by allowing the driver to reach the ABS threshold sooner and therefore help reduce stopping distance							
Electronic Brake Assist (EBA)	A) Uses sensors to detect a panic situation and immediately add braking pressure to all wheels so the ABS system reduces stopping d							
Electronic Stability Program (ESP®)	Assists the driver in emergency situations by providing correction to the intended vehicle path, which may help the driver to avoid obstacles and reduce slides. This is accomplished via individual brake application and engine torque management control							
Corner Brake Control (CBC)	During heavy braking on corners the CBC function is activated. CBC senses different wheel rotational speeds and co-ordinates the brakes as they are applied to individual wheels. This helps to ensure vehicle stability is maintained							
Hill descent control	Utilises the active braking capability of the ESP®, in conjunction with the cruise control system components, to maintain a controlled speed when travelling down hill							
Suspension	Increased ride height. Underbody protection plate available							
Front	MacPherson strut. Direct acting stabiliser bar. Progressive rate coil springs							
Rear	r Control-Link Independent Rear Suspension. Increased bump travel. Strengthened semi-trailing arm. Strengthened rear cross member. Progressive rate miniblock coil springs. Stabiliser bar. Gas pressurised rear dampers							
Level Ride Suspension (LX6 only)	Electronically controlled self-levelling system that maintains the vehicle at a constant trim height, regardless of load over the rear wheels							
Steering	Power assisted. Va	ariable ratio rack and pinion						
Track (mm)	Wide track Front 1617	Rear 1623						
Turn circle (kerb to kerb, m)	11.9							
Wheelbase (mm)	2947							
Exterior dimensions (mm)	Length 5047	Width (excluding mirro	ors) 1934	Height 1654	Ground clearance 200			
Wading depth (mm)	300							
Off road (degrees)	Approach angle 1	9.9 Departure angle 20.6	Breakover angle 19.5					
nterior dimensions (mm) Front	Leg 1071	Shoulder 1515	Head 1007	Hip 1440				
Rear	986	1522	1071	1514				
Cargo (L)	2683 (rear seat fo	lded down)						
Kerb weight (kg) (Est. inc. A/C and all fluids)	SX6 1895	CX6 1910	LX6 1965					
Towing (kg)	Standard: 1600 towbar mount. Accessory: 1600 and 2100 towing package. See your Holden Dealer for details							
Service	Maintenance-free	no cost) inspection, 15,000 , long life, accessory dual dr ch 2' computerised analysis	ive belt with automatic t	ensioner.	er comes first.			

Easy Purchase Options

SmartChoices, provided by GMAC Financial Services, is an array of automotive finance products designed to help the dream of driving a new Holden become a reality. Just select the product, term and payment structure that best suits your lifestyle and your Holden Dealer can provide more information.

Insurance

Holden Insurance offers a range of competitively priced insurance products, providing tailor-made protection, at whatever level of cover you need. For more information, call the Holden Insurance hotline on 1300 784 026.

Holden Leasing

Businesses of all sizes are now accessing vehicle leasing options with Holden Leasing. We operate nationally through the Holden Dealer Network and our dedicated service and support team. Our people are responsive professionals who understand your business and what it means to deliver total fleet management solutions. To find out how Holden Leasing can help you, call us on (03) 9693 0400.

Holden MasterCard

Holden MasterCard can assist you to get into a new Holden sooner. 10% of your credit card purchases go towards a Rebate of up to \$3,000 on your new Holden¹ (depending on model). That's up to \$1 saving on your new Holden for every \$10 spent. There are a range of extra features including up to 45 days interest free² on credit card purchases and a competitive interest rate. Apply³ online at www.holden.com.au/mastercard, or call MasterCards 24hr helpline on 131 200.

Ownership Benefits

Holden Service

With over 300 Holden Dealers, Holden can supply an enviable level of customer care. Our Service Network is one of the largest in the country. Only Holden Dealership technicians have access to regular Holden factory training and equipment.

Holden Warranty

Every new Holden comes with a New Vehicle Warranty, covering your Holden for 3 years or 100,000 kilometres, whichever comes first. This factory backed warranty covers items including the engine, transmission, interior and exterior components.Refer to your Owner's handbook or see your Holden Dealer for full terms, conditions and exclusions.

24 Hour Roadside Assistance

Provided for the first year of your new Holden's life.4 Holden's Roadside Assistance is one of the most comrehensive roadside assistance packages with over 3000 Roadside Assistance patrols nationwide. 5 There to help with even the smallest service, the toll free Roadside Assistance hotline is always open, 1800 817 100.

For more information contact Holden Customer Assistance on 1800 033 349 Monday to Friday 8am to 7pm or Saturday 9am to 1pm EST or visit www.holden.com.au

1 A total of \$3000 in the form of Holden Card 'Core Rebate' (plus additional 'Bonus Rebate' accumulated via the Partner Program) accrued over a maximum of five years may be applied per eligible vehicle purchased. Vehicle sales for which a fleet allowance is paid are not eligible for Holden MasterCard Rebate. Earning and redemption of Rebate towards a new Holden is subject to the Holden Card Rebate Program Rules. 2 The interest-free period applies where the card account is fully paid by the due date each month. **3** Applications are subject to Westpac's normal lending criteria. **4** From date of first registration. 5 In remote or sparsely populated areas you may experience delay in obtaining Roadside Assistance. Refer to the Roadside Assistance brochure in your glovebox for full terms and conditions of this service.







Phantom Mica





Impulse Metallic



Provence Metallic



Red Passion Metallic



Evoke Metallic

SX6 interior



Neutral Pewter cloth



Metro leather

CX6 interior



Onvx leather





Circa leather

As these are printed colours and not actual samples, variations between those illustrated and actual paint/trim may occur. Certain colours may not be available from time to time. Customers are encouraged to contact their Holden Dealer for current colour availability.

A word about this catalogue. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described through this catalogue may have been changed and / or is available at extra cost. Further, GM Holden Ltd, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your Holden Dealer has details, and before ordering, you should ask them to bring you up to date. No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of any Holden product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by GM Holden Ltd ABN 84 006 893 232 in its published sales literature, and GM Holden Ltd does not accept any liability for any such unauthorised action. GM Holden Ltd has authorised dealers in many parts of Australia for the sale of service parts and the provision of service to owners of Holden's products. Every endeavour is made to ensure that such dealers carry adequate stocks of service parts, but GM Holden Ltd doesn't make any promise other than that contained in the New Vehicle Warranty given by GM Holden Ltd that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for Holden products are subject to the conditions set out in all vehicle handbooks. Details also available from GM Holden Ltd on request. Copyright GM Holden Ltd. August 2006. emerystudio ADVVZ0706 AD12134





Holden By Design accessories Everyone's idea of an Adventra is different. And, with so many different personal touches to choose from, you can make your Adventra distinctly yours.

- 01 Roo Bar (airbag compatible) 02 Roof storage box
- 03 Nudge Bar (airbag compatible) and driving lamps*
- 04 Bike carrier (bike not included)†
- 05 Roof tray with spare wheel carrier (alloy wheel not included)† 17 Convenience cargo hold down net (standard on LX6)
- 06 Scissor-type ski carrier (skis not included)†
- 07 Universal ski carrier (skis not included)†
- 08 Satellite Navigation*
- 09 HBD alloy pedals
- 10 Collapsible storage box
- 11 16"x 7" steel wheel
- 12 HBD DVD Player with 7" high resolution, LCD screen. DVD, CD and MP3 compatible. Includes remote control, infra-red headphones and games console input

- 13 Bluetooth mobile phone connectivity
- 14 31 litre, 12V/240V portable refrigerator
- 15 Off road recovery kit
- 16 Third row seat
- 18 Safety net
- 19 Load tie down strap kit (standard on LX6)
- 20 Front carpet floor mats (standard on LX6)
- 21 Front rubber floor mats
- 22 Rear rubber floor mat
- 23 Vinyl carpet protector
- 24 18"x 8" L series alloy wheel
- 25 Weathershield
 - * Items sold separately refer to feature summary † Shown with roof cross bars # Not available on SX6















