



The LS3 engine doesn't push the boundaries. It breaks through them. No apologies. No hesitations. No turning back. this is power in motion.

## ENGINE

The LS3 6.2 litre Generation 4 V8 engine takes performance to a new level. Power has increased to an incredible 317kW @ 6000rpm with torque climbing to 550Nm @ 4600rpm. World-class HSV technology employs an intelligent engine control system to extract the maximum brute engine power and torque every 6.25 milliseconds.

Tubular 4 into 2 into 1 extractors and an HSV exclusive limited slip final drive ratio of 3.7:1 (manual) or 3.27:1 (auto) help deliver the power straight to the road. You're in total control all the way, with the choice of a 6-speed sequential shift auto transmission or an optimised 6-speed manual transmission. One turn of the key and you'll experience power in motion.



LS3 TORQUE POWER CURVE

## VENTS A CUT ABOVE

Aerodynamic in nature, aggressive by design. The unique E Series side venting, with colour coded signature 'E' shape, cuts a menacing figure. It represents the shape of things to come, while an integrated turn signal enhances its shape and provides side profile illumination for safer driving.

land and and and



Vehicle shown with optional Pentagon Spoke wheels.



#### INTERIOR COMFORT GOES ON TOUR

4-way electric adjustment on driver's seat. Adjustable lumbar support. Dual zone electronic climate control: driver and front passenger. Unique HSV leather-wrapped Sports steering wheel and gear selector. Bluetooth, trip computer and intuitive entertainment console/steering wheel menu dials. 4 HSV floor mats and alloy faced pedals. 6.5" multi-function display colour LCD screen, displays stereo, heating and air-conditioning information. HSV Sports triple centre gauges showing voltage, oil temperature and oil pressure. Each gauge features white HSV dials to match driver instrumentation.



+ 60/40 fold flat seats allow for 2000 litres of storage

.

the second

\*Optional Onyx leather trim shown.

+ Ergonomically enhanced side and rear bolsters, contoured foam for greater comfort and lateral support

+ Adjustable luggage net and retractable cargo cover

+ Shopping bag hooks in rear cargo area (2)

+ D-ring tie down points (4)

- -

EXCITEMENT IN MOTION – A MATCH-WINNING 6.2 LITRE LS3 V8 ENGINE PLUS THE VERSATILITY OF A WAGON MAKE THE ACTION PACKED TOURER AN ALL-ROUND CHAMPION. WITH 317kW of power, 550Nm of torque and best-on-ground suspension, IT'S GAME ON!

# WHEELS

Eye catching 19" Deep Dish alloy wheels in Billet Silver set the standard in style and road presence. Radical 3-dimensional, rounded triangle design. Wide rear wheels enhance imposing shape and maximise grip – front 19" x 8", rear 19" x 9.5". Optional Pentagon Spoke design available – front 20" x 8", rear 20" x 9.5". Reverse mounted technology and one-piece casting for strength and durability. Exclusively designed and developed Bridgestone tyres provide optimum levels of comfort and grip.



#### TRANSMISSION

Designed to complement the power of the LS3 V8, the HSV 6-speed automatic transmission and super smooth, short throw 6-speed manual transmission provide an exceptional balance of raw acceleration and fuel economy. The race-bred 6-speed automatic transmission features tip-tronic style gear selecting and adaptive shift control for seamless up-and-down shifting, plus a Sports mode for an even more aggressive performance.

#### BRAKES

The most advanced braking system HSV has ever engineered inspires total confidence. From a speed of 100km/h in dry conditions, front and rear brakes bring you to a stop in a mere 36 metres. Front brakes boast 365mm x 32mm ventilated and grooved discs, with aggressive sports-styled 4 piston calipers in Holden Racing Team red with silver logo. Wide rear tyres combine with the rear brakes – 350mm x 26mm ventilated and grooved discs and 4 piston rear calipers. Advanced brake pad material and rotor designs are engineered to evenly distribute force to each brake, providing a safe, responsive feel.



A starting of the start of the









#### SECURITY

While passenger safety is paramount, vehicle protection has also been integrated with HSV ingenuity. Identitek System's simple and effective labelling solution features a compliance label that self destructs if removal is attempted. Both Identitek and HSVDNA are standard on the new HSV Tourer. HSVDNA is a groundbreaking technology the size of a grain of sand and invisible to the naked eye.

Applied to various components of the vehicle, each of these tiny grains features the specific VIN (Vehicle Identification Number) of your HSV. This enables authorities to identify individual HSVs and their components.

HJGSW4Y S-HSV AUS-HSV AJGSW4Y79658 S-HSV AUS-HSV AJGSW4Y79658-6F HSV AUS-HSV AUS JGSW4Y79658-6FPAH SV AUS-HSV AUS-HSV US-HSV AUS-HSV 44779658-6FPAAP -HSV AUS-HSV 4558-6FPAAP



The series of the local division of the

HOSVERIA

#### SAFETY

To keep you and your passengers out of trouble, our Electronic Stability Control (ESC) incorporates Anti-lock Braking System (ABS), Traction Control System (TCS ), Electronic Brake Assist (EBA) and Electronic Brake force Distribution (EBD). Intelligent active and passive safety features combine, to not only help prevent collisions, but to reduce injury should an accident occur. Active safety systems monitor the vehicle's speed, lateral acceleration, brake force and steering wheel angle an incredible 30 times per second and if regular driving conditions are exceeded, any one of the safety measures will be seamlessly activated to allow the driver to retain command of the vehicle.

#### EXTERIOR

Excitement has taken a new form. The unmistakeable silhouette of a wagon is enhanced by the HSV performance body kit. Reverse camera' and rear park assist make reverse parking 'straight forward'. Ominously shaped 45mm projector fog lights and 90mm driving lights project a brighter, more powerful beam than traditional reflective globes. Dominant angular lines and matt black housing highlight the design's undeniable motorsport influence. Turn the darkest night into day.

\*Reverse camera standard from late 2008.

CRASH SENSOR: 1. Driver's front airbag (2. Passenger's front airbag 3. Side airbags (4. Curtain airbag



| CIFICATIONS              | DESCRIPTION   | CLUBSPORT R8 TOURER | SPECIFICATIONS  | DESCRIPTION  |   |                            |                    |  |
|--------------------------|---|---------------------|---|--|---|----------------------------|--------------------|--|
| rol and Handling         |   |                     | ENGINE  | 317 kW 6.2 litre LS3   | Generation 4 Alloy V8   |                            |                    |  |
|                          | incorporating, ABS, EBD, EBA and TCS  |                     |   | 6.2L, 90 Degree OH   | 6.2L, 90 Degree OHV. Cross flow cylinder heads. Twin knock control sensors. On board diagnostics  |                            |                    |  |
| WHEELS                   | 19" x 8" front alloy wheel with 245/40 R19 98Y tyre   | •                   |   | Limited Slip Differe   | Limited Slip Differential with HSV specific ratio. Central plenum with individual symmetrical runners   |                            |                    |  |
|                          | 19" x 9.5" rear alloy wheel with 275/35 R19 96Y tyre  | •                   |   | High energy distrib  | utorless ignition. Solid state direct fire ign  | ition, coil near plug with | integrated igniter |  |
|                          | 20" x 8" front alloy wheel with 245/35 R20 95Y tyre   | 0                   | CAPACITY (CC)   | 6162   | 6162 Compression Ratio (:1) 10.7  |                            |                    |  |
|                          | 20" x 9.5" rear alloy wheel with 275/30 R20 97Y tyre  | 0                   | Power (DIN KW)  | 317kW♯ @ 6000rpr   |   | TORQUE (DIN NM)            | 550Nm# @ 4600rpm   |  |
|                          | Full size spare wheel and tyre (as per front wheel and tyre)  |                     | EXHAUST SYSTEM  | Stainless steel, hig   | n performance quad outlet   | Petrol tank capa           | сіту (L) 73        |  |
| Exterior                 | Front projector fog lights, Front Driving lights and Projector headlights   |                     | GEAR RATIOS   | 6-speed Manual / (   | Optional) 6-speed Automatic with active   | e select                   |                    |  |
|                          | HSV Performance body kit with quad exhaust outlet   |                     |   | 1 3.01/4.03 2 2.0  | 1 3.01/4.03 2 2.07/2.36 3 1.43/1.53 4 1.00/1.15 5 0.84/0.85 6 0.57/0.67 Final drive 3.7/3.27  |                            |                    |  |
|                          | Metallic paint  | 0                   | Recommended pe  |  | 98 RON PULP. Note that using 95 RON (PULP) or lower will not cause any problems,  |                            |                    |  |
| DRIVER                   | Leather wrap HSV unique Sports steering wheel with height and reach adjust  |                     | OCTANE RATING   | but will result in sl  | but will result in slightly less engine performance and economy   |                            |                    |  |
|                          | Multi function driver display featuring trip computer information and<br>sound system information   |                     | VEHICLE DYNAMIC<br>CONTROL (VDC)  |  | Incorporating, Electronic Stability Program ESP <sup>®</sup> , Anti-Lock Braking System (ABS), Electronic Brake force<br>Distribution (EBD), Electronic Brake Assist, Traction Control System (TCS) |                            |                    |  |
|                          | Priority key. Stores settings for climate control / Sound system trip computer  |                     | SUSPENSION  | Front: MacPherson  | Front: MacPherson strut direct acting stabilizer bar. Progressive rate coil springs   |                            |                    |  |
|                          | Speed alert / Headlight and interior lighting time delay options  |                     |   | Rear: Multi-Link inc   | Rear: Multi-Link independent rear suspension (IRS). Progressive rate coil springs. Stabiliser bar   |                            |                    |  |
|                          | Alloy faced pedals / Leather wrap gear selector / Cruise control / Power exterior mirrors<br>Road speed dependent intermittent wipers   |                     | STEERING  | Variable ratio rack  | Variable ratio rack and pinion  |                            |                    |  |
|                          | Rear Park Assist with reverse camera <sup>†</sup>   |                     | Тгаск (мм)  | Front: 1592  | Rear: 1590  | Towing 1600kg              |                    |  |
|                          | Automatic headlight mode. Switches on at twilight or low light. Headlights auto   |                     | TURNING CIRCLE  | 11.4 (kerb to kerb, N  | 1)  | WHEEL BASE (MM)            | 2915               |  |
|                          | off feature. (Variable delay)   |                     | Exterior dimensio   | vs (мм) Length: 4911   | Width (excluding mirrors): 1899   | Height: 1456               | Ground Clearance   |  |
|                          | Trip computer with triple display, including Average speed / Odometer / Tripmeter   |                     | INTERIOR DIMENSI  | Leg Front: 1071  | Shoulder Front: 1501  | Head Front: 985            | Hip Front: 1439    |  |
|                          | Trip time / Distance / Time to go / Average fuel consumption / Digital speedometer  |                     |   | Leg Rear: 1001   | Shoulder Rear: 1499   | Head Rear: 1001            | Hip Rear: 1472     |  |
|                          | Tracks two trips simultaneously (eg. Short day trip within long interstate trip)<br>Fuel used/range / Visual and audible speed warning  |                     | Cargo Capacity (I   | ) Rear seats folded: 2   | 000 All seats in place (behind rear seats   | ): 895                     |                    |  |
|                          | Service reminder. Appears 1,000km before service is due   |                     | Service   |  | The first inspection is due at 3,000km or 3 months (whichever occurs first). The first service is due at 15,0   |                            |                    |  |
|                          | HSV sports instrument cluster with tachometer   |                     | and the second se |  | hever occurs first). Thereafter at every 15   |                            |                    |  |
|                          | Sound system able to accommodate mobile phone kit. Auto mute when phone is in use   |                     | Contract Contractor   |  | irst). Additional services are required und<br>book). Holden Dealer 'Tech 2' computerised   |                            |                    |  |
|                          | Bluetooth mobile phone connectivity   |                     | KERB WEIGHT   | Manual: 1914   | Automatic: 1936   | ,                          | 0 0 0              |  |
|                          | Satellite navigation  | 0                   |   |  |   |                            |                    |  |
| RTAINMENT                | Rear seat overhead DVD player   | 0                   | EXTERIOR COLOU  | s  |   |                            |                    |  |
| TING                     | HSV Sports seats with leather trim (Onyx)   | 0                   |   |  |   |                            |                    |  |
| CABIN COMFORT            | Dual zone electronic climate control: driver and front passenger  |                     | Sting   | Атоміс   | Рнантом   | Ignition*                  | Heron              |  |
|                          | Power windows / Rear centre armrest / Vanity mirror, driver and front passenger-illuminated   |                     | Shird   | Atomic   | Тихитон   |                            | TERON              |  |
|                          | with cover / Sunglasses holder. Chrome finish interior door handles. Passenger overhead   |                     |   |  |   |                            |                    |  |
|                          | assist handles. Two front reading lights. Twin cup holders in console and rear seat cushion   |                     |   |  |   |                            |                    |  |
| STORAGE AND CARGO        | Centre console storage compartment  |                     |   |  |   |                            |                    |  |
|                          | Auxiliary power socket in console and rear cargo area   |                     |   |  |   |                            |                    |  |
| Occupant Safety Security | Dual-stage airbags for driver and front passenger and curtain airbags   |                     |   |  |   |                            |                    |  |
|                          | Front lap/sash seat belts with load limiters and pyrotechnic pre-tensioners and height adjust   |                     | Voodoo  | Nitrate  | WILDFIRE*   | Karma                      |                    |  |
|                          | Active front seat head restraints help reduce risk of whiplash injury in collision from behind  |                     |   |  |   |                            |                    |  |
|                          | Remote control priority key operates central locking and interior lighting. Time delay<br>on entry. Automatic illumination when engine turned off / Operates exterior lights,<br>to show location of car at night / Enables and disables alarm system |                     |   |  |   |                            |                    |  |
|                          | Horn sounds if either front door is ajar when remote locking  |                     |   |  |   |                            |                    |  |
|                          | Sound system only operates in original vehicle  |                     |   |  |   |                            | ClubSport R8 T     |  |
|                          | Holden Assist Telematics (only when fitted by an HSV dealer)  | 0                   |   |  |   |                            |                    |  |
| dad Safety               | Emergency mode after seat belt pre-tensioners are triggered. On-board computer turns engine and fuel pump off. Unlocks doors. Turns hazard lights and interior light on, if battery power is available  |                     | Colours are used for illu   | Colours are used for illustration purposes only. Heron and Sting are standard solid colours, all other colours are metallic options. *Available from early 2009. |   |                            |                    |  |

†Reverse camera standard from late 2008. #Figure quoted using 98 RON (PULP)

Standard O Optional



A word about this catalogue. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue may have been changed and/or is available at extra costs. Further, GM Holden Ltd. and HSV reserve the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your HSV Dealer has details, and before ordering you should ask them to bring you up to date. No HSV Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristic, descriptions or fitness for any purpose of any GM Holden Ltd or HSV product which is at variance with any written statement, assertion or undertaking in relation or undertaking on any of these subjects given or made by GM Holden Ltd. A.B.N. 84 006 893 232 or General Motors-Holden's Sales Pty Ltd. A.B.N. 80 004 688 831 in its published sales literature, and neither company accepts any liability for such unauthorised action. GM Holden Ltd. General Motors-Holden's Sales Pty Ltd. and HSV have authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of HSV's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts. Und HSV, GM Holden Ltd or General Motors-Holden's Sales Pty Ltd. makes any promise other than that contained in the New Vehicle Warranty given by GM Holden Ltd. and HSV that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for GM Holden Ltd and HSV products are subject to the conditions set out in all vehicle handbooks. Details are also available from GM Holden Ltd and HSV on request. Copyright GM Holden Ltd. and Premoso Pty. Ltd. (HSV) A.B.N. 84 006 802 053. Printed September 2008. Part Num

\_\_\_\_\_