

## Take life for a longer drive in the new Grand Vitara Diesel

The Suzuki Grand Vitara was born from a single idea. That whatever you love doing in your life, you should be able to just do it.

Because in our busy lives, it's so easy to lose track of what's really important, like taking your love of life, out onto the open road. Now the Grand Vitara lets you broaden your horizons even further with a new fuel efficient 1.9 litre turbo diesel model that lets you take your off-road adventures to the next level. With the new turbo diesel complementing our existing range of 3 door, 5 door and luxurious Prestige models, Grand Vitara now gives you an even greater feeling of freedom, with sure-footed certainty, poise and control. With the Suzuki Grand Vitara, you enjoy versatility, comprehensive comfort and safety.

So you're ready for whatever life throws at you.









## Suzuki. 4x4 heritage, performance, innovation and fuel efficiency.

Suzuki has built a reputation for engineering innovation. Whether it's high performance cars, motorcycles or marine engines, Suzuki is constantly evolving to meet our drivers' changing demands. We pride ourselves on building stylish, versatile vehicles that live up to the Suzuki stamp of quality, originality and reliability. In the Grand Vitara, you can feel the extra driving confidence that comes with Suzuki's trademark advanced structural integrity. The special monocoque body incorporates a robust ladder frame chassis and side impact door beams. And every Grand Vitara features the true off-road capability of high and low range 4x4, while our new 1.9 litre turbo diesel model even further enhances our genuine 4x4 capability. You'll always be ready for anything.





# Genuine off-road ability means there are no limits.

The Grand Vitara takes Suzuki's true 4x4 heritage and plants it firmly in today's world. Every model in the range has inherited Suzuki's pedigree of producing sporty vehicles with real off-road capabilities. Underpinned by advanced automotive engineering developed from Suzuki's hard won achievements in racing and rallying heritage. If you're an avid off-road adventurer or an urban go-getter, the journey starts here. Grand Vitara's already impressive off-road capabilities are even further enhanced by the new turbocharged 1.9 litre diesel engine, along with the added benefit of Electronic Traction Control for surer grip in all situations.










## **GRAND VITARA 3-DOOR**

FUN COMES AS STANDARD. The spirited 3-door Grand Vitara has an appetite for endless fun.

This sharply styled compact cuts through the tightest city streets with ease. And parks without effort.

On the open road, the lively 1.6 litre VVT engine positively purrs with delight. The full-time 4WD system, climate control air conditioning and MP3 compatible CD player with speed-sensing volume control, all add up to an enjoyable drive.





## **GRAND VITARA 5-DOOR**

### **EXCITEMENT DOESN'T END WITH THE ROAD.**

City or bush. The beach or the snow.

A daily commute or a Sunday drive. The 5-door
Grand Vitara, with the full-time 4WD system,
makes easy going of any drive. Embracing Suzuki's
next generation "go-anywhere" compact and rugged
design, it positively thirsts for adventure.
Unlike the "soft-roaders" so common today,
the Suzuki Grand Vitara's true 4x4 heritage means
it has the muscle to tackle rugged terrain, combined
with an agility to tame the concrete jungle.
And you have the choice of the economy
of a reliable and hardworking 2.0 litre
4 cylinder or the power of the 2.7 litre V6.
So where do you want to go today?





## **GRAND VITARA DIESEL**


## MORE ADVENTURE. MORE CONTROL. BETTER FUEL EFFICIENCY.

True 4x4 enthusiasts will rejoice at the addition of a turbocharged diesel engine to the Grand Vitara range. The new Grand Vitara Diesel delivers an impressive fuel economy of 7.6 litres per 100km\*, with a common rail, Direct Diesel injection System (DDiS) Turbocharged diesel engine. With maximum torque of 300Nm at 2,000 RPM, it provides real grunt for true 4x4 performance. The dual combination of added Electronic Traction and Stability Control systems (ETC & ESP) work together to reduce the risk of losing vehicle control when driving on road, while providing extra grip for any off-road adventure you choose. Dual front, side and curtain airbags as standard complete an impressive safety package.



\*ADR 81/01 Test standard - Combined (L/100km)





## **Electronic Stability Program**

is a computer-controlled technology using a number of intelligent sensors to immediately detect any loss of control and automatically apply the brakes to individual wheels to help restore the vehicle to its correct alignment.



## **GRAND VITARA PRESTIGE**

POWER AND PRESTIGE, COMBINED. The Grand Vitara Prestige takes you to a whole new level from the moment you step inside. The luxurious leather interior coddles you in comfort, while it surrounds you with safety with no less than six airbags. Activate the keyless start and it more than delivers on the power it promises. The potent 2.7 litre V6 engine produces outstanding performance, generating 135kW of power and up to 250Nm of torque. Dynamic driving characteristics also include a full-time 4WD system, ABS (Anti-lock Braking System) with EBD (Electronic Brake Distribution) and now Electronic Stability Control (ESP), an advanced safety system which helps reduce the risk of losing vehicle control while cornering, braking or sudden swerving.





Extra luxury features include keyless start, cruise control and an MP3 compatible, 6-disc in-dash sound system with speed sensing volume control. Low profile alloys and stylish fog lamps also add extra flourish to Prestige's unique presence and stature on or off the road.







## **ACCESSORIES**

	Description	3-Door 1.6L	5-Door 2.0L	5-Door 2.7L V6	Prestige V6	Diesel 1.9L	Part Number
EXTERIOR							
Bonnet protector		•	•	•	•	•	990AA-00316-001
Fog lamp kit		•	•	•		•	99000-99006-E20
Front nudge bar garnish		•	•	•		•	990AA-00616-001
Headlamp protectors		•	•	•	•	•	990AA-00116-001
Front mud flap	Colour coded*		•	•		•	99000-99004-XXX
Rear mud flap	Colour coded*		•	•	•	•	99000-99004-XXX
Muffler extension	Stainless steel			•	•	•	990AA-01016-001
Muffler extension	Stainless steel	•	•				990AA-01016-002
Reverse parking aid	Colour coded*	•	•	•	•	•	990AA-64j00-XXX
Running board set**			•	•	•	•	99000-990X4-K01
Slimline weathershields	Front		•	•		•	990AA-00216-001
Slimline weathershields	Rear		•	•	•	•	990AA-00216-002
Slimline weathershields	Front	•					990AA-00216-003
Rear spoiler	Colour coded*	•	•	•	•	•	99000-99056-XXX
INTERIOR							
Ashtray	Front	•	•	•	•	•	89810-65J00-5PK
Cargo mat			•	•			990AA-00816-003
Cargo mat		•					990AA-00816-004
Cargo tray			•	•			990AA-00816-005
Cargo tray		•					990AA-00816-006
Dashboard protection mat		•	•	•		•	990AA-00916-006
First aid kit	Small	•	•	•	•	•	990AA-02010-006
First aid kit	Large	•	•	•			990AA-02010-003
Floor mat set					•		990AA-00816-012
Floor mat set			•	•		•	990AA-00816-001
Floor mat set		•					990AA-00816-002
Rear cargo net		•	•	•	•	•	99000-990J5-E33
Seat covers with side airbag	Front				•		990AA-01116-001
Seat covers	Front	•	•	•		•	990AA-01116-002
Seat covers	Rear		•	•	•	•	990AA-01116-003
Seat covers	Rear	•					990AA-01116-004
WHEELS							
Alloy wheel set	16x6.5 7 spoke-4pcs		•	-			990AA-01416-K14
Alloy wheel set	16X6.5 7 spoke-5pcs	•	•	•		•	990AA-01416-K15
Alloy wheel set	16X6.5 5 spoke-4pcs	•	•	•		•	990AA-01416-K24
Alloy wheel set	16X6.5 5 spoke-5pcs						990AA-01416-K25

<sup>\*</sup> These items are colour coded, please advise your car colour when ordering \*\* Mud flaps not applicable to vehicle fitted with Suzuki running board

	Description	3-Door 1.6L	5-Door 2.0L	5-Door 2.7L V6	Prestige V6	Diesel 1.9L	Part Number
NAVIGATION			'				1
Garmin Streetpilot C510		•		-		•	990AA-01216-510
Garmin NUVI 310		•			•	•	990AA-01216-310
Garmin QUEST		•	•	-	•	•	990AA-01210-Q01
Garmin ZUMO 550		•		-	•	•	990AA-01210-550
AUDIO / ENTERTAINMENT							•
Premium sound upgrade pack***		•		-		•	990AA-01216-PK1
6 CD stacker		•		-		•	990AA-01216-001
Premium sound speakers	1 pair	•	•	-	•	•	990AA-01215-003
Speaker bracket (after market)		•	•	-	•	•	99000-99076-N50
Subwoofer		•	•			•	990AA-01216-002
Tweeters		•	•	-	•	•	39102-65J20
Roof mounted DVD player****		•		-	•	•	990AA-01216-012
Headphones, i-red	additional set	•	•	-	•	•	990AA-01216-P14
Remote control	replacement	•	•	-	•	•	990AA-01216-15
Dash garnish tuner	grey	•	•	-	•	•	39511-64J10-ZEW
Bracket tuner		•	•	-	•	•	39321-65J10
Pocket tuner		•	•	-	•	•	39182-70E51
iPod interface					•		990AA-01216-125
iPod interface		•	•	-		•	TBA
TOWING							'
Tow bar kit			•	-	•	•	990AA-01716-K01
Tow bar kit		•					990AA-01716-K02
ROOF RACK & ACCESSORIES							
Roof racks		•		-		•	990AA-00716-001
Aerial mounting kit		•		-	•	•	990AA-00715-AMK
Bike carrier fork mount		•	•	-	•	•	990AA-00715-BC2
Locking arm	2 pair skis	•	•	-	•	•	990AA-00715-LA2
Locking arm	3 pair skis	•		-	•	•	990AA-00715-LA3
Locking arm	4 pair skis	•	•	-	•	•	990AA-00715-LA4
Locking arm	6 pair skis	•		-	•	•	990AA-00715-LA6
Ski clips	1 pair	•	•	-	•	•	990AA-00715-SC1
Tie down straps cam lock	1 pair	•	•	-	•	•	990AA-00715-TDC
Tie down ratchet		•	•	-	•	•	990AA-00715-TDR
Carrier, water craft		•	•	-	•	•	990AA-00715-WCC
Holder, water craft		•	•		•	•	990AA-00715-WCU
Luggage tray fit kit		•	•	•	•	•	990AA-00715-UBK
Cam lock tie down	1 pair	•	•		•	•	990AA-00715-RCT
Luggage tray	Small	•	•	•			990AA-00715-LTC
Luggage box	320 ltr	•	•		•		990AA-00716-320
Luggage box	360 ltr	•			•		990AA-00716-360
	450 ltr						

<sup>\*\*\*</sup> Pack includes 4 x speakers, 4 x brackets, 2 x tweeters and subwoofer \*\*\*\* Pack includes 2 i-red headsets and remote



BONNET PROTECTOR



HEADLAMP PROTECTOR



SLIMLINE WEATHERSHIELDS



FRONT NUDGE BAR GARNISH



RUNNING BOARDS



UPPER SPOILER



ALLOY WHEELS (2 DESIGNS)



PREMIUM SOUND UPGRADE PACK



ROOF MOUNTED DVD PLAYER



IPOD INTERFACE



SATELLITE



TOW BAR KIT



ROOF RACKS



REVERSE PARKING KIT



FLOOR MAT SET



6 CD STACKER



CARGO TRAY



MUD FLAPS



REAR CARGO NET



FOG LAMPS

## **SPECIFICATIONS**

## **GRAND VITARA SPECIFICATIONS**

TRANSMISSION							
DIMENSIONS   Overall length							
Overall length         mm         4,005         4,470           Overall width         mm         1,810         1,810           Overall height         mm         1,695         1,695           Wheelbase         mm         2,440         2,640           Tread         Front mm         1,540         1,540           Rear mm         1,560         1,560           Ground clearance (unladen)         mm         200         200           Minimum turning radius         m         5.1         5.5           CAPACITIES           Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded*         516         758           rear raised*         184         398           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         toxaked         1,600         1,850           ENGINE           Type         M16A with VVT         J20A         H27A         1,91 turbo           Number of cylinders         4							
Overall width         mm         1,810         1,810           Overall height         mm         1,695         1,695           Wheelbase         mm         2,440         2,640           Tread         Front mm         1,540         1,540           Rear mm         1,560         1,560           Ground clearance (unladen)         mm         200         200           Minimum turning radius         m         5.1         5.5           CAPACITIES           Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded*         516         758           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         nbraked         1,600         1,850           ENGINE           Type         M16A with VVT         J20A         H27A         1,91 turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           <							
Overall height         mm         1,695         1,695           Wheelbase         mm         2,440         2,640           Tread         Front mm         1,540         1,540           Rear mm         1,560         1,560           Ground clearance (unladen)         mm         200           Minimum turning radius         m         5.1           CAPACITIES           Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded^ 516         758           rear raised^ 184         398           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         braked         1,600         1,850           ENGINE           Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc							
Wheelbase         mm         2,440         2,640           Tread         Front mm         1,540         1,540           Ground clearance (unladen)         mm         200         200           Minimum turning radius         m         5.1         5.5           CAPACITIES           Seating capacity (litre)         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded^ 516         758           rear folded^ 516         758           rear raised^ 184         398           Fuel tank capacity (kg)         braked 1,600         1,850           to private of packed 1,600         1,850           to private of packed 1,600         1,850           Type         M16A with VVT 120A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke							
Tread         Front mm         1,540         1,540           Ground clearance (unladen)         mm         200         200           Minimum turning radius         m         5.1         5.5           CAPACITIES           Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           (litre)         758         758           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         750         184         190           ENGINE           Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1							
Rear mm							
Ground clearance (unladen)         mm         200         200           Minimum turning radius         m         5.1         5.5           CAPACITIES           Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded^ 516         758           rear raised^ 184         398           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         braked         1,600         1,850           Unbraked         550         750           ENGINE           Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.							
Minimum turning radius   m   5.1   5.5							
CAPACITIES           Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded*         516         758           rear raised*         184         398           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         unbraked         550         750           ENGINE           Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque							
Seating capacity         persons         4         5           Luggage capacity (litre)         max volume         964         1,386           rear folded^ rear folded^ rear raised^ 184         398           Fuel tank capacity         litres         55         66           Towing capacity (kg)         braked         1,600         1,850           (kg)         unbraked         550         750           ENGINE           Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Luggage capacity (litre)         max volume rear folded^ 516 758           Fuel tank capacity         184 398           Fuel tank capacity         184 398           Fuel tank capacity         braked 1,600 1,850           (kg)         1,600 1,850           unbraked 550 750           ENGINE           Type         M16A with VVT 120A 120A 120A 120A 120A 120A 120A 120A							
Tear folded							
Fuel tank capacity   Items   Items							
Fuel tank capacity							
Towing capacity (kg)         braked         1,600         1,850           ENGINE           Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Unbraked   550   750							
ENGINE         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Type         M16A with VVT         J20A         H27A         1.9L turbo           Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Number of cylinders         4         4         6         4           Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Number of valves         16         16         24         8           Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail           CHASSIS							
Piston displacement         cc         1,586         1,995         2,736         1,870           Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail           CHASSIS							
Bore x stroke         mm         78.0 x 83.0         84.0 x 90.0         88.0 x 75.0         80.0 x 93           Compression ratio         9.0 : 1         9.5 : 1         9.5 : 1         17.0 : 1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail           CHASSIS         Chassing         Common rail							
Compression ratio         9.0:1         9.5:1         9.5:1         17.0:1           Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail           CHASSIS         Chassin							
Maximum output         kW / rpm         73 / 5,900         103 / 6,000         135 / 6,000         95 / 3,750           Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Maximum torque         Nm / rpm         139 / 4,100         183 / 4,000         250 / 4,500         300 / 2,000           Fuel distribution         Multipoint injection         Common rail							
Fuel distribution Multipoint injection Common rail CHASSIS							
CHASSIS							
Steering Rack & pinion							
Front Ventilated disc							
Rear Drum, leading & trailing							
Front MacPherson strut & coil spring							
Suspension Rear Independent Multi-link & coil spring							
Tyres 225 / 70R16 225 / 65R17							
WEIGHTS							
Kerb weight (min.)         kg         1,385         1,520 / 1,535         1,595 / 1,640         1,640         1,605							
Gross vehicle weight kg 1,800 2,070							
^ Figures according to VDA							

### **GRAND VITARA EQUIPMENT**

New York   New York		3-Door 1.6L	5-Door 2.0L	5-Door 2.7L V6	Prestige V6	Diesel 1.9L
Centre differential LSD (limited-slip differential)	DRIVE TRAIN					
Centre differential LSD (limited-slip differential)	4x4 system - full-time (4H)					
Power steering	4x4 system - 4-mode (4H + 4H lock + 4L lock + N)					•
Power steering	Centre differential LSD (limited-slip differential)					
Central door locking (switch x1 driver's side)	COMFORT					
Central door locking (switch x1 driver's side)	Power steering	•	•	•	•	•
Remote controlled door locks with hazard lamp answer-back function  Keyless start system  Climate control air conditioning with pollen filter	Electric windows	•		•	•	•
Keyless start system Climate control air conditioning with pollen filter Heater C	Central door locking (switch x1 driver's side)	•	•	•	-	•
Climate control air conditioning with pollen filter Heater CD stereo with MP3 function + steering wheel audio switches + speed sensing volume control In-cash 6CD stacker with MP3 function + steering wheel audio switches + speed sensing volume control Speakers  A 4 4 4 6 + subwoofter 4 Cruise control INSTRUMENT PANEL Tachometer Information display (clock + outside temperature + instantaneous / average fuel consumption)	Remote controlled door locks with hazard lamp answer-back function	•	•	•	•	•
Note	Keyless start system				•	
CD stereo with MP3 function + steering wheel audio switches + speed sensing volume control In-dash 6CD stacker with MP3 function + steering wheel audio switches + speed sensing volume control Speakers A 4 4 4 4 6+subwoofer 4 Crulse control WISTRUMENT PANEL Tachometer Information display (clock + outside temperature + instantaneous / average fuel consumption)	Climate control air conditioning with pollen filter	•		•	•	•
In-dash 6CD stacker with MP3 function + steering wheel audio switches + speed sensing volume control	Heater	•		•	•	•
Speakers         4         4         4         6+subwoofer         4           Cruise control         • <t< td=""><td>CD stereo with MP3 function + steering wheel audio switches + speed sensing volume control</td><td>•</td><td>•</td><td>•</td><td></td><td>•</td></t<>	CD stereo with MP3 function + steering wheel audio switches + speed sensing volume control	•	•	•		•
Cruise control	In-dash 6CD stacker with MP3 function + steering wheel audio switches+speed sensing volume control				•	
National   National	Speakers	4	4	4	6+subwoofer	4
Tachometer	Cruise control			•	•	•
Information display (clock + outside temperature + instantaneous / average fuel consumption)	INSTRUMENT PANEL					
Sepoke steering wheel   urethane   urethane   urethane   leather covered   leather covered   Interior garnishes   silver   silv	Tachometer	•	•	•	-	•
Interior gamishes   Silver	Information display (clock + outside temperature + instantaneous / average fuel consumption)	•	•	•	•	•
Interest	3-spoke steering wheel	urethane	urethane	urethane	leather covered	leather covered
Overhead console         •         •         •           Front map light         • <td< td=""><td>Interior garnishes</td><td>silver</td><td>silver</td><td>silver</td><td>silver + wood</td><td>silver</td></td<>	Interior garnishes	silver	silver	silver	silver + wood	silver
Front map light         •	INTERIOR					
Centre room light (3 position)         • <td< td=""><td>Overhead console</td><td></td><td>•</td><td>•</td><td></td><td>•</td></td<>	Overhead console		•	•		•
Cup holders (front & rear)         • </td <td>Front map light</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Front map light	•	•	•	•	•
Seats & door trims material         fabric         fabric         leather         fabric           Driver's seat height adjuster         • • • • • • • • • • • • • • • • • • •	Centre room light (3 position)	•	•	•	•	•
Driver's seat height adjuster         •	Cup holders (front & rear)	•	•	•	•	•
Front seatback pocket (driver's side)         • • • • • • • • • • • • • • • • • • •	Seats & door trims material	fabric	fabric	fabric	leather	fabric
Front seatback pocket (passenger's side)         •	Driver's seat height adjuster	•	•	•	•	•
Front door trim pockets	Front seatback pocket (driver's side)		•	•	•	•
Rear door trim pockets         •         •         •         •           Split tumble-folding rear seat         50:50         60:40	Front seatback pocket (passenger's side)	•	•	•	•	•
Split tumble-folding rear seat         50:50         60:40         <	Front door trim pockets	•	•	•	•	•
Detachable head restraint         2         3         3         3         3           Assist grips         3         4	Rear door trim pockets		•	•	•	•
Assist grips       3 <t< td=""><td>Split tumble-folding rear seat</td><td>50:50</td><td>60 : 40</td><td>60 : 40</td><td>60 : 40</td><td>60 : 40</td></t<>	Split tumble-folding rear seat	50:50	60 : 40	60 : 40	60 : 40	60 : 40
Luggage room under-floor compartment         • • • • • •           Luggage room cover         • • • • • •           Convenience hooks         2         4         4         4           12V accessory sockets (1x shift-console area, 1x luggage room)         • • • • • •         • • • •	Detachable head restraint	2	3	3	3	3
Luggage room cover         •	Assist grips	3	3	3	3	3
Convenience hooks         2         4         4         4         4           12V accessory sockets (1x shift-console area, 1x luggage room)         •         •         •         •         •	Luggage room under-floor compartment	•	•	•	•	•
12V accessory sockets (1x shift-console area, 1x luggage room)	Luggage room cover	•	•	-	•	•
	Convenience hooks	2	4	4	4	4
Remote fuel lid opener	12V accessory sockets (1x shift-console area, 1x luggage room)	•	•	•	•	•
	Remote fuel lid opener	•	•	•	•	•

## **SPECIFICATIONS**

### **GRAND VITARA EQUIPMENT**

	3-Door 1.6L	5-Door 2.0L	5-Door 2.7L V6	Prestige V6	Diesel 1.9L
EXTERIOR					
Headlamps (multi-reflector)					
Headlamps (multi-reflector + halogen protector)			•	•	•
Front fog lights				•	
Green tinted windows	•		•	•	•
Body-coloured electrically adjustable outside door mirrors			•	•	•
2-speed variable intermittent windscreen wipers			•	•	•
Rear window intermittent washer & wiper	•		•	•	•
Rear window demister			•	•	•
Sunroof				•	
Roof rails	•		•	•	•
Black outside door handles					
Body-coloured outside door handles		•	•	•	•
225/70 R16 + steel wheels					
225/70 R16 + alloy wheels			•		
225/65 R17 + alloy wheels				•	•
Spare wheel cover	disc type	full cover	full cover	full cover	full cover
SAFETY AND SECURITY		•			,
Dual front SRS airbags			•	•	•
Side SRS airbags (front seat moulded)				•	•
Curtain SRS airbags (front & rear)				•	•
Head-impact protection structure	•		•		•
ABS with EBD (electronic brake-force distribution)				•	
Brake-assist		•	•	•	•
Electronic Stability Program (ESP)				•	•
Front 3-point ELR seatbelts with height-adjusters, pre-tensioners & force limiters			•	•	•
Rear 3-point ELR seatbelts	2	3	3	3	3
Child seat tether anchorages	•	•		•	•
Child-proof rear door locks		•	•	•	•
Immobiliser	•	•	•	•	•
High-mounted stop lamp		•	•	•	•
Shift & key inter-locks		AT only	AT only	•	
Side impact door beams	•	•	•	•	•
•: Standard					

## **COLOURS**

## **3 DOOR**







Silky Silver\*



Blueish Black\*



Bright Red\*

## 5 DOOR



White Pearl



Silky Silver\*



Azure Grey\*



Clear Beige\*



Blueish Black\*



Shining Red\*

<sup>\*</sup>Additional metallic paint charge.

## SUZUKI AUSTRALIA. WILDLIFE FOR THE FUTURE.

There's a Suzuki for every way of life!

Suzuki Australia has joined the fight to save two iconic creatures, the Black Rhinoceros and the Tasmanian Devil from potential extinction. A donation from every new Grand Vitara and Jimny SUV sold by Suzuki Australia will go to special breeding and protection programs for both species.

