

The Crafter Double Cab

Specifications



Technical

Engine	80kW	100kW	120kW		
Туре	5 Cylinder, SOHC, 10 Valve				
Installation / Construction	Longitudinal installation / Cast iron block with alloy head				
Capacity, litres/cc	2,5 / 2,459				
Bore x Stroke / Compression ratio	81.0mm x 95.5mm / 16.8:1				
Maximum power, kW @ rpm	80 @ 3,500	100 @ 3,500	120 @ 3,500		
Maximum torque, Nm @ rpm	280 @ 2,000	300 @ 2,000	350 @ 2,000		
Fuel system	3 rd Gen. Common rail direct injection				
Induction	Variable turbine geometry (VTG) turbocharger with intercooler				
Emissions standard	Euro 4				
Fuel type	Diesel DIN EN 590				
Fuel tank capacity	75 Litre				
Transmission					
Transmission – manual	6 Speed Manual	6 Speed Manual	6 Speed Manual		
Transmission – automatic	6 Speed Shiftmatic	6 Speed Shiftmatic	-		
Driven wheels	Rear wheel drive				
Suspension & Steering					
Front axle	Independent front struts, transverse leaf spring, sub frame and gas filled dampers				
Rear axle	Live rear axle featuring longiditudinal leaf springs and gas dampers				
Steering	Rack and pinion power steering				
Turning Circle	MWB: 13.5m / LWB: 15.6m				

Disclaimer

The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.

Technical continued

Brakes						
Front brakes	300mm x 28mm ventilated discs					
Rear brakes	298mm	m x 16mm solid discs 303mm x 28mm vent discs				
Brake systems	ABS, EBD, EDL, TCS, ESP					
Weights	35 50		50			
GVM, kg	3,550		4,490 5,000 (opt)			
Towing capacity, braked / unbraked	2,000kg / 750kg					
Dimensions	35 50		50			
	MWB	LWB	L	WB		
Length, mm	5,865	6,675	6	6,842		
Width, mm	1,990	1,990	1,990			
Height, mm	2,360	2,350	2,385			
Wheelbase, mm	3,665	4,325	4,325			
Ground clearance, mm	176	176	176			
Exterior length for special body, mm	2,770	3,440	3,610			
Optional factory alloy tray, mm	L2,700 x W2,030 x H400	L3,400 x W2,030 x H400	L3,600 x W2,130 x H400			
Warranty						
Vehicle	3 Years, 200,000km					
Paint / Corrosion	3 Years / 12 Years					
Road side assistance	3 Years, 200,000km					







	Features and Options	35	50
--	----------------------	----	----

S = Standard / NCO = No Cost Option / - = Not Available / Pricing = RRP (Australian Dollar)

Safety and Security			
	Drivers front airbag	S	S
	Passenger front airbag	490	490
	Side airbags	590	590
	Driver and front passenger side and curtain airbags	1,490	1,490
	Electronic engine immobiliser	S	S
	Remote central locking with deadlock mechanism, 2 remote keys	S	S
	Electronic alarm	490	490
	Front height adjustable with pre-tensioners and belt force limiters	S	S
	Anti-Slip Regulation (ASR) and Electronic Differential Lock (EDL)	S	S
	Electronic Stabilisation Program (ESP)	S	S
	Tyre pressure sensor	795	795
Exterior			
	Metallic paint	1,990	1,990
	Pearl effect paint	1,990	1,990
	16" Alloy wheels (35 only)	1,390	-
	Rear fog lamp	S	S
	Front fog lamps	290	290
	Factory alloy tray	2,990	2,990
	Electrically heated and adjustable door mirrors	S	S
	Side indicators integrated into door mirrors	S	S
	Front and rear mud flaps	S	S
Interior			
	6 Disc CD changer	745	745
	Semi-automatic air conditioning	S	S
	Large storage compartments in front doors with bottle holders	S	S
	Storage shelves above front driver and passenger	S	S
	Glovebox with lid	S	S
	Dash mounted gear shifter	S	S
	Sunglass holder in ceiling	S	S
	Cloth seats	S	S
Convenience			
	Front electric windows with auto up function	S	S
	Document clip on dash	S	S
In almost and a line of	Cruise control	490	490
Instrumentation	O contract of the level of the		1
	Speedometer and tachometer, electronic odometer and trip meter,	0	6
	digital clock, fuel & coolant gauges, low fuel warning light, brake pad	S	S
Mechanical	wear indicator, blue adjustable illumination and outside temperature.		
Weenanica	Rear stabiliser bar and up rated front stabiliser bar (anti body roll)	690	690
	Uprated rear suspension	190	090
	Upgrade to 5.0T GVM	- 190	NCO
	100 Liter fuel tank	490	490
	Power Take Off, P.T.O. (manual transmission only)	1,990	1,990
	r ower rake on, F.T.O. (manual transmission only)	1,990	1,990



Disclaimer: Price quoted is the recommended retail price. Excludes dealer delivery charges which vary from dealer to dealer and stamp duty, compulsory third party insurance and registration charges which vary from state to state. This is a manufacturer's advertised price only and new vehicles must be purchased from dealers. Volkswagen is distributed in Australia by Volkswagen Group Australia Pty Ltd, The Lakes Business Park, 6 Lord Street, Botany, NSW, 2019. ABN 14 093 117 876