

The Amarok

Specifications



Features and Specifications

Safety and Security	Amarok Dual Cab 4x2	Amarok Dual Cab Core 4x4
Airbags		
Driver and front passenger airbags	•	•
Driver and front passenger side (head & thorax) airbags	•	•
Seat Belts		
3 point seat belts for all passengers	•	•
Front height adjustable seat belts with pre-tensioners and belt force limiters	•	•
Outer rear seat belt pre-tensioners	•	•
Visual and acoustic warning for driver and front passenger seat belt not fastened	•	•
Child Restraints		
Child seat top tether anchorage points (3)	•	•
ISOFIX child seat anchorage points, outer rear seats	•	•
Brakes and Traction Control		_
Automatic flashing brake lights activated in emergency braking situation	•	
Electronic Stability Programme (ESP)	•	
Electronic Brake-pressure Distribution (EBD)		
Anti-lock Braking System (ABS)	•	•
Brake Assist	•	
Anti-Slip Regulation (ASR)	•	
Electronic Differential Lock (EDL)		
Auto Hold function	•	•
Trailer Sway Stability Control (only with genuine tow bar wiring kit)	•	
Mechanical Differential Lock	0	
Multi-collision brake	•	•
Active Roll-over Prevention	<u>•</u>	
Driver Assistance Technology*		
Off-road mode with optimised ABS, ESP, transmission and hill descent control	•	•
Parking distance sensors, rear with acoustic warning	0	•
Optical Parking System (OPS) in audio display	0	•
Rear View Camera (RVC) with static guidance lines	0	•
Dusk sensing headlight function	0	0
Rain sensing wipers	0	0

^{*}Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

Safety and Security	Amarok Dual Cab 4x2	Amarok Dual Cab Core 4x4	
Lighting			
Halogen headlamps	•	•	
Front fog lights	0	0	
Coming / leaving home function	0	0	
Internal headlight range adjustment	•	•	
Rear high mount stop light, LED	•	•	
Rear fog lamp	•	•	
Locking			
Electronic engine immobiliser	•	•	
Remote central locking with folding key (3)	•	•	
Lockable glovebox	•	•	
Head Restraints			
Rear head restraints height adjustable (3)	•	•	
Exterior Equipment / Styling			
Roof			
Roof Roof gutter inserts (Black)	• •	• •	
Roof	• • • A	• • A	
Roof Roof gutter inserts (Black) Roof bar mounting points	• • A A	• • A A	
Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars		_	
Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders		_	
Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar	A	A	
Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar with removable tongue	A A	A	
Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar with removable tongue Wiring Kit - 7-pin flat trailer connector	A A	A	
Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar with removable tongue Wiring Kit - 7-pin flat trailer connector	A A A	A A	

Exterior Equipment / Styling	Amarok Dual Cab 4x2	Amarok Dual Cab Core 4x4
Body Enhancements		
Body coloured front bumper bar		
Matte black rear step bumper	<u> </u>	
Styling Bar (Matte Black) - Standard type	A	A
Side Steps (Matte Black)	A	A
Side Steps (Stainless Steel)	A	A
Styling Bar (Stainless Steel) - Standard type	A	A
Rolling cover (lockable)	A	A
Hard tonneau cover (lockable)	A	A
Soft tonneau cover	A	A
Canopy with side windows and rear door	A	A
Protection		
Underbody protection (Engine) - Plate type	•	•
Underbody protection (Engine) - Bar type	A	A
Mudflaps - front and rear	<u> </u>	
Slimline weather shields (set of 4)	A	A
Slimline bonnet protector - clear or tinted	A	A
Tubliner - Under rail plastic	A	A
Underbody protection (Fuel tank)	A	A
Wheels and Tyres		
Steel wheels 16" with 205 R16	•	
Alloy wheels (Korama) 16 x 6.5" with 245/70 R16	0	•
Full size steel spare wheel	•	•

Comfort & Convenience	Amarok Dual Cab 4x2	Amarok Dual Cab Core 4x4
Air Conditioning		
Single zone air-conditioning	•	_ •
Cruise Control		
Cruise Control with stork mounted controls	•	•
In-Car Entertainment and Technology		
Composition Media audio system 6.33"		
6.33" colour touch screen display, AM/FM radio with phase diversity tuner, CD player (MP3/WMA compatible), AUX and SD card slot and external USB input. Car menu with convenience and service settings. Includes display for park distance control (if fitted).	•	•
App-Connect [~] USB interface for Apple CarPlay [®] , Android Auto [™] and MirrorLink [®] in centre console	•	•
Audio, Telephone and Multi-Function Display controls mounted on steering wheel	•	•
Auxiliary input audio socket in centre console	•	•
Bluetooth® phone connectivity with contacts display, operation via touch screen audio unit or Multi-Function Display and Bluetooth® audio streaming	•	•
Speakers - front and rear (6)	•	•
Voice operation, telephone system functions can be operated using voice commands	•	•
Instrumentation		
Speedometer & tachometer, electronic odometer and tripmeter, digital clock, fuel and coolant gauges, ambient temperature display, transmission gear indicator	•	•
Multi-Function Display (MFD Plus) monochrome display – driving time, trip length, average and current speed, average and current fuel consumption, distance till empty, speed warning function, vehicle status, audio, telephone, navigation and convenience menus	•	•
12 V Socket		
Centre console	•	•
Interior Lighting		
Interior Lighting Interior lights - door operated	•	
Reading lights - rear	•	•

Comfort & Convenience	Amarok Dual Cab 4x2	Amarok Dual Cab Core 4x4
Interior Trims		
Shadow chrome-look decorative dashboard insert	•	•
Leather covered steering wheel and gearshift knob	•	•
Rubber floor covering in cab		•
Carpet mats - front and rear with decorative stitching	A	A
Rubber mats - front and rear	A	A
Mirrors		
Electric adjusted door mirrors with heating function	•	•
Steering Wheel 3 spoke leather covered steering wheel	•	•
Audio, Telephone and Multi-Function Display controls	•	•
Height and reach adjustable steering wheel	<u> </u>	
Seating		
Cloth seat upholstery - Austin trim	•	•
Manual height adjustment - front	•	•
Lumbar support - front	0	0
Rear seat backrest forward folding	<u> </u>	•
Rear seat base split folding (60/40)	<u> </u>	
Grab Handles		
Roof line folding grab handles (4)	•	•
A-pillar fixed grab handle (1)	•	•

Comfort & Convenience	Amarok Dual Cab 4x2	Amarok Dual Cab Core 4x4	
Storage		_	
Centre console armrest with storage compartment			
Door pockets - front and rear			
Driver's and passenger's side vanity mirrors			
Compartment with lid in roof console			
Bottle holders in front and rear door pockets		_ •	
Tray Body			
Lashing rings for load restraining (4)	•	•	
Cargo area light	•	•	
Mechanical			
Mechanical Differential Lock	0	•	
6-speed Manual Transmission		•	
8-speed Automatic Transmission	•	0	
Rear Wheel Drive	•	_	
Selectable 4MOTION Transmission (Standard with Manual)		•	
Permanent 4MOTION Transmission (Standard with Auto)		0	
Optional Equipments			
Options			
Rear differential lock			
Front fog lamps			
Alloy wheels (Korama) 16 x 6.5" with 245/70 R16	0		
Paint			
Paint Metallic or Pearl Effect paint finish		0	
Metallic or Pearl Effect paint finish		0	
	0	<u> </u>	

Technical Specifications

Engine	TDI420 4x2	TDI400 4x4	TDI420 4x4
Туре	4 cylinder Bi-turbo diesel, DOHC, 16 valve		
Cubic capacity, litres/cc	2.0 / 1,968		
Max power, kW @ rpm	132 @ 4,000	132 @ 4,000	132 @ 4,000
Max torque, Nm @ rpm	420 @ 1,750	400 @ 1,500 - 2,250	420 @ 1,750
ompression ratio	16.5:1		
uel system	Common Rail Direct Injection		
xhaust emission control	Water-cooled exhaust gas recirculation	(EGR), catalytic converter and diesel particulate filter (DP	F)
uel type (Recommended)	Diesel EN 590		
Transmission	8 Speed Automatic	6 Speed Manual	8 Speed Automatic
Driven wheels	4x2 Rear Wheel Drive	4x4 (4MOTION) Selectable	4x4 (4MOTION) Permanent
Gear Ratios	Final Drive: 3.70	Final Drive: 4.10	Final Drive: 3.70
	1st Gear: 4.714	1st Gear: 3.583	1st Gear: 4.714
	2nd Gear: 3.143	2nd Gear: 1.889	2nd Gear: 3.143
	3rd Gear: 2.106	3rd Gear: 1.114	3rd Gear: 2.106
	4th Gear: 1.667	4th Gear: 1.00	4th Gear: 1.667
	5th Gear: 1.285	5th Gear: 0.564	5th Gear: 1.285
	6th Gear: 1.00	6th Gear: 0.473	6th Gear: 1.00
	7th Gear: 0.839		7th Gear: 0.839
	8th Gear: 0.667		8th Gear: 0.667
	Reverse Gear: 3.300	Reverse Gear: 3.250	Reverse Gear: 3.300
Fuel Consumption**			
Combined, L/100km	8.4	8.0	8.5
Urban, L/100km	10.0	9.2	10.1
Extra Urban, L/100km	7.6	7.3	7.6
CO₂ emissions, g/km	224	211	224
Fuel tank capacity, litres	80		
Towbar Capacity [±]			
Braked kg	3,000		
Unbraked, kg	750		
Towball load limit, kg	300		

^{**}Fuel consumption figures according to Australian Design Rule (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

[#]When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.


Technical Specification


Chassis


Full-length ladder frame chassis in high strength steel Fully galvanised body with 6 year anti-corrosion perforation warranty

Running Gear	2.0 litre, 4 cylinder TDI		
Suspension			
Front axle	Transverse link with A-frame arm double wishbone and anti-roll bar		
Rear axle	Multi-layer rigid axle with leaf spring and stabiliser bar		
Steering	Power assisted rack & pinion steering		
Brake systems			
Front, mm	303, Ventilated Discs		
Rear, mm	292, Drum		
Brake systems	ESP, off-road ABS, ASR, EDL, Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Descent		
Turning circle, metres	12.95		

Measurements and Dimensions







^{**}Maximum height excludes styling bar fitment

Measurements and Dimensions

Weights#	TDI420 4x2	TDI400 4x4	TDI420 4x4
Unladen Mass Kg`s - DC 4x2	1,855		-
Unladen Mass Kg`s - Core	-	2,007	2,007
Payload [‡] kg - DC 4x2	1,155	-	-
Payload [‡] kg - Core	-	1,033	1,033
Gross Vehicle Mass (GVM) kg	3,040	3,040	3,040
Gross Combined Mass (GCM) kg	5,550	5,550	5,550
Roof load, kg	100	100	100
Exterior Dimensions#			
Overall length mm	5,181	5,254	5,254
Width mm	1,944	1,954*	1,954*
Width incl. mirrors mm	2,228	2,228	2,228
Height, mm	1,820	1,834^	1,834^
Wheelbase mm	3,095	3,095	3,095
Ground clearance, mm	230	226	226
Entry angle	28.0°	28°	28°
Departure angle	28.0°	23.6°	23.6°
Ramp angle	23.0°	23.0°	23.0°
Wading depth, mm	500	500	500
Tray Dimensions#			
Length, mm	1,555		
Width mm (Max.)	1,620		
Width mm (between wheel arches)	1,222		
Tail gate opening mm (Max.)	1,364		
Height (tail gate) mm	508		
load area m	2.52		
Height from ground mm	780		

[#] Please note figures are sourced from overseas data where equipment levels by model variant may vary.

1. Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. ‡ Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass.

Colours

Solid paint finishes



Candy White | Solid paint finish | B4B4

Metallic and Pearlescent paint finishes



Mojave Beige | Metallic paint finish | 1B1B



Indium Grey | Metallic paint finish | X3X3



Reflex Silver | Metallic paint finish | 8E8E



Starlight Blue | Metallic paint finish | 3S3S



Deep Black | Pearl paint finish | 2T2T

Seat upholstery



AustinCloth seat upholstery I Titanium Black and Moon Rock Grey

The Amarok

Volkswagen Group Australia Pty Ltd 24 Muir Road Chullora NSW 2190 ABN 14 093 117 876

Printed in Australia
October 2018
www.volkswagen.com.au

Publication: VWCAMARSPECMY19

Important information

Apple CarPlay®is a registered trade mark of Apple Inc. Android Auto™ is a registered trade mark of Google Inc. MirrorLink® is a registered trade mark of Car Connectivity Consortium LLC. Bluetooth® is a registered trade mark of Bluetooth SIG Inc.

Volkswagen is distributed by Volkswagen Group Australia Pty Ltd (ABN 14 093 117 876) of 24 Muir Road Chullora, NSW 2190. Specifications are as planned at October 2018, for Model Year 2019 and are subject to change without notice or obligation. All information is this brochure are correct at the time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Authorised Volkswagen Dealers will provide up-to-date information on model application, design feature, prices, and availability on request.