# SIERRA MODELS

2023 FEATURES, SPECS AND OPTIONS



We have tried to make this guide comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this guide and other printed materials provided at the dealership or affixed to vehicles are approximations based on design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of publication, please check with your GMC dealer for complete details.









ELEVATION







NEW 2023 AT4X





YOUR SIERRA AWAITS			NOI			AT4X	_	_ <u>=</u> =
KEY FEATURES See your GMC dealer or gmc.com for more feature details and requirements.	PRO	SLE	ELEVATION	SLT	AT4	NEW 2023 A	DENALI	DENAL! ULTIMATE
EXTERIOR								
Chrome Wheel-to-Wheel Assist Steps	_	0	_	0	_	_	•	-
GMC MultiPro™ Power Steps	-	_	_	_	_	_	0	•
Accessory Off-Road High-Clearance Steps	-	_	0	_	0	0	_	-
Accessory Rocker Protection	-	_	_	_	_	0	_	-
Cargo Bed Tie-Downs (Fixed)	•	•	•	•	•	•	•	•
Dual Exhaust With Premium Tips	-	0	0	0	•	-	•	•
Protected Dual Exhaust Outlets	-	_	_	_	_	•	_	_
LED Dual-Projector Headlamps With Fade-On/Fade-Off Animation	•	•	•	•	•	•	•	•
Spray-on Bedliner With Logo	0	0	0	0	•	•	•	•
World's First Six-Function MultiPro Tailgate	0	•	•	•	•	•	•	•
Accessory MultiPro Audio System by KICKER®1	_	0	0	0	0	•	0	•

Standard O Available — Not Available









ELEVATION







NEW 2023 AT4X



DENALI



YOUR SIERRA AWAITS			N O			AT4X		<u> </u>
KEY FEATURES See your GMC dealer or gmc.com for more feature details and requirements.	PRO	SLE	ELEVATION	SLT	AT4	NEW 2023 AT	DENALI	DENAL! ULTIMATE
INTERIOR								
Dual-Zone Automatic Climate Control	_	•	•	•	•	•	•	•
40/20/40 Front Split Bench Seat With Covered Armrest Storage and Lockable Under-Seat Storage	•	•	•	•	_	_	_	-
Front Bucket Seats With Center Console	_	_	0	0	•	•	•	•
10-Way Power Driver Seat Adjuster Including Lumbar	0	•	•	•	•	_	•	-
16-Way Power Driver and Front-Passenger Seat Adjuster, Including Lumbar and Massage	_	_	_	_	_	•	_	•
Driver Memory (Driver Seat and Outside Mirrors)	_	_	_	•	•	•	•	•
Heated Driver and Front Outboard Passenger Seats	_	•	•	•	•	•	•	•
Ventilated Driver and Front Outboard Passenger Seats	_	_	_	0	•	•	•	•
Heated Second-Row Outboard Seats	_	_	_	0	•	•	•	•
Second-Row Outboard Seatback Storage	_	_	•	•	•	•	•	•
Heated Steering Wheel	_	•	•	•	•	•	•	•
Power-Rake/-Telescoping Steering Column	_	_	_	0	•	•	•	•
Power Sunroof	_	_	0	0	0	•	0	•







ELEVATION







NEW 2023 AT4X



DENALI



YOUR SIERRA AWAITS			Z			X4		ш
KEY FEATURES See your GMC dealer or gmc.com for more feature details and requirements.	PRO	SLE	ELEVATION	SLT	AT4	NEW 2023 AT4X	DENALI	DENAL! ULTIMATE
CAPABILITY								
2.7L Turbo High-Output Engine	•	•	•	_	_	_	_	_
5.3L V8 Engine	0	0	0	•	_	_	•	_
6.2L Gas V8 Engine (4WD Models)	_	_	_	0	0	•	0	•
3.DL Duramax Turbo Diesel I6 Engine	_	0	0	0	•	_	0	0
10-Speed Automatic Transmission	0	0	0	•	•	•	•	•
Electronic Precision Shift and Steering-Column Paddle Shifters	_	_	0	0	•	•	•	•
Denali Premium Suspension With Adaptive Ride Control	_	_	_	_	_	_	•	•
Off-Road Suspension With 2" Factory-Installed Lift and Monotube Shocks	_	_	_	_	•	_	_	_
Off-Road Suspension With 2" Factory-Installed Lift and Multimatic™ DSSV Dampers	_	_	_	_	_	•	_	-
Front and Rear Electronic-Locking Differentials (Driver-Selectable)	_	_	_	_	_	•	_	-
Mud Terrain-Rated Goodyear® Wrangler Tires	0	_	_	_	•	•	_	_
Duralife Brake Rotors	•	•	•	•	•	•	•	•
Traction Select System With Tow/Haul Mode	_	•	•	•	•	•	•	•

● Standard O Available — Not Available







ELEVATION







NEW 2023 AT4X



DENALI



YOUR SIERRA AWAITS			N O			AT4X		2
KEY FEATURES See your GMC dealer or gmc.com for more feature details and requirements.	PRO	SLE	ELEVATION	SLT	AT4	NEW 2023 AT	DENALI	DENALI ULTIMATE
SAFETY AND TECHNOLOGY								
GMC Pro Safety¹ (Includes Forward Collision Alert, Following Distance Indicator, Front Pedestrian Braking, IntelliBeam, Lane Keep Assist With Lane Departure Warning and Automatic Emergency Braking. Includes the Safety Alert Seat on AT4, AT4X, Denali and Denali Ultimate.)	•	•	•	•	•	•	•	•
Super Cruise <sup>2</sup> Hands-Free Driver-Assistance Technology	_	_	_	_	_	_	0	0
Trailer Side Blind Zone Alert <sup>1</sup>	_	0	0	0	•	•	•	•
Adaptive Cruise Control With Trailering <sup>1</sup>	0	0	0	0	0	•	0	•
High Definition Surround Vision <sup>1</sup>	_	0	0	0	•	•	•	•
Multicolor 15" Diagonal Head-Up Display	_	_	_	_	0	•	0	•
13.4" Diagonal Premium GMC Infotainment System³ with Google built-in Compatibility⁴ (3-Year GMC Connected Vehicle⁵ Subscription Is Included)	_	•	•	•	•	•	•	•
12.3" Diagonal Digital Driver Information Center	_	•	•	•	•	•	•	•
Bose® Audio System With Richbass Woofer	_	-	0	0	•	_	•	-
Bose 12-Speaker Premium Series With Centerpoint® Surround Sound	_	-	_	-	_	•	-	•

CONTINUED

● Standard O Available — Not Available

<sup>1</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. <sup>2</sup>Always pay attention while driving and when using Super Cruise. Do not use a handheld device. Requires active Super Cruise plan or trial. Terms apply. Visit gmc.com/connectivity-technology/super-cruise for compatible roads and full details. <sup>3</sup>Functionality varies by model. Full functionality requires compatible Bluetooth® and smartphone, and USB connectivity for some devices. <sup>4</sup>Google built-in services are subject to limitations, and availability may vary by vehicle, infotainment system and location. Select service plan required. Certain Google actions and functionality may require account linking. User terms and privacy statements apply. Google, Google Play and Google Maps are trademarks of Google LLC. <sup>3</sup>Requires properly equipped 2023 Sierra vehicle. Includes 3-year trial of Connected Vehicle from time of online enrollment by dealer. Services subject to acceptance of terms and limitations. Data plans offered by AT&T®. Certain services require working electrical system, cell reception and GPS signal. Offer transferable. Offer subject to change. See onstar.com for details. Availability subject to change.







ELEVATION







NEW 2023 AT4X





YOUR SIERRA AWAITS			N O			¥		щ
KEY FEATURES See your GMC dealer or gmc.com for more feature details and requirements.	PRO	SLE	ELEVATION	SLT	AT4	NEW 2023 AT4X	DENALI	DENALI
SAFETY AND TECHNOLOGY CONTINUED								
In-Vehicle Trailering App <sup>1</sup>	_	0	0	0	•	•	•	•
Wireless Apple CarPlay® Compatibility²	0	•	•	•	•	•	•	•
Wireless Android Auto™ Compatibility³	0	•	•	•	•	•	•	•
Wireless Charging <sup>4</sup>	_	_	0	0	0	0	0	0
SiriusXM® With 360L <sup>5</sup> 3-Month Trial Subscription	_	•	•	•	•	•	•	•

● Standard O Available — Not Available

App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply. <sup>2</sup>Vehicle user interface is a product of Apple® and its terms and privacy statements apply. Requires compatible iPhone® and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries. <sup>3</sup>To wirelessly use Android Auto on your card display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android Android Auto are trademarks of Google LLC. Feature may not be available on certain vehicles. See dealer for feaure availability. The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adapter/back cover. To check for phone or other device compatibility, see my.gmc.com/learn or consult your carrier. 5 Certain features require a SiriusXM subscription and the GMC Connected Access plan. See siriusxm.com and onstar.com for details and limitations.

















# **SELECT PACKAGES**

See your GMC dealer or gmc.com for more package details and requirements.

### PRO

**GRAPHITE EDITION** Includes Connectivity and Entertainment Package, body-color rear bumper, body-color front bumper, color-keyed carpeting, remote start, theft-deterrent system, 20" 6-spoke high-gloss black painted aluminum wheels and body-color upper grille. Includes recovery hooks on 2WD models.

**CONVENIENCE PACKAGE** Includes EZ-Lift power lock and release tailgate, tinted glass, LED cargo bed lighting, rear-window defogger, cruise control and outside power mirrors on Double Cab and Crew Cab models

PRO VALUE PACKAGE Includes Convenience Package and Trailering Package

1SA SAFETY PLUS PACKAGE<sup>2</sup> Includes Lane Change Alert with Side Blind Zone Alert, Rear Cross Traffic Braking, perimeter lighting, outside chrome mirror caps, Rear Pedestrian Alert and Rear Park Assist (feature may not be available on certain vehicles; see dealer for feature availability)

CONNECTIVITY AND ENTERTAINMENT PACKAGE Includes wireless Apple CarPlay® compatibility³ and wireless Android Auto compatibility⁴ 3 years of OnStar® and Connected Services Plan⁵ capability, Wi-Fi® Hotspot⁵ capability and 3-month trial of SiriusXM²

# SLE

**PREFERRED PACKAGE** Includes Universal Home Remote, rear sliding power window, trailer brake controller, Hitch View, in-vehicle Trailering App, ear wheelhouse liners and Adaptive Cruise Control.

### **ELEVATION**

PREFERRED PACKAGE Includes Universal Home Remote, Bose Audio System, rear sliding power window, trailer brake controller, Hitch View, in-vehicle Trailering App, Adaptive Cruise Controls and rear wheelhouse liners

**ELEVATION PREMIUM PACKAGE** Includes Preferred Package, Jet Black leather-appointed front bucket seats, up-level rear seat with Storage Package, wireless charging<sup>9</sup> (feature may not be available on certain vehicles; see dealer for feature availability), all-weather floor liners, Sierra Safety Plus Package and spray-on bedliner

CONTINUED

<sup>1</sup>To avoid the risk of injury, never use recovery hooks to tow a vehicle. For more information, see the Recovery Hooks section of the vehicle Owner's Manual. <sup>2</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. <sup>3</sup>Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone® and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries. <sup>4</sup>To use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android and Android Auto are trademarks of Google LLC. <sup>5</sup>Connected services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. Does not include emergency or security services. See onstar.com for details and limitations. <sup>6</sup>Service varies with conditions and location. Requires active service plan and paid AT&T data plan. See onstar.com for details and limitations. <sup>7</sup>If you decide to continue service after your trial, your selected subscription plan will automatically renew thereafter. You will be charged at then-current rates. Fees and taxes apply. To cancel, you must call SiriusXM at 1-866-635-2349. See SiriusXM customer Agreement for complete terms at siriusxm.com. All fees and programming subject to change. ©2023 SiriusXM Radio, Inc. All rights reserved. <sup>8</sup>App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply. <sup>9</sup>The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adapter/back cover. To c







ELEVATION











# **SELECT PACKAGES CONTINUED**

See your GMC dealer or gmc.com for more package details and requirements.

# **SLT**

**SLT CONVENIENCE PACKAGE** Includes front bucket seats with center console, ventilated front seats, wireless charging<sup>2</sup> (feature may not be available on certain vehicles; see dealer for feature availability), Bose Audio System, power-rake/-telescoping steering column and USB ports<sup>3</sup> (2 first-row and charge and data ports located inside console)

SLT PREFERRED PACKAGE Includes Adaptive Cruise Control, rear sliding power window, Universal Home Remote and heated second-row outboard seats 1

SLT PREMIUM PACKAGE Includes SLT Convenience Package, 20" polished aluminum wheels with Technical Gray painted accents and chrome assist steps

**SLT PREMIUM PLUS PACKAGE** Includes SLT Convenience Package, SLT Preferred Package, Sierra Safety Plus Package, ProGrade™ Trailering System, 20" polished aluminum wheels with Technical Gray painted accents, chrome assist steps and spray-on bedliner

### AT4

AT4 PREFERRED PACKAGE Includes Universal Home Remote, rear sliding power window and Adaptive Cruise Control<sup>4</sup>

AT4 PREMIUM PACKAGE Includes AT4 Preferred Package and off-road high-clearance steps

# **NEW 2023 AT4X**

**AT4X AEV EDITION** Includes AEV front chassis skid plate, AEV transfer case skid plate, AEV rear differential skid plate, AEV fuel tank skid plate, 18" 12-spoke high-gloss black aluminum wheels with laser etching and AEV center cap, AEV stamped-steel rear bumper with heavy-duty cast recovery points, rocker protection, AEV-branded floor liners, gloss-black door handles, AEV-branded front head restraints and tailgate decal with exterior badging (Available spring 2023)

### DENALI

DENALI RESERVE PACKAGE Includes Technology Package, sunroof, GMC MultiPro Power Steps and 22" painted aluminum wheels with machining and Bright Chrome inserts

**DENALI RESERVE SUPER CRUISE PACKAGE** Includes a 3-year Super Cruise<sup>5</sup> driver-assistance technology subscription and Super Cruise steering wheel, Technology Package, sunroof, GMC MultiPro Power Steps and 22" painted aluminum wheels with machining and Bright Chrome inserts

DENALI CARBONPRO EDITION Includes CarbonPro fender hard badge, MultiPro Audio System by KICKER® and carbon-fiber composite bed

CONTINUED

<sup>1</sup>Feature will not function on certain models without dealer retrofit. See dealer for details. <sup>2</sup>The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adapter/back cover. To check for phone or other device compatibility, see my.gmc.com/learn or consult your carrier. <sup>3</sup>Not compatible with all devices. <sup>4</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. <sup>5</sup>Always pay attention while driving and when using Super Cruise. Do not use a handheld device. Requires active Super Cruise plan or trial. Terms apply. Visit gmc.com/connectivity-technology/super-cruise for compatible roads and full details. <sup>6</sup>Non-GM warranty. Limited warranty by KICKER<sup>®</sup>, 3 years/36,000 miles, whichever comes first. For more information, contact your dealer.







ELEVATION







NEW 2023 AT4X



DENALI



# **SELECT PACKAGES CONTINUED**

See your GMC dealer or amc.com for more package details and requirements.

# **ADDITIONAL PACKAGES**

SIERRA SAFETY PLUS PACKAGE¹ Includes Rear Cross Traffic Braking, Rear Pedestrian Alert, Rear Park Assist (feature may not be available on certain vehicles; see dealer for feature availability) (SLE and Elevation only), Safety Alert Seat (SLT only), Front and Rear Park Assist (feature may not be available on certain vehicles; see dealer for feature availability) (SLT only), High Definition Surround Vision, trailer camera provisions and Trailer Side Blind Zone Alert (Package available on SLE, Elevation and SLT)

TECHNOLOGY PACKAGE<sup>1</sup> Includes Rear Camera Mirror, Bed View Camera (AT4 only), Adaptive Cruise Control (Denali only) and multicolor 15" diagonal Head-Up Display (Package available on AT4 and Denali)

X31 OFF-ROAD PACKAGE Includes off-road suspension, all-terrain tires (SLE, Elevation and SLT only), Hill Descent Control, skid plates, heavy-duty air filter, automatic-locking rear differential (Pro only), 2-speed transfer case, rear wheelhouse liners (SLE and Elevation only), 18" 6-spoke machined aluminum wheels with Dark Gray Metallic accents (SLE only), dual exhaust outlets (SLE, Elevation and SLT only) and X31 hard badge (Package requires Crew Cab or Double Cab 4WD model. Available on Pro, SLE, Elevation and SLT)

X31 OFF-ROAD AND PROTECTION PACKAGE Includes X31 Off-Road Package, spray-on bedliner and all-weather floor liners (Package requires Crew Cab or Double Cab 4WD model. Available on SLE, Elevation and SLT.)

**SNOW PLOW PREP PACKAGE** Includes roof emergency light provisions, 220-amp alternator, heavy-duty air filter, skid plates and heavy-duty front springs (Requires 4WD model. Available on Pro, SLE and SLT.)

TRAILERING PACKAGE Includes trailer hitch, Hitch Guidance, 7-pin connector and either a 4-pin connector or camera ports? (Package available on Pro. Standard on all other trims.)

MAX TRAILERING PACKAGE Includes 9.76" rear axle, 3.42 axle ratio (3.73 axle ratio when equipped with 3.0L Duramax Turbo Diesel engine), enhanced cooling radiator, revised shock tuning for increased control, heavier-duty rear springs, increased Rear Gross Axle Weight Rating and 220-amp alternator (Package available on SLE, Elevation and SLT)

<sup>&</sup>lt;sup>1</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. <sup>2</sup>4-pin connector is replaced with the camera ports on vehicles equipped with Trailer Camera Provisions. The Trailer Camera Provisions feature is not available on Pro, available on SLE, Elevation and SLT and standard on AT4, AT4X, Denali and Denali Ultimate.

# **SIERRA TOWING**

### **KEY TRAILERING FEATURES**

- AVAILABLE SUPER CRUISE¹ DRIVER-ASSISTANCE TECHNOLOGY WITH TRAILERING
- UP TO 14 AVAILABLE CAMERA VIEWS<sup>2</sup>
- AVAILABLE GMC PROGRADE TRAILERING SYSTEM WITH IN-VEHICLE TRAILERING APP<sup>3</sup>
- AVAILABLE SMART TRAILER INTEGRATION
- AVAILABLE TRACTION SELECT SYSTEM WITH TOW/HAUL MODE
- AVAILABLE MULTICOLOR 15" DIAGONAL HEAD-UP DISPLAY
- AVAILABLE WORLD'S FIRST SIX-FUNCTION GMC MULTIPRO TAILGATE
- AVAILABLE TRAILERING-ASSISTANCE TECHNOLOGIES:<sup>4</sup>
   JACK-KNIFE ALERT AND TRAILER LENGTH INDICATOR
   FOR COMPATIBLE CONVENTIONAL TRAILERS

### **KEY SPECIFICATIONS**

- MAXIMUM AVAILABLE CONVENTIONAL TRAILERING: 13,200 LBS<sup>5</sup>
- MAXIMUM AVAILABLE HORSEPOWER: 420<sup>6</sup>
- MAXIMUM AVAILABLE TOROUE: 495 LB-FT<sup>7</sup>
- MAXIMUM AVAILABLE PAYLOAD: 2,240 LBS<sup>8</sup>
- MAXIMUM AVAILABLE SEATING CAPACITY: 69
- MAXIMUM AVAILABLE CREW CAB CARGO BED VOLUME: 71.7 CU. FT.<sup>10</sup>

### **POWERTRAIN**

- AVAILABLE 6.2L V8 ENGINE WITH 10-SPEED AUTOMATIC TRANSMISSION
- AVAILABLE 3.0L DURAMAX TURBO DIESEL I6 ENGINE
  WITH 10-SPEED AUTOMATIC TRANSMISSION
- AVAILABLE 5.3L V8 ENGINE WITH 10-SPEED AUTOMATIC TRANSMISSION (SELECT 4WD)
- AVAILABLE 2.7L TURBO HIGH-OUTPUT ENGINE
   WITH 8-SPEED AUTOMATIC TRANSMISSION

Automatic Lane Change and Lane Change on Demand are not available while trailering. Always pay attention while driving and when using Super Cruise. Do not use a handheld device. Requires active Super Cruise plan or trial. Terms apply. Visit gmc.com/connectivity-technology/super-cruise for compatible roads and full details. <sup>2</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for inportant feature limitations and information. Some camera views require active service plan and working electrical system. Terms and limitations apply. <sup>4</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. <sup>5</sup>13,200-lb rating requires properly equipped Double Cab 2WD model with available 3.0L Duramax Turbo Diesel I6 engine, Max Trailering Package and 20" wheels and tires. Maximum trailering ratings are intended for comparison purposes only. Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The trailering capacity of your specific vehicle long bed 2WD model with 2.7L Turbo high-output engine. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's doorjamb. <sup>9</sup>Requires Double Cab or Crew Cab model with front 40/20/40 bench seat. <sup>10</sup>Requires standard bed model. Cargo and load capacity limited by weight and distribution.

# TRAILERING SPECIFICATIONS

### **SPECIFICATIONS**

ENGINE	CAB	BED	MAX GVWR (LBS) <sup>1</sup>	MAX GCWR (LBS) <sup>2</sup>	AXLE RATIO	MAX CONVENTIONAL HITCH TRAILERING (LBS) <sup>3</sup>	MAX FIFTH-WHEEL HITCH TRAILERING (LBS) <sup>3</sup>	MAX GOOSENECK HITCH TRAILERING (LBS) <sup>3</sup>	BASE PAYLOAI (LBS) <sup>4</sup>
	Crew 2WD	Short	6,800	14,500	3.42	9,200	9,100	9,100	2,000
	Crew 4WD	Short	7,000	14,500	3.42	8,900	8,600	8,600	1,980
	Crew 4WD	Standard	7,000	14,500	3.42	8,900	8,800	8,800	1,930
	Double 2WD	Standard	6,800	14,500	3.42	9,200	9,200	9,200	2,020
.7L TURBO	Double 4WD	Standard	7,000	14,500	3.42	8,900	8,900	8,900	2,010
IGH-OUTPUT	Regular 2WD	Standard	6,700	14,000	3.42	9,100	9,000	9,000	2,230
	Regular 4WD	Standard	6,800	14,000	3.42	8,800	8,800	8,800	2,110
	Regular 2WD	Long	6,800	14,500	3.42	9,500	9,400	9,400	2,240
	Regular 4WD	Long	6,900	14,500	3.42	9,200	9,100	9,100	2,090
	Crew 2WD	Short	6,900	15,000	3.23	9,400	8,400	8,400	1,980
	Crew 2WD (w/Max Trailering Package)	Short	7,100	16,800	3.42	11,100	9,300	9,300	1,960
	Crew 4WD	Short	7,100	15,000	3.23	9,200	8,300	8,300	1,960
	Crew 4WD (w/Max Trailering Package)	Short	7,300	16,800	3.42	10,900	8,800	8,800	1,940
	Crew 4WD	Standard	7,100	15,000	3.23	9,000	7,400	7,400	1,910
	Crew 4WD (w/Max Trailering Package)	Standard	7,300	16,800	3.42	10,800	8,300	8,300	1,890
3L V8	Double 2WD	Standard	6,800	15,000	3.23	9,400	8,000	8,000	1,890
	Double 2WD (w/Max Trailering Package)	Standard	7,100	16,800	3.42	11,200	9,600	9,600	2,050
	Double 4WD	Standard	7,000	15,000	3.23	9,300	8,200	8,200	1,890
	Double 4WD (w/Max Trailering Package)	Standard	7,300	16,800	3.42	11,000	9,600	9,600	2,040
	Regular 2WD	Long	6,800	15,000	3.23	9,800	9,700	9,700	2,120
	Regular 4WD	Long	6,900	15,000	3.23	9,500	9,100	9,100	1,970
	Crew 4WD	Short	7,1005	15,000	3.23	8,9006	6,400 <sup>7</sup>	6,4007	1,660 <sup>8</sup>
01.1/0	Crew 4WD (w/Max Trailering Package)	Short	7,300	19,100°	3.42	13,000 <sup>9</sup>	8,000	8,000	1,820
.2L V8	Crew 4WD	Standard	7,100 <sup>10</sup>	15,000	3.23	8,900 <sup>6</sup>	6,200 <sup>11</sup>	6,200 <sup>11</sup>	1,610 <sup>12</sup>
	Crew 4WD (w/Max Trailering Package)	Standard	7,300	19,100°	3.42	13,000°	7,700	7,700	1,770
	Crew 2WD	Short	7,000	15,000	3.23	9,200	7,600	7,600	1,840
	Crew 2WD (w/Max Trailering Package)	Short	7,100	19,000°	3.73	13,100°	8,000	8,000	1,810
	Crew 4WD	Short	7,20010	15,000	3.23	8,800	6,50013	6,500 <sup>13</sup>	1,79014
	Crew 4WD (w/Max Trailering Package)	Short	7,300	19,000°	3.73	13,000 <sup>9</sup>	8,100	8,100	1,790
OL DURAMAX	Crew 4WD	Standard	7,20010	15,000	3.23	8,700	6,00015	6,00015	1,740 <sup>16</sup>
IRBO DIESEL 16	Crew 4WD (w/Max Trailering Package)	Standard	7,300	19,000°	3.73	12,900°	7,800	7,800	1,740
	Double 2WD	Standard	6,900	15,000	3.23	9,300	7,600	7,600	1,760
	Double 2WD (w/Max Trailering Package)	Standard	7,100	19,000°	3.73	13,200°	8,700	8,700	1,890
	Double 4WD	Standard	7,100	15,000	3.23	9,000	7,300	7,300	1,720
	Double 4WD (w/Max Trailering Package)	Standard	7.300	19,000°	3.73	13,000°	8,700	8,700	1,880

<sup>1</sup>Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. <sup>2</sup>Gross Combination Weight Rating (GCWR). When properly equipped; includes weight of vehicle and trailer combination, including the weight of driver, passengers, fuel, optional equipment and cargo in the vehicle and trailer. <sup>3</sup>Maximum trailering ratings are intended for comparison purposes only. Before you buy a vehicle or use it for trailering are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual. The trailering capacity of your specific vehicle on the label on the inside of the driver's doorjamb. <sup>5</sup>AT4 max GVWR is 7,100 lbs. <sup>6</sup>AT4 max trailering capacity is 9,000 lbs. AT4X max trailering capacity is 7,000 lbs. <sup>13</sup>AT4 max trailering capacity is 6,900 lbs. <sup>14</sup>AT4 base payload is 1,620 lbs. <sup>13</sup>AT4 max trailering capacity is 6,000 lbs. <sup>14</sup>AT4 base payload is 1,620 lbs. <sup>15</sup>AT4 base payload is 1,620 lb

# **POWERTRAIN SPECIFICATIONS**

# **ENGINE SPECIFICATIONS**

BORE & STROKE (IN./MM)	BLOCK MATERIAL	CYLINDER HEAD MATERIAL	COMPRESSION RATIO	VALVETRAIN	FUEL DELIVERY	HORSEPOWER	TORQUE
t 3.63 x 4.01 / 92.25 x 102	Cast aluminum	Cast aluminum	10.0:1	Dual overhead camshafts, four valves per cylinder, continuously Variable Valve Timing	Direct high-pressure fuel injection	310 @ 5600	430 @ 3000
3.78 x 3.62 / 96 x 92	Cast aluminum	Cast aluminum	11.0:1	Overhead valve, two valves per cylinder, Variable Valve Timing	Direct high-pressure fuel injection	355 @ 5600	383 @ 4100
4.06 x 3.62 / 103.25 x 92	Cast aluminum	Cast aluminum	11.0:1	Overhead valve, two valves per cylinder, Variable Valve Timing	Direct high-pressure fuel injection	420 @ 5600	460 @ 4100
3.30 x 3.54 / 84 x 90	Cast aluminum	Cast aluminum	15.0:1	Dual overhead camshafts, four valves per cylinder, Variable Valve Timing	High-pressure, common-rail direct injection	305 @ 3750	495 @ 2750
	3.63 x 4.01 / 92.25 x 102 3.78 x 3.62 / 96 x 92 4.06 x 3.62 / 103.25 x 92 3.30 x 3.54 /	3.63 x 4.01 / 92.25 x 102 Cast aluminum  3.78 x 3.62 / 96 x 92 Cast aluminum  4.06 x 3.62 / 103.25 x 92 Cast aluminum	3.63 x 4.01 / 92.25 x 102	10.0:1  3.63 x 4.01 / 92.25 x 102  Cast aluminum  Cast aluminum  10.0:1  3.78 x 3.62 / 96 x 92  Cast aluminum  Cast aluminum  11.0:1  4.06 x 3.62 / 103.25 x 92  Cast aluminum  Cast aluminum  11.0:1	(IN./MM) MATERIAL MATERIAL RATIO  Dual overhead camshafts, four valves per cylinder, continuously Variable Valve Timing  3.78 x 3.62 / 96 x 92  Cast aluminum  Cast aluminum  Cast aluminum  11.0:1  Dual overhead camshafts, four valves per cylinder, continuously Variable Valve Timing  Overhead valve, two valves per cylinder, Variable Valve Timing  4.06 x 3.62 / 103.25 x 92  Cast aluminum  Cast aluminum  11.0:1  Dual overhead valve, two valves per cylinder, Variable Valve Timing  3.30 x 3.54 / BA x 90  Cast aluminum  Cast aluminum  Cast aluminum  Dual overhead camshafts, four valves per cylinder, variable Valve Timing	t 3.63 x 4.01 / 92.25 x 102  Cast aluminum  Cast aluminum  Cast aluminum  Cast aluminum  10.0:1  Dual overhead camshafts, four valves per cylinder, continuously Variable Valve Timing  Overhead valve, two valves per cylinder, Variable Valve Timing  Cast aluminum  Cast aluminum  Cast aluminum  11.0:1  Direct high-pressure fuel injection  Overhead valve, two valves per cylinder, Variable Valve Timing  Cast aluminum  Cast aluminum  11.0:1  Direct high-pressure fuel injection  Overhead valve, two valves per cylinder, Variable Valve Timing  Direct high-pressure fuel injection  Overhead valve, two valves per cylinder, Variable Valve Timing  Direct high-pressure fuel injection  Direct high-pressure fuel injection	(IN./MM) MATERIAL MATERIAL RATIO  Dual overhead camshafts, four valves per cylinder, continuously Variable Valve Timing  3.63 x 4.01 / 92.25 x 102  Cast aluminum Cast aluminum 11.0:1  Dual overhead camshafts, four valves per cylinder, continuously Variable Valve Timing  Overhead valve, two valves per cylinder, Variable Valve Timing  4.06 x 3.62 / 103.25 x 92  Cast aluminum Cast aluminum 11.0:1  Dverhead valve, two valves per cylinder, Variable Valve Timing  Overhead valve, two valves valve Timing  Overhead valve, two valves valve Timing  Overhead valve, two valves valves valve Timing  Overhead valve, two valves valve

# TRANSMISSION SPECIFICATIONS

TRANSMISSION TYPE	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH	NINTH	TENTH	REVERSE	FINAL DRIVE RATIO (STD./OPT.)
8L90 8-speed automatic (2.7L)	4.56	2.97	2.08	1.69	1.27	1.00	0.85	0.65	-	-	3.82	3.42/-
10L80 10-speed automatic (5.3L, 6.2L and 3.0L Turbo Diesel)	4.70	2.99	2.16	1.78	1.53	1.28	1.00	0.85	0.69	0.64	4.87	3.23/3.73 diesel 3.23/3.42 gas

# **VEHICLE SPECIFICATIONS**

### **SIERRA CREW CAB**


Sierra Crew Cab comes with either a short bed or available standard bed.

WHEELBASEPASSENGER CAPACITY147.4"-157.0"Seating for up to 6

REAR LEG ROOM
43.4"
62.9 cu. ft.¹ (short bed)
71.7 cu. ft.¹ (standard bed)

43.0" FRONT LEG ROOM

44.5"



# **SIERRA DOUBLE CAB**

Sierra Double Cab comes with a standard bed.

WHEELBASE PASSENGER CAPACITY
147.4" Seating for up to 6

REAR LEG ROOM MAX CARGO VOLUME

35.2" 71.7 cu. ft.<sup>1</sup>

FRONT HEAD ROOM FRONT LEG ROOM

43.0" 44.5"


# **SIERRA REGULAR CAB**

Sierra Reguar Cab comes with a standard bed or available long bed.

WHEELBASE
126.5"-139.6"
PASSENGER CAPACITY
Seating for up to 3

FRONT SHOULDER ROOM
66.0"
MAX CARGO VOLUME
71.7 cu. ft.¹ (standard bed)
89.1 cu. ft.¹ (long bed)
FRONT HEAD ROOM
43.1"
FRONT LEG ROOM

44.5"



<sup>1</sup>Cargo and load capacity limited by weight and distribution.



**SIERRA 1500 CAB AND BED CONFIGURATIONS** 





ELEVATION







NEW 2023 AT4X



DENALI ULTIMATE




**REGULAR CAB STANDARD BED**Standard on Pro.




DOUBLE CAB STANDARD BED

Available on Pro, SLE and Elevation.



CREW CAB SHORT BED

Available on Pro, SLE, Elevation, SLT, AT4, AT4X, Denali and Denali Ultimate.



**REGULAR CAB LONG BED**Available on Pro.



# CREW CAB STANDARD BED

Available on Pro, SLE, Elevation, SLT, AT4 and Denali.

# TRAILERING HIGHLIGHTS

### PROGRADE TRAILERING SYSTEM

GMC's available ProGrade Trailering System includes advanced technologies for increased views and confidence. It helps when hooking up your trailer, while on the road and when backing your trailer into place.

### IN-VEHICLE TRAILERING APP1

The available in-vehicle Trailering App¹ is integrated into Sierra's infotainment system² and includes trailering label information and the ability to create five defined trailer profiles based on trailer name, trailer type and trailer hitch type. There are also maintenance reminders, predeparture checklists, a Trailer Light Sequence Test, a Trailer Tire Pressure Monitoring System,³ a Gross Combined Weight Rating Alert and a counter for trailer mileage and fuel economy.

# myGMC MOBILE APP<sup>4</sup>

The available myGMC Mobile App<sup>4</sup> allows you to create and manage trailer profiles (shareable with other compatible Sierra owners), run a Trailer Light Sequence Test to help ensure trailer lights are in working order, reference predeparture checklists and use a Trailer Load Calculator to determine the combined weight of your vehicle and trailer. You can view and receive alerts on key components of your trailer such as tire pressure monitoring<sup>3</sup> and trailer miles. There's also a glossary filled with trailering-related materials.

# **SMART TRAILER INTEGRATION**

The available ASA Electronics iN•Command® Control System⁵ is designed to integrate with and be accessible through the myGMC Mobile App⁴ (on compatible iPhones® and Android™ smartphones) or on the infotainment system via Apple CarPlay®⁵ and Android Auto¹ compatibility. The iN•Command Control System allows you to monitor and control a range of smart system functions such as water tank levels, climate controls and power slide-outs in recreational trailers equipped with GlobalConnect technology.

¹App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply.

²Functionality varies by model.
Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices.

³Requires available Trailer Tire Pressure Monitoring System and installation of trailer tire pressure monitor sensors.

⁴Available on select
Apple® and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations.

⁵IN•Command is provided by ASA Electronics and is designed to operate within 30 feet of the trailer. Works with trailers equipped with iN•Command Control System with GlobalConnect via Bluetooth connection. Control and monitoring functionality varies by trailer manufacturer model and installed options. Use of the iN•Command Control System feature through the myGMC Mobile App requires an active service plan. User terms apply. See onstar.com for details and limitations.

⁵Vehicle user interface is a product of Apple® and its terms and privacy statements apply. Requires compatible iPhone® and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries.

'To use Android Auto on your car display, you need a compatible Android and Android Auto are trademarks of Google LLC.

# myGMC MOBILE APP



# INNOVATIVE WAYS TO TAKE CONTROL

The available myGMC Mobile App¹ helps elevate your ownership experience in many ways. It's also a powerful and useful tool when it comes to trailering.

# IN A PROPERLY EQUIPPED VEHICLE, YOU'LL HAVE THESE USEFUL FUNCTIONS AT YOUR FINGERTIPS:


- TRAILER LIGHT SEQUENCE TEST
- LOAD CALCULATOR
- PREDEPARTURE CHECKLISTS
- PROFILE SHARING
- GLOSSARY OF TERMS

- TRAILER TIRE PRESSURE ALERTS<sup>2</sup>
- MAINTENANCE REMINDERS
- MILEAGE AND FUEL ECONOMY COUNTER
- SMART TRAILER CONTROLS

<sup>&</sup>lt;sup>1</sup>Available on select Apple® and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations.

<sup>2</sup>Requires available Trailer Tire Pressure Monitoring System and installation of trailer tire pressure monitor sensors.

# **SMART TRAILER INTEGRATION**



# **PUTTING YOU IN COMMAND LIKE NEVER BEFORE**

The available Smart Trailer Control System effectively turns your smartphone into a remote control. Accessible through the myGMC Mobile App¹ (on compatible iOS and Android smartphones) or through the infotainment system (via Apple CarPlay®² and Android Auto³ compatibility), the Smart Trailer Control System allows you to control many of your compatibly equipped iN•Command Control System⁴ trailer functions through a Bluetooth⁵ connection. It's a seamless way to stay informed and in command.

# TAKE CONTROL OF THE FOLLOWING FUNCTIONS AND SYSTEMS IN YOUR COMPATIBLE ATTACHED TRAILER:

- ADJUST CLIMATE CONTROLS
- TURN THE WATER PUMP ON/OFF
- TURN THE HEATER ON/OFF
- TURN INTERIOR LIGHTS ON/OFF
- TURN EXTERIOR LIGHTS ON/OFF
- CHECK REAL-TIME STATUS OF THE WATER TANK LEVEL
- CHECK REAL-TIME STATUS OF THE BATTERY LIFE

- CHECK FUEL LEVEL OF THE GENERATOR
- PRIME AND START THE GENERATOR
- OPEN AND CLOSE SLIDE-OUTS (VEHICLE AND TRAILER MUST BE PARKED)
- OPEN AND CLOSE AWNINGS (VEHICLE AND TRAILER MUST BE PARKED)
- ADJUST JACKS (VEHICLE AND TRAILER MUST BE PARKED)

<sup>&</sup>lt;sup>1</sup>Available on select Apple® and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations.

<sup>2</sup>Vehicle user interface is a product of Apple® and its terms and privacy statements apply. Requires compatible iPhone® and data plan rates apply. Apple CarPlay, Siri, iPhone and Apple Music are trademarks of Apple, Inc., registered in the U.S. and other countries.

<sup>3</sup>To use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android and Android Auto are trademarks of Google LLC.

<sup>4</sup>IN•Command is provided by ASA Electronics and is designed to operate within 30 feet of the trailer. Works with trailers equipped with iN•Command Control System with GlobalConnect via Bluetooth connection.

Control and monitoring functionality varies by trailer manufacturer model and installed options. Use of the iN•Command Control System feature through the myGMC Mobile App requires an active service plan. User terms apply. See onstar.com for details and limitations.

<sup>5</sup>Go to my.gmc.com/learn to find out which phones are compatible with the vehicle.

# **SIERRA CAMERA SYSTEM**

# AVAILABLE CAMERA VIEWS<sup>1</sup>

- TRANSPARENT TRAILER VIEW
   (REQUIRES COMPATIBLE
   CONVENTIONAL TRAILER)
- 2. HITCH VIEW
- 3. CARGO BED VIEW (WITH ZOOM VIEW AND HITCH GUIDANCE)
- 4. FRONT CAMERA VIEW
- 5. REAR CAMERA VIEW
- 6. SURROUND VIEW
- 7. FRONT TOP-DOWN VIEW
- 8. REAR TOP-DOWN VIEW

- 9. FRONT SIDE VIEW
- 10. REAR SIDE VIEW (WITH TRAILER BIASING) (REQUIRES COMPATIBLE CONVENTIONAL TRAILER)
- 11. REAR TRAILER VIEW
  (WITH GUIDELINES AND
  TRAILER ANGLE INDICATOR)
  (REQUIRES COMPATIBLE
  CONVENTIONAL TRAILER)
- 12. INSIDE TRAILER VIEW
- 13. PICTURE-IN-PICTURE SIDE VIEW
- 14. REAR CAMERA MIRROR







<sup>&</sup>lt;sup>1</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. Some camera views require available accessory camera and installation. Not compatible with all trailers. See your dealer for details.

# **SIERRA CAMERA-VIEW COMPATIBILITY**

### **CAMERA-VIEW COMPATIBILITY**

ALL TRAILERS MAY NOT BE COMPATIBLE. THIS CHART IS FOR REFERENCE ONLY.

CAMERA VIEW	HITCH TYPE	TRAILER TYPE	DIMENSIONS REQUIRED
Rear Trailer View With Trailer Angle Indicator <sup>1</sup>	Conventional <sup>2</sup>	Box/Enclosed <sup>3</sup>	Yes
Rear Trailer View <sup>1</sup>	Most	Most	N/A
Rear Side View	Most	Most	N/A
Rear Side View With Trailer Biasing	Conventional <sup>2</sup>	Box/Enclosed <sup>3</sup>	Yes
Rear Side View With Trailer Length Indicator (turn-signal activated)	Conventional <sup>2</sup>	Box/Enclosed <sup>3</sup>	Yes
Transparent trailer view <sup>4</sup>	Conventional <sup>2</sup>	Box/Enclosed <sup>3</sup>	Yes
Jack-Knife Alert	Conventional <sup>2</sup>	Box/Enclosed <sup>3</sup>	Yes
Picture-in-Picture Side View¹	Most	Most	N/A
Inside Trailer View¹	Most	Most	N/A
Bed View	N/A	N/A	N/A
Bed View With Zoom and Hitch Guidance	N/A	N/A	N/A
Hitch View	Conventional <sup>2</sup>	Most	N/A

Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle Owner's Manual for more important feature limitations and information.

<sup>&</sup>lt;sup>1</sup>Requires available accessory camera and installation. Not compatible with all trailers. See your dealer for details. <sup>2</sup>Conventional trailer hitch type is any trailer that connects to a trailer hitch using a coupler and ball mount, as opposed to a fifth-wheel or gooseneck connection. <sup>3</sup>Box/enclosed trailer is a type of trailer that has walls and a roof to completely enclose cargo and keep it protected from the elements. <sup>4</sup>Requires available accessory camera and installation. Not compatible with all trailers. See your dealer for details. This camera view has a trailer-length limitation of 32 feet.

# CALIBRATION TIPS FOR TRANSPARENT TRAILER VIEW

# FOLLOW THESE CALIBRATION TIPS FOR SUCCESSFUL SETUP:

Drive below 31 mph	Driving faster may delay calibration.
Drive straight	Excessive steering may extend calibration time.
Use good light	Calibration should be attempted when there is enough light.
Set up in good weather	Calibration during snow or heavy rain should be avoided.
Use a flat, defined road	Avoid gravel, dirt or unmarked roads.
Use the proper connection	Ensure that the camera is connected to the correct input.
Use the correct location	The accessory camera should be mounted and angled inside the defined mounting location (see camera installation instructions).
Check for a clean lens	Cameras obstructed by dirt or debris may hinder calibration.
Check for a clear view	The accessory trailer camera should have an unobstructed view (no spare tire, bike/cargo racks, etc.). Shadows may be perceived as obstructions. Attempt to calibrate while driving in an alternate direction if possible.
Ensure dimensions are correct	Enter accurate measurements made to the nearest inch.
Measure correctly	Use the width of the box of the trailer. Do not include the width of the wheels. This helps transparent trailer view and Jack-Knife Alert to work accurately.
Measure V-nose trailers correctly	For V-nose trailers, when measuring the distance between the ball and the front of the trailer, you should measure the distance to the widest part of the trailer, not to the point on the nose.
·	

Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle Owner's Manual for more important feature limitations and information.

Transparent trailer view requires available accessory camera and installation. Not compatible with all trailers. See your dealer for details. This camera view has a trailer-length limitation of 32 feet.

# **AVAILABILITY**

### SELECT TRAILERING TECHNOLOGY AVAILABILITY BY VEHICLE

	SIERRA 1500	2023 SIERRA 2500 HEAVY DUTY	2023 SIERRA 3500 HEAVY DUTY
In-vehicle Trailering App¹	0	0	0
myGMC Mobile App <sup>2</sup>	o	0	0
Smart trailer integration	o	0	0
Traction Select System with Tow/Haul mode	0	0	0
Auto electric parking brake	o	0	0
Park Grade Hold Assist	_	•	•
Hill Start Assist	•	•	•
Diesel Exhaust Brake System	0	0	0
Diesel After-Run	_	0	٥
Trailering mirrors	0	•	•
Integrated trailer brake controller	0	0	٥
Trailer Sway Control	•	•	•
Transmission temperature gauge	0	0	0
Hitch Guidance <sup>3</sup>	0	0	٥
Rear Vision Camera <sup>3</sup>	•	•	•
High Definition Surround Vision <sup>3</sup>	0	0	٥
Trailering hitch platform	0	•	•
7-wire harness with independent fused trailering circuits	•	•	•
7-pin and 4-pin connector	0	•	•
7-pin connector and 2 auxiliary camera ports	0	0	0
Up to 14 camera views <sup>4</sup> including transparent trailer view <sup>5</sup>	0	_	_
Up to 15 camera views <sup>4</sup> including transparent trailer view <sup>5</sup>	_	0	0
Rear Trailer Guidelines with Trailer Angle Indicator <sup>5</sup>	0	0	0
Trailer Length Indicator⁵	0	0	0
Jack-Knife Alert⁵	0	0	0

### FOR MORE INFORMATION ON THESE TECHNOLOGIES, VISIT GMC.COM.

<sup>&</sup>lt;sup>1</sup>App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. Terms and limitations apply.

<sup>2</sup>Available on select Apple® and Android devices. Service availability, features and functionality vary by vehicle, device and the plan you are enrolled in. Terms apply. Device data connection required. See onstar.com for details and limitations.

<sup>3</sup>Safety or driver-assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. Read the vehicle Owner's Manual for important feature limitations and information. Some camera views require available accessory camera and installation. Not compatible with all trailers. See your dealer for details.

<sup>5</sup>Feature not compatible with fifth-wheel or gooseneck trailers.

# **IMPORTANT TERMS**

### **CURB WEIGHT**

The weight of a vehicle with all of the standard and optional equipment and a full tank of fuel, but without any passengers or cargo.

# **GROSS VEHICLE WEIGHT (GVW)**

The combined weight of the vehicle and all passengers and cargo.

# **GROSS VEHICLE WEIGHT RATING (GVWR)**

This number is the maximum amount a tow vehicle may weigh. Everything that contributes to the weight of the tow vehicle is featured in this rating, including the weight of the vehicle, driver and all passengers, fuel, payload, tongue load of the trailer, the weight of the hitch and all optional equipment. The GVWR is displayed on the driver's door or door-lock pillar label of your GMC vehicle. The GVW must never exceed the GVWR.

# **GROSS COMBINED WEIGHT (GCW)**

The GVW plus the loaded trailer weight.

# **GROSS COMBINED WEIGHT RATING (GCWR)**

The total allowable weight of the completely loaded vehicle and trailer, including any fuel, passengers, cargo, equipment and accessories.

### **CARGO WEIGHT**

The weight of all items added to the curb weight of the vehicle, including cargo and optional equipment. When towing, cargo weight also includes the trailer tongue or hitch weight.

### MAX PAYLOAD

The maximum allowable weight of passengers plus cargo that the vehicle is designed to carry.

# **GROSS AXLE WEIGHT (GAW)**

The total weight placed on a single axle (front or rear).

# **GROSS AXLE WEIGHT RATING (GAWR)**

This is the weight that each axle is capable of supporting. The load on each axle must not exceed the GAWR. The GAWR for each GMC vehicle is displayed on the driver's door or door-lock pillar label.

### **GROSS TRAILER WEIGHT**

The weight of a loaded trailer.

# TONGUE (OR HITCH) WEIGHT

The tongue weight is the total amount of trailer weight that is pressing down on the trailer hitch. Keep in mind that the way a trailer is loaded affects the overall tongue weight and will also affect the handling of the tow vehicle when trailering.

# TRAILER HITCH TYPES

# **SELECTING THE RIGHT HITCH**

Choosing the right hitch and making the proper electrical connections affect how your vehicle handles, corners and brakes, and allow you to alert other drivers of your intentions. Before selecting a hitch or trailering package, you should be familiar with the weight ratings specific to your GMC vehicle.

# **WEIGHT-CARRYING HITCH**

This consists of a hitch ball mounted on a step bumper or draw bar, or a tow eye latched to a pintle hook. Hitch balls are available in a range of sizes. Make sure that the diameter of your hitch ball matches your trailer coupler. Also check that the ball and ball mount meet or exceed the Gross Trailer Weight Rating.



HITCH BALL ON STEP BUMPER

# **WEIGHT-DISTRIBUTING HITCH**


This is most often used for heavier trailering. This hitch type more evenly distributes the trailer load by using spring bars to shift some of the hitch weight forward onto the tow vehicle's front axle and rearward to the trailer's axles.


# FIFTH-WHEEL HITCH AND GOOSENECK HITCH


These are designed for heavy trailering. Located in the bed of the truck, these hitch types are most frequently used with travel trailers, horse trailers and other large trailers.



HITCH BALL ON DRAW BAR







WEIGHT-DISTRIBUTING HITCH GOOSENECK HITCH GOOSENECK HITCH

# **TRAILER TYPES**

# **CONVENTIONAL TRAILER**

While typically used to describe recreational trailers, such as campers or boat trailers, conventional trailers generally utilize a ball-type hitch.





# FIFTH-WHEEL TRAILER

Fifth-wheel trailers can be slightly larger than conventional trailers and offer a wide range of configurations. These trailers are designed specifically for pickups equipped with a fifth-wheel hitch.





# **GOOSENECK TRAILER**


Gooseneck trailers place the hitch weight of the trailer over the rear axle of the truck rather than the rear bumper.





Sierra Heavy Duty shown.

# **HOW TO READ A TRAILERING LABEL**



Sierra Heavy Duty trailering label shown.

Included on all Sierra models is a Trailering Information label.

# A GVWR = GROSS VEHICLE WEIGHT RATING

This number is the maximum amount a tow vehicle may weigh. Everything that contributes to the weight of the tow vehicle is featured in this rating, including the weight of the vehicle, driver and all passengers, fuel, payload, tongue load of the trailer, the weight of the hitch and all optional equipment. The GVWR is displayed on the driver's door or door-lock pillar label of your GMC vehicle. The Gross Vehicle Weight must never exceed the GVWR.

### **B** GCWR = GROSS COMBINED WEIGHT RATING

The total allowable weight of the completely loaded vehicle and trailer, including any fuel, passengers, cargo, equipment and accessories.

# **C** RGAWR = REAR GROSS AXLE WEIGHT RATING

This is the weight that the rear axle is capable of supporting. The load on the axle must not exceed the RGAWR. The RGAWR for each GMC vehicle is displayed on the driver's door or door-lock pillar label.

### MAX PAYLOAD

The maximum allowable weight of passengers plus cargo and any trailer tongue weight that the vehicle is designed to carry.

### **E** TWR = TRAILER WEIGHT RATING

This section of the label provides the ratings for your vehicle's specific configuration.