
1988 DODGE

RAMCHARGER



RAMCHARGER HANDLES WHATEVER YOU HAND IT.

7/70



Only Ramcharger offers you a choice of two-wheel or four-wheel drive in a full-size sport utility. Dodge Ramcharger satisfies your taste for adventure and still provides family-room space and comfort. Perfect for work or play with all the high tech features you've come to expect from Dodge such as electronic fuel injection, stainless steel exhaust system, and an advanced phosphate treatment and primer for a mirror-like Clear

Coat paint finish.

Melding more than 60 years of truck-building experience with the new generation of laser/computer/robotic manufacturing techniques, Dodge is pulling ahead of the field.

And when you back this sophisticated technology with the industry-leading 7/70 Limited Warranty,* we think you'll agree that nobody competes like Dodge.

*See page 7 for details.



AD100/150 AW100/150.

Ramcharger Two (AD100/ 150) is America's only full-size two-wheel drive sport utility with 106 cubic feet of cargo space and a 1,495-pound payload.

Ramcharger Two's available 5.9-liter 360 CID V-8 engine develops 185 horse-power at 4,000 rpm and 283 pounds-foot of torque at 1,600 rpm to help you tow up to 6,500 pounds with our optional Trailer Towing Preparation Package. (Package content and details on page 6.)

Ramcharger 4x4
(AW100/150) is the offroader's edge. This toughminded four-wheeler takes
all the punishment the trail
can dish out. And Dodge's
Ram Trac shifting enables
you to conveniently shift
between four-wheel drive
high and two-wheel drive
without slowing—at speeds
up to 55 mph.

Whether you're on the road or off, Ramcharger's proven Ram Tough quality and reliability make the going fun. Consider some of Ramcharger's standard value features:

- 5.2-liter V-8 engine with electronic fuel injection develops 170 horsepower at 4,000 rpm and 260 pounds-foot of torque at 2,000 rpm
- Big 34-gallon fuel tank
- Power-assisted steering and brakes
- Stainless steel exhaust system
- AM radio with integral digital clock
 500-amp maintenance-
- free battery
- New passenger seat easyentry system
 Multifunction control level
- Multifunction control lever mounted on the steering column
- Extensive corrosion protection

Dodge Ramcharger 4x4, shown above in Graphic Red.

Shown on cover, Ramcharger Two LE in Charcoal

Pearl Coat/Radiant Silver.

COMFORT AND CLASS.

OPTIONS AND INTERIORS.



Inside, Ramcharger gives you the space and tasteful styling you want. Shown above are the Tempo cloth with vinyl trim high-back bucket seats offered as part of the LE Decor Package on AD/AW 150 models. Select from Almond (shown), Blue or Red.

In this full-size interior there's seating for up to six, with the split-back front bench seat available as a no-charge option on AD/AW 150 models only. It's shown here in Red with all-vinyl trim. (See the full selection of interior trims and availability on page 5.)



Instrument Panel.

The LE Decor Package instrument panel (shown above) has a new luxury steering wheel.

A. Standard 5.2-Liter EFI V-8 Engine.

Refinements like roller-tappet camshaft followers and electronic fuel injection increase horsepower by 17 percent. (See engine availabilities on page 7.)

B. Interior Sport Bar.

Off-road enthusiasts appreciate this added convenience. Sturdy steel tubing construction.

C. AM Stereo*/FM Stereo
Radio with Cassette Tape
Player. (Not available on 100 models)
A premium stereo system. Electronically tuned, with all advanced features built in, plus integral digital clock.

*Some AM stereo broadcasting may not be compatible with this radio.

D. Air Conditioning.

Enjoy efficient cooling with four adjustable air outlets, four-speed blower, and bi-level ventilation.

E. Intermittent Windshield Wipers.

A two-speed system with automatic intermittent wiping action that you can adjust for varying weather conditions. Part of Convenience Package only.


F. Power Door Locks/Windows.

Operate front door locks
and windows with conveniently
positioned fingertip controls.

Available as part of the Power
Convenience Package.

G. Exterior Low-Mount Mirrors.

New dual 6-inch by 9-inch podmounted bright-finish mirrors
ensure excellent rear vision on
both sides. Right hand mirror has
convex glass.



Interior Trim



Tempo cloth with vinyl trim high-back Command bucket seats and matching three-passenger folding rear bench seat are included as part of the LE Decor Package and are standard on Ramcharger 100 models. Available in Almond, Blue, Red. (LE Decor shown.)



Saddle Grain all-vinyl split-back front bench seat and matching three-passenger folding rear bench seat is available on Ramcharger with LE Decor Package and Ramcharger with standard decor as a no-charge option. Available in Almond, Blue, Red. Not available on Ramcharger 100 models. (LE Decor shown.)



Saddle Grain all-vinyl high-back Command bucket seats and matching three-passenger folding rear bench seat is standard on Ramcharger, available on Ramcharger 100 models and Ramcharger with LE Decor Package as a no-charge option. Available in Almond, Blue, Red. (LE Decor shown.)

H. Wheel Covers and Road Wheels.

Select your favorite set of four wheel covers, or cast aluminum or painted steel-spoke wheels. Wheel covers are standard on 100 models and available in Prospector Packages on the 150 models only. Road wheels are not available on 100 models.

I. Rear Step Bumper.

Handy for rear entry and loading of cargo. Bright finish with corrugated surface for secure footing and easy light-duty towing.

RAMCHARGER PACKAGES.

Heavy-Duty Package

- Front stabilizer bar on AD models Heavy-duty stabilizer bar on AW
- Heavy-duty shock absorbers, front and rear

Power Convenience Package

- Power locks (front doors only)
- Power windows (front doors only)
- Ignition switch light (time delay)

Light Package

- Ash receiver light
- Glove box light and lock Ignition switch light (time delay)

Convenience Package

- Ash receiver light
- Glove box lock and light
- Ignition switch light (time delay) Intermittent windshield wipers

Two-Tone Paint Package

- Lower bodyside moldings with black vinyl insert and bright partial wheel lip moldings
- Two-tone paint
- Upper bodyside and rear exterior moldings

Trailer Towing Preparation Package

(See the Dodge Truck Trailer Towing Guide for complete details and

- recommendations.) 120-amp alternator
- 625-amp maintenance-free battery
- Heavy-Duty Package
- Cooling auxiliary transmission oil to air (with automatic transmission)
- Heavy-duty variable load flasher (dealer installed)
- Maximum engine cooling Certain models, packages, and options may be subject to specifications, requirements, or late availability. See your dealer for the latest ordering information.

RAMCHARGER 100

The lowest-priced Ramcharger.

Roadwise and dollarwise, Ramcharger 100 gives you exceptional value in a two- or four-wheel drive full-sized sport utility.

New Dodge Ramcharger 100 has what it takes-high equipment level, low price, Ram Tough quality, and overall ruggedness. It's value-packed with the following standard features in addition to the standard equipment indicated on page 3.

- Bright wheel covers (set of four)
- Front carpeting and scuff plates (with rear rubber mat)
- Front fender Leaping Ram plaque with "100" designation
- Tempo cloth with vinyl trim highback Command bucket seats.
- Lower bodyside molding
- Ram's Head hood ornament
- Woodtone faceplate instrument panel

Ramcharger 100, shown in Black. Ramcharger 4x4 shown in Dark Suede Metallic on back cover.

Features		PROSPECTOR PACKAGES I* II*		100 MODELS	
Air conditioning**			Х		
AM stereo†/FM stereo radio electronically tuned with integral digital clock		X	χ	х	
Automatic speed control		X	X		
Bright door sill scuff plate	Х	X	X	Std	
Bright drip rail molding	Х	X	X		
Bright grille with bright insert and bright headlight surround moldings; halogen headlights	Х	X	X		
Bright liftgate applique panel	Х	X	X		
Bright liftgate upper and lower moldings	Х	X	X		
Bright taillight housing	Х	X	X		
Bumper guards, front, bright		χ	X	X	
Center console	Х	Χ	X		
Cigar Lighter		χ	X	X	
Color-keyed carpeting throughout, with underlayment	Х	Χ	X		
Color-keyed cowl side trim panels	Х	Χ	X		
Color-keyed door trim panels with cloth bolster insert, assist strap, and carpeting on lower door	Х	χ	X		
Color-keyed rear side and liftgate inner trim panels with woodtone applique	X	χ	X		
Color-keyed spare tire cover (not available with 31 x 10.5-R15LT tires)	X	χ	X		
Convenience Package		χ	X	X	
Deluxe cloth with vinyl trim high-back bucket seats	X	χ	X	Std	
Deluxe wheel covers (set of four)		X		Std	
Dual note electric horns	X	Χ	X		
Dual 6-inch by 9-inch low-mount mirrors		χ	X	X	
Folding rear bench seat in cloth with vinyl trim	X	X	X	Std	
Luxury steering wheel (black)	X	X	Х		
Painted steel spoke road wheels (set of four)			X		
Power Convenience Package			Х		
Ram's head hood ornament	X	X	χ	Std	
Sunscreen glass, rear quarter and liftgate windows only		X	X		
Tilt steering column (with automatic transmission)		X	Х		
Woodtone applique on instrument panel; bright trim	X	X	X	Std	


Std-Standard on 100 models.

*Not available on 100 models.


**There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements

may invalidate warranty. See dealer for details. *Some AM stereo broadcasting is not compatible with this radio.

Exterior Colors



Twilight Blue Pearl Coat[†]



Dark Suede

Radiant Silver

Glacier Blue

White*

Black



Charcoal Pearl Coat

*Not available on Ramcharger 100.

NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips.



SELECTED STANDARD AND OPTIONAL EQUIPMENT.

Specifications

GVW

(lb)1

Axle I

Sprin

Whee

ecifications			,	Standard and Optional Equipm	ent	
	TWO-WHEEL DRIVE AD100/150	FOUR-WHEEL DRIVE AW100/150 AW150	Check Desired Options.		AD100 TWO- WHEEL DRIVE	AW1 FOU WHI DRI
Dating (Ib) Ctd (Out	F COO.	0040 0000		EXTERIOR		
V Rating (lb)—Std/Opt	5,600	6,000 6,400		Bumper-Rear step type: bright finish	E	E
		100		Bumper Guards-Front	E	E
imum Load Rating	1,495	1,415 1,790	S	Bumpers—Front and rear: bright	S	S
			S	Corrosion Protection-Extensive use of galvanized steel:		
270.20				Uniprime® anti-chip protective urethane coating on lower		
Front-Type	Chrysler	Spicer	-	bodyside	S	9
pacity (lb)	3,000	3,500 4,000	S	Exhaust System—Stainless steel	S	5
			S	Fuel Tank-34-gallon with tethered ful filler cap	S	3
Rear-Type	Chrysler	Chrysler		Glass-Sunscreen; privacy (rear quarter windows and liftgate only)	E	E
pacity (lb)	3,600	3,600	S	Glass-Tinted: all windows	S	5
			S	Grille Aluminum: with painted plastic insert and	0	
ios ²	2.94(Std)	3.21(Std)	3	headlight bezels	S	5
	3.21(Opt)	3.55(Opt)		Hood Ornament-Ram's Head	S	5
	3.55(Opt)			Hubcaps-Bright	NA	N
				Mirrors-Exterior dual low-mount, 6-inch		
kes-Size (inches)		No. of Contract of		by 9-inch: bright	E	E
ont Disc	11.75" x 1.25"	11.75" x 1.25"	S	Mirrors-Exterior dual short arm, 5-inch by		
ar Drum	11" x 2.5"	11" x 2.5"		7-inch: bright	S	5
oster-Vacuum	10.5" dia single	10.5" dia single		Moldings-Lower bodyside with black vinyl insert and	S	5
	diaphragm	diaphragm	-	partial wheel lip: bright Moldings—Quarter side window, rear window, windshield:	2	-
	200000000000000000000000000000000000000	400000000000000000000000000000000000000	S	bright bright	S	9
kes, Parking-Type	Rear wheel internal	Rear wheel internal	S	Roof Vent-Rear	S	5
	expanding	expanding		Wheel Covers-Deluxe bright (four)	S	5
entrol	Foot Pedal	Foot Pedal		Wheels-Road, 15-inch by 7-inch: argent painted steel		
ea	106.4 sq. in.	106.4 sq. in.		spoke with bright trim ring and hub center (four)	NA	N
		110 100		Wheels-Road, 15-inch by 7-inch: radial ribbed aluminum		
tch-Diameter (area)		11"-125 sq. in.	-	(four)	NA	N
				INTERIOR		
ctrical: Alternator	90-amp	90-amp 120-amp		Air Conditioning*	E	1
2.4				Carpeting - Driver's compartment with floor mat in rear	e	
ittery-	1000		-	passenger compartment	S	3
Maintenance-Free	500-amp	500-amp 625-amp	S	Clock-Electronic digital: integral with radio	S	5
				Floor Mats-With padding: black (padding not available in rear compartment)	NA NA	N
ine	5.2-liter	5.2-liter	S	Headliner-Soft cloth: color-keyed	S	5
	318 CID EFI	318 CID EFI	S	Hood Release-In-cab	S	
	V-8(Std)	V-8(Std)	S	Instrument Cluster-Includes ammeter, odometer, speedometer;		
	5.9-liter 360 CID 4-bbl	5.9-liter 360 CID 4-bbl		gauges for engine coolant temperature, fuel level and oil		
	V-8(Opt)	V-8(Opt)		pressure; trip odometer	S	1 5
	ν-ο(υμι)	4-0(Oht)		Instrument Panel Faceplate—Woodtone	S	1
me_Type	Drop Frame	Dean France	5	Mirror-Interior: rear vision day/night type, 10-inch	S	
ection Modulus	Drop Frame 2.86	Drop Frame 2.86	5	Radio AM: electronically tuned; integral digital clock†	S	1
etion modulus	2.00	2.00		Radio-AM stereo*/FM stereo: electronically tuned; integral digital clock	E	1
os, Front		Automatic		Radio-AM stereo*/FM stereo: electronically tuned; with seek-	-	
15, 11um		disconnect		and-scan, Dynamic Noise Reductions; cassette tape player	-	
		disconnect		with automatic reverse; integral digital clock	NA	N
ock Absorbers (dia)			S	Seat - Rear: three-passenger bench	S	1
ont	1.0"(Std)	1.0"(Std)		Seat-Driver and front passenger: cloth and vinyl trim, high-		
ear	1.0"(Std)	1.0"(Std)	-	back bucket	S	-
	1.0 (010)	1.0 (0(0)		Seats Driver and front passenger: deluxe vinyl high-back bucket	NC	N
ings, Front-Type	Indep. front suspension-coil	48" x 2.5"-leaf	S	Spare Tire Mounting-Inside	S	
apacity @ Ground (lb)	1,300(Std)	1,640 2,100		Sport Bar	E	
specif & divalle (10)	1,500(5(0)	2,040		FUNCTIONAL		
ings, Rear-Type	52" x 2.5"-leaf	52" x 2.5"-leaf	S	Alternator 90-amp	S	-
apacity @ Ground (lb)	1,820(Std)	1,820(Std)	3	Alternator—120-amp	E	
specify @ divalid (10)	1,020(010)	1,020(010)		Axle—Rear: antispin	E	
ering-Type	Power-assisted steering	Power-assisted steering	S	Battery-500-amp maintenance-free	S	
rning Diameter	37.3"	36.9"	-	Battery-625-amp maintenance-free	E	
ming Diameter	37.0	50.5	S	Brakes-Front disc, rear self-adjusting drum: power-		-
nsmission	3-speed automatic	NP435 4-speed manual(Std)	-	assisted	S	1
namraaium	3-speed automatic	3-speed automatic (Opt)	S	Buzzer Warning-Fasten seat belts, headlights on, key in		
		5-Specu automatic (opt)		ignition	S	1
nsfer Case		NP241 2-speed	S	Coolant Reserve System	S	1
noter odde		111 241 Z-Speed		Cooling-Auxiliary: transmission oil to air	E	
Eront and Dans (Con)	D225 /25015VI	D225 /25 D1 CVI		Cooling-Engine: maximum	E	
s, Front and Rear (five)	P235/75R15XL steel-belted radial	P235/75R15XL steel-belted radial	S	Electronic Ignition and Voltage Regulation System	S	
	sieer-beited (adia)	2feet-perfed (adja)		Heater-Engine block	E	
anda Hirra			S	Lights-Backup, license plate, stop, taillight; combination		
eels (five) onventional Five-Stud				map/courtesy light on instrument panel; rear compart- ment courtesy lights	S	
	15" x 6.50	15" x 6.50"	S	Power-Assisted Steering	S	
Disc	10 10.00	15 x 0.50		Shield-Fuel tank	E	
indard Equipment. 0-0	Optional equipment.			Shield—Transfer case	NA.	
mum payloads are based	on models with minimum r			Stabilizer Bar-Front	P	
onents. Payloads should	be reduced by weight of occ	cupants and any optional	0	Windshield Winner Ton search		

S-Stan

Standard and Ontional Equipment

-	Check Desired Options.	AD100 TWO- WHEEL DRIVE	AW100 FOUR- WHEEL DRIVE	AD150 TWO- WHEEL DRIVE	AW150 FOUR- WHEEL DRIVE
	EXTERIOR			-	
	Bumper-Rear step type: bright finish	E	E	E	E
	Bumper Guards-Front	E	E	E	E
S	Bumpers—Front and rear: bright	S	S	S	S
S	Corrosion Protection—Extensive use of galvanized steel; Uniprime® anti-chip protective urethane coating on lower bodyside	S	S	S	S
S	Exhaust System-Stainless steel	S	S	S	S
S	Fuel Tank-34-gallon with tethered ful filler cap	S	S	S	S
	Glass-Sunscreen; privacy (rear quarter windows and				
	liftgate only)	E	E	P	P
S	Glass-Tinted: all windows	S	S	S	S
S	Grille Aluminum: with painted plastic insert and				
_	headlight bezels	S	S	S	S
-	Hood Ornament-Ram's Head	NA NA	NA NA	S	S
-	Hubcaps-Bright Mirrors-Exterior dual low-mount, 6-inch	TUA	INH	2	2
_	by 9-inch: bright	E	E	E	E
S	Mirrors-Exterior dual short arm, 5-inch by 7-inch: bright	S	S	S	S
	Moldings-Lower bodyside with black vinyl insert and partial wheel lip: bright	S	S	E	E
S	Moldings-Quarter side window, rear window, windshield: bright	S	S	S	S
S	Roof Vent-Rear	S	S	S	S
U	Wheel Covers—Deluxe bright (four)	S	S	P	P
	Wheels-Road, 15-inch by 7-inch: argent painted steel				
	spoke with bright trim ring and hub center (four) Wheels-Road, 15-inch by 7-inch: radial ribbed aluminum	NA	NA	E	E
	(four)	NA	NA	E	E
_	INTERIOR	-	-	-	
	Air Conditioning*	E	3	E	E
	Carpeting - Driver's compartment with floor mat in rear passenger compartment	S	S	NA.	NA
S	Clock-Electronic digital: integral with radio	S	S	S	S
	Floor Mats - With padding: black (padding not available in rear	-			
	compartment)	NA NA	NA NA	S	5
S	Headliner-Soft cloth: color-keyed	S	S	S	S
S	Hood Release-In-cab	S	S	S	S
5	Instrument Cluster-Includes ammeter, odometer, speedometer;			19	
	gauges for engine coolant temperature, fuel level and oil pressure; trip odometer	S	S	S	S
	Instrument Panel Faceplate - Woodtone	S	S	P	P
S	Mirror-Interior: rear vision day/night type, 10-inch	S	S	S	S
S	Radio - AM: electronically tuned; integral digital clock†	S	S	S	S
	Radio-AM stereo*/FM stereo: electronically tuned: integral digital clock	E	E	E	E
	Radio -AM stereo [‡] /FM stereo: electronically tuned; with seek- and-scan, Dynamic Noise Reduction [§] ; cassette tape player		100		
	with automatic reverse; integral digital clock	NA NA	NA	E	E
S	Seat-Rear: three-passenger bench	S	S	S	S
	Seat-Driver and front passenger: cloth and vinyl trim, high- back bucket	S	s	P	P
	Seats Driver and front passenger: deluxe vinyl high-back				
	bucket	NC O	NC	S	S
S	Spare Tire Mounting - Inside	S	S	S	\$
	Sport Bar	E	E	E	E
0	FUNCTIONAL			-	0
S	Alternator 90-amp	S	S	S	S
	Atternator-120-amp Axle-Rear: antispin	E	E	E	E
S	Battery-500-amp maintenance-free	S	S	S	S
	Battery-625-amp maintenance-free	E	E	E	E
S	Brakes-Front disc, rear self-adjusting drum: power- assisted	S	S	S	S
S	Buzzer Warning-Fasten seat belts, headlights on, key in				
6	ignition	S	S	S	S
S	Cooling Austrian transmission oil to air	S	S	S	S
	Cooling-Auxiliary: transmission oil to air Cooling-Engine: maximum	E	E	E	E
S	Electronic Ignition and Voltage Regulation System	S	S	S	S
2	Heater-Engine block	E	E	E	E
S	Lights-Backup, license plate, stop, taillight; combination		-		
	map/courtesy light on instrument panel; rear compart-	0	S	S	S
S	ment courtesy lights Power-Assisted Steering	S	S	S	S
9	Shield-Fuel tank	E	E	E	£
	Shield—Transfer case	NA NA	E	NA NA	F
	omiting manager case	-	-	1	-
	Stabilizer Bar-Front	P	S	P	S

S-Standard. E-Extra cost. P-Package item only. NA-Not available. NC-No charge option.

7/70 Power Train Limited Warranty

Upon expiration of the basic 12-month or 12,000-mile limited warranty, coverage is extended on power train components to seven years or 70,000 miles, whichever comes first. A deductible applies. See your dealer for a copy of the warranty. Government, law enforcement, limousine, taxi and export vehicles excluded.

7/100 Anti-Corrosion Limited Warranty

Your dealer will repair or replace at no charge, outer body sheet metal panels found to have developed perforation (rust-through) in normal use up to seven years or 100,000 miles, whichever comes first. See your dealer for a copy of the warranty.

Optional Service Contract Coverage

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Chrysler Motors offers a variety of plans to meet your needs. Plan coverage begins after your vehicle's basic warranty expires. A deductible applies. Allowances for car rental and towing are also included.

Buckle up for safety.



Chrysler Motors Genuine Parts

MOPAR parts are engineered by Chrysler Motors for use in your new Dodge Ramcharger. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

Consider Leasing

Many of today's new car prospects are wisely considering leasing as an alternative to buying. Leasing a new Dodge Ramcharger usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new car purchase. Ask your dealer for details.

*There are special engine cooling requirements for fieldinstalled air conditioning. Failure to follow requirements may invalidate warranty. See dealer for details. *May be deleted for credit on factory orders.

*Some AM stereo broadcasting may not be compatible with ⁵Dynamic Noise Reduction is a trademark of National

Semiconductor Corporation. *Uniprime is a trademark of PPG Industries, Inc.

components. Payloads should be reduced by weight of occupants and any optional

²Specific axle ratio may be restricted for use with certain engine/transmission combinations. See your Dodge dealer for details.

Specifications, descriptions and illustrative materials contained herein are as accurate as known at the time this publication was approved for printing. Chrysler Motors reserves the right to discontinue models or options at any time or change specifications and materials, equipment and design without notice and without incurring obligation. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Dodge Truck dealer.

CHRYSLER PURCHASE ASSISTANCE PROGRAM FOR THE PHYSICALLY CHALLENGED

Cash rebates up to \$500 are available for qualified adaptive driving devices on 1988 Chrysler Motors cars and trucks. For further information contact your dealer or the PHYSICALLY CHALLENGED RESOURCE CENTER at 1-800-255-9877.

Form No. 81-205-8013 9/87 (200M) Litho in U.S.A.



Dodge Truck



Specifications, descriptions and illustrative materials contained herein are as accurate as known at the time this publication was approved for printing. Chrysler Motors reserves the right to discontinue models or options at any time or change specifications and materials, equipment and design without notice and without incurring obligation. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Dodge Truck dealer.

CHRYSLER PURCHASE ASSISTANCE PROGRAM FOR THE PHYSICALLY CHALLENGED

Cash rebates up to \$500 are available for qualified adaptive driving devices on 1988

Chrysler Motors cars and trucks. For further information contact your dealer or the

PHYSICALLY CHALLENGED RESOURCE CENTER at 1-800-255-9877.

Form No. 81-205-8013 9/87 (200M) Litho in U.S.A.

1988 DODGE

RAMCHARGER





