



O2
Timeless Luxury.
O4
Unhurried Pleasures.

Power and Poise.

Splendid Isolation.


Complete Peace of Mind.


The Features.

The Facts.

The Palette.




















The Executive L and Cartier L models come equipped with illuminated rear passenger vanity mirrors—proving Town Car's luxury isn't just for the driver.





An Electronic Automatic Temperature Control and message center provide comfort, and it conveniently allows the driver to monitor data such as outside temperature, average fuel economy, miles-to-empty and average trip speed.




Town Car is quite sophisticated, thanks

to the **programmable keypad** located


on the driver's side door. Keyless entry

is possible with your personalized iden-

Town Car's power-adjustable brake and accelerator pedals allow drivers of varying heights and stature to assume the most comfortable driving positions. Pedals can travel over two inches, and the driver's preferred positions are retained in the available memory system.



■ The electronic fingertip speed control on Lincoln Town Car's available woodand leather-trimmed steering wheel allows you to set your preferred speed without taking your eyes off the road.



An available power moonroof lets in the sun, moon and stars. Or, if you prefer, just a pleasant touch of breeze.



the Vehicle Communication System includes a Motorola Timeport™ wireless phone. The required Sprint PCS® service plan features voice-activated name or digit dialing for hands-free use. It also enables the satellite-based Global Positioning System, which offers Safety and Security services, Route Guidance and Point of Interest Location information.





Town Car offers drivers a choice of two levels of powerful V8 engines. A **4.6-liter V8** with 220 horsepower is standard on Executive, Signature and Premium Signature models. Or for those driving enthusiasts who require a little more power under the hood, a 4.6-liter V8 with a potent 235 horsepower and dual exhaust is available.

1

**All-Speed Traction Control** helps improve Lincoln Town Car's handling and traction on a variety of slippery surfaces by electronically and automatically distributing brake pressure between the rear wheels, modulating engine torque and adjusting the ignition.

#

**Cartier L**, a long wheelbase version with 7.8 more cubic feet of passenger volume, helps improve ride characteristics. In addition to its larger interior area, Cartier L includes rear illuminated vanity mirrors, heated rear seats, a folding rear armrest with storage bin, rear seat 4-way head restraints, an electrochromic mirror with compass and other fine luxuries.

#

In the unlikely event of a complete coolant loss, the **fail-safe cooling system** will still allow Town Car to be driven for a short distance<sup>1</sup> by invoking a reduced cylinder firing sequence.

\*Depending on load, ambient temperature and speed.

#

Even in bad weather, Town Car's **four-wheel disc Anti-lock Brake System** contributes to improved control during hard braking on a surprisingly wide variety of road surfaces.

#

Town Car is built on a **full-length ladder-type frame**. This type of construction, along with rear load-leveling air suspension, provides Town Car with additional rigidity and stability.

#

One of the more unexpected luxuries on Lincoln Town Car are **heated exterior mirrors**, which quickly melt away bothersome ice and snow for better visibility and enhanced safety.

#

Another amenity that makes Cartier Town Car so luxurious is standard **heated front** seats, which allow the driver and passenger to adjust their individual seat cushion temperature to any of five settings—an absolute must for those living in colder climates.

1

The available **HomeLink® Universal Transceiver** allows the Town Car driver to quickly and easily program the universal remote (engineered right into Town Car's visor) to activate a garage door plus two additional home-based devices, such as patio or driveway lights.

#

The highly intelligent coil-on-plug integrated **ignition system** provides dependable spark sequences while also eliminating the need for spark plug wires. Combined with platinum-tipped spark plugs, this helps make Town Car's 100,000-mile tune-up<sup>1</sup> interval possible.

\*\*Under normal driving conditions with routine fluid and filter changes.

#

To ensure we're offering our customers the best service possible, we proudly offer the **Lincoln Personal Consultant**. Just visit our Web site at lincolnvehicles.com/pc and one of our manufacturer's representatives will help with anything from price quotes to product features to arranging a test drive at your local dealer—at no cost or obligation.

1

A standard, **Remote Keyless Entry system** provides both fingertip lock activation as well as a panic button, which sets off the horn and marker lamps in case of an emergency. In addition, Town Car's autolamp feature keeps headlamps lit after the vehicle is shut off.

#

The **SecuriLock**™ passive anti-theft system uses a specially encoded key to help protect the 2002 Lincoln Town Car against theft. If a nonencoded key or ignition bypass is detected, the ignition automatically disables itself—helping to further thwart any unsavory behavior.

#


Front and rear nitrogen-pressurized shock absorbers—precisely tuned to compliment the **Short- and Long-Arm front suspension**—deliver a quiet, comfortable ride, in spite of many road imperfections you might encounter while driving the 2002 Lincoln Town Car.

#

A wonderful match for Town Car's powerful engine, the **Watt's linkage rear suspension** improves straight-line tracking and handling. This, along with the many other fine Lincoln luxuries, makes Town Car an absolute pleasure to drive—especially over long distances.

	7	)	٢
4	۷		ľ

ENGINE		ivetrain	
LAYOUT		Front engine, rear-wheel drive	
TYPE		SOHC 16-valve V8 with electronic engine control	
DISPLACEMENT		4.6 liter/281 cu in	
BORE & STROKE		90.2 mm x 90.0 mm /3.55 in. x 3.54 in.	
COMPRESSION RATIO		9.4:1	
HORSEPOWER	Executive, Signature and Premium Signature	220 @ 4750 rpm (SAE net)	
	Executive L, Signature Touring Sedan, Premium	220 6 47 00 Ipili (UAL Hely	
	Touring Sedan, Cartier, Premium Cartier and Cartier L	235 @ 4750 rpm (SAE net)	
TORQUE	Executive, Signature and Premium Signature	265 lb-ft @ 4000 rpm (SAE net)	
	Executive L, Signature Touring Sedan, Premium		
	Touring Sedan, Cartier, Premium Cartier and Cartier L	275 lb-ft @ 4000 rpm (SAE net)	
ORQUE CONVERTER	Signature Touring Sedan and Premium Touring Sedan	11.25 inch	
UEL DELIVERY		Sequential multi-port electronic fuel injection	
UEL REQUIREMENT		87 octane unleaded (minimum)	
GNITION		Coil-on-plug integrated electronic ignition system	
COOLING SYSTEM		Fail-safe cooling	
EXHAUST SYSTEM	Executive, Signature and Premium Signature	Single, stainless steel	
	Executive L, Signature Touring Sedan, Premium		
	Touring Sedan, Cartier, Premium Cartier and Cartier L	Dual, stainless steel	
RANSMISSION			
YPE		4-speed electronic automatic overdrive with torque converter lockup	
AXLE RATIO	Executive, Executive L, Signature, Premium Signature,		
	Cartier, Premium Cartier and Cartier L	3.08:1	
	Signature Touring Sedan and Premium Touring Sedan	3.55:1	
the state of the s		ihassis	
		ITIOSSIS	
BODY		Body on full-length ladder-type frame construction	
	Front	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprin	
BODY SUSPENSION		Body on full-length ladder-type frame construction	
	Front	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spri	
SUSPENSION	Front	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spri 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension	
SUSPENSION	Front	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spri 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in  215.3 in  86.4 in	
SUSPENSION	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprii 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in  215.3 in  86.4 in	
SHOCK ABSORBERS	Front Rear  Executive, Executive L, Signature, Premium Signature,	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints,	
SHOCK ABSORBERS	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar suspension  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  55  65  65  65  65  65  65  65  65  6	
SHOCK ABSORBERS	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide design with ball joints,	
SHOCK ABSORBERS	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil spriide design with ball joints, stabilizer bar and coil spriide.  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in	
SHOCK ABSORBERS STEERING	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprit 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in  215.3 in  Bo.4 in  Gas-pressurized hydraulic twin tube Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars Power, engine speed-sensitive, variable-assist 16.4:1 (on center) 3.4	
SHOCK ABSORBERS STEERING	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature,	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in  215.3 in  86.4 in  Gas-pressurized hydraulic twin tube  Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4	
SHOCK ABSORBERS	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in	
SHOCK ABSORBERS	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan,	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid.  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  55  Gas-pressurized hydraulic twin tube Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars Power, engine speed-sensitive, variable-assist 16.4:1 (on center) 3.4 42.0 ft diameter	
SHOCK ABSORBERS STEERING WHEELBASE	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  117.7 in  215.3 in  86.4 in  Gas-pressurized hydraulic twin tube Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars Power, engine speed-sensitive, variable-assist 16.4:1 (on center) 3.4 42.0 ft diameter	
SHOCK ABSORBERS STEERING WHEELBASE	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  5  117.7 in  215.3 in  86.4 in  86.4 in  Gas-pressurized hydraulic twin tube  Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4  42.0 ft diameter	
SHOCK ABSORBERS STEERING WHEELBASE	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  6-117.7 in. 123.7 in. (long wheelbase includes wider door openings)  63.4 in.	
SHOCK ABSORBERS STEERING WHEELBASE	Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front Rear	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid 4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  Gas-pressurized hydraulic twin tube  Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4  42.0 ft diameter  117.7 in.  123.7 in. (long wheelbase includes wider door openings)  63.4 in.  65.3 in.	
SHOCK ABSORBERS STEERING WHEELBASE RACK SRAKES	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front Rear Front	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid.  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  Gas-pressurized hydraulic twin tube  Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4  42.0 ft diameter  117.7 in.  123.7 in. (long wheelbase includes wider door openings)  63.4 in.  65.3 in.  Power-assisted disc, 12.4-inch diameter rotors, Anti-lock Brake System (ABS)	
SHOCK ABSORBERS STEERING WHEELBASE WHEELS	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front Rear Front	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  Gas-pressurized hydraulic twin tube  Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4  42.0 ft diameter  117.7 in.  123.7 in. (long wheelbase includes wider door openings)  63.4 in.  65.3 in.  Power-assisted disc, 12.4-inch diameter rotors, Anti-lock Brake System (ABS)  Power-assisted disc, 11.1-inch diameter rotors, Anti-lock Brake System (ABS)	
SHOCK ABSORBERS STEERING WHEELBASE WHEELS	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front Rear Front Rear	Body on full-length ladder-type frame construction  Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  Gas-pressurized hydraulic twin tube  Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4  42.0 ft diameter  117.7 in.  123.7 in. (long wheelbase includes wider door openings)  63.4 in.  65.3 in.  Power-assisted disc, 12.4-inch diameter rotors, Anti-lock Brake System (ABS)  Power-assisted disc, 11.1-inch diameter rotors, Anti-lock Brake System (ABS)	
	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front Rear Front Rear Executive, Signature, Premium Signature,	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid.  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  6as-pressurized hydraulic twin tube Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars.  Power, engine speed-sensitive, variable-assist  16.4:1 (on center)  3.4  42.0 ft diameter  117.7 in.  123.7 in. (long wheelbase includes wider door openings)  63.4 in.  65.3 in.  Power-assisted disc, 12.4-inch diameter rotors, Anti-lock Brake System (ABS)  Power-assisted disc, 11.1-inch diameter rotors, Anti-lock Brake System (ABS)  16-inch aluminum	
SHOCK ABSORBERS  STEERING  WHEELBASE  FRACK  BRAKES  WHEELS	Front Rear  Executive, Executive L, Signature, Premium Signature, Cartier, Premium Cartier and Cartier L Signature Touring Sedan and Premium Touring Sedan Type Overall ratio Turns, lock-to-lock Turning circle, curb-to-curb Executive, Signature, Premium Signature, Signature Touring Sedan, Premium Touring Sedan, Cartier and Premium Cartier Executive L and Cartier L Front Rear Front Rear Executive, Signature, Premium Signature, Cartier and Premium Cartier	Body on full-length ladder-type frame construction Independent Short- and Long-Arm design with ball joints, stabilizer bar and coil sprid.  4-bar links, Watt's linkage, stabilizer bar self-leveling air spring suspension  Gas-pressurized hydraulic twin tube Revised springs, monotube shocks, 30 mm front and 18 mm rear stabilizer bars Power, engine speed-sensitive, variable-assist 16.4:1 (on center) 3.4 42.0 ft diameter  117.7 in. 123.7 in. (long wheelbase includes wider door openings) 63.4 in. 65.3 in. Power-assisted disc, 12.4-inch diameter rotors, Anti-lock Brake System (ABS) Power-assisted disc, 11.1-inch diameter rotors, Anti-lock Brake System (ABS) 16-inch aluminum	



■ Clearcoat Metallic ▲ Clearcoat Interior fabric and exterior color combinations are not available on all models. Please see your dealer for availability.

Additional charge tri-coat paint available on Executive and Signature. Additional charge two-tone paint available only on Signature. Tri-coat paint available at no charge on Cartier and Cartier L.

Light Graphite
Deep Charcoal

Oxford White/Light Graphite •



• •



Signature	Touring Sedan
In addition to or in place of the Signature Series standard equipment, the Signatu	re Touring Sedan is equipped with the following:
■ BADGE—unique	<ul> <li>STEERING WHEEL—2-spoke leather wrapped with tilt steering column and duplica</li> </ul>
<ul> <li>BUMPERS—monochromatic bumpers and lower bodyside cladding and fascias</li> </ul>	audio and climate controls
<ul> <li>FLOOR MATS—front and rear carpeted with embroidered logo</li> </ul>	<ul> <li>TIRES—P235/60SR16 black sidewall all-season</li> </ul>
GRILLE—argent with chrome surround	<ul> <li>WHEELS—16-inch 8-spoke aluminum</li> </ul>
RADIO—Lincoln Signature audio system	<ul> <li>WOOD TRIM—black bird's-eye wood grain on instrument panel and door</li> </ul>
<ul> <li>SEATS—perforated leather seat trim</li> </ul>	
Descrives	Touring Sadan

In addition to or in place of the Signature Touring Sedan standard equipment, the Premium Touring Sedan is equipped with the following:

 MOONROOF—power RADIO—Alpine® Audiophile Sound System with Digital Signal Processing, subwoofer and Audiophile speakers/6-disc trunk-mounted radio-controlled CD changer

In addition to or in place of the Premium Touring Sedan standard equipment, the Cartier is equipped with the following:

- CLOCK—analog
- FLOOR MATS—carpeted with monogrammed Cartier logo GOLD PACKAGE—gold Cartier badges on C-pillar, gold Town Car badges on front fender and gold Lincoln Star ornamentation on center wheel caps
- MOONROOF—power (Premium Cartier)
- RADIO—Alpine<sup>®</sup> Audiophile Sound System with Digital Signal Processing, subwoofer and Audiophile speakers
- RADIO—6-disc trunk-mounted radio-controlled CD changer<sup>3</sup> (Premium Cartier)
- SEATS—premium leather seat trim and heated front seats with 5 temperature settings
- STEERING WHEEL—wood and leather trimmed with tilt steering column and duplicate audio and climate controls
- TIRES—P225/60SR16 black sidewall all-season
- WHEELS—16-inch Cartier Chrome aluminum

### Cartier L

In addition to or in place of the Cartier standard equipment, the Cartier L is equipped with the following:

- ARMRESTS—storage pocket on rear doors
- ASHTRAY—cigar size with illuminated lighter in rear doors
- HEADRESTS—rear seat 4-way head restraints
- LIGHTS—orientation lighting
- MIRRORS—rear illuminated vanity mirrors conveniently stow away in headliner
- SEATS—rear seat amenities package which includes: folding armrest with storage bin, 2 cupholders, 2 auxiliary 12-volt power point outlets, carpeted 1-piece luxury seat floor mat and duplicate audio and climate controls
- TIRES—P225/70TR16 white sidewall all-season
- WHEELS—16-inch Cartier Chrome aluminum

'Cartier L and Executive L dimensions. 'Always wear your safety belt and secure children in the rear seat. 'Available option. Please see your dealer for details.

## Web Site

For additional information on Town Car or other fine Lincoln automobiles, find us on the Web at

## lincolnvehicles.com



Standard with all 2002 model year vehicles is 3-year/36,000-mile Lincoln Complimentary Maintenance—a no charge, scheduled maintenance service at 5,000 mile or 6 month intervals, whichever occurs first, in accordance with your vehicle's scheduled maintenance guide. Six additional wear items will also be covered: spark plugs (except in California), shock absorbers, clutch disc, engine belts and hoses, brake pads and linings, and wiper blades. Available in the U.S. (may be available in other countries). See your dealer for more details.



Ford Credit provides the convenience of one-stop shopping with a variety of simple-to-understand purchase or Red Carpet Lease programs available right at the dealership. For more information, ask your dealer for details, or visit us on the web at **www.fordcredit.com** 



CD changer (Premium Signature)3

Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Lincoln dealer is your best source for up-to-date information. Lincoln reserves the right to change product specifications at any time without incurring obligations. 2002 EPA mileage estimates were unavailable when this brochure was printed. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. Information based on AAMA specifications.

	Accommodate	ons and Dimensions	CONTRACTOR OF THE PARTY OF THE	
HEADROOM (in.)	39.3 front; 37.6 rear (39.4 front; 37.9 rear')	OUTSIDE DIMENSIONS (in.)	58.0 height; 86.4 width (including mirrors);	
EGROOM (in.)	42.6 front; 41.1 rear (42.6 front; 46.9 rear <sup>1</sup> )	2	15.3 length (221.3 length¹)	
HIPROOM (in.)	57.3 front; 58.0 rear (57.3 front; 57.8 rear')	FUEL CAPACITY (gal)	19.0	
SHOULDER ROOM (in.)	60.6 front; 60.3 rear (60.6 front; 59.9 rear')	CARGO VOLUME (cu ft)	20.6	
	Execu	utive Series		
ACCESSORY DELAY-	power, provides up to 10 minutes for operating windows	<ul> <li>LIGHTS—courtesy lamps and</li> </ul>	d integral reflectors on front and rear doors, no-dim	
and radio after ignition is turned off or until any door is opened		daytime dash lamps, rear compartment reading lamps, dual beam dome map lamps		
<ul> <li>AIRBAGS—driver and front passenger front and side-impact<sup>2</sup></li> </ul>		engine compartment lamp and luggage compartment lamp		
<ul> <li>AIR CONDITIONING—Electronic Automatic Temperature Control with automatic</li> </ul>		<ul> <li>LOCKS—power door locks with valet key, single key entry/ignition</li> </ul>		
blower control and sunload sensors that monitor interior temperature		<ul> <li>MAP POCKETS—located on front seatbacks with umbrella holder</li> </ul>		
ALL-SPEED TRACTION (	CONTROL	MIRRORS—electrochromic (c)	auto-dimming) rearview mirror with compass, and dual	
ANTENNA—concealed	radio antenna	power heated exterior mirror	s with driver's side electrochromic mirror	
<ul> <li>ANTI-THEFT SYSTEM—perimeter anti-theft device sounds the horn and flashes</li> </ul>		<ul> <li>MOLDINGS—bodyside protection, color keyed with chrome inserts</li> </ul>		
the headlamps and taillamps when the doors or trunk are tampered with;		■ POWER POINT—auxiliary	12-volt outlet	
LED indicator flashes when active		<ul> <li>RADIO—AM/FM stereo/cassette with premium sound system</li> </ul>		
<ul> <li>ARMRESTS—full-length door trim with driver and front passenger seat storage,</li> </ul>		■ REMOTE KEYLESS ENTRY S	YSTEM—with illuminated entry, theater dimming feature	
	wn storage and rear seat center fold-down with cupholders		xterior lighting when autolamp system is engaged	
	off interior lights and headlamps to save battery life		ard 3-point restraints with height-adjustable D-rings and	
BRAKE SHIFT INTERLOC		pretensioners; 3-point safety belts for all outboard rear passengers		
	eel disc Anti-lock Brake System (ABS)		eat system with leather seating surfaces, driver and fro	
	front and rear 5 mph impact with bright inserts	passenger 8-way power seats, 2-way front head restraints, dual power recliners		
CHILD-SAFETY LOCKS		and power lumbar support		
	THER ANCHORS—3 upper anchors	<ul> <li>SECURILOCK™—passive anti-theft system</li> </ul>		
	ital clock integrated in radio	SMARTLOCK™—passive anti-tnerr system     SMARTLOCK™—anti-lockout system		
CUPHOLDERS—front ar		SPEED CONTROL—fingertip controls with tap-up/tap-down feature		
	se button on driver's door trim panel	STEERING WHEEL—2-spoke leather wrapped with tilt steering column		
DEFROSTER—rear wind		TAILLAMPS—complex reflector with large reverse lamps		
		TIRE—conventional spare <sup>3</sup>		
	gauge steel anti-intrusion beams with front	Control Acceptance Management Control	sidewall all season	
and rear crumple zones		■ TIRES—P225/60SR16 black		
DUCTS—rear heat and		■ TIRES—P225/60SR16 white		
EXTENSIVE CORROSIO			N SYSTEM—Motorola Timeport™ wireless phone with	
FLOOR MATS—carpete		required Sprint PCS® service		
	-adjustable brake and accelerator pedals	<ul> <li>VISORS—with dual illumina</li> </ul>		
	el filler door release button on driver's door trim panel		-door ajar, EEC-V malfunction alert, brake pressure ale	
<ul> <li>GLASS—solar tinted</li> </ul>		check engine, low oil pressure, airbags², safety belt reminder, high beams on, ABS		
GLOVE BOX—lockable and illuminated		charge system, engine coolant temperature, anti-theft alarm and low fuel gauge		
	oln grille with chrome accents	<ul> <li>WHEELS—16-inch Gear Too</li> </ul>		
<ul> <li>HEADLAMPS—wraparo</li> </ul>	und complex reflector with clear lenses, cornering		luminated switches and express-down driver's window	
lamps and autolamp on	delay off lighting system		peed variable intermittent setting; with auto	
INSTRUMENT PANEL—	analog cluster and electronic message center with Tripminde			
STATE OF THE PARTY OF	Ex	ecutive L		
In addition to the Execu	tive Series standard equipment, the Executive L is equippe	d with the following:		
<ul> <li>ARMRESTS—storage po</li> </ul>	ocket on rear doors	<ul> <li>SEATS—rear seat amenities</li> </ul>	package which includes: folding armrest with storage b	
<ul> <li>ASHTRAY—cigar size v</li> </ul>	vith illuminated lighter in rear doors	2 cupholders, 2 auxiliary 12-	volt power point outlets, carpeted 1-piece luxury seat flo	
<ul> <li>HEAD RESTS—rear sea</li> </ul>	t 4-way head restraints	mat, and duplicate audio and climate controls		
<ul> <li>LIGHTS—orientation lig</li> </ul>	hting	<ul> <li>TIRES—P225/70TR16 white sidewall all-season</li> </ul>		
MIRRORS—rear illumina	ated vanity mirrors conveniently stow away in headliner	<ul> <li>TIRES—conventional spare of</li> </ul>	and mini-spare	
THE RESERVE	Signo	ture Series		
In addition to or in place	e of the Executive Series standard equipment, the Signatur	re Series is equipped with the follo	owing:	
HOMELINK® UNIVERSA	L TRANSCEIVER—located in driver's visor	<ul> <li>SEAT—memory settings and</li> </ul>	d easy entry/exit driver's seat	
MEMORY SYSTEM—for	driver's seat, exterior mirrors and adjustable pedals	■ SEATS—heated front seats v	with 5 temperature settings <sup>3</sup>	
MOONROOF—power	MOONROOF—power (Premium Signature)  • STEERING WHEEL—wood and leather trimmed with tilt steering column are		and leather trimmed with tilt steering column and	
RADIO—Lincoln Signature audio system		duplicate audio and climate controls		
<ul> <li>RADIO—Lincoln Signatu</li> </ul>	ne dedie sysiem			

# LINCOLN AMERICAN LUXURY

dincolnvehicles.com