oh what a feeling!

### LandCruiser 78 Series Makes tough work easier



## A great stable of workhorses

Only LandCruiser 78 Series gives you a choice of nine models, from Cab Chassis to the unique Troop Carrier. All feature dual fuel tanks with a combined capacity of 180 litres. Significant features include power steering, tilt adjustable steering, snorkel and a conveniently placed hand throttle. Underbody protection plates help to minimise undercarriage damage.

#### **Troop Carriers**

Available with a 4.2 litre Diesel or 4.2 litre Turbo Diesel engine. For added comfort every model has front outboard seat headrests, and an electronically tuned AM/FM radio with auto reverse cassette player.

There is clear instrumentation with a digital trip meter, continuous reading fuel gauge and voltmeter.


The three seat, five seat (RV only) and 11 seat Troop Carriers feature a split rear door and all models feature a driver's bucket seat.

The 4.2 litre Turbo Diesel top of the range RV Troop Carrier (also comes in Single Cab Chassis) has five seat capacity, and features a chrome front radiator grille, bumpers, indicator surrounds, aluminium side steps, cloth seats and door trim, floor carpets, remote central locking, silver painted rims, centre console, front door pockets, front seat back pockets, rear intermittent wiper, high mount stop lamp, power front windows, power door locks, power antenna and a 3-in-1 audio system (CD/tuner/cassette).

#### Cab Chassis

Choose from a 4.2 litre Diesel engine or the powerful 4.2 litre Turbo Diesel engine, all with a unitary cabin construction in Standard and RV grade.

To help it pay for itself even more quickly, there's a large load carrying space. A long wheelbase gives better load distribution and a more comfortable ride. Then, after a lot of hard work, enjoy the ease of cleaning the hard wearing textured vinyl trim in the interior (except the RV model which has cloth trim).



**Troop Carrier** 



RV Turbo Diesel Cab Chassis

(Toyota Genuine tray, winch and bullbar not included)



Cab Chassis (Tray not included. Standard snorkel not shown)

# LandCruiser 78 Series colour guide

Colour Name	
French Vanilla (058)	Midnight Blue (8H6)
Mulberry Red (3H4)*†	Pewter (1D2)*†
Sandy Taupe (4E9)	Parchment (4M9)*†

			750*			Without Trailer Brakes (kg)
			3500*			With Trailer Brakes (kg)
		out wint/		100 (20 111		TOWING CAPACITY (Max)
7		suh-tank)+	180 /90 litre main tank and 90 litre suh-tank)+	180 /90 litr		File! (anarity (lifree)
2	2	, J	3 or 11	3 or 11	200	Spating (apacity
1950-2050	3300	22/5-2340	3300	2135-2265	0.000	Nominal Kerb Mass (kg)
						WEIGHTS & CAPACITIES
			235			Ground Clearance (mm)
Ä	N/A		1265		N/A	Load Height (mm)
A	N/A	170	3 & 5 Seater: 1510, 11 Seater: 1170	3 &	N/A	Load width (mm)
	N/A	1245	3 & 11 Seater: 2085, 5 Seater: 1245	3 & 1	N/A	Load Length (mm)
1460			00	1420		Rear Track (mm)
1475				1435	-	Front Track (mm)
	1970		2115		1970	Overall Height (mm)
1810				1690		Overall Width (mm)
3	5075		5060		5075	Overall Length (mm)
ŏ	3180		2980		3180	Wheelbase (mm)
		S: AUUJ X Ib Alloy rims	5.5F X I6 Steel Split rims. Except RV Lab-chassis: 7.000 X I6 Alloy rims	5.5F X Io Steel Split fir		NIMEN SIONS
		265/70R16 LT	7.50R16-8PR LT Except RV Cab-chassis: 265/70R16 LT	7.50R16-8PR		Tyres
						WHEELS
	Troop Carrier only).	Rigid axle, semi-elliptic leaf spring, double-acting gas pressurised dampers (stabiliser bar on Troop Carrier only).	-acting gas pressurised di	iptic leaf spring, double-	Rigid axle, semi-ell	- Rear
	stabiliser bar	Rigid live axle - 3 link, coil springs with telescopic gas pressurised hydraulic dampers & stabiliser bar	th telescopic gas pressuri	e – 3 link, coil springs wit	Rigid live axl	- Front
						Туре
		on ran) mounts campers	asca and annual property	The state of the s		SUSPENSION
		on fully floating callipers	312 mm diameter ventilated disc with single piston fully floating callipers	312 mm diameter ventila		Rear
		ons and fixed callibers	$3\mathcal{D}$ mm diameter ventilated disc with four pistons and fixed callibers	322 mm diameter vent		Front
	ss valve	Vacuum boosted dual circuit hydraulic with load sensing proportioning and by-pass valve	draulic with load sensing	boosted dual circuit hyo	Vacuum	System
			£			BBAKES
7	7.4		13.4		14.2	Turning circle via. (Kerb)
	ė		Engine Speed Sensitive		4.5	Power Assistance
		III.	Power assisted ball and nut			System
						STEERING
		4.100		00	4.300	Differential Ratio
	8	2,488		95	2.295	Low
	Ō	1.000		00	1.000	Transfer Ratio High
	3	4313		20	4.220	Reverse
	3	0.811		88	0.8	5th
	0	1.000		00	1.000	4th
	0	1,490		66 18	1,436	3rd
	F 13	7164		3 5	2330	2nd
	ó   S	1,500		⊅  =	1.2	
	# <b>*</b>	HIGOE		<del>11</del>	21515	Type
	400	380/1400		200	285/2200	Max. lorque (\m/rpm)
	100	122/3400		800	96/3800	Max. Power (kW/rpm )
	15	18.8:1			22.4:1	Compression Ratio
	100	94 x 100		100	94 x 100	Bore and Stroke (mm)
	4	4164		\$	4)14	Displacement (cc)
	ction EFI	Direct Injection EF		njection	Indirect Injection	Fuel System
	lives per cylinder	Overhead Cam, 4 valves per cylinder		alves per cylinder	Overhead Cam, 2 valves per cylinder	Valve Mechanism
	In-line	6 Cylinder, In-line		r, In-line	6 Cylinder, In-line	Configuration
	31.	1HD-FTE		Z	1HZ	Name
	)iesel	Turbo Diesel		sel	Diesel	Туре
HDJ79R-TJMNZQ3	HDJ79R-TJMRZQ3	HDJ78R-RJMNZQ	HDJ78R-RJMRZQ	HZJ78R-RJMRSQ	HZJ79R-TJMRSQ3	MODEL CODE
RV (ab Chassis 2 Seater	Cab Chassis 3 Seater	RV Troop Carrier 5 Seater	Troop Carrier 3 & 11 Seater	Troop Carrier 3 & 11 Seater	Cab Chassis 3 Seater	BODY

# IMPORTANT NOTICE - PLEASE READ

You MUST check all information with your authorised Toyota Dealer prior to placing your order to ensure the vehicle you want is available. Toyota Australia has used every reasonable endeavour to ensure that the information in this brochure is correct at the time of publication, however, because the availability of vehicles with certain systerifications, equipment and colours may vary from time to time you should not rely on this brodrure but should contact your authorised Toyota Dealer to ensure that your chosen which is provided to the control of the provided to the control of the provided that the designed which can be delivered in a time frame which is suitable to you. Toyota Australia may alter any deals; contained in historochure at any time, and to the excent allowed by hard Toyota Australia will not be liable for any reliance you place upon this brochure. Colours shown in this brochure may vary from actual colours due to the printing process. Distributed nationally by Toyota Notor Corporation Australia Limited AOI 009 686 097, ABN 64 009 686 097, Corner Captain Cook Drive and Garmons Road, Caringbah NSW 2229, Part No. LCR/80106SV. Printed AMULIARY 2006.

MECHANICALS	Cab / Chassis	RV Cab Chassis	Troop Carrier 3 & 11 Seater	RV Troop Carrier 5 Seater
Drive train				
4.2 Litre Overhead cam Diesel engine	~ ~	o 1	~ ~	o 1
5 Speed Manual transmission	S	s s	s s	s s
Part-time 4WD with dual range transmission	S	· ~	S	· ~
Manual free wheeling front hubs	o v	> v	o v	- v
Limited slip rear differential #	s c	s c	s c	~ c
Rigid front axle with coil springs	S	<u>د</u> د	<b>ν</b> (	<b>ν</b> (
Rigid rear axle with semi elliptic leaf springs	S	· ~	. v	· ~
4 Wheel ventilated disc brakes	~ ~	~ ~	~ ~	~ ~
Tool kit – small	S	<b>ν</b> (	<i>د</i> د	s s
Durability	,	,	,	,
Underbody protection plates	~ ~	n U	~ ~	~ ~
Air cleaner service warning lamn	<i>^</i> 0	<i>^</i> 0	<i>د</i> د	<i>د</i> د
Air intake dust snorkel	<i>د</i> د	<b>~</b> с	<i>ب</i> د	<i>ب</i> د
Double fuel filter	S	s s	s s	s s
High altitude compensator	⊢ Ω		ß	
Delete Dual tank	ŀ	ŀ	ŀ	
EXTERIOR				
Black bumpers Chrome front humper	Front only	<b>Λ</b> Ι	. ~	<b>л</b> 1
Single reflector halogen headlamps	S	S	S	S
Black radiator grille	. ~	o 1	. ~	o 1
Black exterior mirrors	S	s s	S	s s
Chrome door handles	S	S	S	S
Alloy wheels Front wheel arch flares		<i>^</i>		
Front mudflaps	S	<b>∽</b> '	S	S
Rear mudflaps	n 1	n 1	· ~	~ ~
Tinted side and rear glass	s c	s o	s c	s c
Swing out front quarter vent windows	S		S	
Sliding rear side windows		o 1	. ~	л V
Bam type (60/40) rear tailgate doors			S	s s
Spare tyre mounted on rear tailgate			S	· ~
louch up paint Metallic paint	o ~	0 ~		
	•			
Hard wearing textured vinvl seat trim	^		^	
Cloth seat trim		S		S
Cloth door trim inserts		S		S
Unyl Tioor covering		∽ ı		∽ ı
Driver's footrest	S	S	S	<b>∽</b>
Driver's and passenger assist grips and graph handles	^	^	^	^
Seating		•		
Driver's bucket seat and front two seat bench		, ,	S	
Priver's seat slide and recline adjustment	<i>د</i> د	<i>^</i>	<i>د</i> د	<i>~</i> ~
Height adjustable front outboard headrests	S	s c	<b>ν</b> ι	<b>ν</b> ι
2nd row seat - one piece folding seat back				S
2nd row seat - hinged seat cushion base 2nd row seat - height adjirctable				S
outboard headrests				S
Rear seats – side mounted and folding			11 Seater only	

KEY  S = Standard fitment,  0 = Optional fitment - Available at extra cost,  DIF = Dealer ft - Available at extra cost,  DIF = Dealer ft - Available at extra cost,  Please check with your dealer)  Subject to State regulations and fow bar design,  Limited Silp rear differential not fitted with optional diff locks.  # Limited Silp rear differential not fitted with optional diff locks.  Fitted standard to Mon-turb of dese lengthe.  Cab Chassis Diesel available with 90 Lite main tank only, thereby relocating the spare tyre below the tray body for increased load space.	ALCOSAIDS MURIDUE GLOVE (CO.) Bullbar - Alloy or steel Somet and headlight protectors Radiator inset screen protector Front weather shields Roof racks Seat covers Driving lights	Energy absorbing steering column boor ajar waming lamp SXCIIIIT SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	Bectronic tune AMIPA radio cassette Bectronic tune AMIPA radio cassette and CD payer Number of speakers Number of speakers Nanual antenna on driver's side Power artienna SJEETY SGE door impact protection beams	Door operated dome lamp Luggage compartment la	Awarenta Namusa Awaren	FAYURAS  Air conditioning – Manual type  4-speed heater / wentilation controls  Power front windows  Instruments & Controls  Instruments & Controls
	D	~~:	s : s : s	8811188 18	~~~ I ~~~~~~	Cab / Chassis 0 5
	0; - 0; - 0; - 0; - 0; - 0; - 0; - 0; -	~~ . ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	S 5125 1	~~~~~~ I ~	~~~ 1 ~~~~~~~	RV Cab Chassis 0 S S
	D D D D D D D D D D D D D D D D D D D	~~~ · · · · · · · · · · · · · · · · · ·	s :	NN 11100 NN	~~~~~~~~~	Troop Carrier 3 & 11 Seater 0 5
	0/F 0/F 0/F 0/F	~~~~~~~	S 21 + S 1	~~~~~~~~~	~~~~~~~~~	RVTroop Carrier 5 Seater 0 S S

TOYOTA ON THE WORLD WIDE WEB
for a comprehensive guide on the entire range of Toyota vehicles, accessories, merchandise and a whole lot more, visit our internet home Page at www.toyota.com.au