

 **TOYOTA HIACE**  
oh what a *feeling!*

The Trademark of the Professional.





Long Wheel Base model shown.



Super Long Wheel Base model shown.



## Trademark of the professional.

HiAce has been building its reputation for longer than most have been building their businesses. And as any professional knows, when you build a better product, people stick with you.

For over sixteen years in Australia, HiAce has been the most respected van in the trade with over 3.7 million vehicles sold. Toyota listened to what buyers wanted now and in the future, whether government, fleet or private operators and set out to build a van that would meet the high expectations of its operators.

HiAce will move you and your load with your choice of two reliable and tireless engines. Both perform with impressive efficiency, which is vital in today's competitive business world where reduced running costs add up to greater profitability. You have the choice of a twin cam VVT-i equipped 2.7 litre petrol engine or a hard-working 3.0 litre turbocharged intercooled common rail diesel.

With typical Toyota Quality, Durability and Reliability (QDR), this is the vehicle that is sure to get the job done. And wearing the HiAce badge, it projects a look of professionalism to your customers that will take your business to another level.



Commuter Bus model shown.

## Three set-ups to suit your business.

### **Long Wheelbase (Van)**

With a squared-off body, there's a large 6.0 cubic metres of cargo capacity making the Long Wheelbase a reliable and handy worker. You have seating for three, plus easy access with the larger sliding side door. You can also drive with peace-of-mind with driver and front passenger SRS airbags.

### **Super Long Wheelbase (Van)**

A wide body and high roof helps give the Super Long Wheelbase the biggest capacity of any HiAce in history with a huge 9.8 cubic metres of cargo volume. Remote central locking\* and dual sliding side door access means you'll get plenty in, easily and conveniently.

### **Commuter Bus**

Supportive seating provides ride comfort and helps reduce fatigue. A rear cooler ventilation system with overhead air vents provide additional comfort for occupants in the 2nd, 3rd, 4th and 5th row seats, plus three-point seatbelts for all occupants provide increased safety. This 14-seater also includes fold up last row seats for increased storage on those long trips away.

\*From September '07 production

# HiAce. Toyota Genuine Accessories.



## Accessories make a good thing even better.

HiAce featured is accessorised with Full Technician Kit Roof Rack, Alloy Nudge Bar, Cargo Barrier, Front Weathershields, Headlamp Covers and All Weather Rubber Floor Mats.

THESE ARE JUST SOME OF THE ACCESSORIES AVAILABLE FOR YOUR HIACE. FOR A COMPLETE LIST AND FURTHER DETAILS, PLEASE SEE YOUR TOYOTA DEALER OR REFER TO OUR WEBSITE.



ALLOY NUDGE BAR  
Available on all models



CARGO BARRIER  
Available on LWB & SLWB



FRONT WEATHERSHIELDS  
Available on all models



ALL WEATHER RUBBER FLOOR MATS  
Available on all models



ROOF RACKS - FULL TECHNICIAN KIT  
Available on LWB



ROOF RACKS - STANDARD KIT  
Available on LWB



TOWBAR WITH REAR CORNER PROTECTOR  
Available on all models



TOWBAR WITH REAR STEP AND PROTECTOR  
Available on all models



HEADLAMP COVERS  
Available on all models



TOWBAR WITH TECHNICIAN STEP  
Available on LWB



SATELLITE NAVIGATION<sup>^</sup> AUDIO SYSTEM  
INCLUDING 4 DISC IN-DASH MP3 COMPATIBLE CD  
CHANGER WITH BLUETOOTH<sup>™†</sup> COMMUNICATIONS  
AND (OPTIONAL) AUDIO INPUT  
Available on all models



6 DISC IN-DASH MP3 COMPATIBLE CD CHANGER  
WITH BLUETOOTH<sup>™†</sup> COMMUNICATIONS AND  
AUDIO INPUT  
Available on all models

## TOYOTA GENUINE ACCESSORIES ARE COVERED BY OUR TOYOTA WARRANTY\*

Some Toyota Genuine Accessories are not applicable to all HiAce models. Please refer to the Accessories Guide. All accessories are subject to availability. See your Toyota Dealer for details. Pictured Accessories are all sold separately. For a comprehensive guide on the entire range of Toyota Genuine Accessories, vehicles, merchandise and a whole lot more, visit our Website at [toyota.com.au](http://toyota.com.au)

\*All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year (unlimited kilometres). Conditions apply. All warranties are additional to the implied warranties under the Trade Practices Act 1974.

<sup>^</sup>Current mapping database encompasses major capital and primary national road networks as well as offering some coverage in regional areas.  
<sup>†</sup>Bluetooth<sup>™</sup> will only operate with telephones enabled with compatible Bluetooth<sup>™</sup> wireless technology (HFP [Hands Free Profile] version 1.0 and OPP [Object Push Profile] version 1.1 international standards).

\*Refer to your Apple iPod<sup>®</sup> Instruction Manual. iPod<sup>®</sup> is a registered trademark of Apple Computer Australia Pty Ltd.

<sup>^</sup>This accessory is not a Toyota Genuine Accessory (supplier branded) and is warranted for 12 months from the date of purchase. This warranty is additional to the implied warranties under the Trade Practices Act 1974.



AUDIO CABLE AND CAR CHARGER<sup>^</sup> FOR IPOD<sup>®</sup>  
Available on selected models where AUX-In  
option is part of audio unit. Suits iPod<sup>®</sup> models  
that have a dock connector\*



## Comfort and storage.

Hard working days will no longer be hard labour. Air conditioning with a clean air filter\* is fitted as standard, while the ease of power steering and supportive seats help reduce fatigue. The ergonomic three-dial instrumentation cluster has two electric trip meters for mileage checking and power front windows make paying tolls less taxing. The centre seatback on Van models folds forward, offering a handy table with two cupholders for your lunch, or a foldout tray to hold order books or clipboards. If you get thirsty, retractable dual cupholders in the dash and bottle holders built into the front doors help keep your drinks secure. Additionally, drivers have a rear mounted reversing mirror across all models for added vision when reversing.


The HiAce's audio system with AM/FM radio and MP3 compatible CD player with Audio Input Jack^ comes with two door-mounted speakers (four speakers in the bus) and offers easy listening, while full length headlining reduces ambient noise.

The Audio Input Jack^ allows for easy connection of your iPod® or portable MP3 player to provide you with plenty of music choice for those long days on the road.

^ From January '07 production

\* From September '07 production

## HiAce Exterior Colours



French Vanilla  
(058)



Manilla Yellow  
(599)\*



Quicksilver  
(1E7)\*



Cascade Blue  
(8P4)\*



Green Aspen  
(6S3)\*

Note: Toyota Australia reserves the right to vary and discontinue from time to time the interior and exterior colours, trims and colour/trim/model combinations currently available. Colours and trims displayed here are a guide only and may vary from actual colours due to printing / display process. See your Toyota dealer to confirm colour/trim/model availability when ordering your vehicle.

\*Indicates colour, mica, metallic or pearlescent paint which is available at extra cost.

# The Trademark of the Professional.

## HiAce technical specifications

### Mechanical

2.7L Twincam Petrol engine (LPG compatible)+  
3.0L Turbo Diesel engine  
5-Speed manual transmission  
4-Speed (ECT) auto transmission **(option)**

### Engine Specifications

Petrol (P): 4 cylinder in-line DOHC with Variable Valve Timing with intelligence (VVT-i) on the intake valves.  
Turbo Diesel (T/D): 4 cylinder in-line DOHC with 4 valves per cylinder and intercooler  
Engine capacity (cc) – 2694 (P); 2982 (T/D)  
Maximum Power – 111kW / 4800rpm (P); 80kW / 3000rpm (T/D);  
Maximum Torque 241Nm / 3800rpm (P); 286Nm / 1200–1600rpm (T/D)  
Bore & stroke (mm) – 95x95 (P); 96x103 (T/D)  
Compression ratio – 9.6:1 (P); 16.0:1 (T/D)  
Fuel system – Electronic Fuel Injection (P); Direct Injection (T/D)  
Fuel type – 91 RON ULP (P); Diesel (T/D)  
Fuel economy:\*\* Manual (L/100km) – 11.6 (LWB P); 12.4 (SLWB, Commuter P); 8.6 (LWB T/D); 9.3 (SLWB, Commuter T/D)  
Fuel economy:\*\* Automatic (L/100km) – 11.6 (LWB P); 12.6 (SLWB, Commuter P); 8.8 (LWB T/D); 9.6 (SLWB, Commuter T/D)  
Ignition system – Electronic Direct Ignition (P); Compression ignition (T/D)

### Dimensions

Overall length (mm) – 4695 (LWB); 5380 (SLWB, Commuter)  
Width (mm) – 1695 (LWB); 1880 (SLWB, Commuter)  
Height (mm) – 1980 (LWB); 2285 (SLWB, Commuter)  
Wheelbase (mm) – 2570 (LWB); 3110 (SLWB, Commuter)  
Track – front/rear (mm) – 1470/1465 (LWB); 1655/1650 (SLWB, Commuter)  
Ground clearance (mm) – 155 – 195  
Cargo volume (m<sup>3</sup>) – 6.0 (LWB); 9.8 (SLWB)  
Cargo area – floor length (mm) – 2930 (LWB); 3470 (SLWB)  
Maximum cargo width (mm) – 1545 (LWB); 1730 (SLWB)  
Maximum cargo height (mm) – 1335 (LWB); 1635 (SLWB)  
Maximum distance between wheel arches (mm) – 1120 (LWB); 1295 (SLWB)

### Vehicle Weights & Capacities

Kerb weight^^ – maximum (kg)

Manual/auto trans

- 1715/1715 (LWB P)
- 1820/1830 (LWB T/D)
- 1895/1905 (SLWB P)
- 1985/1995 (SLWB T/D)
- 2065/2070 (Commuter P)
- 2160/2170 (Commuter T/D)

Payload^^ (kg):

Manual/Auto trans

- 1085/1085 (LWB P)
- 980/970 (LWB T/D)
- 1305/1295 (SLWB P)
- 1215/1205 (SLWB T/D)
- 1085/1080 (Commuter P)
- 1040/1030 (Commuter T/D)

Gross Vehicle Mass (kg):

- 2800 (LWB)
- 3200 (SLWB)
- 3150 (Commuter P)
- 3200 (Commuter T/D)

Gross Combined Mass# (kg):

- 4200 (LWB P)
- 3800 (LWB T/D)
- 4600 (SLWB P)
- 4200 (SLWB T/D)
- 4550 (Commuter P)
- 4200 (Commuter T/D)

Towing capacity\* with trailer brakes (kg) – 1400; without trailer

brakes (kg) – 400

Seating capacity including driver – 3 (LWB, SLWB); 14 (Commuter)

Fuel tank capacity (litres) – 70

### Drivetrain

5-Speed manual transmission with hydraulic operated clutch  
4-Speed automatic Electronically Controlled Transmission with fuel saving lock-up torque converter **(option)**  
Differential ratio manual/auto trans – 4.300:1 / 4.556:1 (P); 3.909:1 / 4.100:1 (T/D)

### Steering

Power assisted Rack and Pinion

Turns lock to lock – 4.1

Turning circle (m) – 10.0 (LWB); 12.4 (SLWB & Commuter)

### Brakes

Vacuum boosted hydraulic system with load sensing proportioning and bypass valve **(Note: Proportion valve and bypass valve is fitted with ABS.)**

Front – ventilated disc brakes with single piston callipers

Rear – self adjusting drum

Anti-skid Braking System (ABS) with Brake Assist (BA) **(option)**

### Suspension

Front – Independent double wishbone type with upper torsion bar; hydraulic dampers and stabiliser bar

Rear – Semi elliptic leaf springs with hydraulic dampers

### Wheels

Tyres and rims – 195R15C 8PR tyres with 6.0Jx15 steel rims

## LWB Van model features

### Exterior

Durable front and rear bumpers

Multi-reflector headlights

Laminated windscreen

Tinted side windows

Steel rims with full wheel caps

Front and rear mudflaps

Near side (kerb) rear sliding door

Lift up tailgate with gas struts

Tailgate mounted reversing mirror

Colour/Metallic paint **(option)**

### Interior

Tone on tone interior trim

Moulded front door trims

Vinyl and cloth sun visors

Durable vinyl floor covering (excludes cargo area)

Headlining including cargo area

Front passenger assist grip

Front seat grab handles

Tailgate pull-down strap††

### Seating

Cloth fabric seat trim

Driver's bucket seat

Front bench passenger seat

### Comfort

Air conditioning

Clean air filter\*††

Rotary type heater controls

Power steering

Power mirrors

Power front windows

### Instruments and controls

Tilt adjustable steering column

Dashboard mounted gear lever

Driver's auto up/down window with anti-jam

Day/Night interior mirror

Intermittent windscreen wipers

Intermittent rear wiper with washer

Rear window demister

Headlights on, audible warning

Trip meter, dual setting

Low fuel warning light

Fuel system warning lamp (includes water in fuel) (diesel engine only)

Digital clock in instrument cluster

### Lighting

Door operated dome and cargo lamps

Illuminated ignition switch

### Storage

Large glovebox

Centre seat back fold down storage tray

Cupholders – dashboard mounted

Drink/bottle holders – in front doors

Front door pockets

Centre dashboard storage pocket

Under dashboard storage

Driver's side storage pocket

Coin holder

Front ashtray and cigarette lighter

### Sound System

AM/FM radio with MP3 compatible single disc CD player and

Audio Input Jack‡

2 speakers

### Safety

Driver and front passenger SRS airbags

Driver's seatbelt warning lamp

Driver's pre-tensioner and forcelimiter seatbelt

Front passenger pre-tensioner and forcelimiter seatbelt

Lap/Sash seatbelts##

Lap type front seatbelt for centre seat position

Door and tailgate ajar warning light

Cargo tie down hooks

High mount centre rear stop lamp

Front door anti-intrusion beams

Collapsible steering column

Ventilated front disc brakes

Anti-skid Braking System (ABS) with Brake Assist (BA) **(option)**

### Security

Remote central locking including tailgate†††

Fuel cap holder and tether

Remote fuel lid release

Engine immobiliser

## SLWB Van model features in addition\* to LWB

### Exterior

Off side rear sliding door

### Seating

Front passenger's seat recline function (LWB and SLWB only)

Front passenger's seat slide function††

### Storage

Additional centre dashboard storage bin

## Commuter Bus features in addition\* to SLWB model

### Exterior

Tinted rear side windows

### Interior

Rear compartment grab handles and rails

### Seating

14 seat capacity

Front passenger bucket seat

2nd row – 2 seater bench seat

3rd & 4th row – 2 seater bench & 1 bucket seat

5th row – 4 seater split-fold bench seat

### Comfort

Air conditioning with rear cooler

Roof mounted air vents

### Lighting

Rear compartment dome lamps

Courtesy lamp at rear sliding door

### Storage

Centre console

### Sound System

4 speakers

### Safety

Two fire extinguishers

### Key

\*Towbar capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. Toyota Genuine Towbar = HiAce towing capacity.

^^Kerb, Tare and Payload weights are nominal and vary depending on options and accessories.

#Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel & cargo. Kerb, tare and payload weights are nominal and will vary depending on options and accessories.

†Except items that are upgraded.

+LPG compatible petrol engine excludes LPG system costs and installation charges. Factory developed state-of-the-art sequential vapour injection system with under floor dual LPG tanks and spare wheel relocated to inside rear compartment. Refer to your local Toyota dealer for details.

##Not fitted to centre lap seatbelt on Van models.

\*\*Fuel consumption will vary depending on driving conditions/style, vehicle condition and options/accessories. Source of fuel consumption data ADR81/01 combined (L/100km).

‡ From January 2007 Production.

†† From September 2007 Production.

**IMPORTANT NOTICE – PLEASE READ:** Toyota Australia uses its best endeavours to ensure brochure information is correct when published. When ordering accessories, you must check with your Toyota dealer to ensure the accessory's design, features and colours are available and will fit your vehicle. Accessory colours displayed here are a guide only and may vary from actual colours due to printing / display process. Toyota Australia reserves the right to change, without notice, at any time prices, colours, materials, equipment, specifications and discontinue colours/models. To the extent allowed by law, Toyota Australia will not be liable for any damage, loss or expense incurred as a result of reliance on this brochure. Distributed nationally by Toyota Motor Corporation Australia Limited ABN 64 009 686 097, Cnr Gannons Rd & Captain Cook Drive Caringbah, NSW 2229. Part No HIACE1107SV Printed November 2007.