oh what a feeling!

King Off The Road.



## Long Live The King.

A true Australian icon for over 50 years, the LandCruiser has proven itself to generations of drivers in some of the toughest, most challenging terrain known to man. It's no secret that it's known to some as 'the 4WD that helped build Australia', thanks to its role in transporting construction workers for the Snowy Mountain Hydro–Electric Scheme.

Building upon a rich heritage of proven credentials, today's LandCruiser 200 uses the latest in cutting edge technology, employing meticulous attention to detail inside and out. And now, after years of research, development and innovation, we invite you to make your own piece of history with the LandCruiser 200.

Get ready to discover Earth's Greatest 4WD.



## Designed to be best of breed.

Designed to standards rarely seen in such a vehicle, LandCruiser 200 sets high benchmarks in on and off-road driving. From powerful engines and cutting edge technology to flexible, easy-fold seating configurations and a cleverly designed cabin interior, we listened carefully to what drivers like you expect – and we know you won't be disappointed with the result.

## A powerhouse of innovation.

With two engine variants, a 4.7L V8 VVT-i Petrol with 5-speed automatic transmission and a 4.5L V8 Twin Turbo Diesel with 6-speed automatic transmission, the LandCruiser 200 offers outstanding fuel efficiency, superb drivability, heart thumping power and pure, adrenalin-inducing grunt. But it's safer too. A high strength, high rigidity, rust-resistant framework and a class-leading airbag configuration of up to 10 airbags means world-class protection for you and all your passengers. And, on all grades of LandCruiser 200, a Reversing Cameraˆshows you what's going on behind you – making parking a breeze.

## Smarter than your average 4WD.

Advanced technologies have allowed the LandCruiser 200 to become the smartest 4WD in its class. The CRAWL control system across the entire range, automatically maintains a low, uniform speed to enable stable driving in extreme environments or on slippery, uneven surfaces. We like to think of it as an off-road Cruise Control. Kinetic Dynamic Suspension System (KDSS)# is an advanced suspension control technology that minimises body roll to remarkable levels. Off-road, the wheel articulation is even more impressive, delivering gripping traction on all four wheels. Once you have experienced KDSS#, your view on suspension will change forever.

## Gripped by exhilaration.

Hill-start Assist Control (HAC), standard on both engines, detects backward sliding of the vehicle when going uphill, allowing you to take off smoothly, even on steep terrain. A technological first for Toyota, the Multi-terrain Anti-skid Braking System (ABS) not only prevents the wheels from locking, it can actively sense off-road conditions such as ice, sand, mud, gravel and dirt, adapting to different terrain for optimum braking power.





## Customise the King with Toyota Genuine Accessories.

Whether you're after an even more rugged look, extra storage options or greater convenience, your LandCruiser 200 deserves accessories with a proven pedigree. Combining innovative style with the strength and durability you expect from Toyota, these additions have been purpose-built for your LandCruiser - and your lifestyle. Integrating seamlessly with the original specifications, they not only look like they were meant to be there, they perform like it too. So whether you're working hard or playing harder, make sure you start on the right track with Toyota Genuine Accessories.



STEEL WINCH BAR WITH SUPERWINCH & RALLYE FF 4000 DRIVING LIGHTS BLACK (sold separately)



ALLOY BULL BAR & RALLYE FF 4000 DRIVING LIGHTS CHROME (sold separately)



AERO ROOF RACK - 2 bar set



HEAVY DUTY ROOF RACK - 3 bar set



ALLOY ROOF TRAY - Requires Heavy Duty Roof Rack - 3 bar set (sold separately)



DELLIXE SKI & SNOWBOARD CARRIERS (4 OR 6) Requires Aero Roof Rack -2 bar set (sold separately)



PRO RIDE BICYCLE CARRIER Requires Aero Roof Rack - 2 bar set



KAYAK CARRIFR Requires Aero Roof Rack - 2 bar set (sold separately)



PACIFIC 200 ROOF POD Requires Aero Roof Rack - 2 bar set



ATLANTIS ROOF POD IN 200 OR 600 (200 SHOWN) Requires Aero Roof Rack -



18" x 8" ALLOY WHEELS



ALLOY WHEEL LOCK NUT SET



TYRE PRESSURE MONITORING SYSTEM




TOWING KIT (ON ROAD) 3500KG (BRAKED CAPACITY)(1) WITH TRAILER WIRING HARNESS (sold separately)



PARKASSIST(2) - REVERSE PARKING SENSORS (4 HEAD KIT)



**BONNET PROTECTOR & HEADLAMP** COVERS (sold separately)



FRONT WEATHERSHIELDS (sold separately)



CARGO BARRIER - CURTAIN SIDE AIRBAG COMPATIBLE



ALL WEATHER RUBBER CARGO MAT



CARPET FLOOR MAT SET - OAK OR GREY (FRONT & SECOND ROW SET)



(FRONT PAIR & SECOND ROW) (sold separately)



SATELLITE NAVIGATION(3) AUDIO SYSTEM INCLUDING 4-IN-DASH MP3 CD CHANGER WITH BILIFTOOTH™(4) COMMUNICATIONS & (OPTIONAL) AUXILIARY AUDIO INPUT (sold separately) Available on GXL & VX.



FOLLOWME™ SOUND & NAVIGATION SYSTEM - INCLUDES BLUETOOTH™( HANDSFREE CAPABILITIES, VIDEO AND IS COMPATIBLE WITH (OPTIONAL) REAR VIEW CAMERA AND SOME IPODS®(5,6),MP3 AND USB STICKS(7), Available on GXL & VX.



## TOYOTA GENUINE ACCESSORIES COME WITH OUR TOYOTA WARRANTY\*

Front 3/A LandCruiser 200 GXL is accessorised with Alloy Bull Bar, RALLYE FF 4000 Compact Driving Lights Pencil (Chrome), Bonnet Protector, Headlamp Covers, 18" x 8" Alloy Wheels, Front Weathershields, Heavy Duty Roof Rack (3 Bar Set), Alloy Roof Tray and Cargo Barrier.

Some Toyota Genuine Accessories are not applicable to all LandCruiser 200 models. All accessories are subject to availability. See your Toyota Dealer for details. Pictured accessories are all sold separately. For a comprehensive guide on the entire range of Toyota Genuine Accessories, visit our website at accessories.toyota.com.au

"All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for 12 months. Conditions apply. All warranties are additional to the implied warranties under the Trade Practices Act 1974. (f) Towing capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. (2) ParkAssist is designed as a driver assist device only and should not be used as a substitute for skilled driving and safe parking practices. The area into which the vehicle is to be reversed must be visually monitored by the driver while parking. (3) Current havigation mapping database encompasses major capital and primary national road networks, as well as offering some coverage of regional areas. (4) The Bluetooth\* word mark is owned by Bluetooth SiG, Inc. Not all devices will be compatible and functionality will vary depending on the device. (5) IPod® is a registered trademark of Apple Inc. (6) Optional FollowMe iPod® kit available. (7) Not all devices will be compatible and functionality will vary depending on the device.



## Versatile enough to fit any lifestyle.

One-touch seat latches ensure easy and rapid folding assembly for two rows of seats allowing total flexibility for up to eight people and their cargo. Sahara is also equipped with an Electro Multi Vision (EMV) system that combines all your essential comfort and convenience features in one place. Using a bright display screen, you can control air conditioning, audio, Bluetooth $^{\text{m**}}$  and Satellite Navigation $^{\dagger}$  systems with ease.

GRADE	INTERIOR TRIM	Glacier White (040)	Crystal Pearl* (070)	Silver Pearl^ (1F7)	Graphite^ (1G3)	Ebony (202)	Merlot Red# (3Q3)	Vintage Gold# (4R3)	Goldrush# (5A5)	Blue Storm^ (8R3)
GXL	Grey Fabric Sand Beige Fabric	x x	- -	x -	x -	x x	x -	- x	- x	x -
VX	Grey Leather Accents Sand Beige Leather Accents	x x	-	x -	x -	x x	x -	- x	- x	x -
Sahara	Grey Leather Accents Sand Beige Leather Accents	-	x x	x -	x -	x x	x -	- x	- x	x -

KEY: x = available trim \* = Pearlescent ^ = Metallic # = Mica Metallic

## TOYOTA SERVICE ADVANTAGE CUTS NEW CAR RUNNING COSTS

Toyota Service Advantage makes owning your LandCruiser 200 even more economical because you are entitled to low cost scheduled servicing. That's up to 6 standard services during the first three years or 60,000km, whichever occurs first. Terms and conditions apply. See your Toyota dealer or advantage.toyota.com.au for eligibility, pricing and more information. Toyota Service Advantage pricing represents the maximum amount payable for standard scheduled servicing which is as per 'maintenance for normal operating conditions' outlined in the Warranty & Service Handbook's service schedule. Service Advantage eligibility excludes Government, Not for Profit Organisations and Rental vehicles and certain other exclusions apply.



NOTE: Toyota Australia reserves the right to vary or discontinue from time to time the interior and exterior colours, trims and colour/trim/model combinations currently available. Colours and trims displayed here are a guide only and may vary from actual colours due to printing/display process. See your Toyota dealer to confirm colour/trim/model availability when ordering your vehicle. \*\*The Bluetooth\* word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device. †Current Navigation mapping database encompasses major capital and primary national road networks as well as offering some coverage in regional areas.

PLEASE NOTE: The loading configuration of your vehicle reduces the available payload for passengers, optional equipment, cargo and tow-ball download. When changing the mass configuration of your vehicle, it is necessary to consider total mass of the vehicle (including passengers, optional equipment, cargo, tow-ball download and trailer mass) and the distribution of the mass to ensure that Gross Vehicle Mass (GVM), Gross Combination Mass (GCM), maximum towing capacity, maximum tow-ball download and individual axle limits of your vehicle are not exceeded when the vehicle is in service. The configuration of different optional extras on your vehicle will cause different loadings on the front and rear axle. It is important to realise that additional equipment, seat position, passenger position, and other load factors may cause a shift in the loadings of the front and rear axles. It is important that this configuration change be taken into account when you are loading your vehicle. Reference to Gross Combined Mass (GCM) refers to the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel & cargo.

## King Off The Road.

## Dimensions & Weights<sup>(1)</sup>

- Dimensions & Weights<sup>(1)</sup>

  Length (mm) 4950

  Width (mm) 1970

  Height (mm) 1905

  Wheelbase (mm) 2850

  Front Track (mm) 1640

  Rear Track (mm) 1635

  Ground Clearance (mm)(unladen) 230

  Approach Angle (Degrees) 30

  Departure Angle (Degrees) 20

  Breakover Angle (Degrees) 25

  Wading Depth (mm) 700

### **Capacities**

- Capacities

  Seating capacity

  GXL, VX & Sahara Petrol 8

  GXL T/Diesel 8

  VX & Sahara T/Diesel 7

  Kerb Weight<sup>(5)</sup> (Kg);

  GXL Petrol: 2555 2635

  VX & Sahara Petrol: 2610 2665

  GXL T/Diesel: 2630 2700

  VX & Sahara T/Diesel: 2675 2720

  Grorss Vehicle Mass<sup>(6)</sup> (Kg) 3300

- Gross Vehicle Mass<sup>(a)</sup> (Kg) 3300 Maximum roof load (Kg) 200 Towing Capacity<sup>(5)</sup> (Kg) With Trailer Brakes 3500
- Without Trailer Brakes 750
   Fuel Tank
- 138L (main + sub-tank) standard on
- all grades 93L (main only) when VX & Sahara T/Diesel option taken

- Engines
  Engine capacity 4.7L PETROL

  Model applicability GXL, VX & SAHARA
  Configuration V8
  Name 2UZ-FE
  Displacement (cc) 4664
  Max Power (kWirpm) 202 @ 5400
  Max Torque (Nmirpm) 410 @ 3400
  Valve Train DOHC
  Valve per cylinder h

- Valves per cylinder 4
   Valves per cylinder 4
   Fuel System Multi-Point EFI
   Bore x Stroke (mm) 94 x 84
   Compression ratio 10.0:1
   Fuel economy<sup>(6)</sup> 14.5L/100km

# Engine capacity 4.5L TURBO DIESEL Model applicability GXL, VX & SAHARA Configuration V8 Name YID-FTV Displacement (cc) 4461

- Displacement (cc) 4461

  Max Power (kWlr/pm) 195 @ 3400

  Max Torque (Nm/rpm) 650 @ 1600-2600

  Valve Train DOHC

  Valves per cylinder 4

  Fuel System Common Rail Direct Injection

  Bore x Stroke (mm) 86 x 96

  Compression ratio 16.8:1

  Fuel economy<sup>(6)</sup> 10.3L/100km

## Transmissions

- V8 Petrol Engine

   Automatic 5-speed electronically controlled automatic with Artificial Intelligence Shift
- Control & Sequential Shift Actuation Gear Ratios: 1st 3.520
- 2nd 2.042 3rd 1.400
- 4th 1.000
- 5th 0.716 Reverse 3.244 Transfer Ratio:
- High 1.000
- Low 2.618
- Differential ratio 4.100
  Centre Differential: Torsen Limited Slip
- centre Differential
- 4 X 4 Drive Mechanism: Full time

## **V8 Turbo Diesel Engine**

- Automatic 6-speed electronically controlled automatic with Artificial Intelligence Shift Control & Sequential Shift Actuation
- Gear Ratios: 1st 3.333 2nd 1.960

- 3rd 1.353 4th 1.000 5th 0.728
- 6th 0 588
- Reverse 3.061 Transfer Ratio:
- High 1.000

- Low 2.618

  Differential ratio 3.909

  Centre Differential: Torsen Limited Slip centre Differential
- 4 X 4 Drive Mechanism: Full time

- Steering
  Type: Power assisted Rack and Pinion
  Turning Circle Kerb to kerb (m) 11.8
  Turns lock to lock 3.14

- Front: Ventilated discs with four pistons fixed callipers
- Rear: Ventilated discs with single piston
- floating callipers

  Multi-terrain Anti-skid Braking System

### Suspension

- Front: Independent double wishbone with a coil spring, gas dampers & Anti-Roll Bar Rear: 4-link coil rear suspension with Panhard rod with coil springs, gas dampers & Anti-Roll Bar Kinetic Dynamic Suspension System (KDSS)<sup>ro</sup>:
- Hydro Mechanical actuation of front & rear

- Engines
   4.7L V8 Petrol
- 4.5L V8 Turbo Diesel

### **Drive Train**

- 5-speed Automatic (Petrol engine)
  6-speed Automatic (T/Diesel engine)
- Full time 4WD
- Full time 4WD
   Torsen Limited Slip centre Differential
   Kinetic Dynamic Suspension System (KDSS)<sup>(n)</sup>
   Power steering rack & pinion
   4 Wheel ventilated disc brakes

- Durability
   Underbody protection plates
   Tool Kit

### Exterior

- Rear spoiler
   Body coloured front and rear bumpers
- Dual headlamps incorporating driving lamps
   Chrome grille surround with black
- Chrome grine surround with black grille insert
   Bonnet gas struts
   Body coloured exterior mirrors
   Body coloured door handles
   Tinted band on windscreen
   Green UV Tinted side and rear glass
   Front and rear guideling.

- Front and rear mudflaps Side steps Aluminium look 2 piece horizontal tailgate with one wiper
- Spare tyre mounted underside of
- cargo floor Metallic/Mica paint (no additional cost)
- Touch-up paint

- Tyres & Rims
  Tyre Size: 285/65R17
  Rim Size: 17inch
  Rim Type: Alloy rim

- Interior Trim And Seating

  Two tone interior design
  Cloth seat trim
  Door trims with fabric inserts
  Moulded headlining with cloth facing
- Floor Carpet
- Fully trimmed luggage compartment
  Luggage area carpet
  Dual sunvisors
- Driver's left footrestPassenger assist gripsGrab handles

- Front bucket seats
- Front seat height adjustable headrests
   Driver's manual seat height adjustment
   Driver's seat power lumbar support
   adjustment
- adjustment
   2nd row seat 60/40 split folding seat backs
- 2nd row seat adjustable reclining

- 2nd row seat adjustable reclining seat backs
   2nd row seat adjustable headrests
   2nd row seat adjustable centre headrest
   3rd row seat 3 seat capacity
   3rd row seat 5 side folding
   3rd row seat 50/50 split folding seat backs
   3rd row seat adjustable reclining seat backs
   3rd row seat folding headrests
- 3rd row seat folding headrests

- Large two tier centre console box
  Sunglass holder overhead
  Front & rear door storage pockets
- Front seat cupholders Driver & front passenger seat back map pockets
   3rd row seat cupholders
- Front & rear ashtrays
  Cigarette lighter
  Bottle Holders in doors

- Smart Entry & Start
- Reversing Camera<sup>(12)</sup>
   Dual Zone front climate control air conditioning + rear cooler
- Pollen Filter Push button ventilation controls with
- LCD display Outside temperature display
- Outside temperature display
   Power windows with auto up/down
   Power window time delay
   Driver & front Passenger illuminated vanity mirrors with covers
   Accessory power sockets front & rear

Instruments & Controls
• Cruise Control

- Power operated mirrors
- Left hand convex exterior mirror
   Day/night interior mirror
   Tilt and telescopic steering wheel with
- This and telescopic steering wheel with audio controls
   Variable intermittent windscreen wipers
   Intermittent rear wiper & washer
   Rear window demister with auto off
   Twin tripmeter & electronic odometer
   Tachomytes

- Tachometer
- Automatic transmission indicator at dashboard 4 spoke urethane steering wheel with audio
- control switches

   Low fuel warning light

   Volt meter & oil pressure gauge

- Lighting Door operated dome lamp/s with delay
   Front map lamps
   Glove box lamp

- Luggage compartment lamp

- Sound System

   6 disc in-dash CD changer with 4.3" LCD display, MP3 compatibility and AM/FM tuner

   3.5mm AUX input for portable audio players, USB input for some iPod<sup>®(®)</sup>/USB memory sticks<sup>(2)</sup>

   Bluetooth™ capabilities<sup>(9)</sup>

- Antenna in glass
   Security coded audio

### **4WD Technologies**

• Full time 4WD • CRAWL

- Safety
   Side door impact beams
   Vehicle Stability Control (VSC)
   Active Traction Control (ATRC)
   Hill-start Assist Control (HAC)
   Multi-terrain Anti-skid Braking System (ABS)
- Driver & Front Passenger SRS airbags Driver & Front Passenger side airbags Full Length Curtain Shield airbags
- Driver seatbelt warning lamp
   Front passenger seatbelt warning lamp
   Front outboard seatbelts with pretensioners
- Front outboard seatbelts with force limiters
   Front seatbelt height adjustable upper
- anchorage points
   2nd row lap/sash retractable outboard
- seatbelts • 2nd row outboard seatbelt pre-tensioners
- 2nd row outboard seatbelt height adjuster 2nd row centre lap/sash retractable seatbelt 2nd row Auto Locking Retractor seatbelts
   3rd row lap/sash retractable seatbelts (Petrol & GXL T/Diesel models standard, available in
- & GXL 1/Diesel models standard, available in the option pack for VX T/Diesel & Sahara T/Diesel)

  Child restraint anchorage points
  Impact absorbing interior A, B, C & D Pillars
  High mounted centre stop lamp

  Door courtesy safety reflectors

  Door & tailgate ajar warning lamp

  Luggage tie down hooks

- Security
   Engine immobiliser
   Key in ignition/door lockout override
- Remote fuel lid release

## Kinetic Dynamic Suspension System (KDSS) (T/Diesel models only)

- Interior Trim
- Woodgrain-look trim interior (dash + door trims + console)
- · Premium steering wheel &

## gear lever • Leather accented interior

- Exterior
- Front fog lamps
   Black side steps
- Privacy glassChrome grille surround with grey and
- chrome grille insert

## Tyres and Rims

- Tyre Size: 285/60R18 Rim Size: 18inch • Rim Type: Alloy rim
- Seating
   Second row seat armrests
- 40/20/40 Second row seat back split fold
  Power adjustable front seats
  Tilt adjustable front head rests

# Small overhead console 2 cup holders (2nd row centre armrest) Bottle holder (3rd row on T/Diesel VX & Sahara)

- Lighting
  Door courtesy lamps (front & rear)
  Rear map lamps

### **Instruments & Controls**

- Moonroof Remote control operated moonroof & power windows
- · Multi Information Display (MID) (trip
  - computer)
    Audio and Multi-function Information Display (MID) controls on steering wheel

- Alarm system
   Driver & front Passenger knee airbags
   Second row side airbags

- voluni -45L subtank and 3rd row bottle holder is not available with this option

- Head-lamp cleaning systemExterior electric fold mirror

- 4-zone climate control air conditioning
  Cooler box

Sound System
• 6 disc in-dash CD/DVD changer, MP3 compatible and AM/FM tuner with
• 9 speakers Vehicle Communications
• Electro Multi Vision (EMV) incorporating DVD-based Satellite Navigation<sup>(1)</sup>

- Instruments & Controls

   DVD Rear Seat Entertainment with remote control and 3 wireless headphones

   Electric tilt & telescopic steering wheel

   Steering wheel mounted Bluetooth\*\*(9) controls

   Electrochromatic inter

## Electrochromatic interior mirror

- Ontion
- \*8 seats (T/Diesel only)
   \*45L subtank, DVD Rear Seat Entertainment and 3rd row bottle holder is not available

Key
(1) Some vehicle dimension figures are approximate and may vary due to options, accessory fitment and weight carried.
(2) Not all devices will be compatible and functionality will vary depending on the device.
(3) Kerb, tare and payload weights are nominal and will vary depending on options, accessories fitment and weight carried.
(4) Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel & cargo. Kerb, tare and payload weights are nominal and will vary becupants, rule at Cargo. Net, rule and will vary depending on options and accessories.

(5) Towbar capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. Toyota Genuine Towbar = LandCruiser 200 towing capacity.

(6) ADR81/02 combined cycle. Actual fuel consumption may vary depending on driving style and conditions.

(7) KDSS is an optional extra on GXL Turbo Diesel and standard on all other grades. (8) iPod® is a registered trademark of

Apple Inc.

(9) The Bluetooth™ word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.

(10) Except items that are upgraded.

(11) Current Navigation mapping database encompasses major capital and primary national road networks as well as offering some coverage in regional areas.

(12) The Reversing Camera does not provide a comprehensive view of the entire rear area of vehicle and should only be used as an aid for viewing when reversing.

viewing when reversing