HiAce Delivering professionalism.

XDE-873





toyota.com.au

MECHANICAL SPECIFICATIONS		3.0 litre Turbo-diesel				2.7 litre Petrol			
Engine	Max power (kW/rpm)	100/3400				118/5200			
	Max torque (Nm/rpm)	300/1200-2400				243/4000			
	Valve train	16-valve DOHC				16-valve DOHC with Dual VVT-i			
	Bore x Stroke (mm)	96.0 × 103.0				95.0 x 95.0			
	Compression ratio	16.0:1				9.6:1			
Transmission	Transmission	Automatic and Manual				Automatic and Manual			
	Gear ratios – Auto	1st 2.804; 2nd 1.531; 3rd 1.000; 4th 0.705; Reverse 2.393				1st 3.600; 2nd 2.090; 3rd 1.488; 4th 1.000; 5th 0.687; 6th 0.580; Reverse 3.732			
	Gear ratios – Manual	1st 4.313; 2nd 2.330; 3rd 1.436; 4th 1.000; 5th 0.838; Reverse 4.220				1st 4.313; 2nd 2.330; 3rd 1.436; 4th 1.000; 5th 0.838; Reverse 4.220			
	Driveline		2WD			2WD			
Fuel ¹	Fuel economy (L/100km)	8.4 (Auto) / 8.0 (Manual) – LWB 9.2 (Auto) / 8.6 (Manual) – SLWB/Commuter 9.2 (Auto) / 8.6 (Manual) – LWB Crew Van				9.8 (Auto) / 10.1 (Manual) – LWB 10.5 (Auto) / 10.8 (Manual) – SLWB 10.9 (Auto) / 11.3 (Manual) – Commuter			
	Fuel capacity (litres)	70				70			
HIACE MODEL		Long Wheelbase LWB Crew Van				Super Long Wheelbase Super Long Wheelbase Commuter Bus			
		Turbo-diesel	Petrol	Turbo-diesel	Turbo	-diesel	Petrol	Turbo-diesel	Petrol
Dimensions and Weights ²	Overall length (mm)	4695	4695	4695	5380		5380	5380	5380
	Overall width (mm)	1695	1695	1695	1880		1880	1880	1880
	Overall height (mm)	1980	1980	1980	2285		2285	2285	2285
	Wheelbase (mm)	2570	2570	2570	3110		3110	3110	3110
	Front track (mm)	1470	1470	1470	1655		1655	1655	1655
	Rear track (mm)	1465	1465	1465	1650		1650	1650	1650
	Running clearance (mm)	195	195	195	195		195	185	185
	Kerb weight (kg) ³	1835 (Auto) 1825 (Manual)	1735 (Auto) 1720 (Manual)	1915 (Auto) 1905 (Manual)	2015 (Auto) 2005 (Manual)		1905 (Auto) 1890 (Manual)	2205 (Auto) 2195 (Manual)	2095 (Auto) 2080 (Manual)
	Gross vehicle mass (kg) ⁴	2800	2800	2800	3200		3200	3250	3150
Capacities	Seating capacity	2	2	5	2		2	14	12/14
	Towing capacity – with trailer brakes⁵	1200	1200	1200	1200		1200	1200	1200
	Towing capacity – without trailer brakes⁵	400	400	400	400		400	400	400

HIACE MODEL		Long Wheelbase		LWB Crew Van	Super Long	Wheelbase	Super Long Wheel	Super Long Wheelbase Commuter Bus	
		Turbo-diesel	Petrol	Turbo-diesel	Turbo-diesel	Petrol	Turbo-diesel	Petrol	
Wheels	15" steel wheels		•						
	Passenger side sliding door	•	•		•	•	•	•	
	Halogen headlamps	•	•		•			•	
	Power exterior mirrors	•	•	•	•	•	•	•	
	Front and rear mudflaps	•	•	•	•	•	•	•	
	Driver's side sliding door			•	•	•			
	Automatic door closer (option)						•	•	
	Rear left side glass window	•	•	•					
Interior	Driver's bucket seat	•	•	•	•	•	•	•	
	Front passenger stand alone bucket seat	•	•	•	•	•	•	•	
	Front passenger bucket seat	•	•	•	•	•	•	•	
	Driver's foot rest	•	•	•	•	•	•	•	
	Electro-chromatic mirror with 3.3" display	•		•		•	•	•	
	Air conditioning – front	•	•	•	•	•	•	•	
	Air conditioning – rear						•	•	
	Rear bench seat			•					
Instruments and Controls	Intermittent windscreen wipers (front and rear)	•	•	•	•	•	•	•	
	Cruise control ⁶	•	•	•	•	•	•	•	
	Central locking	•	•		•			•	
	Front power windows	•	•	•	•	•	•	•	
	Multi Information Display (MID)	•	•	•	•	•	•	•	
Safety	Anti-lock Braking System (ABS)	•	•	•	•	•	•	•	
	Reversing camera ⁷	•	•	•	•	•	•	•	
	Driver and front passenger seat belt warning buzzer	•	•	•	•	•	•	•	
	Driver and front passenger airbags	•	•	•	•	•	•	•	
	Driver and passenger seat belt warning lamp	•	•	•	•	•	•	•	
	Vehicle Stability Control (VSC)	•	•	•	•	•	•	•	
	Hill-start Assist Control (HAC)	•	•	•	•	•	•	•	
	Break Assist (BA)	•	•	•	•	•	•	•	
	Emergency Stop Signal (ESS)	•	•	•	•		•	•	
Storage	Driver and front passenger map pockets	•	•	•	•	•	•	•	
	Centre console storage	•	•	•	•	•	•	•	
	2 cupholders in dash	•	•	•	•	•			
	2 cupholders in centre console	•	•	•	•	•	•	•	
	AM/FM radio with MP3 compatible single-disc CD player and 3.5mm AUX input for portable audio players ^{6,10}		•					•	
	USB input ⁸ for some iPod ^{®9} /USB memory sticks	•	•	•	•		•	•	
	Bluetooth®10 capabilities	•	•	•	•	•	•	•	
	2 speakers	•	·	•	•	•			
	4 speakers						•	•	

IMPORTANT NOTICE - PLEASE READ:

Toyota Australia uses its best endeavours to ensure material is correct when published. Check with your authorised Toyota Toyota Australia or your Toyota Dealer. Toyota Australia reserves the right to change, without notice, prices, colours, materials, Dealer when ordering to ensure the vehicle with your chosen specifications, equipment and colour is available and can be equipment, specifications and discontinue colours/models. To the extent permitted by law, Toyota Australia will not be liable delivered within the timeframe suitable to you. When ordering accessories, check with your authorised Toyota Dealer to for any damage, loss or expense incurred as a result of reliance on this material in any way. Distributed nationally (other than ensure the accessory's design, features and colours are available and fit your vehicle. Consider the mass of your load will not in Western Australia) by Toyota Motor Corporation Australia Limited ABN 64 009 686 097, 155 Bertie St, Port Melbourne exceed the maximum allowable individual axle capacity, Gross Vehicle Mass and/or Gross Combined Mass of the vehicle. Refer 3207. Material distributed in Western Australia by or on behalf of Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty to www.toyota.com.au for further details. Colours displayed are a guide only and may vary from actual colours due to printing/ Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PART NUMBER: TYHIACESAV. PROOF HQ: T2015-000464. PRINTED: MAY 2015. GT01583. display processes. Certain accessories when fitted will require the removal of standard equipment, which may be retained by

1 Fuel consumption varies depending on driving conditions/style, vehicle conditions and options/accessories. Source of fuel consumption data: ADR81/02 combined.

2 Some vehicle dimension figures are approximate and vary due to options and accessory fitment.

3 Kerb, tare and payload weights are nominal and vary depending on options and accessories.

4 Gross Vehicle Mass (GVM) is the total permissible combined weight of the vehicle, including occupants, fuel and cargo.

5 Towing capacity is subject to regulatory requirements, towbar and vehicle design and towing equipment limitations. Ask your Dealer for Toyota Genuine Towbar capacity and availability details.

Front cover: Super Long Wheelbase model shown

6 Cruise Control is a driver assist technology and should not be used as a substitute for safe driving practices. Driver should continue to monitor the road.


7 Reversing Camera is a driver assist device only and should not be used as a substitute for safe driving practices. The area into which the vehicle is driven must be visually monitored by the driver.

8 Not all devices will be compatible. Functionality varies depending on device.

9 iPod® is a trademark of Apple, Inc. Not all devices will be compatible and functionality will vary depending on the device.

10 The Bluetooth® word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality varies depending on the device. 11 Paint featured is an optional extra at additional cost.

12 Available on LWB Crew Van only.



Built to succeed.

Grey Fabric Interior (FY13)

Commuter

Bus

For over thirty-five years and whatever the task, HiAce has been the trusted choice of Australians who depend upon getting the job done. By listening to what Government, fleet and private operators really want, HiAce has been continually refined and then

Scarlet¹¹ 3R9

built to meet the uncompromising demands of today's business.

Cascade Blue¹¹ 8P4

And with typical Toyota quality, durability and reliability evident throughout, this is the van you can stake your livelihood on.