


## DE SOTO

Designed for the super-highway age



## Stunning new beauty...

### the Forward Look De Soto for 1956


Styled and engineered in a new and daring concept, the 1956 De Soto represents a uniquely different automotive idea. For this fine automobile has been created to meet the advanced motoring needs of today's and tomorrow's driving; a completely new De Soto designed for America's super-highway age.


Forget for a moment all past ideas of automotive perfection -all previous standards of judgement. Ask yourself what it is you want most in your next automobile, and then


and surpasses, by far, even your most exacting demands.

Here, we can give you but a suggestion of De Soto's sensational new V-8 power, exhilarating performance, and lithe beauty. There are few words to impart fully the unsurpassed magnificence of this all-new automobile.

We ask you then to allow the 1956 De Soto to speak for itself; in city traffic-on the rugged hills and curves of a country road-and on the demanding test ground of today's modern super-highway. For your own pleasure, discover how completely the new 1956 De Soto meets we ask you to . . . Drive a De Soto Before You Decide.














255 HORSEPOWER




A luxurious combination of dark blue Sculptured Faille and supple leather bolsters of light blue. Woven through this rich new interior fabric are sparkling silvery highlights. Tasteful side door accent strips of glittering "miroline" add a dashing touch.



A Fireflite convertible interior tastefully executed in pink Sculptured Faille, (a new satin-finished material flecked with threads of twinkling brightness), richly highlighted by bolsters of soft genuine white leather. Tops are available in black or white



Here is a delightful two-tone, tri-patterned interior color scheme in Raised Rib Damask. (An elegant new fabric with a brightly shimmering surface of metallic thread.) Bolsters of Petit Point complement this luxurious 1956 De Soto Four-door interior.






Created for the Firedome Four-door Sportsman a chic new interior crisply tailored in *Metallized Brocade* with bolsters of satiny black vinyl; both fabric and vinyl blended with a glamorous, exciting flair and harmonized in the modern manner.

## The Firedome Series

230 HORSEPOWER









Exclusively Station Wagon—this De Soto interior has the feel of rugged luxury; equally suited to suburban or city living. In two-tone gray Sculptured Vinyl (a smart new combination of cloth and "breathable" vinyl) with bolsters of supple smoky-gray vinyl.



Here is another eye catching example of the lovely new Firedome interiors. In *Oriental Pattern Damask*; a freshly designed, long wearing fabric embellished with a smart satin finished pattern. Bolsters are superbly fashioned of smoothly tailored black vinyl.


The Firedome Series

230 HORSEPOWER







The Firedome Four-door Seville



This exciting Seville interior in crisp 'n cooling blues features Silver Threaded Brocatelle, a sturdy, long wearing heavy ribbed fabric distinguished by sparkling, woven-in metallic thread. Bolsters are of doe-soft blue vinyl.








A single smooth motion operates these distinctively styled new door handles. Smartly designed to blend in tastefully with the taut, eager lines of the '56 De Soto.



New Safety Lock door latch—a unique safety feature designed to keep doors safely closed under sudden impacts...now standard equipment on all 1956 De Soto models.



Here, in close-up view is the 1956 De Soto front emblem and glistening grille section; a completely new design that adds the modern sophistication of continental styling.





Softly burnished chrome window and door handles add smartly gleaming beauty accents to the lush new interior of the 1956 De Soto.

# Designed and powered for the super-highway age




#### New Super-Highway Safety Lights

De Soto's startling new tail light treatment for 1956 has been designed specifically for safer driving under today's stepped up pace. New "Control Tower" styling allows other motorists to safely anticipate your driving intentions quicker and easier. The top turret is the tail light, stop light and directional signal—visible from both sides as well as to the rear—the center turret is your backup light, and the lower turret an additional safety tail light and reflector.



#### **New Super-Highway Power**

Hills flatten magically when challenged by the mighty power surge of De Soto's super performing new V-8 engines. Instantaneous power quietly awaits your command; thundering power to meet any driving condition—for safer high speed passing on the modern super-highway, or the flashing burst of emergency "get-by" so often needed in today's city traffic.



New 255 H.P. Fireflite V-8

The most advanced engine in the entire automotive industry. A cyclone of velvet smooth power harnessed, ready and eager to meet your every driving demand. Advanced new 4-barrel carburetor gives you more power, more punch at any speed.




New 230 H.P. Firedome V-8

An instantly responsive engine, with a new improved 2-barrel carburetor, that delivers a mighty surge of flashing power the split second you need it. New compression ratio upped to 8.5 to 1. New power for those surging "High Torque Take-Offs."




**Hemispherical Combustion Chamber** 

A De Soto exclusive in its field justly famous for delivering longer lasting, maximum power from every drop of gasoline. With unique centrally located new high-efficiency spark plugs.



#### New Center-Plane Brake

A vast safety improvement to meet modern driving requirements—you stop with one quarter less effort. Revolutionary new Center-Plane design gives many more miles of actual lining wear. The greatest single advance in brake design since the Chrysler Corporation first introduced rivetless bonded brake lining to the American public.



#### For Quicker, Safer Stops

Whether on today's modern super-highway or in tedious city driving De Soto's completely new Center-Plane brake brings you quickly and safely to a controlled, straight line stop with one quarter less pedal pressure. Yet, these new brakes are capable of making up to twice as many high speed emergency stops as the conventional anchored-shoe type—without brake fade.




#### Improved Full Time Power Steering

De Soto's new improved Full Time Power Steering always works "full time" for your safety; no "on-again-off-again" action. You always have a safe, sure "feel of the highway". Guides you effortlessly through slowpoke city traffic, and over dangerous rutty roads. One finger does all your parking jobs; with De Soto Full Time Power Steering—it's as easy as dialing a phone.



#### New High Torque Take-Off

Never has any automobile boasted such startling "get-up-and-go". De Soto's thundering V-8 power combined with the new, improved Powerflite Transmission (standard on Fireflite models) gives you flashing performance at any speed. Torrid "High Torque Take-Offs" at the touch of the accelerator . . . split-second emergency pick-up for quicker and safer passing. The new 1956 De Soto delivers lightning-like response to your every driving command; for city traffic maneuvering, or modern high speed cruising.



#### New Variable Speed Electric Windshield Wipers

De Soto variable speed electric windshield wipers are designed to provide a 10% increase in wiped area, especially around the corners of the full wrap-around New Horizon windshield.



New 12 Volt Ignition System

The new 12 volt ignition system gives a hotter spark for improved high speed performance, makes for much easier starting in cold weather, and results in increased low speed charge rate.



New All-Weather Headlights

New sealed beam headlights provide better visibility in fog, snow, rain or dust; for safer driving. Redesigned lower beam pattern cuts down glare, adds 80 feet of additional lighted area.

#### 1956 DE SOTO SPECIFICATIONS

#### FIREFLITE V-8

**ENGINE**—8 cylinder, 90° V; 255 hp at 4400 rpm; valves inclined, lateral overhead; intake valve diameter, 1.94"; exhaust valve diameter 1.75"; bore and stroke, 3.72" x 3.80"; compression ratio 8.5 to 1; displacement 330 cu. in.; maximum torque 350 ft. lb. at 3200 rpm; taxable hp, 44.28".

TRANSMISSION—Standard equipment Powerflite fully automatic transmission, hydraulically actuated; combines torque converter with planetary gears; ratios: starting 4.47, drive range (low) 1.72, drive range (direct) 1.00, low range 1.72, reverse 2.39. Control by manually operated Push Buttons mounted on extreme left side of instrument panel, water cooled heat exchanger. (Air cooled heat exchanger on special equipment Firedome installations.)

LUBRICATION—Full pressure to main connecting rod and camshaft bearings. Floating type oil intake. Oil filter standard equipment.

cooling—Full length water jackets surrounded bores; 4-blade 18" diameter shrouded fan; water capacity, 23 quarts, (24 quarts with hot water recirculating heater).

DISTRIBUTOR—Single breaker type; mechanical and vacuum-controlled automatic advance.

REAR AXLE—Silent-hypoid, semi-floating; ratio 3.45 (3.36 and 3.73 optional).

#### FIREDOME V-8

**ENGINE**—8 cylinder, 90° V; 230 hp at 4400 rpm; valves inclined, lateral overhead; intake valve diameter, 1.94"; exhaust valve diameter 1.75"; bore and stroke, 3.72" x 3.80"; compression ratio 8.5 to 1; displacement 330 cu. in.; maximum torque 305 ft. lb. at 2800 rpm; taxable hp, 44.28.

TRANSMISSIONS—Standard equipment 3-speed manual shift. Special equipment Powerflite fully automatic transmission with Push Button gear selector (see Fireflite specifications). Also Overdrive—(Available with 3-speed manual shift only). Manual shift: 3 speeds forward and reverse; synchro-silent all helical gears; single plate dry-ventilated clutch; ratios: first 2.57, second 1.83, third 1.00; reverse 3.48. Overdrive ratio 0.7 to 1.

LUBRICATION—Full pressure to main connecting rod and camshaft bearings. Floating type oil intake. Oil filter standard equipment.

COOLING—Full length water jackets surrounded bores; 6-blade 12" diameter shrouded fan; water capacity 22 quarts (23 quarts with hot water recirculating heater).

DISTRIBUTOR—Single breaker type; mechanical and vacuum-controlled automatic advance.

REAR AXLE—Silent-hypoid, semi-floating. Manual Shift: standard ratio 3.90 (4.1 and 3.73 optional), with Overdrive: standard ratio 4.3 (4.1 optional). Powerflite 3.73 (4.1 and 3.9 optional).

NOTE—Manufacturer reserves the right to revise, change or modify construction of De Soto motor vehicles, or any part thereof as he may see fit without incurring any obligation to make like changes on vehicles previously sold.

DE SOTO DIVISION . CHRYSLER CORPORATION . DETROIT, MICHIGAN

LITHO IN U.S.A.

DS 6744

