CLK-Class specifications (PAGE 1 OF 2)

ENGINE AND DRIVETRAIN	CLK 320 COUPE AND CABRIOLET CLK 500 COUPE AND CABRIOLET				CLK 55 AMG COUPE AND CABRIOLET ¹						
Engine		° V-6 . cast alloy cylinder block. Alloy heads.	SOHC 24-valve 90° V-8. High-pressure die-cast alloy cylinder block. Alloy heads.		AMG-built SOHC 24-valve 90° V-8. High-pressure die-cast alloy cylinder block. Reinforced crankshaft and valvetrain. Alloy heads. Lightweight camshafts.						
Displacement	3,199 cc		5,439 cc	5,439 cc							
Net power Net torque Compression ratio	ue 229 lb-ft @ 3,000-4,600 rpm 339 lb-ft @ 2,700-4,250 rpm				362 hp @ 5,750 rpm 376 lb-ft @ 4,000 rpm 11.0:1						
Fuel requirement	nt Premium unleaded, 91 pump octane. Premium unleaded, 91 pump octane.					Premium unleaded, 91 pump octane.					
Fuel and ignition system	ME 2.8 engine management. Integrated sequential multipoint fuel injection and phased twin-spark ignition includes individual cylinder control of fuel spray, spark timing and phase, and antiknock. Electronic throttle includes adaptive accelerator , which provides more rapid throttle opening in response to the speed at which accelerator pedal is depressed. Two high-energy ignition coils and two spark plugs per cylinder, with 100,000-mile spark plug intervals.										
Intake system	Magnesium 2-stage	Magnesium 2-stage resonance intake manifold increases intake runner length at lower rpm for improved response.									
Transmission	Driver-adaptive electronic 5-speed automatic. Touch Shift allows driver to manually downshift and allow upshifts by nudging the shift lever left or right from the Drive position. Shift into Optimum Gear programming allows one-touch selection of the best gear for maximum acceleration or engine braking by holding the shift lever to the left of Drive for one second. Driver-selectable comfort mode starts vehicle moving in 2nd gear or a second Reverse gear, and upshifts at lower rpm, to help improve control on slippery surfaces. Display in instrument cluster indicates selected gear range and standard/comfort mode. AMG-enhanced driv Touch Shift allows on nudging the shift lever includes driver-select of selected gear range and standard/comfort mode. AMG SpeedShift™ changes, automatics upshifting while commaximum acceleration or includes driver-select of selected gear range and standard/comfort mode. Fingertip manual macceleration or nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or right from the Drive nudging the shift lever left or nudging the shif					ver-adaptive electronic 5-speed automatic . Is driver to manually downshift and allow upshifts by ver left or right from the Drive position. Transmission also ectable comfort mode and instrument-cluster display nge and standard/comfort/manual mode. If programming provides up to 35% faster gear cally downshifts during braking, prevents unwanted rnering, offers one-touch selection of the best gear for tion (Shift into Optimum Gear), and features torque in all forward gears. If the provided allows direct-access shifting through forward on back of upper steering-wheel spokes or via Touch of the lever, and will automatically intervene only to induce the and select 1st gear when the vehicle stops.					
Rear axle ratio	3.27:1		2.82:1		3.06:1						
TRACTION AND STABILITY											
Electronic Stability Program (ESP) and Automatic Slip Control (ASR)											
PERFORMANCE	Coupe	Cabriolet	Coupe	Cabriolet	Coupe	Cabriolet					
Acceleration, 0-60 mph ³	7.4 seconds	8.0 seconds	5.7 seconds	6.0 seconds	5.0 seconds	5.2 seconds					
Fuel economy, EPA estimate ⁴ highway estimate ⁵	19 mpg 27 mpg	Information not available. See your dealer.	16 mpg 23 mpg	Information not available. See your dealer.	16 mpg Information not available. 22 mpg See your dealer.						

1 Delayed availability. See your dealer. 2 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Please always wear your seat belt. 3 Stated rates of acceleration are based upon manufacturer's track results and may vary depending upon model, environmental and road surface conditions, driving style, elevation and vehicle load. 4 2003 EPA estimated fuel economy. Compare the estimated mpg to the estimated mpg of other vehicles. You may get different mileage depending on how fast you drive, weather conditions and trip length. 2004 figures unavailable at time of publication. See your dealer. 5 Your actual highway mileage will probably be less than the highway estimate. 2003 figures shown. 2004 figures unavailable at time of publication. See your dealer.

CLK-Class specifications (page 2 of 2)

CHASSIS	ASSIS CLK 320 COUPE AND CABRIOLET			BRIOLET	CLK55 AMG COUPE AND CABRIOLET		
Front suspension	Front suspension Independent 3-link with antidive geometry. Stabilizer bar.			antidive geometry. Stabilizer bar.	Independent 3-link with antidive geometry. Enlarged stabilizer bar.		
Rear suspension	and alignment control. Stabilizer bar.			tilink with geometry for antisquat tabilizer bar.	Independent 5-arm multilink with geometry for antisquat and alignment control. Enlarged stabilizer bar.		
Springs and shock absorbers		as-pressurized shock absorbers. gs and gas-pressurized shock		as-pressurized shock absorbers. Is and gas-pressurized shock	AMG-tuned front coil springs over AMG gas-pressurized shock absorbers. Separate AMG-tuned rear coil springs and AMG gas-pressurized shock absorbers.		
Steering type	Rack-and-pinion with s integral hydraulic damp	speed-sensitive power assist and er.	Rack-and-pinion with spintegral hydraulic dampe	peed-sensitive power assist and er.	Rack-and-pinion with speed-sensitive power assist and integral hydraulic damper.		
Steering wheel turns	3.0 lock-to-lock		3.0 lock-to-lock		3.0 lock-to-lock		
Turning circle	35.3 ft/10.76 m curb-to-	-curb	35.3 ft/10.76 m curb-to-	curb	35.3 ft/10.76 m curb-to-curb		
Wheels, aluminum-alloy, standard	7-spoke design. 7.0J x 16	6 front and 8.0J x 16 rear.	AMG ultrathin-spoke m 7.5Jx 17 front and 8.5Jx 1			Polished AMG double-spoke design. 7.5Jx17 front and 8.5Jx17 rear.	
with optional Appearance Package	5-spoke design. 7.5Jx 17	front and 8.5Jx17 rear.	Not available.		Not available.		
Tires, steel-belted radial, standard	205/55R16 91H front ar all-season performance	nd 225/50R16 92H rear,	225/45 ZR 17 front and 2 high-performance. ²	45/40 ZR 17 rear,	225/45 ZR 17 91Y front ar high-performance. ²	225/45ZR17 91Y front and 245/40ZR17 91Y rear, high-performance. ²	
with optional Appearance Package	225/45 ZR 17 front and 2 high-performance. ²	245/40 ZR 17 rear,	Not available.		Not available.	Not available.	
Brake system	Dual-circuit power-assis	sted 4-wheel disc.	Dual-circuit power-assist	ted 4-wheel disc .	AMG-enhanced dual-circ	cuit power-assisted 4-wheel disc.	
Front discs	Front discs 11.8" internally ventilated with single-piston floating calipers.			d with composite 4-piston	13.6" perforated and internally ventilated with enlarged AMG composite 4-piston calipers.		
Rear discs	Rear discs 11.4" solid with dual-piston fixed-type calipers.			with dual-piston fixed-type calipers.	11.8" internally ventilated with dual-piston fixed-type calipers.		
Antilock Braking System (ABS)	Antilock Braking System (ABS) ABS senses impending wheel lockup under heavy braking and plockup and maintain steering ability.			vidually or the rear brakes together (to h	nelp maintain stability) as ne	eded up to 30 times per second, to prevent	
Brake Assist Brake Assist senses emergency braking via the speed at which by eliminating the delay caused by a common human tendency							
Brake Assist						otentially reducing the overall stopping distance	
Brake Assist EXTERIOR DIMENSIONS ⁴						otentially reducing the overall stopping distance Cabriolet	
	by eliminating the delay Coupe 106.9 in/2,715 mm	caused by a common human tendency r	not to brake hard enough, se	oon enough. Letting up on the brake ped	al releases Brake Assist.3	, , ,	
EXTERIOR DIMENSIONS ⁴ Wheelbase	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm	caused by a common human tendency r Cabriolet 106.9 in/2,715 mm	Coupe 106.9 in/2,715 mm	con enough. Letting up on the brake ped Cabriolet 106.9 in/2,715 mm	Coupe 106.9 in/2,715 mm	Cabriolet 106.9 in/2,715 mm	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm	con enough. Letting up on the brake ped Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length Overall height	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length Overall height Overall width Track, front	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,493 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm 68.5 in/1,740 mm 58.9 in/1,497 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,497 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm 68.5 in/1,740 mm 58.9 in/1,495 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,495 mm	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length Overall height Overall width Track, front rear	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm 0.29	Caused by a common human tendency in Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm 68.5 in/1,740 mm 58.9 in/1,497 mm 58.0 in/1,478 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,478 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length Overall height Overall width Track, front rear Coefficient of drag	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm 0.29	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm 0.31	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm 68.5 in/1,740 mm 58.9 in/1,497 mm 58.0 in/1,478 mm 0.30	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,497 mm 58.0 in/1,478 mm 0.32	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.29	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.32	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length Overall width Track, front rear Coefficient of drag Curb weight INTERIOR DIMENSIONS ⁴ Headroom, front Legroom, front Hiproom, front Shoulder room, rear Legroom, rear Legroom, rear Hiproom, rear	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm 0.29 3,515 lb/1,594 kg Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm	caused by a common human tendency in the comm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm 68.5 in/1,740 mm 58.9 in/1,478 mm 0.30 3,585 lb/1,626 kg Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,497 mm 58.0 in/1,478 mm 0.32 3,905 lb/1,770 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 30.4 in/772 mm 46.9 in/1,190 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.29 3,635 lb/1,657 lb Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.32 3,960 lb/1,795 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 36.3 in/921 mm 30.4 in/772 mm 46.9 in/1,190 mm	
EXTERIOR DIMENSIONS ⁴ Wheelbase Overall length Overall height Overall width Track, front rear Coefficient of drag Curb weight INTERIOR DIMENSIONS ⁴ Headroom, front Legroom, front Hiproom, front Shoulder room, front Headroom, rear Legroom, rear Legroom, rear Shoulder room, rear	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm 0.29 3,515 lb/1,594 kg Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm 49.3 in/1,252 mm	caused by a common human tendency of Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,474 mm 0.31 3,770 lb/1,710 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 36.3 in/921 mm 30.4 in/772 mm 46.9 in/1,190 mm 48.5 in/1,233 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm 68.5 in/1,740 mm 58.9 in/1,478 mm 0.30 3,585 lb/1,626 kg Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm 49.3 in/1,252 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,478 mm 0.32 3,905 lb/1,770 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 30.4 in/772 mm 46.9 in/1,190 mm 46.9 in/1,190 mm 48.5 in/1,233 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.29 3,635 lb/1,657 lb Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm 49.3 in/1,252 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.32 3,960 lb/1,795 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 36.3 in/921 mm 30.4 in/772 mm 46.9 in/1,190 mm 48.5 in/1,233 mm	
EXTERIOR DIMENSIONS4 Wheelbase Overall length Overall width Track, front rear Coefficient of drag Curb weight INTERIOR DIMENSIONS4 Headroom, front Legroom, front Hiproom, front Shoulder room, rear Legroom, rear Legroom, rear Hiproom, rear	by eliminating the delay Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,406 mm 68.5 in/1,740 mm 58.9 in/1,493 mm 58.0 in/1,474 mm 0.29 3,515 lb/1,594 kg Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.2 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm 49.3 in/1,252 mm 81.5 cu ft/2,308 liters	caused by a common human tendency in the comm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.4 in/1,408 mm 68.5 in/1,740 mm 58.9 in/1,478 mm 0.30 3,585 lb/1,626 kg Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,497 mm 58.0 in/1,478 mm 0.32 3,905 lb/1,770 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 30.4 in/772 mm 46.9 in/1,190 mm	Coupe 106.9 in/2,715 mm 182.6 in/4,638 mm 55.7 in/1,414 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.29 3,635 lb/1,657 lb Coupe 37.1 in/941 mm 42.0 in/1,067 mm 53.7 in/1,364 mm 53.2 in/1,351 mm 35.8 in/908 mm 33.0 in/837 mm 45.9 in/1,167 mm	Cabriolet 106.9 in/2,715 mm 182.6 in/4,638 mm 54.4 in/1,381 mm 68.5 in/1,740 mm 58.9 in/1,495 mm 58.0 in/1,474 mm 0.32 3,960 lb/1,795 kg Cabriolet 38.4 in/976 mm 42.0 in/1,067 mm 52.1 in/1,324 mm 53.2 in/1,351 mm 36.3 in/921 mm 30.4 in/772 mm 46.9 in/1,190 mm	

¹ Delayed availability. See your dealer. 2 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires. 3 Braking effectiveness also depends on proper brake system maintenance, and tire and road conditions. 4 Coupe figures are with optional sunroof. Cabriolet figures are with top up unless otherwise noted.

CLK-Class standard equipment $(PAGE \ 1 \ OF \ 3)$

CLK320 COUPE CLK320 CABRIOLET	CLK500 COUPE CLK500 CABRIOLET	CLK55 AMG COUPE CLK55 AMG CABRIOLET ¹	EXTERIOR FEATURES
- •	- •	- •	Electrohydraulic insulated all-season soft top with flush-bonded glass rear window. Fully automatic operation allows soft top and all four side windows to be lowered or raised from a single control on the console or from outside the car using the SmartKey remote (see Locking and Security, at right).
• •			Atlas Grey grille with four chrome ribs.
	• •	• •	Black grille with four chrome ribs.
	• •	• •	AMG-design sculpted front air dam with mesh air intakes, side skirts and rear apron.
		• •	Color-keyed AMG-design rear spoiler on edge of trunk lid.
• •	• •		Chrome exhaust finisher (enlarged on CLK 500 and CLK 320 with optional Appearance Package).
		• •	Low-backpressure exhaust system with dual polished stainless-steel finishers.
○² –	O ² —	• -	Power tilt/sliding tinted glass sunroof with one-touch express-open/close.
• •			Neutral-tinted glass.
	• •	• •	Blue-tinted glass.
• •	• •	• •	Variable-focus halogen headlamps with clear high-impact polycarbonate lenses.
• •	• •	• •	Halogen front foglamps, in front apron. Single red rear foglamp, integrated in left taillamp cluster.
• •	• •	• •	Driver-selectable light-sensing headlamps can be set via the Auto position of the headlamp switch to automatically illuminate in darkness, or when entering dark tunnels or parking garages.
• •	• •	• •	Driver-programmable Daytime Running Lamps illuminate low-beam headlamps at reduced intensity (full intensity for optional Bi-Xenon lamps) in daylight, with auto-on override in darkness.
• •	• •	• •	Automatic lamp substitution uses a nearby lamp if a critical bulb fails.
• •	• •	• •	Touch Turn Signals flash three times with one touch of turn-signal lever, for lane-changing. Auxiliary LED turn signal indicators are integrated with side mirror housings.
• •	• •	• •	Dual power mirrors, linked to driver's seat memory and automatically heated.
• •	• •	• •	Auto-dimming left-side mirror.
• •	• •	• •	Parking-assist right-side mirror can be programmed to tilt down upon shifting to Reverse.
• •	• •	• •	Electrically heated rear window with auto-shutoff based on time and outside temperature.
• •	• •	• •	Dual windshield wipers with aero wiper blades. Heated washer nozzles, lines and reservoir.
• •	• •	• •	Infrared rain sensor automatically adjusts wiper speed and intermittent wiper frequency from infinite delay to fast wiping speed, based on amount of rainfall measured on windshield.

● STANDARD ○ OPTIONAL — NOT AVAILABLE

1 Delayed availability. See your dealer. 2 Optional as part of an Option Package. 3 First year's basic Tele Aid service provided at no additional cost with subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and GPS coverage are available. Owner must authorize stolen vehicle tracking and file a police report. 4 Rear seats cannot be occupied while wind deflector is in place.

CLK320 COUPE CLK320 CABRIOLET	CLK500 COUPE CLK500 CABRIOLET	CLK55 AMG COUPE CLK55 AMG CABRIOLET	LOCKING AND SECURITY
• •	• •	• •	SmartKey remote central locking system uses redundant infrared and radio-frequency signals for improved range, and rolling-code signal for protection from transmitter cloning.
• •	• •	• •	SmartKey uses an electronic code to unlock the steering column and ignition. Removing SmartKey from ignition disables engine computer to help prevent unauthorized starting of the engine.
• •	• •	• •	SmartKey remote control integrates door lock/unlock buttons, remote trunk opener, removable valet key and panic alarm. Driver may selectively unlock only the driver's door and fuel filler, or both doors plus the trunk and fuel filler.
••	••	••	Driver-programmable user-recognition feature links each SmartKey to driver's preferences (up to three individual users per car). Each SmartKey recalls for its assigned driver: memory features for driver's seat, outside mirrors and power steering column position; vehicle configuration settings from multifunction display, including language and lighting modes; and various climate control settings.
• •	• •	• •	SmartKey offers infrared-remote opening/closing of windows (plus optional sunroof on Coupes, if equipped, and remote raising and lowering of soft top on Cabriolets) from outside the car.
• •	• •	• •	Driver-programmable driveaway locking can automatically lock the doors when the car reaches 9 mph.
• •	••	• •	Night security illumination uses the car's exterior lights to help illuminate a path after parking. Driver-programmable intervals allow lights to stay on for 60, 45, 30 or 15 seconds, or not at all.
• •	• •	• •	Locator lighting uses the car's lights to help light a return path when the car is remote-unlocked in darkness. Unlocking car activates illuminated entry system, which includes interior lighting and entrance lamps in both doors.
• •	••	• •	Automatic antitheft alarm with towaway protection, remote panic feature, and automatic notification via Tele Aid. ³
• •	• •	• •	Emergency trunk release, located inside trunk and illuminated for 60 minutes after trunk lid is closed.
• •	••	• •	Integrated 3-button garage door control (integrated with inside rearview mirror), compatible with HomeLink® components and some other systems.
			INTERIOR FEATURES
• •	••	• •	Multifunction steering wheel provides convenient, additional controls for basic functions of audio system and optional phone, plus operation of multifunction display (see Instrumentation, at right).
• •	• •	• •	Power front and rear side windows, with one-touch express-up/down for front windows.
- •	- •	- •	One-button lowering or raising of all four windows via power top switch.
- •	- •	- •	Fine-mesh wind deflector fastens over rear seat area or folds into molded case for storage in trunk.4
• •	• •	• •	4-way (tilt/telescoping) power steering column, position linked to driver's seat memory.
• •	• •	• •	Driver-programmable easy-entry/exit feature can move driver's seat rearward and/or raise steering column when SmartKey is removed from ignition, and restore positions when key is reinserted.
• •	• •	• •	Electronic cruise control with digital speed readout in multifunction display upon engagement.
• •	• •	• •	Auto-dimming rearview mirror. Delayed-shutoff courtesy lamps, front (and rear on Coupes). Entrance lamps in both doors. Dual front reading lamps. Dual sun visors with illuminated vanity mirrors.
• •	• •	• •	Height-adjustable front center armrest with dual enclosed storage compartments and 3-way lid (upper tray opens from left or right, lower compartment from front). Illuminated 2-tier glovebox.
• •	• •	• •	Retractable front cupholder in dash. Pockets in both doors. Parcel net in right front footwell.
• •	• •	• •	Magazine pockets on both front seatbacks. Folding rear center armrest.
• -	• -	• -	Slide-out dual cupholder (in rear center armrest). Open center console between rear seats.
• •	• •	• •	Illuminated, carpeted trunk with tie-down hooks.
- •	- •	-•	Variable trunk compartment allows soft-top well to be used for additional cargo capacity with top up.

CLK-Class standard equipment (PAGE 2 OF 3)

CLK320 COUPE CLK320 CABRIOLET CLK500 COUPE CLK500 CABRIOLET CLK55 AMG COUPE	CLIMATE CONTROL	CLK320 COUPE CLK320 CABRIOLET	CLK 500 COUPE	CLK 55 AMG COLIDE	CLK55 AMG CABRIOLET	AUDIO AND COMMUNICATIONS
•• •• •	CFC-free automatic climate control with digital dual temperature and airflow controls.	• -	•	- •	• –	Bose® sound system with 8 speakers, including a dash-mounted center fill speaker and a 9.1" Nd® Neodymium Iron Boron high-efficiency woofer.
••••	Electrostatic dust filter.					Bose sound system with 8 speakers, including a dash-mounted center fill speaker and a Richbass®
••••	Activated charcoal filter with smog-sensing automatic recirculation of filtered cabin air.					high-efficiency woofer in an Acoustimass® module between the rear seats.
••••	4-way sun sensor. Humidity sensor.	• •	•		•	Bose AudioPilot™ digital processing helps compensate for unwanted ambient noise with no
••••	Individually adjustable rear-cabin air vents.					perceived change in audio volume.
••••	REST mode can ventilate cabin or help keep cabin warmer using residual heat for up to 30 minutes after car is turned off.	• •	•	•	•	AM/FM stereo/weatherband radio with scan and dual-sensitivity seek tuning, plus a concealed autoreverse cassette player with music search feature.
•••••	 Tunnel mode offers one-touch closing of all windows (and sunroof on Coupes, if equipped) via climate-control air recirculation button. 	• •	•	•	•	In-dash audio system operating panel integrates controls and displays for the radio, cassette player, optional glovebox-mounted 6-disc CD changer and optional portable digital telephone.
	SEATING AND TRIM	• •	•	•	•	Fiber-optic network offers precise, high-speed communication among components. Factory
••••	10-way power front seats, each with 3-position memory. Driver's seat memory includes steering column and outside mirror positions. Memory stations are linked to each SmartKey's user-recognition feature.	• •	•		•	preparation for optional CD changer and cellular phone, using fiber-optic network. <u>Tele Aid</u> uses Global Positioning System (GPS) satellites to determine the current location of your car,
	AMG-design sport front seats.					plus a cellular link to provide 24-hour contact with Mercedes-Benz for emergency aid (SOS button), information (<i>i</i> -button) or Roadside Assistance (wrench button). Automatic Collision Notification
0000	Heated front seats.					engages SOS function if an air bag or Emergency Tensioning Device (ETD) deploys. Tele Aid also
0000	Multicontour front seats, each with pneumatic side bolsters, dual lumbar supports, and thigh support.					includes Automatic Alarm Notification (which alerts Mercedes-Benz to contact you if the antitheft alarm is set off), stolen vehicle tracking, and remote keyless unlocking service. ²
••	Easy-entry/exit system: When either front seatback is tipped forward, the entire front seat moves up and forward for easier access to rear cabin. Seat returns to its previous position when seatback is returned upright.	• •	• •	•	•	Tele Aid Concience reacting, and remote keyless unlocking service. Tele Aid Concience Service, included with the basic Tele Aid subscription, offers personal services via the <i>i</i> -button, including arrangements for restaurant, hotel, airline or car-rental reservations, tickets to cultural and sporting events or tourist attractions, and delivery of flowers or gifts. ²
•• • •	Dual individually contoured rear seats.					
• - • - •	60/40-split folding rear seatbacks and flip-forward seat cushions.			_		INSTRUMENTATION
• • • -	 Premium leather upholstery on seating surfaces, head restraints, front-seat side panels and magazine pockets, and door trim inserts. 	• •	• '	•	_	Electronic analog speedometer, tachometer and quartz clock, all with black faces and white markings glacier blue backlighting, and chrome rings.
•	 AMG-design two-tone Nappa leather upholstery featuring soft, sanded nubuck leather for perforated seat center panels and door trim inserts. (Ash Nappa leather also available on CLK55 AMG Cabriolet.) 			-	•	AMG-design electronic analog speedometer, tachometer and quartz clock, all with ivory-color faces, chrome rings and soft white nighttime backlighting. Matte chrome instrument cluster surround.
• • • • -	Leather-trimmed 4-spoke steering wheel and shift knob.	• •	•	•	•	Electronic bar-graph fuel and coolant temperature gauges.
	AMG-design leather-trimmed 4-spoke steering wheel and shift knob with fingertip shift controls.	• •	•	•	•	Digital display for odometer and Touch Shift gear/mode selection.
• • • •	Hand-polished burl walnut wood trim on doors, dash and console.	• •	•	•	•	Multifunction display in speedometer face can be scrolled via steering-wheel controls to operate
	AMG-design aluminum trim with sand-cast finish on doors, dash and console.					and display various menus and vehicle features: Odometer, resettable trip meter and outside temperature indicator.
••••	Polished chrome outlining for wood or aluminum trim and vent registers.					Digital speedometer, Flexible Service System (see below), and engine oil-level check.
••••	Stainless-steel door sill trim (with AMG insignia on CLK55 AMG models).					Radio station, cassette player, CD player (optional)/CD changer (optional). Navigation system route guidance (optional).
••••	Velour floor carpeting and floor mats (exclusive AMG floor mats on CLK55 AMG models).			ı		Distronic adaptive cruise control settings (optional). Vehicle reminder and malfunction messages. Trip computer (elapsed time, fuel consumption, distance to empty). Driver-programmable settings for instrument cluster, clock, lighting, vehicle and convenience features Cellular phone book (optional). Numerous driver-programmed preferences are stored in each user's dedicated SmartKey.
● STANDARD	OPTIONAL — NOT AVAILABLE	• •	• •	•	•	Flexible Service System calculates and displays distance remaining to next basic maintenance service based on actual driving conditions, some indicators of oil condition, and engine loads, rpm and
Dolavod availahili	v. See your dealer. 2 First year's basic Tele Aid service provided at no additional cost with subscription					operating temperatures.

Warning lights and/or messages for open door, open sunroof (if equipped), exterior lamp failure, and

low fuel, engine oil, coolant and washer fluid levels.

• • • • Audible reminders to release parking brake, switch off headlamps and remove key from ignition.

1 Delayed availability. See your dealer. 2 First year's basic Tele Aid service provided at no additional cost with subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and GPS coverage are available. Owner must authorize stolen vehicle tracking and file a police report.

CLK-Class standard equipment (PAGE 3 OF 3)


CLK320 COUPE CLK320 CABRIOLET	CLK500 COUPE CLK500 CABRIOLET	CLK55 AMG COUPE CLK55 AMG CABRIOLET ¹	RESTRAINT SYSTEMS
••	••	••	Integrated Restraint System: Driver and front passenger are each provided with a front air bag, a side-impact air bag (Coupes) or head/thorax air bag (Cabriolets), and a 3-point seat belt with an Emergency Tensioning Device (ETD) and dual-stage belt force limiter. ³ Rear passengers are each provided with a side-impact air bag and a 3-point seat belt with ETD and belt force limiter.
• -	• -	• -	Head Protection Curtains: In a side impact exceeding a preset threshold, a multi-chamber air bag deploys to cover the front and rear side windows on the affected side of the car.
• •	••	• •	Front air bags include dual-stage inflation based on impact severity. Sensor system for the front passenger's front air bag also helps determine the most effective inflation rate based on the occupant's weight category.
• •	• •	• •	Occupancy sensor prevents the front passenger's front and side-impact air bags from deploying if the seat is unoccupied. An ETD will not deploy if seat belt is unfastened.
• •	••	• •	Automatic Collision Notification engages <u>Tele Aid</u> SOS function if an air bag or Emergency Tensioning Device (ETD) deploys. ⁴
• -	• -	• -	Universal LATCH system (Lower Anchors and Tethers for Children) at rear seating positions, as well as selectable seat-belt retractors at all passenger seating positions, help secure child seats. ³
- •	- •	- •	Universal lower anchors at rear seating positions, as well as selectable seat-belt retractors at all passenger seating positions, help secure child seats. ³
• •	• •	• •	Front seat belts include automatic presenters and lower points attached to seat frames.
• -	• -	• -	Rear seat belts include automatically height-adjusting shoulder belts.
• •	• •	• •	4-way adjustable front head restraints include automatic power height adjustment as seat is moved fore-aft (with manual override).
• -	• -	• -	Dual individually retractable rear head restraints, adjustable for height and 2-position tilt. Driver can also retract both head restraints remotely via a dash-mounted control, for improved rearward vision when the rear seats are unoccupied.
- •	- •	- •	Dual height-adjustable rear head restraints. Driver can retract both head restraints remotely via a dash-mounted control, for improved rearward vision when the rear seats are unoccupied.
- •	- •	- •	Automatic rollover-sensing pop-up roll bars, integrated with dual rear-seat head restraints. ⁵

● STANDARD ○ OPTIONAL — NOT AVAILABLE

1 Delayed availability. See your dealer. 2 Optional as part of an Option Package. 3 WARNING: THE FORCES OF A DEPLOYING AIR BAG CAN CAUSE SERIOUS OR FATAL INJURY TO A CHILD UNDER AGE 13. THE SAFEST SEATING POSITION FOR YOUR CHILD IS IN THE REAR SEAT, BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED CHILD SEAT, OR CORRECTLY WEARING A SEAT BELT IF TOO LARGE FOR A CHILD SEAT. A CHILD UNDER 13 MUST NOT USE THE FRONT SEAT UNLESS THE CHILD IS BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED BABYSMART-COMPATIBLE CHILD SEAT, A CHILD UNDER 13 WHO IS TOO LARGE FOR A CHILD SEAT MUST NOT USE THE FRONT SEAT. SEE OPERATOR'S MANUAL FOR ADDITIONAL WARNINGS AND INFORMATION ON AIR BAGS, SEAT BELTS AND CHILD SEATS. 4 First year's basic Tele Aid service provided at no additional cost with subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and GPS coverage are available. Owner must authorize stolen vehicle tracking and file a police report. 5 The roll bar system is designed to enhance the level of rollover protection compared to an open vehicle without one. No system, no matter how sophisticated, can eliminate the chance of injury in an accident. Please always wear your seat belt, and always raise the rear head restraints when the rear seats are occupied. 6 Deletes standard cassette player and dash pocket. CD-ROM maps do not cover all areas nor all routes within an area. One regional CD-ROM is included with vehicle. 7 Vehicles with special-order equipment, colors or color combinations incur a one-time surcharge and may require additional production time. 8 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires. 9 CLK 320 and CLK 500 designo editions require heated front seats, Active Ventilated front seats or Comfort Package, and are not available in combination with the CLK 320 Appearance Package.

CLK-Class optional equipment

CLK320 COUPE CLK320 CABRIOLET	CLK 500 COUPE CLK 500 CABRIOLET	CLK55 AMG COUPE CLK55 AMG CABRIOLET	INDIVIDUALLY AVAILABLE OPTIONS
00	00	00	Distronic adaptive cruise control.
00	00	00	Parktronic audio-visual parking assistance system.
00	00	00	Keyless Go vehicle entry and starting system.
0101	0101	0101	Electronic trunk closer can close fully open trunk lid at the touch of a button on the driver's door or on the underside of the open trunk lid.
_2 _	_2 _	o –	Power rear-window sunshade with one-touch express-up/down.
00	00	• •	Heated front seats.
0101	0101	00	Active Ventilated front seats, with internal cooling fans plus heating feature.
0101			Multicontour front seats, each with pneumatic side bolsters, dual lumbar supports, and thigh support.
00	00	00	Ski sack and rear center armrest pass-through.
00	00	00	COMAND integrated navigation system, radio and single-CD player/CD-ROM drive. In-dash navigation system uses GPS satellites to determine the current location of your car, and map databases on CD-ROM.6
00	00	00	COMAND nationwide navigation map collection (10 CD-ROMs for all of the mapped U.S. and Canada).
00	00	00	Integrated 6-disc CD changer, mounted in glovebox.
00	00	00	Integrated Motorola V60i™ tri-band digital portable telephone, with or without voice control system for operation of commonly used telephone and audio system features.
	0707		Two-tone leather upholstery and patterned aluminum interior trim (available only by special order).
00	00		Leather and burl walnut trimmed steering wheel (also included in <i>designo</i> editions – see below – and available with CLK 320 Appearance Package only with burl walnut interior trim).
• •	• •	00	Hand-polished burl walnut wood trim on doors, dash and console.
00	00	00	Metallic paint (no charge on CLK55 AMG models).
			OPTION PACKAGES
0101	0101		Comfort Package: Active Ventilated front seats, with internal cooling fans plus heating feature. Multicontour front seats, with pneumatic side bolsters, dual lumbar supports, and thigh support.
o –	0 -		Sunroof Package: Power tilt/sliding tinted glass sunroof with one-touch express-open/close. Power rear-window sunshade with one-touch express-up/down.
00	00	00	Lighting Package : Bi-Xenon High Intensity Discharge projector low-beam and high-beam headlamps. Heated headlamp washers.
0 01			CLK 320 Appearance Package: Four 5-spoke alloy wheels, 7.5Jx17 front and 8.5Jx17 rear. 225/45ZR17 front and 245/40ZR17 rear high-performance tires.8 Enlarged chrome exhaust finisher. Patterned aluminum or burl walnut wood interior trim on doors, dash and console. Sport shift knob with chrome trim. Rubber-studded aluminum pedals (including parking brake). (Availability of burl walnut is delayed on Coupe. Availability of Package is delayed on Cabriolet.)
			CLK-CLASS designo EDITIONS
0909	0909	00	Espresso Edition: designo Mocha Black metallic paint. Black soft top (Cabriolet models). Charcoal interior with designo Sand Nappa leather and designo brown poplar wood trim. Wood and leather trimmed steering wheel (CLK320 and CLK500 models). Wood, leather and chrome trimmed shift knob. Charcoal designo floor mats with leather trim.
0909	0909	00	Bronze Edition: designo Bronze metallic paint. Black soft top (Cabriolet models). Charcoal interior with designo Silk Nappa leather and designo brown poplar wood trim. Wood and leather trimmed steering wheel (CLK320 and CLK500 models). Wood, leather and chrome trimmed shift knob. Charcoal designo floor mats with leather trim.



True beauty takes many forms. It may be something that visually delights, or emotionally inspires, or quickens the heartbeat with its sheer dynamic presence. Deftly interweave all three with the incomparable Mercedes-Benz touch, and you have the 2004 CLK-Class. Stunning lines, room for four adults, and a host of innovative touches ensure that both the unique pillarless hardtop Coupes and the new Cabriolet models will be coveted by even the most discriminating driver. The definitions of sports-car excitement are at the energetic heart of the CLK: Powerful, precision-crafted V-6 and V-8 engines — including an awesome 362-hp AMG powerplant. Intelligent transmissions that match their character to your driving style. And advanced suspensions with our Electronic Stability Program. A spacious cabin replete with hand-fitted leather, Bose® digital sound, unparalleled safety features and a seemingly endless array of panoramic vistas are its expressive soul. The CLK-Class: brilliantly conceived, sublimely executed, ultimately desired.

with 302 commanding horsepower

Captivating with consummate cornering skills

beauty with spellbinding style

even when the sun isn't shining



CLK 500 Cabriolet shown with optional Keyless Go, Distronic cruise control, and Lighting Package.

Sensual styling with an air of invincibility. An exhilarating 5.0-liter V-8. AMG-design lower bodywork and staggeredwidth 17" alloy wheels. The ability to change your world view at the mere touch of a button. These provocative elements give the new CLK 500 Cabriolet a dynamic presence. Slip inside and experience an enticing array of



luxury appointments set off with hand-fitted leather and rich burl walnut. Top up or top down, its 302 horsepower and driver-adaptive 5-speed automatic transmission with Touch Shift control will rocket you to 60 mph in just 6.0 seconds.1 Four-wheel independent multilink suspension and our Electronic Stability Program (ESP)² put you in command of corners. And its emergency-sensing Brake Assist³ and 4-wheel disc brakes with composite 4-piston front calipers let you stop with the same self-assured confidence that's at the heart of every invigorating drive in a CLK 500 Cabriolet.

1 Stated rates of acceleration are based upon manufacturer's track results and may vary depending upon model, environmental and road surface conditions, driving style, elevation and vehicle load. 2 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Please always wear your seat belt. 3 Braking effectiveness also depends on proper brake system maintenance, and tire and road conditions.

CLK 320 Cabriolet

Open road, open air, open mind. It's the guiding philosophy behind the new CLK 320 Cabriolet. A true master of the great escape, its responsive 215-hp 3.2-liter V-6 teams perfectly with a 5-speed automatic transmission that adapts to your driving style - or lets you take manual-style control with Touch Shift. Rely on the CLK 320 Cabriolet's 4-wheel independent multilink suspension, ESP, and staggered-width 16" wheels and

tires to dispatch life's twists and turns with confident flair.

Despite its adventurous character, this stunning sun-chaser also boasts an elegantly refined passenger cabin with four individually contoured seats. And a



CLK 320 Cabriolet



Openly inviting

A definitive study in ergonomic elegance, the passenger compartment of a CLK-Class Cabriolet matches functionality with fashion. For openers, its cleverly designed power top eliminates manual latches for the seamless convenience of one-touch operation, either from a button on the console or remotely from the car's versatile SmartKey. And the top's large heated rear window and fully insulated triple-layer design make a CLK Cabriolet more than a mere fair-

weather friend. Resplendent in supple leather, four individually contoured seats reside in a cabin accented by a bounty of hand-polished burl walnut wood. And each front seat provides 10-way power adjustment plus a 3-position memory system.












- B. Individual rear seats
- C. Heated glass rear window
- D. Dual-zone climate control
- E. One-touch power top
- F. Variable trunk compartment










The CLK Cabriolet's huge roster of standard appointments means that even high-intensity sun-searching proves satisfying. It starts with a multifunction steering wheel on a 4-way power column, a height-adjustable front center armrest, and a folding rear armrest that can also include an optional ski sack. Dual-zone automatic climate control helps filter out dust, pollen and odors. There are even individually adjustable air vents for the rear passengers. An 8-speaker Bose® digital sound system with AudioPilot™ and an Acoustimass® woofer module imparts superb richness and clarity to every sonic experience while ensuring that all four occupants enjoy lifelike audio reproduction, top up or down. As a final touch: The CLK Cabriolet's variable trunk boasts 8.6 cu ft of volume with the top up, yet still offers a surprising 5.4 cu ft when you're communing with the blue skies above.




CLK500 Coupe shown with optional Sunroof and Lighting Packages.

Some are intimidated by the real world, others feel compelled to take command. With its 302-hp 5.0-liter V-8 engine and driver-adaptive 5-speed automatic transmission with Touch Shift manual control, the unabashedly aggressive CLK 500 Coupe leaves no doubt as to where it stands on the issue. Streaking from 0 to 60 mph in a scant 5.7 seconds, it stops with equal authority thanks to 4-wheel ventilated disc brakes with Brake Assist and 4-piston composite front calipers.



Precise rack-and-pinion power steering, multilink suspension enhanced by our <u>Electronic Stability Program</u> (ESP),² and staggered-width Z-rated performance tires³ on 17" AMG light-alloy wheels make intense corner-carving seem like second nature. Yet, even with its free-sporting demeanor, the CLK 500 Coupe still provides a full luxury environment—with enough room to accommodate even four Type A adults.

1 Stated rates of acceleration are based upon manufacturer's track results and may vary depending upon model, environmental and road surface conditions, driving style, elevation and vehicle load. 2 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Please always wear your seat belt. 3 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires.



One glance at the CLK 320 Coupe and there's no turning back. The sensual lines of this pillarless hardtop beauty capture your eye. Slip inside and you're in a realm of true luxury, set off with hand-polished burl walnut trim and highlighted by four individually contoured seats tailored in hand-fitted leather. The spirited combination of a refined 3.2-liter V-6

with 215 hp and driver-adaptive 5-speed automatic transmission with Touch Shift propels the CLK 320 to 60 mph in 7.4 ticks.¹ And when the road does take an unexpected turn, the multilink suspension, Electronic Stability Program (ESP)² and 4-wheel disc brakes with emergency-sensing Brake Assist have a practical beauty all their own.³






CLK 500 Coupe shown with optional COMAND system, Parktronic system, Keyless Go, Distronic cruise control, and Sunroof Package.





CLK 320 Coupe Distinctively indulgent









from the cabin. The digital Bose® sound system features eight ideally situated speakers and patented AudioPilot™ technology to ensure that volume and sound quality remain consistently brilliant under virtually all driving conditions.

Thoughtful details abound in the CLK's interior. Each front seat belt features an automatic presenter that glides graciously into action when you close the door, and then retracts once you've buckled up. Both front seats tilt up and forward when you tip their seatbacks to give easy access to the rear quarters, and then return to their original positions. Individually adjustable rear air vents help attend to rear-cabin comfort. When cargo takes precedence, the Coupe's 60/40-split rear seats can be folded down to create a large, flat floor that adds even more practicality.



Unique mystique




Choice is a beautiful thing. In the case of the CLK 320 Appearance Package, the proper characterization would be "even more of a beautiful thing." Available as an option on both the Coupe and Cabriolet, this tasteful variation on the CLK theme enhances the inherent sensual appeal of either body style. Inside, your choice of burl walnut wood or patterned aluminum

trim, each edged in chrome, complements a leather-wrapped shift knob capped in polished chrome. Even the pedals have sporting flair, with raised rubber studs popping through brushed aluminum cladding. Adding presence as well as tenacious grip are 5-spoke 17" alloy wheels with staggered-width high-performance tires — 225/45 ZR 17 in front, 245/40 ZR 17 in the rear.² The final touch on this bold mix is an enlarged chrome exhaust finisher.

1 Delayed availability. See your dealer. 2 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires.



CLK 320 Coupe shown with optional heated front seats, COMAND system, <u>Parktronic</u> system, and Distronic cruise control, plus Sunroof and Appearance Packages.





CLK55 AMG Coupe shown with optional Lighting Package.





CLK 55 AMG Coupe Cabriolet





1 Cabriolet availability is limited. See your dealer. 2 CLK55 AMG Coupe. 5.2 seconds for Cabriolet. Stated rates of acceleration are based upon manufacturer's track results and may vary depending upon model, environmental and road surface conditions, driving style, elevation and vehicle load.

CLK 55 AMG Coupe Cabriolet

Subtle AMG badging means performance lives here. Fiery red indicators contrast with the white backlighting of the CLK55's highly legible instrument cluster. Quick-change buttons on the AMG sport steering wheel afford fingertip manual control of lightning-speed shifts.









- A. AMG instrument cluster
- B. Fingertip shift controls
- C. Sport front seats with AMG detailing
- D. Stainless-steel door sill trim



CLK55 AMG Coupe shown with optional COMAND system and Keyless Go.

Controlling interest

blue-tinted glass, while the Coupe also comes standard with a power tilt/sliding glass sunroof.

The competitive edge is clearly evident inside every CLK55 AMG. Deeply bolstered AMG-design sport front seats are clad in Charcoal leather with soft-sanded nubuck leather inserts in any of three colors. The Cabriolet also offers an exclusive interior with Ash Nappa leather. Aluminum trim carries a distinctive sand-cast texture (burl walnut trim is optional), while matte chrome surrounds the ivory-color AMG gauges. Optimal support meets exquisite comfort in the CLK55's heated multicontour front seats, thanks to pneumatically adjustable side bolsters, thigh support and dual lumbar supports. The world flashes by in both models through

Exclusive Expressive designo Exquisite

Difference with distinction. This is the philosophy behind *designo*. Optional on any CLK, each *designo* edition represents an extraordinary automotive art form. Hand-selected and hand-fitted Nappa leather and hand-finished wood are beautifully blended with stunning exterior and interior color treatments. Experience the rare beauty of *designo*. Only from Mercedes-Benz.

ESPRESSO EDITION

The distinctive presence of a *designo* Espresso Edition CLK starts with strikingly lustrous Mocha Black metallic paint, subtly counterpointed by a black soft top on Cabriolet versions. Complementing that coolly tasteful exterior, the passenger cabin is enriched by sumptuous Sand Nappa leather, meticulously hand-fitted to the seats, head restraints and door trim inserts. Gleaming

brown poplar wood adds special emphasis to the front center console, door panels, steering wheel, shift knob and glovebox door, while the signature *designo* floor mats are trimmed in Charcoal leather.

BRONZE EDITION

Stunning *designo* Bronze metallic paint—set off by a black soft top on Cabriolet models—fascinates the eye as it beckons you to enter a realm of unmatched opulence. Inside, the standard Charcoal motif is transformed by the addition of supple Silk Nappa leather that wraps the seats, head restraints, and door trim inserts. Hand-finished brown poplar wood serves as an elegant accent on the steering wheel,² shift knob, doors, front center console and glovebox door. As a final touch, the floor mats are luxuriously bordered in Charcoal leather and embroidered with the *designo* insignia.









Confidence to make every corner



right from the start

STRUCTURE, SUSPENSION AND STEERING

Brilliant handling begins with the basics: an extremely rigid body structure helps maintain precise suspension geometry and improve ride comfort. Optimized weight distribution, rear-wheel drive and staggered-width tires help put the power down, yielding an exceptional combination of balance and responsiveness. An advanced 4-wheel independent multilink suspension is bolstered with gas-pressurized shock absorbers and rack-and-pinion steering to control the movement of each wheel with exacting accuracy. The results: great ride and handling with great confidence and comfort.

turn your way

STABILITY AND TRACTION CONTROL


Thanks to our pioneering Electronic Stability Program (ESP), every CLK enjoys a handling advantage that allows it to react quickly and confidently to unexpected driving situations. ESP continuously monitors your steering and braking actions while you're cornering and compares them to the actual vehicle path. If it senses the onset of plowing (understeer) or fishtailing (oversteer), ESP immediately applies the brakes to individual wheels and/or reduces excess engine power, if necessary, to help keep you on course.¹ ESP also incorporates ASR traction control to help control wheelspin during acceleration.

with stopping power to spare

ANTILOCK BRAKES WITH BRAKE ASSIST

Every CLK model has powerful 4-wheel disc brakes with ABS. The 302-hp CLK 500 and 362-hp CLK 55 AMG models get even larger brake rotors with 4-piston composite front calipers. And because Mercedes-Benz research has shown that drivers tend not to brake hard enough, soon enough, in an emergency, every CLK also has Brake Assist. Brake Assist senses panic stopping by the speed at which you depress the brake pedal and automatically applies all available braking boost immediately. By helping to eliminate the delay caused by human nature, Brake Assist can potentially reduce stopping distances when it matters most?





Every CLK features our innovative Touch Shift 5-speed automatic transmission. In Drive, its adaptive programming will match its gear changes to suit your driving demeanor. Tap the gear lever left or right to engage the manual-style control of Touch Shift. Or hold the lever to the left for a second and this interactive wonder will automatically choose the ideal passing gear.

CLK 320 Coupe shown with optional Sunroof Package.


Exceptional engineering adds an inspired edge to CLK-Class powertrains. Both the V-6 and V-8 engines are lightweight, low-friction designs made largely of aluminum alloy. Their innovative configuration employs three valves and two spark plugs for each cylinder, a combination that improves fuel efficiency while generating low emissions. Their advanced electronic throttle imparts a new level of response when you step on the gas. In fact, these engines are

so smart, their adaptive accelerator will actually custom-tailor their throttle response curves to reflect your driving style. All of which makes them perfect partners for the CLK's equally sophisticated driver-adaptive Touch Shift automatic transmission.




Moved by a sophisticated, stimulating V-6

Smoothness and flexibility merge seamlessly in the 3.2-liter CLK 320 V-6. Its 215 hp ensures effortless freeway outings. But the real magic lies in its incredibly broad, flat torque curve that brings a heady 229 lb-ft of peak force from 3,000 to 4,600 rpm. It makes a CLK 320 remarkably quick off the line and helps it hit 60 mph in as little as 7.4 seconds.



Moved by the relentless thrust of pure V-8 power

The numbers look good on paper: a 5.0-liter 24-valve V-8 with 302 hp, 339 lb-ft of peak torque and a 0-60-mph time as quick as 5.7 seconds. Yet they pale in comparison to one drive in a CLK 500. Stoplight to stoplight or coast to coast, you'll feel the force.



1 Coupe figures shown. 8.0 seconds for CLK 320 Cabriolet; 6.0 seconds for CLK 500 Cabriolet. Stated rates of acceleration are based upon manufacturer's track results and may vary depending upon model, environmental and road surface conditions, driving style, elevation and vehicle load.























INNOVATIVE CLK-CLASS FEATURES AND OPTIONS

With Mercedes-Benz, you've come to expect the exceptional. The CLK-Class doesn't disappoint. Our Coupes and Cabriolets share numerous standard and optional features that set new benchmarks for comfort, convenience, and security. It's applied technology with a human touch, to make every drive in your new CLK a memorable experience.

Above and beyond

A. Automatic lighting

Turn the headlamp switch to "Auto" and the CLK's lights come on at dusk—or when entering a tunnel or garage. Night security illumination can light an exit path for you, and locator lighting can brighten your return.

B. SmartKey

SmartKey remotely locks and unlocks the doors or trunk at a touch. It can also close the windows and the Coupe's optional sunroof when you lock the car, raise or retract the Cabriolet's soft top, open the trunk, even activate the panic alarm. Insert it in the ignition, and SmartKey starts the engine by transmitting an electronic security code that's virtually impossible to copy. Its user-recognition feature even remembers several of your vehicle settings.

C. Multicontour front seats

Standard on the CLK55 AMG and available on the other models, these seats offer pneumatically adjustable side bolsters, thigh support and dual lumbar supports to provide an even greater degree of personalized support.

D. Heated or Active Ventilated front seats¹

Heated front seats, optional on the CLK 320 and CLK 500 models and standard on the CLK 55 AMG, provide two levels of soothing warmth. Active Ventilated front seats, optional on any CLK, also feature miniature internal fans that circulate air through perforations in the upholstery.

E. Ski sack

A handy option that securely – and cleanly – holds two pairs of skis inside your CLK Coupe or Cabriolet.

F. 6-disc CD changer

Available with either the standard radio or optional COMAND system is our optional 6-disc CD changer. It's glovebox-mounted, where it's both concealed from sight and within easy reach. And it seamlessly integrates with the CLK's audio system—via an innovative fiber-optic network—and the multifunction steering wheel.

G. Distronic cruise control

This option, offered on every CLK model, is the first adaptive cruise control. It monitors the distance to vehicles ahead to help maintain your preset speed and following distance automatically.²

H. Electronic trunk closer

This convenient option allows you to close the fully open trunk by pressing a button on the driver's door or inside the trunk lid.

I. Bi-Xenon headlamps

Optional on all CLK-Class models, these high-performance headlamps provide better vision over longer distances when using either low or high beams. They also incorporate dynamic level control to help cut glare, as well as heated high-pressure washers.

J. Parktronic parking assist

With optional Parktronic, ultrasonic sensors in the bumpers help you "see" obstacles that might be outside of your sightlines. Audible signals and illuminated displays on the dash and in the rear cabin help you maneuver with confidence when parking in tight spaces.

K. COMAND system

The optional Cockpit Management and Data (COMAND) system integrates the radio, GPS satellite navigation,3 and controls for the optional phone and glovebox-mounted 6-disc CD changer into a single in-dash unit that also interfaces with the CLK's standard multifunction display and steering-wheel controls. Its large, color-LCD screen provides clear displays and crisp map readouts. When COMAND isn't actively navigating, you can play an audio CD in the in-dash CD-ROM drive. And since the navigation map CDs are updated annually, ask your dealer about our Navigation Update (NavUP) subscription program, which lets you receive annual updates for up to three years at significant savings.

L. Keyless Go

Optional on any CLK, this enhancement of the SmartKey system lets you unlock or lock your car with the touch of a button on the outside door handle — without removing the key from your pocket or purse. Start-up is equally easy: Put your foot on the brake, tap the top of the gearshift, and you're ready to take off.

1 Availability of Active Ventilated seats is delayed. See your dealer. 2 Distronic adaptive cruise control is no substitute for active driving involvement. It does not react to stationary objects, nor recognize or predict the curvature and lane layout of the road or the movement of vehicles ahead, and it can only apply a maximum of 20% of vehicle braking power. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. 3 While the navigation system provides directional assistance, the driver must remain focused on safe driving behavior, including paying attention to traffic and street signs. The driver should utilize the system's audio cues while driving and should only consult the map or verbal displays once the vehicle has been stopped in a safe place. CD-ROM maps do not cover all areas nor all routes within an area.



Beneath the CLK's elegantly rendered sheet metal lies an array of equally inspired engineering solutions. They reflect our passion — and our singular expertise — in creating cars with character that you can feel even when you can't see it. Both the distinctive pillarless CLK Coupes and the new Cabriolets feature incredibly strong and protective body structures. An intriguing blend of materials and techniques, this advanced architecture nets dramatic gains in virtually every

structural benchmark area. Torsional rigidity alone is increased by 40 percent on the Coupe compared to its pillared predecessor, while the new Cabriolet enjoys a 10-percent improvement. But the CLK experience transcends mere numbers. The combination of sensuality and substance speaks directly to your soul.



Change for the better

Crowning every new CLK Cabriolet is a fully automatic power soft top bristling with user-friendly touches. By eliminating the conventional manual latches, lowering the roof becomes a one-finger operation that requires a mere 17 seconds to complete. Press one button on the center console – or on your SmartKey – and a sculpted rigid cover motors open, the top deploys and the cover locks back into place. The fully insulated triple-layer top features a large heated glass rear window to help keep the forces of nature outside where they belong – and your rearward view broad and clear. As a final touch, the rear-seat head restraints integrate twin pop-up roll bars to add even more security, top up or down.¹

1 The roll bar system is designed to enhance the level of rollover protection compared to an open vehicle without one. No system, no matter how sophisticated, can eliminate the chance of injury in an accident. Please always wear your seat belt, and always raise the rear head restraints when the rear seats are occupied.

See-through sensation

One look and you just know it's right. That's the real reason we chose the time-forgotten pillarless design for the CLK Coupe—the only pillarless coupe in its class. Combining panoramic panache without sacrificing structural integrity was our main objective. Enjoying it is yours.

A sense of security

only a Mercedes can provide

At Mercedes-Benz, we take an integrated approach to safety engineering, reflecting a desire to build vehicles that optimize both the driver's ability to avoid an accident and the car's potential for protecting all on board should an impact occur. The CLK's robust structure and advanced safety technologies allow it to pass our rigorous battery of no fewer than 28 different crash tests — more than any single government currently requires. Standard safety features, including our Electronic Stability Program (ESP), ASR traction control and emergency-sensing Brake Assist, can be appreciated every day. Others — including a comprehensive system of air bags, seat-belt Emergency Tensioning Devices and belt force limiters — you may never experience. But in any case, you can rest assured knowing that these sentinels of safety will be on guard for you.

Stressed for success. The CLK's structural formula starts with an impressive list of individual ingredients: high-strength/low-alloy steel in critical areas, pillars that are three layers thick, and a laser-welded, variable-thickness floorpan. Add in legendary Mercedes-Benz engineering expertise, and the result is an integrated protective structure that gives the Coupe and Cabriolet unparalleled safety and security, as well as precise handling.



ELECTRONIC STABILITY PROGRAM (ESP)

In corners, ESP helps to correct oversteer (fishtailing) or understeer (plowing) by selectively applying the brakes to one or more wheels and/or by reducing excess engine power.¹

AUTOMATIC SLIP CONTROL (ASR)

ASR traction control helps limit wheelspin during hard acceleration or on slippery road surfaces.

EMERGENCY-SENSING BRAKE ASSIST

Complementing your CLK's antilock brakes, Brake Assist can sense a panic stop and automatically apply all available power brake boost instantly to potentially reduce stopping distances.²

HIGH-STRENGTH/LOW-ALLOY STEEL

HSLA steel is used in critical areas throughout the CLK's body to create an exceptionally rigid structure, minimizing undesirable chassis flex for improved handling and integrity.

SIDE-IMPACT PROTECTION

Every CLK's reinforced floorpan, doors and door sills are part of an integrated safety structure that affords formidable protection against side impacts.

FRONT AIR BAGS

Enhancing the CLK's advanced restraint system are dual-stage front air bags that match their inflation rate to the intensity of an impact.³

HEAD PROTECTION CURTAINS

In the CLK Coupes, these multiplechamber air bags deploy along the side windows to help protect occupants from head injury and broken glass in rollovers and side impacts.

HEAD/THORAX AIR BAGS

In a side impact, the Cabriolet uses head/ thorax air bags to help protect its front-seat occupants, and unique-in-class standard side-impact air bags for the rear passengers.

EMERGENCY TENSIONING DEVICES AND BELT FORCE LIMITERS

In either a front or rear impact exceeding a preset threshold of severity, ETDs remove seat-belt slack to help hold you in place. Belt force limiters help reduce the peak deceleration forces on belted occupants.

A suite of air bags. It's a fact: The CLK provides more standard air bags — eight in the Coupe, six in the Cabriolet—than any of its competitors. Both CLKs share dual-stage front air bags that vary their inflation rates in response to impact severity. A sensor in the passenger seat adds another degree of refinement to the sophisticated control logic: it considers the occupant's weight when determining the appropriate degree of air-bag inflation.

To help protect you in side impacts, we fit each CLK body type with its own specific air-bag array. In the CLK Coupes, there are individual front and rear side-impact air bags, and Head Protection Curtains that span the length of the side windows. The CLK Cabriolets rely on advanced head/thorax air bags up front, paired with rear side-impact air bags — standard in no other challenger in the segment — to deliver class-leading protection for all four occupants.

POP-UP ROLL BARS

If sensors detect an impending rollover, popup roll bars integrated into the CLK Cabriolet rear head restraints deploy automatically in just 0.3 second.⁴

1 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Please always wear your seat belt. 2 Braking effectiveness also depends on proper brake system maintenance, and tire and road conditions. 3 WARNING: THE FORCES OF A DEPLOYING AIR BAG CAN CAUSE SERIOUS OR FATAL INJURY TO A CHILD UNDER AGE 13. THE SAFEST SEATING POSITION FOR YOUR CHILD IS IN THE REAR SEAT, BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED CHILD SEAT, OR CORRECTLY WEARING A SEAT BELT SHOULD SEAT MUST NOT USE THE FRONT SEAT. A CHILD UNDER 13 MUST NOT USE THE FRONT SEAT. A CHILD UNDER 13 MUST NOT USE THE FRONT SEAT UNLESS THE CHILD INTO AN APPROPRIATE, PROPERLY INSTALLED BABYSMARY-COMPATIBLE CHILD UNDER 13 MUST NOT USE THE FRONT SEAT. SEE OPERATOR'S MANUAL FOR ADDITIONAL WARNINGS AND INFORMATION ON AIR BAGS, SEAT BELTS AND CHILD SEATS. 4 The roll bar system is designed to enhance the level of rollover protection compared to an open vehicle without one. No system, no matter how sophisticated, can eliminate the chance of injury in an accident. Please always wear your seat belt, and always raise the rear head restraints when the rear seats are occupied.

Touch-sensitive

Summon police

Enlightened in-car communications •••••

We're here to help you with everything from simple questions to tough situations. The three Tele Aid buttons in your Mercedes give you a direct connection to Mercedes-Benz support and people who specialize in knowing what to do when it comes to helping preserve your schedule, your sanity and maybe even your safety.¹


The system is simple: Press the SOS button when you need emergency assistance, or see someone who does. The wrench button gives you a voice link to Mercedes-Benz Roadside Assistance.² The *i*-button connects you to our Customer Assistance Center, where representatives can answer questions you may have about your vehicle. The *i*-button also puts you in touch with our Concierge Service, as well as the optional real-time traffic reporting and live route guidance services of Tele Trek.³ And your basic Tele Aid subscription can even help you when you're away from your car, with features such as remote vehicle unlocking and stolen vehicle tracking.⁴

Call your on-file emergency contacts

Alert us to your exact location by satellite

Summon paramedics

Feel safer knowing the system automatically calls for help if an air bag deploys



Request Roadside Assistance

Troubleshoot problems

Call us out to change a flat

Have us bring a few gallons of gas if you run out

Connect to Tele Trek and Concierge Service

Find movie times

Locate your nearest dealer

Make airline reservations

Get answers to vehicle questions

Make appointments

Send flowers

Request a brochure

Get restaurant recommendations

Concierge Service. Found in the world's finest hotels—and your Mercedes. Included at no extra cost with your Tele Aid subscription, Concierge Service is there if you need hotel or dinner reservations (or even recommendations), tickets for a flight or entertainment, or directory-available phone numbers and addresses. Whether it's making appointments, sending flowers and gifts, or even finding a babysitter, don't be surprised if it seems like our Concierge Service can do it all. Except maybe leaving a mint on your headrest.

Tele Trek. Optional with your Tele Aid subscription, Tele Trek features an automated voice menu to give you handsfree access to information you need. Tele Trek's real-time Voice-Delivered Traffic reports are based on your vehicle's location along any of up to five regular commutes that you program at our website, or just a 5-mile radius of your present location. They're available in over 100 cities and can be updated every minute. And unlimited, nationwide Operator-Delivered Route Assistance can help get you to your destination with a minimum of wasted time.

1 First year's basic Tele Aid service provided at no additional cost with subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Service operates only where cellular and Global Positioning System coverage are available. 2 Roadside Assistance repairs may involve charges for parts, service and towing. Depending on the circumstances, these services may be provided by an outside service, courtesy of Mercedes-Benz Roadside Assistance. For full details of Sign and Drive services, as well as the Roadside Assistance Program, please see your dealer. 3 Tele Trek option requires basic Tele Aid subscription. Airtime charges apply. Performance of the automated voice system may vary with ambient noise. Traffic information is based on available broadcast data and is not available in all areas. Route Assistance is limited to available digitized map data which does not include all areas or all routes within an area. 4 Owner must authorize vehicle tracking and file a police recort.

Unprecedented vehicles, unparalleled benefits

While the thrill of driving a new Mercedes-Benz may alone be worth the price of admission, the security and ownership benefits Mercedes-Benz offers are unmatched by any other carmaker. And our promise of support for your Mercedes — and for you as a Mercedes driver—is backed by hundreds of experienced Mercedes-Benz people dedicated to keeping your Mercedes on the road and a smile of satisfaction on your face.

ROADSIDE ASSISTANCE FOR THE LIFE OF THE VEHICLE

The first of its kind, the Mercedes-Benz Roadside Assistance Program is still the only one that remains in effect for the entire life of the car. Our Roadside Assistance technicians are accomplished problem-solvers who can draw on years of experience and training to get you back on the road as quickly as possible.¹

24-HOUR CUSTOMER ASSISTANCE

Our Customer Assistance Center is your one-stop source for answers regarding your Mercedes-Benz. Whether you need to know how to use your audio system, find your nearest Mercedes-Benz dealer, get pricing, or learn about personal and automotive accessories, just call 1-800-FOR-MERCEDES or press the *i*-button.³ We'll be happy to assist you.

SIGN AND DRIVE

Our legendary Roadside Assistance service includes bringing you some fuel if you've run out, replacing a flat tire with your spare, or jump-starting your car if the battery is dead. All at no charge, and all for as long as you're driving a Mercedes-Benz — even somebody else's. Help is as close as your Tele Aid wrench button³ or just a call away at 1-800-FOR-MERCEDES.

MERCEDES-BENZ WARRANTIES

Our New Vehicle Limited Warranty runs 48 months or 50,000 miles, whichever comes first. And anytime during the first year of new-vehicle ownership, you can also purchase a Mercedes-Benz Extended Limited Warranty that will provide additional protection when the New Vehicle Limited Warranty expires.⁴

TRIP INTERRUPTION REIMBURSEMENT

In the unlikely event that a breakdown covered by your MBUSA New Vehicle Limited Warranty occurs more than 100 miles from your home, leaves your Mercedes inoperable or unsafe to drive, and requires overnight repairs at a Mercedes-Benz Center, you'll be reimbursed up to \$300 per day for actual documented expenses—for up to three days—for meals, lodging and substitute transportation.

MAINTENANCE FOR YOUR MERCEDES IS INCLUDED

Basic maintenance service—just think of it as another standard feature that comes with your Mercedes-Benz. Basic maintenance is included for the duration of your New Vehicle Limited Warranty. So when the Flexible Service System in your Mercedes calls for basic maintenance, the technicians at your local authorized Mercedes-Benz Center will do the work at no additional cost to you.²

TIME FOR BASIC MAINTENANCE? ASK YOUR MERCEDES.

No two drivers are the same. That's why the Flexible Service System in your Mercedes monitors some indicators of oil condition, engine loads, rpm, operating temperatures and your driving habits to determine when basic maintenance is really necessary. Then a display on the dash reminds you to contact your Mercedes-Benz dealer for an appointment. So you can spend less time servicing your Mercedes and more time enjoying your life.

ALTERNATE TRANSPORTATION

Your life doesn't get put on hold just because it's time for service on your Mercedes. So when you bring your vehicle into a Mercedes-Benz Center during the warranty period, ask about our Alternate Transportation Program — so you can return to your busy schedule.

1 Roadside Assistance repairs may involve charges for parts, service and towing. Depending on the circumstances, these services may be provided by an outside service, courtesy of Mercedes-Benz Roadside Assistance. 2 Includes oil change and other standard use level maintenance items identified in the Service Booklet for each model, at intervals determined by the Flexible Service System throughout the warranty period. Brake pads and discs, tire rotation and wiper blades are not covered. Driver is responsible for monitoring fluid levels and tire pressures between service visits. Limitations apply. 3 First year's basic Tele Aid service provided at no additional cost with subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and Global Positioning System coverage are available. 4 Please see your dealer for warranty details as well as for terms, conditions and pricing for extended limited warranty options. 5 For full details of Sign and Drive services, as well as the Roadside Assistance Program, please see your dealer. 6 Certain restrictions may apply. Terms, conditions and dealer participation may vary.