

C A R A V E L L E



1 9 8 7 P L Y M O U T H

1987 PLYMOUTH CARAVELLE



The Pride Is Back. The Excitement's Brand-New.

There is a new excitement at Plymouth. It's growing every day. And it comes from our pride in working together to be the best. We believe that's what America is all about, and we believe




that's what our automobiles should be all about. The best in every way, from value and dependability to styling and comfort.

The 1987 Caravelle is an outstanding example of the benefits of the new Plymouth excitement. It combines traditional styling, roominess and lots of standard conveniences with modern engineering innovations to produce an enjoyable, thoroughly satisfying driving experience. And what's more, we back our belief in Caravelle with 5/50 Limited Warranty* protection.

Simply put, the 1987 Caravelle is a winner however you look at it. Drive one today. And discover what the Plymouth excitement is all about.

*See back page for details.

About this catalog. We have tried to make this catalog as complete as possible. However, since the time of printing, some of the information you'll find here may have been updated. Your dealer has details, and you should ask him for current information before ordering.



Some of the equipment shown or described throughout this catalog is available at extra cost.

CARAVELLE SE

A Not-So-Traditional Approach To The Traditional American Automobile.



Caravelle SE's standard comprehensive instrumentation. Engineering excellence is here, too. Front-wheel drive reliability and handling. A fuel-efficient 2.2-liter electronically fuel injected engine. Three-speed automatic TorqueFlite transaxle. Power-assisted brakes and steering. The result is

Leave it to Plymouth to take the traditional family automobile and create something unique. That's what's been done with the 1987 Caravelle SE, which matches the best of proven sedan heritage with the latest engineering technology.

Contemporary sedan styling wrapped around true six-passenger seating and

abundant standard interior features get Caravelle SE off to a good start. The 17.1-cubic-foot luggage area will accommodate your cargo in style. There's even special sound insulation to keep road noise to a minimum.

a smooth, economical, always confident ride.

But thanks to Plymouth, Caravelle SE can take on a different personality. The available 2.5-liter EFI engine with dual balance shafts is there when you need extra power. Or take SE to the limit with the available turbocharged power plant and sport handling suspension system that give you up to 146 horsepower and loads of responsive road ability. Suddenly, Caravelle SE is more than just the perfect family sedan.

The 1987 Plymouth Caravelle SE. The not-so-traditional automobile that is fast becoming a tradition in itself. Even turbo power is available with Caravelle SE.

TURBO
ELECTRONIC FUEL INJECTION

Caravelle SE's standard 2.2-liter TorqueFlite TorqueFlite Mist Pearl Coat (available at extra cost) with optional available for turbocharged engine.



Caravelle SE's roomy rear bench seating, shown in Cordovan.



Caravelle SE standard 50/50 reclining seats with dual folding armrests, shown in Cordovan cloth with vinyl trim.

CARAVELLE

For Those Who Demand Value With Their Style.



True demanding drivers want more than a pleasing shape from the car they drive. They want value. The 1987 Caravelle is meant for them, because it is, quite simply, a lot of automobile.

Caravelle's distinctive sedan design is accented by such standard functional features as the deluxe bright wheel covers and dual aerostyle outside rearview mirrors. Inside there's room for six and room for more, with 17.1 cubic feet of luggage space. There's even a standard AM radio with electronic tuning and integral digital clock.

Caravelle standard bench seats with folding center armrest, shown in Silver cloth with vinyl trim.



Next, add the very affordable Popular Equipment Discount Package or the Deluxe Convenience Package and tailor a Caravelle to your personal needs.

Finally, consider the dependable Plymouth engineering—including the 2.2-liter electronically fuel injected engine, a front antisway bar and even gas-charged shock absorbers—that has gone into making your 1987 Caravelle and you'll realize that, yes, this really is quite a lot of automobile. Your automobile.

The 1987 Plymouth-Caravelle. Demand it.



Caravelle's spacious luggage area: 17.1 cubic feet.

THE PRIDE IS BACK, THE QUALITY'S ALL PLYMOUTH.

Caravelle Features

Proven Plymouth quality is built into each 1987 Caravelle. With

exacting engineering and interior design, convenience features, extensive anticorrosion treatments and the 5/50 Limited Warranty,* Plymouth ensures that Caravelle fulfills its purpose—pleasurable, comfortable transportation.

*See back page for details.

Caravelle Options

The 1987 Caravelle caters to your needs. Some selected options include:

A—AM stereo/FM stereo radio with electronic tuning, four-speaker sound and integral digital clock is available as part of the Popular Equipment Discount Package on base Caravelle.

B—Dual power-adjustable remote rearview mirrors are available for your convenience on both Caravelle and Caravelle SE.

C—Power windows with overriding driver's lock are available with the

Power Convenience Discount Package.

D—Air conditioning[†] keeps things comfortable regardless of the weather outside.





E—Electronic speed control maintains your pre-selected speed to within 0.5 mph. This system shuts down under rapid deceleration or wheel spin conditions. It also reduces driver fatigue and helps conserve fuel. (Included in the Deluxe Convenience Package; Popular Equipment Discount Package required on base Caravelle.)

F—Illuminated visor vanity mirrors for both driver and front seat passenger keep you looking good in Caravelle and Caravelle SE.

G—Fourteen-inch wire wheel covers with locks add a classic touch to any Caravelle.

*Some AM stereo broadcasting may not be compatible with this radio.

†There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty. See your dealer for details.



CARAVELLE STANDARD & OPTIONAL FEATURES

CARAVELLE FEATURES	Caravelle	Caravelle SE	CARAVELLE FEATURES	Caravelle	Caravelle SE
Acoustic Package	S	S	Mirrors —Exterior, dual power-adjustable: black aerostyle	E	E
Air Conditioning [†] —With bi-level ventilation	E	E	Mirrors —Exterior, left remote control, right manual: black aerostyle	P	S
Alternator —90-ampere	S	S	Mirrors —Interior, left and right visor vanity: illuminated	E	E
Armrests —Door: two front, two rear	S	S	Moldings —Belt, drip rail, rear quarter window: bright and black	S	S
Ash Receivers —One front, two rear	S	S	Moldings —Deck lid, headlight bezel, rear window and windshield: bright	S	S
Battery —400-ampere: maintenance-free with integral test indicator	S	S	Moldings —Sill and wheel opening, front rear: bright	NA	S
Brakes —Parking: foot-pedal operated	S	S	Multifunction Control Lever —Controls for day/night flash/pass feature, headlight dimmer, lane-change feature, turn signals, windshield wipers/washers (control for optional electronic speed control when ordered)	S	S
Brakes —Dual diagonal vented discs front, self-adjusting drums rear: power-assisted	S	S	Nameplate —"Caravelle" or "Caravelle SE" on deck lid, right side: bright	S	S
Bumpers —Front and rear, energy-absorbing; with integral protective rub strips: color-keyed	S	S	Nameplate —"Plymouth" on deck lid, left side: bright	S	S
Carpeting —Passenger compartment and trunk floor	S	S	Radio —AM: electronic tuning; integral clock	S	NA
Chimes —Warning includes headlights on, key in ignition, and seat belt unfastened	S	S	Radio —AM stereo/FM stereo: electronic tuning; four-speaker sound; integral digital clock	P	S
Cigar Lighter —Instrument panel-mounted	S	S	Radio —Premium AM stereo/FM stereo: electronic tuning; seek-and-scan and Dynamic Noise Reduction [‡] ; cassette tape player with automatic reverse; six-speaker system; integral digital clock	E	E
Clock —Electronic digital: integral with radios	S	S	Seat —Bench with folding center armrest: cloth with vinyl trim	S	NA
Coat Hooks —Rear	S	S	Seat —Left: power	NA	E
Corrosion Protection —Urethane protective coating on lower body panels; extensive use of galvanized steel	S	S	Seat Belts —Deluxe Unibelt with tension reliever and automatic retractor on front outboard seats; lap belts on all other seats: color-keyed	S	S
Deck Lid Release —Cable-operated (with security override located in trunk)	NA	S	Seats —50/50 with dual center folding armrests: cloth with vinyl trim	NA	S
Door Handles —Exterior: bright with black inserts	S	S	Steering —Rack-and-pinion: power-assisted	S	S
Emissions Controls —California (required at extra cost on all vehicles registered in California; not available otherwise)	E	E	Steering Wheel —Luxury two-spoke	S	S
Engines —See Power Train Chart			Stripes —Tapes: upper body	NA	S
Exhaust System —Stainless steel	S	S	Sun Visors —Recessed: soft edge	S	S
Fuel Filler Door Release —Remote control: cable-operated	S	S	Suspension —Front: dual path Iso-Struts and coil springs with linkless antisway bar; rear: beam axle with trailing arms, coil springs and shock absorbers	S	S
Fuel Tank —14-gallon: with curbside fuel filler door	S	S	Suspension —Sport handling: includes larger front and rear sway bars, higher control front struts and rear shocks, firm-feel quick-ratio power steering	E	E
Glass —Tinted: all windows	S	S	Taillights —Wraparound: with bright accents	S	S
Head Restraints —Front right and left: adjustable	S	S	Tire —Spare: conventional	E	E
Heater and Defroster —Bi-level: forced air ventilation through four upper instrument panel outlets	S	S	Tire —Spare: T115/70D14 compact high pressure, limited service	S	S
Hood —Counterbalanced	S	S	Tire Tread Life Wear Indicators	S	S
Hood Release —Inside	S	S	Tires —P185/70R14 steel-belted radial white sidewall (set of four)	S	S
Horns —Dual-note: electric	S	S	Transaxle —Automatic: three-speed TorqueFlite	S	S
Instrument Panel —Electromechanical cluster: includes engine coolant temperature, electrical system voltage and fuel level gauges; speedometer; trip odometer; and additional warning lights for brake system, high beams, oil pressure, power loss, seat belts and turn signals	S	S	Trunk —Dress-up: includes carpeted covers for jack, spare tire and wheelhousings; carpeted quarter panels	E	E
Insulation —Hood pad	S	S	Wheel Covers —Deluxe: bright (set of four)	S	NA
License Plate Bracket —Front: standard in states where front plate required	NC	NC	Wheel Covers —Luxury: bright (set of four)	NA	S
Lights —Dome, door-mounted courtesy, front side markers (flash with turn signals)	S	S	Wheel Covers —Wire: 14-inch; locks included (set of four)	E	E
Lock —Glove box	S	S	Windshield Wipers —Deluxe intermittent; washers	P	S
Lock Cover —Deck lid with Pentastar: color-keyed	S	S	Windshield Wipers —Two-speed; washers	S	NA
Mirror —Interior, rearview: day/night	S	S			
Mirrors —Exterior, dual manual: black aerostyle	S	NA			

STANDARD SAFETY FEATURES
 • Antitheft trunk lock • Antitheft labeling on fourteen major components • Backup lights • Brake fluid pressure loss warning light (also serves as indicator when parking brake is applied) • Combination lap/shoulder belts for the driver and right front passenger; lap belts for all other passengers • Double ball-joint rearview mirror mount • Dual diagonal braking system with separate brake fluid reservoirs in the master cylinder • Dual throttle return spring • Electric windshield washers and wipers • Energy-absorbing front seatbacks • Energy-absorbing instrument panel and sun visors • Energy-absorbing steering column or steering wheel • Fade-resistant front vented disc brakes • Front seat head restraints • Glare reduction measures for instrument panel, steering wheel, and windshield wipers • Glare reduction measures for windshield header and roof • Hazard warning flasher system • Headlight and wiper circuit breakers with automatic reset • Ignition and steering column lock • Impact-actuated fuel supply shut-down relay • Inside and outside rearview mirrors • Interlocking door latches • Key left in ignition warning • Non-override door locks (except driver's door) • Recessed inside door release handles • Reinforced windshield header and roof • Resilient window crank knobs • Rotary glove box latch • Safety glass • Safety-Rim wheels • Seat belt reminder system • Seatback latches on folding seats • Side door beams • Side marker lights and/or reflectors • Supplemental center high-mounted stoplight • Turn signals with lane-change feature and flashing front side marker lights

Certain models, packages and options are subject to specific restrictions, requirements, and late availability. Consult your dealer for current ordering information.

OPTIONAL PACKAGES
DELUXE CONVENIENCE PACKAGE (Popular Equipment Discount Package required on base Caravelle) • Electronic speed control* • Tilt steering column*

POPULAR EQUIPMENT DISCOUNT PACKAGE • AM stereo/FM stereo radio with electronic tuning; integral digital clock (base model only; standard on SE; radio may be upgraded) • Bi-level air conditioning* • Deluxe Convenience Package (Caravelle SE only) • Deluxe intermittent wipers (standard on SE) • Exterior left remote control and right manual control mirrors (standard on SE) • Rear Defroster Package

LIGHT PACKAGE Includes lights for ash receiver, cigar lighter, dome/reading, glove box, time-delayed ignition switch light, trunk, underhood* • Convenience light bar* with reminder lights for door ajar, low fuel, low windshield washer fluid, trunk ajar

POWER CONVENIENCE DISCOUNT PACKAGE • Power door locks* • Power windows*

PROTECTION PACKAGE • Accessory floor mats, front and rear* • Bodyside protective moldings (color-keyed)* • Front and rear bumper guards (color-keyed)* • Undercoating*


REAR DEFROSTER PACKAGE • 500-amp maintenance-free battery* • Electric rear window defroster*

*Available in package only.
 †Some AM stereo broadcasting may not be compatible with this radio.
 ‡There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty.
 §Required on all passenger vehicles registered in New York state.

S—Standard E—Extra cost NA—Not available NC—No-charge option P—Available in package only
 †There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty.
 ‡Some AM stereo broadcasting may not be compatible with this radio.
 §Required on all passenger vehicles registered in New York state.



DIMENSIONS, WEIGHT, AND CAPACITY	
Length	185.1"
Width	68.0"
Height	53.1"
Wheelbase	103.3"
Turning Diameter	36.2'
Curb Weight—Base SE	2,589 lbs 2,596 lbs.
Track—Front Rear	57.6" 57.2"
Cargo Capacity (estimated)	17.1 cu ft
Passenger Capacity	6
Fuel Capacity	14 gal



CARAVELLE POWER TRAIN CHART¹

Type	Displacement	Bore & Stroke	Compression Ratio	Horsepower	Torque	Transmission Availability
				SAE Net @ RPM		
4-cylinder OHC: standard	2.2-liter (135 CID) electronic fuel injection	3.44" x 3.62"	9.5:1	97 hp @ 5,200	122 lb-ft @ 3,200	Automatic (3.02 OTGR)
4-cylinder OHC: optional	2.2-liter turbocharged (135 CID) electronic fuel injection ^{2, 3}	3.44" x 3.62"	8.1:1	146 hp @ 5,200	170 lb-ft @ 3,600	Automatic (3.02 OTGR)
4-cylinder OHC: optional	2.5-liter EFI balance shaft (153 CID)	3.44" x 4.09"	9.0:1	100 hp @ 4,800	133 lb-ft @ 2,800	Automatic (3.02 OTGR)

OTGR—Overall top gear ratio. ¹Emissions controls and testing required at extra cost on all vehicles registered in California; not available otherwise. ²Includes Chrysler/Bosch multipoint fuel injection, engine dress-up, and "Turbo" identification. ³Turbocharged engine not recommended for trailer towing, and such use may invalidate warranty. Premium unleaded fuel recommended.

CARAVELLE EXTERIOR COLORS



Radiant Silver Clear Coat



Charcoal Pearl Coat



Ice Blue Clear Coat



Twilight Blue Pearl Coat*



Dark Cordovan Pearl Coat



Light Cream Clear Coat



White Clear Coat



Golden Bronze Pearl Coat



Light Rosewood Mist Pearl Coat*

*Available at extra cost.

NOTE: Due to occasional printing irregularities, the colors shown may vary slightly from actual hues. See your Plymouth dealer for accurate color chips.

Clear Coat finish is standard on every 1987 passenger car built by Chrysler Motors.



5/50 LIMITED WARRANTY

Upon expiration of the basic 12-month or 12,000-mile new vehicle limited warranty, limited warranty coverage is extended on power train components to five years or 50,000 miles (two years or 24,000 miles for fleet and lease vehicles), plus outer panel rust-through protection of five years or 50,000 miles. A deductible may be required. Export vehicles excluded. See copy at your dealer.

OPTIONAL SERVICE CONTRACT

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Coverage starts on the specified major components after your vehicle's basic 12-month or 12,000-mile limited warranty expires and continues for five years or 50,000 miles from the original warranty start date. A deductible applies. Allowances for car rental and towing are also included. See copy at your dealer.



MOPAR parts are engineered by Chrysler Motors for use in your new Plymouth Caravelle. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Chrysler Motors reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models. See your dealer for the latest information.

CONSIDER LEASING

More consumers are considering leasing as an alternative to buying. Leasing a new Plymouth Caravelle usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new car purchase. Ask your dealer for details.



The Pride Is Back.
BORN IN AMERICA.
Buckle up for safety.