


1990



PLYMOUTH &

DODGE TRUCK



LASER

Plymouth's vision of the automotive future. 1990 Laser. Assertive, agile, swift. Efficient, with superb aerodynamics, yet standing solid with a body that makes extensive use of corrosion-resistant galvanized steel. Whichever model you choose - Laser, Laser RS or Laser RS Turbo - you've found the technology that bridges the gap between your expectations and your dreams. Just look at what the critics are saying. "Not all that long ago you had to spend Ferrari-level bucks to get anything approaching this kind of fun." (*Car and Driver, December 1988*) "A modestly priced sports coupe with enough performance to embarrass a Porsche 944." (*Car and Driver, January 1989*) Then fit yourself inside and grasp the steering wheel. You'll agree, it's an environment that feels as good as it looks. The finely tuned Laser cockpit was created to



On Laser RS models, contoured wrapback bucket seats in front have driver's side lumbar adjustments. There's also a center console incorporating an armrest and a spacious control storage bin.



Laser RS Turbo interior has a leather-wrapped steering wheel and shifters. The steering column is scuffed on every Laser.

enhance the driving experience, not interfere with it. Every switch, gauge and indicator has been arranged on a contoured hooded housing for easy access and maximum efficiency. From this control centre you virtually radiate excitement.

PLYMOUTH LASER SELECTED STANDARD AND OPTIONAL FEATURES	Laser RS Laser RS with 1.8 L Engine		Laser RS with 2.0 L Engine		Laser RS Turbo
	Laser	1.8 L Engine	2.0 L Engine	Turbo	
AIR CONDITIONING	O	O	O	O	O
SEATS - Power-adjust 4-wheel disc	S	S	S	S	S
CARPET COMPARTMENT - Battery cover	O	S	S	S	S
CHILD SEAT ANCHORAGE PROVISION	S	S	S	S	S
CONSOLE - Includes ashtray and coin holder	L	S	S	S	S
With Laser 2000	NA	S	S	S	S
CRUISE CONTROL - Black seat panel with leather-trimmed floor mats	NA	S	S	S	S
DEFROSTER - Electric, rear window DEFROSTER - Front side windows	S	S	S	S	S
HEADLAMPS - Halogen, variable, with daytime running lamps	S	S	S	S	S
INSTRUMENTATION - Sport, comprehensive, including tachometer, multiple gauges, trip odometer	S	S	S	S	S
KNOCKS - AM/FM stereo, electronically tuned with digital clock and 4 speakers	S	S	S	S	S
With cassette player	O	S	S	S	S
Ultimate Sound System, with cassette player, graphic equalizer and 4 speakers	NA	O	O	O	O
Ultimate Sound System, with compact disc player	NA	O	O	O	O
SEATS - Front bucket, cloth, high-back, reclining, folding rear	S	NA	NA	NA	NA
Front bucket, deluxe cloth-back, with driver's side lumbar adjustment, deluxe door trim panels	NA	S	S	S	S
SEAT BELTS - 3-point shoulder/lap, 1 front and 2 rear	S	S	S	S	S
STEERING COLUMN - Tilt	S	S	S	S	S
STEERING WHEEL - Leather-wrapped	NA	NA	NA	NA	S
SUSPENSION - Front strut, with coil-over absorber bars; the trailing arm beam and integral absorber bar sport, with higher spring bars and increased diameter absorber bars	NA	NA	S	NA	NA
Performance, with special absorber bar and performance-tuned shock absorbers	NA	NA	NA	S	S
WINDSHIELD WIPERS - Variable delay, intermittent	S	S	S	S	S

O - Standard Equipment O - Optional Equipment NA - Not Available

MAJOR DIMENSIONS	mm	in.
Wheelbase	2470	97.2
Overall length	4680	184.3
Overall width	1690	66.5
Overall height	1385	54.4

FRONTWHEEL-DRIVE ENGINES AND TRANSMISSIONS	1.8-litre MPI SOHC IPI	1.9-litre DOHC 16-Valve IPI	2.0-litre DOHC 16-Valve 1600-Point IPI Inter-cooled Turbo
Availability - Laser	Standard	NA	NA
- Laser RS	Standard	Optional	NA
- Laser RS Turbo	NA	NA	Standard
Transmission Availability - 5-Speed Manual	Standard	Standard	Standard
4-Speed Automatic	Optional	Optional	NA

SOHC - Single Overhead Valve DOHC - Double Overhead Valve IPI - Inter-cooled Point Injection NA - Not Available



SUNDANCE

1990 Sundance brings to Canada what so many new car buyers are looking for. Its performance, comfort, and extensive list of standard features give new meaning to the word affordable. Sundance has the silhouette of a trim sedan, but with a standard hidden rear liftgate, a folding rear seat, the choice of two or four doors, and seating for five, there's surprising versatility. So pack it up, and take to the road. Sundance RS. New meaning to the word fun. With Performance front seats, featuring lumbar adjustment for the driver, full centre console, and equipment such as tinted glass, cassette radio and tilt steering column included as standard, RS adds enhancement in performance, comfort and looks. Dedicated to the person who expects zest to be part of the driving equation.



Sundance RS interior seating for five with a sports sedan flavour.

PLYMOUTH SUNDANCE SELECTED STANDARD AND OPTIONAL FEATURES	2-Door & 4-Door	RS 2-Door & 4-Door
	AIR BAG SYSTEM - Driver side only	O
BRAKES - Power-assist vented front disc, self-adjusting rear drum Power-assist 4-wheel disc	S	S
CHILD-SEAT ANCHORAGE PROVISION	S	S
CORROSION PROTECTION - Exterior use of galvanized steel, lower body-side urethane stone chip-resistant coating	S	S
DEFROSTER - Drivers, rear window	O	S
DOOR LOCKS - Rear child protection (locker only)	S	S
EQUALIST SYSTEM - Stainless steel	S	S
HEADLAMPS - Halogen, daytime running lights	S	S
LUGGAGE RACK - Liftgate-mounted	NA	S
PAINT - Basecoat	NA	S
RADIOS - Electrically-tuned, with digital meter and clock	S	S
AM stereo? FM stereo, 2 speakers	S	NA
AM stereo? FM stereo cassette, 4 speakers	O	S
AM stereo? FM stereo cassette, 6-speaker halospeaker and Infinity speakers (4)	O	O
SEATS - Front bucket, cloth-faced, including with adjustable head restraint, one-piece rear folding seatback	S	NA
Front bucket, premium cloth-faced, rear with 60/40 split folding seatback	O	NA
Performance front bucket	NA	S
SEAT BELTS - 3-point shoulder/lap belts, 2 front, 2 rear, lap belt, centre rear	S	S
SELF-PANEL - Rear, removable	S	S
STEERING - Power-assist, rack-and-pinion, 6-spoke, 14:1 ratio	S	S
SUSPENSION - Front MacPherson-Strut, torsion, front and rear, articulation lugs and gas-charged shock absorbers	S	S
TIRES - Steel-belted radials, All-Season	S	NA
Steel-belted radials, Performance-Handling, All-Season	O	S
WINDSHIELD WIPERS - Variable-rate, intermittent, dual wiper Motor	S	S

S - Standard Equipment O - Optional Equipment NA - Not Available
? Extra AM stereo bracket using this may not be compatible with this radio.

MAJOR DIMENSIONS	3-Door Liftback		5-Door Liftback	
	mm	in.	mm	in.
Wheelbase	2465	97.0	2465	97.0
Overall length	4360	171.7	4360	171.7
Overall width	170	6.73	170	6.73
Overall height	1340	52.7	1340	52.7

FRONT-WHEEL DRIVE ENGINES AND TRANSALES	2.2-litre 4-cyl. EFI	2.3-litre 4-cyl. EFI Balance Shaft	2.3-litre 4-cyl. MPI Turbo I EFI Balance Shaft
	Availability	Standard Sundance RS	Optional Standard
Type	SOHC	SOHC	SOHC
Variable and OHC* Availability			
5-Speed Manual - Standard	2.5i	2.5i	2.5i
3-Speed Automatic - Optional	3.0i	3.0i	3.0i

*with lock-up torque converter for highway fuel efficiency. NA - Not Available
EFI - Electronic Fuel Injection. *with multi-point injection. Fuel injection
in EFI - Single Carburetor Control. *Standard Top Gear Ratio (2.28).



COLT 200

Real value is a matter of getting what you want for what you can afford. And what drivers want today is engineering integrity that translates into reliable day-to-day performance, easy handling, and that personal element of comfort and style. The highly acclaimed Colt 200 models meet those expectations with impressive packages of engineering and styling features ... at prices that mean real value. Colt 200 comes standard with the proven 1.5-litre fuel-efficient engine and slick five-speed manual - or optional automatic. A sporty 1.6-litre 16-valve DOHC engine is available in some models. Colt 200 3-door hatchback models have split fold-down rear seats for added versatility.



An impressive level of comfort and convenience touches can be found in the interior of Colt 200.

COLT 200 SELECTED STANDARD AND OPTIONAL FEATURES	200 E 3-Door 4-Door	200 GT 3-Door DL 4-Dr	200 GT-5S 3-Dr/4-Dr DOHC	200 LX LX DOHC 4-Door
AIR CONDITIONING	NA	O	O	O
BRAKES - Power-assist, vented front disc, rear drum	S	S	NA	S
Power-assist, vented front, 4-wheel disc	NA	NA	S	NA
CHILD-SEAT ANCHORAGE PROVISION (4-door only)	S	S	S	S
CORROSION PROTECTION - Extensive use of advanced steel, seven bodywide zinc-rich primer coating	S	S	S	S
DEFROSTER - Rear window; DEFOGGER - Front side windows	S	S	S	S
DOOR LOCKS - Rear, child-protection (4-door only)	S	S	S	S
EQUALIZER SYSTEM - Stainless steel	S	S	S	S
HEADLAMPS - Halogen, defrost running light	S	S	S	S
TRUNK RELEASES - Fuel door and trunk (4-Door) (NA E, DL 4-Door)	S	S	S	S
SEATS - Front bucket, cloth inset, reclining with adjustable head restraints	S	NA	NA	NA
Front bucket, all-cloth seat facings, reclining	NA	S	NA	NA
Front bucket, luxury full-fare cloth, with dual recliners	NA	NA	NA	S
Sport, front bucket, all-cloth seat facings	NA	NA	S	NA
Rear seat, split folding (NA E, DL 4-door)	S	S	S	S
SEAT BELTS - 3-point lap/shoulder belts, front and outboard rear	S	S	S	S
SHelf PANEL - Rear (removable on 3-door, optional E 3-door)	O	S	S	S
STEERING - Variable torque, rack-and-pinion	S	S	NA	NA
Power-assist, rack-and-pinion	O	O	S	S
SUSPENSION - Independent, front strut, rear swing arm	S	S	S	S
Sport, with heavy-duty front anti-dive bar and coil springs	NA	NA	S	NA
TIRES - Steel-belted radial, black sidewalls	S	S	S	S
WIPER/WASHER - Rear window (3-door only)	O	S	S	NA

S - Standard Equipment O - Optional Equipment NA - Not Available

MAJOR DIMENSIONS	Colt 200 3-Door Hatchback		Colt 200 4-Door Sedan	
Wheelbase	2365 mm	93.1 in.	2435 mm	96.3 in.
Overall Length	4630 mm	182.3 in.	4320 mm	170.1 in.
Overall Width	1865 mm	73.5 in.	1870 mm	73.7 in.
Overall Height	1375 mm	54.1 in.	1400 mm	55.1 in.

FRONT-WHEEL-DRIVE ENGINES AND TRANSEXES	1.5-litre 4-cyl. SOHC EFI	1.6-litre 4-cyl. DOHC - 16-Valve EFI
Engine Availability	E, DL, GT and LX	GT and LX with DOHC and 5S
Transmission - 5-Spd. Man.	Standard ¹⁾	Standard
3-Spd. Auto.	Optional	NA
4-Spd. Auto.	NA	Optional

¹⁾ 5-Speed not available on Colt 200 LX 4-Door, automatic, a standard equipment. NA - Not Available. SOHC - Single Overhead Camshaft. DOHC - Double Overhead Camshaft. EFI - Electronic Fuel Injection.

COLT 100 SELECTED STANDARD AND OPTIONAL FEATURES	Colt 100 3-Dr.	Colt 100 4-Dr.	Colt 100 LX Turbo 3-Dr.	Colt 100 LX Turbo 4-Dr.	Colt 100 LX Turbo 4-Dr.	Colt 100 LX Turbo 4-Dr.
AIR CONDITIONING	NA	O	O	NA	O	O
BRAKES - Power-assisted, front disc, rear drum	S	S	S	S	S	S
CHILD SEAT ANCHORAGE POSITION	S	S	S	S	S	S
CONSOLE - Floor with storage bin and tray	S	S	S	S	S	S
CRASH PROTECTION - Interior bar of galvanized steel, seat belt side-impact absorber, crash-resistant hooding	S	S	S	S	S	S
DRIVE STYLE - Power windows, door locks	S	S	S	S	S	S
DOOR LOCKS - Rear child-protection	NA	NA	NA	S	S	S
HEADLAMPS - Halogen, daytime running lights	S	S	S	S	S	S
RADIO - AM/FM stereo with 4 speakers	O	O	O	O	O	NA
AM/FM stereo electronically tuned with cassette	NA	O	O	NA	O	O
SEATS - Front bucket, low-back, vinyl with dual recliners	S	NA	NA	S	NA	NA
Front bucket, low-back, cloth and vinyl with dual recliners	O	S	NA	O	S	NA
Front bucket, sport, full-back seats with dual recliners	NA	NA	S	NA	NA	S
Rear seating	S	S	S	NA	NA	NA
SEAT BELTS - 3-point lap/shoulder, front and outboard rear	S	S	S	S	S	S
SAFETY BELTS - Rear convertible on 3-door	O	S	S	S	S	S
SUSPENSION - Independent, front coil, rear trailing arm	S	S	S	S	S	S
Steer with power front shocks, heavy-duty anti-rattle bars	NA	NA	S	NA	NA	S
TIRES - Steel-belted radial, black sidewall	S	S	S	S	S	S

S - Standard Equipment O - Optional Equipment NA - Not Available

MAJOR DIMENSIONS	Colt 100 3-Door Hatchback		Colt 100 4-Door Sedan	
	mm	in.	mm	in.
Wheelbase	2380	93.7	2380	93.7
Overall Length	3995	157.3	4295	169.1
Overall Width	1620	63.8	1620	63.8
Overall Height	1360	53.5	1360	53.5

FRONTWHEELDRIVE ENGINES AND TRANSALES	1.3-litre 4-cyl. SOHC 2-Valve		1.6-litre 4-cyl. Turbocharged SOHC 2V	
	Standard	Optional	Standard	Optional
Transaxle - 4-Speed Manual	Standard	2.4-Door	NA	NA
- 3-Speed Manual	Standard	1.4-Door, 2.4-Door, Optional 1.4-Door	Standard	2.4-Door, 4-Door, Optional 1.4-Door
- 3-Speed Automatic	Standard	1.4-Door, Optional 1.4-Door, 2.4-Door	NA	NA

NA - Not Available SOHC - Single Overhead Camshaft 2V - Two Valve Fuel Injection



Colt 100 4-door sedan offers a wide selection of features and dimensions for your style of driving.



Colt 100 instrument panel is clear, informative and handsome, with all controls close at hand.



COLT 100 Colt 100, in three-door hatchback, or four-door compact sedan models, ignites an independent lifestyle for all kinds of people: as a first car to run to college, as a second car for the family, as an easy-on-the-bank-account alternative after the kids have flown the nest. Colt 100 is a no-nonsense combination of quality engineering, practical design and affordable choices.

HORIZON Expect dependability based on a gutsy 2.2-litre fuel-injected engine for smooth fuel-efficient performance, a thoroughly proven design, front-wheel-drive stability, and an impressive list of refinements. Expect seating for five, four-door hatchback versatility and a restyled instrument panel. Add the security of Chrysler's famous 7/115 Powertrain Warranty* - and that's Horizon for 1990. Set your sights on great expectations.

*See Dealer for Details.

PLYMOUTH HORIZON SELECTED STANDARD AND OPTIONAL FEATURES	Horizon
AIR BAG (OPTION) - Driver side, includes sport steering wheel	O
AIR CONDITIONING - 8-speaker	O
BRAKES - Power-assisted front disc, self-adjusting rear drum	S
CHILD SEAT ANCHORAGE POSITION	S
CONSOLE - Front, with 100 liter storage, includes caddy box and ashtray light	S
CRASH PROTECTION - Extensive use of galvanized steel, lower body-side-impact absorber, crash-resistant hooding	S
DEFROSTER - Electric, rear window	S
DRIVE STYLE - 3-point lap/shoulder, front and rear seat	S
HEADLAMPS - Halogen, daytime running lights	S
INSTRUMENTATION - including 100-watt stereo, tachometer	S
RADIO - AM stereo/AM stereo	O
AM stereo/AM stereo cassette	O
SEATS - Bucket, cloth-covered, low-back	S
Sport bucket, cloth-covered, high-back	O
Rear 3rd-row	S
SEAT BELTS - 3-point shoulder/lap, 2 front and 2 rear, lap, rear center position	S
SELF-PARKING - Rear sliding	S
STEERING - Manual, rack-and-pinion, 22.1 ratio	S
Power-assisted, 21.1 ratio	O
SUSPENSION - Front torsion bar, rear semi-independent trailing arm	S
TIRES - Steel-belted radial, black sidewall, All Season	S
WINDSHIELD WIPERS - Solenoid-driven, intermittent	S
WIPERWASHER - 1 spray	S

O - Optional Equipment O - Optional Equipment *Some AM stereo models using this may not be compatible with AM radio.

MAJOR DIMENSIONS	3-Door	
	mm	in.
Wheelbase	2520	99.1
Overall Length	4145	163.2
Overall Width	1695	66.8
Overall Height	1345	53.0

FRONTWHEELDRIVE ENGINE AND TRANSALE	2.2-litre 4-cyl. 2V SOHC	
	Standard	Optional
Transaxle and LT/LR* Availability	Standard	2.50
3-Speed Manual - Standard	Standard	2.70
3-Speed Automatic - Optional	Optional	2.70

LT/LR - 4-Speed manual conversion for highway fuel efficiency

SOHC - Single Overhead Camshaft

*Check the Use Rate (UR)

2V - Two Valve Fuel Injection



VOYAGER

Today's action vehicle for today's active family. On weekdays, it runs around town, picking up the kids at school or taking the science class on a field trip. Come weekends, Voyager becomes a sport wagon with a boat in tow, or with rear seats removed, hauls home treasures from the flea market. And with refinements such as the optional 2.5-litre Turbo I, or the 3.0-litre V6 with four-speed Ultradrive automatic, Voyager remains the standard for vehicles in its class. Voyager design provides for exceptional flexibility to suit today's varied lifestyles. There's standard seating for five on affordable Voyager, and on Voyager SE which offers a higher level of standard features. Top-of-the-line Voyager LE has standard seating for seven plus tilt steering column, trip odometer, tachometer and a full

complement of gauges and warning lights... all in clear sight. Families that need even more living space will be impressed with Grand Voyager SE and LE. Grand Voyager is 370 mm (14.6 in.) longer than Voyager, providing more legroom plus 396 L (14.0 cu. ft.) more luggage space. Voyager. The perfect vehicle for today's active lifestyles.

PLYMOUTH VOYAGER SELECTED STANDARD AND OPTIONAL FEATURES	Voyager		Grand Voyager	
	SE	LE	SE	LE
AIR CONDITIONING - 6 level	0	0	0	0
SEATS - Power-adjust front two, with adjusting rear three with height-adjusting seat CORROSION PROTECTION - Extensive use of aluminum steel, laser body-side sealant plus 23-point paint coating	5	5	5	5
MIRRORS - Electric rear window DIMMER SYSTEM - Variable steel	0	5	5	5
GLASS - Impact, all side glass, convex all windows	5	5	5	5
HEADLAMPS - Halogen, with daytime running lights	5	5	5	5
LADING RACK - Roof	0	0	5	0
PAINT - Reserve	NA	0	0**	0
RADIO - Electronically-tuned with digital memory and clock	5	5	5	5
AIR-TEMPERATURE SENSORS*	5	5	NA	NA
AIR-VENTILATION CASSETTES*	0	0	5	0
Pressure-Aid (Power) Slatted Cassette*	NA	0	0	0
Chrysler Inertia (MI) Slatted Cassette**	NA	0	0	0
SEATING, PICKUPLES - 2-seater (2 + 3)	5	5	NA	NA
3-seater (2 + 3), Convertible	NA	0	NA	NA
2-seater (2 + 2 + 3)	0	0	5	5
TRAILER BRAKING - Heavy-duty package with 5th wheel pedal	NA	0	0	0
WINDSHIELD WIPERS - Variable delay, intermittent	5	5	5	5
WIPER/WASHER - Lighter window, intermittent	5	5	5	5
WOODGRAN BODYSIDE APPLIES	NA	NA	5	5

0 - Standard Equipment; 1 - Optional Equipment; NA - Not Available
*Some features may not be compatible with this vehicle. **No extra charge

MAJOR DIMENSIONS	Voyager		Grand Voyager	
	mm	in.	mm	in.
Wheelbase	2840	112.0	3215	126.6
Overall length	4470	176.0	4840	190.5
Overall width	1830	72.0	1830	72.0
Overall height	1940	76.4	1945	76.8

FRONT-WHEEL DRIVE ENGINES AND TRANSMISSIONS	2.3-litre		2.5-litre		3.0-litre		3.3-litre	
	4-cyl SOHC EFI	6-cyl SOHC EFI	6-cyl SOHC EFI	6-cyl SOHC EFI	6-cyl V6 DOHC EFI	6-cyl V6 DOHC EFI	6-cyl V6 DOHC EFI	6-cyl V6 DOHC EFI
Availability	Standard	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Warranty and OTCM* Available	Standard	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3-Speed Manual - Standard	2.78	2.78	—	—	—	—	—	—
3-Speed Automatic - Optional	3.22	3.02	3.02	—	—	—	—	—
4-Speed Automatic	—	—	—	—	2.78	—	—	—
4-Speed Automatic	—	—	—	—	—	—	—	—
4-Speed Automatic	—	—	—	—	—	—	—	2.78

0 - Electronic Fuel Injection; SOHC - Single Overhead Camshaft; DOHC - Double Overhead Camshaft
*Warranty: 3-yr/50,000 km (whichever comes first); OTCM: 3-yr/50,000 km (whichever comes first)

RAM PICKUPS SELECTED STANDARD AND OPTIONAL FEATURES	2WD	4x4	PICKUPS
AIR CONSOLE/SEAT	O	O	
BRAKES - Power assisted, front disc, rear drum, Rear anti-lock system	1	1	
CORROSION PROTECTION - Exterior use of galvanized steel, Super body-side composite lower body-resistant coating, Stainless steel fasteners	1	1	
FUEL TANK - 31.1 (28.3 imp. gal.) or 37.1 (33.8 imp. gal.) optional	1	1	
GLASS - Tinted, all windows	1	1	
HEADLAMPS - Halogen, Daytime running lights	1	1	
MIRRORS - Outside, dual 2"x7" or 2"x9" optional	1	1	
RINEXAS - 911-770 SE & LE Drive, Trailer Tow Prep, Snowplow Prep, 4x4	O	O	
RADIO - AM stereo* FM stereo, electronically tuned with 2 speakers, digital clock, cassette optional	1	1	
SEATS - Bench, 3-passenger vinyl/Deluxe/Premium cloth optional	O	O	
SEATBELT - Club Cab only, Recreating front seatbelts, optional safety seat belt	1	1	
SEAT BELTS - Windowless, front seatbelt(s) (2) (4) (6) (8) (10) (12) (14) (16) (18) (20) (22) (24) (26) (28) (30) (32) (34) (36) (38) (40) (42) (44) (46) (48) (50) (52) (54) (56) (58) (60) (62) (64) (66) (68) (70) (72) (74) (76) (78) (80) (82) (84) (86) (88) (90) (92) (94) (96) (98) (100) (102) (104) (106) (108) (110) (112) (114) (116) (118) (120) (122) (124) (126) (128) (130) (132) (134) (136) (138) (140) (142) (144) (146) (148) (150) (152) (154) (156) (158) (160) (162) (164) (166) (168) (170) (172) (174) (176) (178) (180) (182) (184) (186) (188) (190) (192) (194) (196) (198) (200) (202) (204) (206) (208) (210) (212) (214) (216) (218) (220) (222) (224) (226) (228) (230) (232) (234) (236) (238) (240) (242) (244) (246) (248) (250) (252) (254) (256) (258) (260) (262) (264) (266) (268) (270) (272) (274) (276) (278) (280) (282) (284) (286) (288) (290) (292) (294) (296) (298) (300) (302) (304) (306) (308) (310) (312) (314) (316) (318) (320) (322) (324) (326) (328) (330) (332) (334) (336) (338) (340) (342) (344) (346) (348) (350) (352) (354) (356) (358) (360) (362) (364) (366) (368) (370) (372) (374) (376) (378) (380) (382) (384) (386) (388) (390) (392) (394) (396) (398) (400) (402) (404) (406) (408) (410) (412) (414) (416) (418) (420) (422) (424) (426) (428) (430) (432) (434) (436) (438) (440) (442) (444) (446) (448) (450) (452) (454) (456) (458) (460) (462) (464) (466) (468) (470) (472) (474) (476) (478) (480) (482) (484) (486) (488) (490) (492) (494) (496) (498) (500) (502) (504) (506) (508) (510) (512) (514) (516) (518) (520) (522) (524) (526) (528) (530) (532) (534) (536) (538) (540) (542) (544) (546) (548) (550) (552) (554) (556) (558) (560) (562) (564) (566) (568) (570) (572) (574) (576) (578) (580) (582) (584) (586) (588) (590) (592) (594) (596) (598) (600) (602) (604) (606) (608) (610) (612) (614) (616) (618) (620) (622) (624) (626) (628) (630) (632) (634) (636) (638) (640) (642) (644) (646) (648) (650) (652) (654) (656) (658) (660) (662) (664) (666) (668) (670) (672) (674) (676) (678) (680) (682) (684) (686) (688) (690) (692) (694) (696) (698) (700) (702) (704) (706) (708) (710) (712) (714) (716) (718) (720) (722) (724) (726) (728) (730) (732) (734) (736) (738) (740) (742) (744) (746) (748) (750) (752) (754) (756) (758) (760) (762) (764) (766) (768) (770) (772) (774) (776) (778) (780) (782) (784) (786) (788) (790) (792) (794) (796) (798) (800) (802) (804) (806) (808) (810) (812) (814) (816) (818) (820) (822) (824) (826) (828) (830) (832) (834) (836) (838) (840) (842) (844) (846) (848) (850) (852) (854) (856) (858) (860) (862) (864) (866) (868) (870) (872) (874) (876) (878) (880) (882) (884) (886) (888) (890) (892) (894) (896) (898) (900) (902) (904) (906) (908) (910) (912) (914) (916) (918) (920) (922) (924) (926) (928) (930) (932) (934) (936) (938) (940) (942) (944) (946) (948) (950) (952) (954) (956) (958) (960) (962) (964) (966) (968) (970) (972) (974) (976) (978) (980) (982) (984) (986) (988) (990) (992) (994) (996) (998) (1000)			
STEERING - Power assisted	1	1	

1 - Standard Equipment O - Optional Equipment (where shown)
 *Some 4x4 have (dash) going up for 4x4 compatibility with this table.

SELECTED SPECIFICATIONS		Conventional	Conventional	Club	Club
Wheelbase	mm	2938	3325	3380	3783
	in.	115.7	131	133	149
Box length	ft.	6.5	8	8.5	9
	Model Availability	150/150S	N/A	150 2WD	150/250
Overall length	mm	4843	5335	5393	5800
	in.	190.6	210.0	212.8	228.3
Payload Range* Maximum	kg	720	870	890	785
	lb.	1590	1915	1955	1733
Maximum (Optional)	kg	850	2485	—	1845
	lb.	1880	5475	—	4070
GVWR Range Maximum	kg	2360	2860	2720	2730
	lb.	5200	6300	6000	6030
Maximum (Optional)	kg	2375	4280	—	2840
	lb.	5250	9450	—	6250

*Weight adjusted by weight of equipment and additional equipment.

ENGINES	TRANSMISSIONS	150	150	250	350
3.9L (2.9L CDI) V6 EFI	5-Speed Manual OD	O	NA	NA	NA
3.9L (2.9L CDI) V6 EFI	4-Speed Manual (MPX) HD	O	O	NA	NA
3.9L (2.9L CDI) V6 EFI	5-Speed Automatic	O	O	NA	NA
3.9L (2.9L CDI) V6 EFI	4-Speed Automatic OD	O	NA	NA	NA
5.2L (3.9L CDI) V8 EFI	4-Speed Manual OD	O	NA	NA	NA
5.2L (3.9L CDI) V8 EFI	4-Speed Manual (MPX) HD	O	O	NA	NA
5.2L (3.9L CDI) V8 EFI	5-Speed Automatic	O	NA	NA	NA
5.9L (3.9L CDI) V8 EFI	4-Speed Automatic	O	O	NA	NA
5.9L (3.9L CDI) V8 EFI	4-Speed Manual (MPX) HD	O	O	O	5
5.9L (3.9L CDI) V8 EFI	4-Speed Automatic HD	O	O	O	O
5.9L (3.9L CDI) V8 EFI	5-Speed Manual OD	NA	O	O	O
5.9L (3.9L CDI) V8 EFI	5-Speed Automatic	NA	O	O	O

1 - Standard Equipment O - Optional Equipment (where shown) NA - Not Available
 (H) - Heavy Duty Cap (L) - Light Duty Cap (M) - Medium Duty Cap (S) - Super Duty Cap (T) - Turbo Diesel Cap (V) - Van Cap (W) - Wheelchair Cap (X) - 4x4 Cap (Y) - 4x4 Cap (Z) - 4x4 Cap (AA) - 4x4 Cap (AB) - 4x4 Cap (AC) - 4x4 Cap (AD) - 4x4 Cap (AE) - 4x4 Cap (AF) - 4x4 Cap (AG) - 4x4 Cap (AH) - 4x4 Cap (AI) - 4x4 Cap (AJ) - 4x4 Cap (AK) - 4x4 Cap (AL) - 4x4 Cap (AM) - 4x4 Cap (AN) - 4x4 Cap (AO) - 4x4 Cap (AP) - 4x4 Cap (AQ) - 4x4 Cap (AR) - 4x4 Cap (AS) - 4x4 Cap (AT) - 4x4 Cap (AU) - 4x4 Cap (AV) - 4x4 Cap (AW) - 4x4 Cap (AX) - 4x4 Cap (AY) - 4x4 Cap (AZ) - 4x4 Cap (BA) - 4x4 Cap (BB) - 4x4 Cap (BC) - 4x4 Cap (BD) - 4x4 Cap (BE) - 4x4 Cap (BF) - 4x4 Cap (BG) - 4x4 Cap (BH) - 4x4 Cap (BI) - 4x4 Cap (BJ) - 4x4 Cap (BK) - 4x4 Cap (BL) - 4x4 Cap (BM) - 4x4 Cap (BN) - 4x4 Cap (BO) - 4x4 Cap (BP) - 4x4 Cap (BQ) - 4x4 Cap (BR) - 4x4 Cap (BS) - 4x4 Cap (BT) - 4x4 Cap (BU) - 4x4 Cap (BV) - 4x4 Cap (BW) - 4x4 Cap (BX) - 4x4 Cap (BY) - 4x4 Cap (BZ) - 4x4 Cap (CA) - 4x4 Cap (CB) - 4x4 Cap (CC) - 4x4 Cap (CD) - 4x4 Cap (CE) - 4x4 Cap (CF) - 4x4 Cap (CG) - 4x4 Cap (CH) - 4x4 Cap (CI) - 4x4 Cap (CJ) - 4x4 Cap (CK) - 4x4 Cap (CL) - 4x4 Cap (CM) - 4x4 Cap (CN) - 4x4 Cap (CO) - 4x4 Cap (CP) - 4x4 Cap (CQ) - 4x4 Cap (CR) - 4x4 Cap (CS) - 4x4 Cap (CT) - 4x4 Cap (CU) - 4x4 Cap (CV) - 4x4 Cap (CW) - 4x4 Cap (CX) - 4x4 Cap (CY) - 4x4 Cap (CZ) - 4x4 Cap (DA) - 4x4 Cap (DB) - 4x4 Cap (DC) - 4x4 Cap (DD) - 4x4 Cap (DE) - 4x4 Cap (DF) - 4x4 Cap (DG) - 4x4 Cap (DH) - 4x4 Cap (DI) - 4x4 Cap (DJ) - 4x4 Cap (DK) - 4x4 Cap (DL) - 4x4 Cap (DM) - 4x4 Cap (DN) - 4x4 Cap (DO) - 4x4 Cap (DP) - 4x4 Cap (DQ) - 4x4 Cap (DR) - 4x4 Cap (DS) - 4x4 Cap (DT) - 4x4 Cap (DU) - 4x4 Cap (DV) - 4x4 Cap (DW) - 4x4 Cap (DX) - 4x4 Cap (DY) - 4x4 Cap (DZ) - 4x4 Cap (EA) - 4x4 Cap (EB) - 4x4 Cap (EC) - 4x4 Cap (ED) - 4x4 Cap (EE) - 4x4 Cap (EF) - 4x4 Cap (EG) - 4x4 Cap (EH) - 4x4 Cap (EI) - 4x4 Cap (EJ) - 4x4 Cap (EK) - 4x4 Cap (EL) - 4x4 Cap (EM) - 4x4 Cap (EN) - 4x4 Cap (EO) - 4x4 Cap (EP) - 4x4 Cap (EQ) - 4x4 Cap (ER) - 4x4 Cap (ES) - 4x4 Cap (ET) - 4x4 Cap (EU) - 4x4 Cap (EV) - 4x4 Cap (EW) - 4x4 Cap (EX) - 4x4 Cap (EY) - 4x4 Cap (EZ) - 4x4 Cap (FA) - 4x4 Cap (FB) - 4x4 Cap (FC) - 4x4 Cap (FD) - 4x4 Cap (FE) - 4x4 Cap (FF) - 4x4 Cap (FG) - 4x4 Cap (FH) - 4x4 Cap (FI) - 4x4 Cap (FJ) - 4x4 Cap (FK) - 4x4 Cap (FL) - 4x4 Cap (FM) - 4x4 Cap (FN) - 4x4 Cap (FO) - 4x4 Cap (FP) - 4x4 Cap (FQ) - 4x4 Cap (FR) - 4x4 Cap (FS) - 4x4 Cap (FT) - 4x4 Cap (FU) - 4x4 Cap (FV) - 4x4 Cap (FW) - 4x4 Cap (FX) - 4x4 Cap (FY) - 4x4 Cap (FZ) - 4x4 Cap (GA) - 4x4 Cap (GB) - 4x4 Cap (GC) - 4x4 Cap (GD) - 4x4 Cap (GE) - 4x4 Cap (GF) - 4x4 Cap (GG) - 4x4 Cap (GH) - 4x4 Cap (GI) - 4x4 Cap (GJ) - 4x4 Cap (GK) - 4x4 Cap (GL) - 4x4 Cap (GM) - 4x4 Cap (GN) - 4x4 Cap (GO) - 4x4 Cap (GP) - 4x4 Cap (GQ) - 4x4 Cap (GR) - 4x4 Cap (GS) - 4x4 Cap (GT) - 4x4 Cap (GU) - 4x4 Cap (GV) - 4x4 Cap (GW) - 4x4 Cap (GX) - 4x4 Cap (GY) - 4x4 Cap (GZ) - 4x4 Cap (HA) - 4x4 Cap (HB) - 4x4 Cap (HC) - 4x4 Cap (HD) - 4x4 Cap (HE) - 4x4 Cap (HF) - 4x4 Cap (HG) - 4x4 Cap (HH) - 4x4 Cap (HI) - 4x4 Cap (HJ) - 4x4 Cap (HK) - 4x4 Cap (HL) - 4x4 Cap (HM) - 4x4 Cap (HN) - 4x4 Cap (HO) - 4x4 Cap (HP) - 4x4 Cap (HQ) - 4x4 Cap (HR) - 4x4 Cap (HS) - 4x4 Cap (HT) - 4x4 Cap (HU) - 4x4 Cap (HV) - 4x4 Cap (HW) - 4x4 Cap (HX) - 4x4 Cap (HY) - 4x4 Cap (HZ) - 4x4 Cap (IA) - 4x4 Cap (IB) - 4x4 Cap (IC) - 4x4 Cap (ID) - 4x4 Cap (IE) - 4x4 Cap (IF) - 4x4 Cap (IG) - 4x4 Cap (IH) - 4x4 Cap (II) - 4x4 Cap (IJ) - 4x4 Cap (IK) - 4x4 Cap (IL) - 4x4 Cap (IM) - 4x4 Cap (IN) - 4x4 Cap (IO) - 4x4 Cap (IP) - 4x4 Cap (IQ) - 4x4 Cap (IR) - 4x4 Cap (IS) - 4x4 Cap (IT) - 4x4 Cap (IU) - 4x4 Cap (IV) - 4x4 Cap (IW) - 4x4 Cap (IX) - 4x4 Cap (IY) - 4x4 Cap (IZ) - 4x4 Cap (JA) - 4x4 Cap (JB) - 4x4 Cap (JC) - 4x4 Cap (JD) - 4x4 Cap (JE) - 4x4 Cap (JF) - 4x4 Cap (JG) - 4x4 Cap (JH) - 4x4 Cap (JI) - 4x4 Cap (JJ) - 4x4 Cap (JK) - 4x4 Cap (JL) - 4x4 Cap (JM) - 4x4 Cap (JN) - 4x4 Cap (JO) - 4x4 Cap (JP) - 4x4 Cap (JQ) - 4x4 Cap (JR) - 4x4 Cap (JS) - 4x4 Cap (JT) - 4x4 Cap (JU) - 4x4 Cap (JV) - 4x4 Cap (JW) - 4x4 Cap (JX) - 4x4 Cap (JY) - 4x4 Cap (JZ) - 4x4 Cap (KA) - 4x4 Cap (KB) - 4x4 Cap (KC) - 4x4 Cap (KD) - 4x4 Cap (KE) - 4x4 Cap (KF) - 4x4 Cap (KG) - 4x4 Cap (KH) - 4x4 Cap (KI) - 4x4 Cap (KJ) - 4x4 Cap (KL) - 4x4 Cap (KM) - 4x4 Cap (KN) - 4x4 Cap (KO) - 4x4 Cap (KP) - 4x4 Cap (KQ) - 4x4 Cap (KR) - 4x4 Cap (KS) - 4x4 Cap (KT) - 4x4 Cap (KU) - 4x4 Cap (KV) - 4x4 Cap (KW) - 4x4 Cap (KX) - 4x4 Cap (KY) - 4x4 Cap (KZ) - 4x4 Cap (LA) - 4x4 Cap (LB) - 4x4 Cap (LC) - 4x4 Cap (LD) - 4x4 Cap (LE) - 4x4 Cap (LF) - 4x4 Cap (LG) - 4x4 Cap (LH) - 4x4 Cap (LI) - 4x4 Cap (LJ) - 4x4 Cap (LK) - 4x4 Cap (LL) - 4x4 Cap (LM) - 4x4 Cap (LN) - 4x4 Cap (LO) - 4x4 Cap (LP) - 4x4 Cap (LQ) - 4x4 Cap (LR) - 4x4 Cap (LS) - 4x4 Cap (LT) - 4x4 Cap (LU) - 4x4 Cap (LV) - 4x4 Cap (LW) - 4x4 Cap (LX) - 4x4 Cap (LY) - 4x4 Cap (LZ) - 4x4 Cap (MA) - 4x4 Cap (MB) - 4x4 Cap (MC) - 4x4 Cap (MD) - 4x4 Cap (ME) - 4x4 Cap (MF) - 4x4 Cap (MG) - 4x4 Cap (MH) - 4x4 Cap (MI) - 4x4 Cap (MJ) - 4x4 Cap (MK) - 4x4 Cap (ML) - 4x4 Cap (MN) - 4x4 Cap (MO) - 4x4 Cap (MP) - 4x4 Cap (MQ) - 4x4 Cap (MR) - 4x4 Cap (MS) - 4x4 Cap (MT) - 4x4 Cap (MU) - 4x4 Cap (MV) - 4x4 Cap (MW) - 4x4 Cap (MX) - 4x4 Cap (MY) - 4x4 Cap (MZ) - 4x4 Cap (NA) - 4x4 Cap (NB) - 4x4 Cap (NC) - 4x4 Cap (ND) - 4x4 Cap (NE) - 4x4 Cap (NF) - 4x4 Cap (NG) - 4x4 Cap (NH) - 4x4 Cap (NI) - 4x4 Cap (NJ) - 4x4 Cap (NK) - 4x4 Cap (NL) - 4x4 Cap (NM) - 4x4 Cap (NO) - 4x4 Cap (NP) - 4x4 Cap (NQ) - 4x4 Cap (NR) - 4x4 Cap (NS) - 4x4 Cap (NT) - 4x4 Cap (NU) - 4x4 Cap (NV) - 4x4 Cap (NW) - 4x4 Cap (NX) - 4x4 Cap (NY) - 4x4 Cap (NZ) - 4x4 Cap (OA) - 4x4 Cap (OB) - 4x4 Cap (OC) - 4x4 Cap (OD) - 4x4 Cap (OE) - 4x4 Cap (OF) - 4x4 Cap (OG) - 4x4 Cap (OH) - 4x4 Cap (OI) - 4x4 Cap (OJ) - 4x4 Cap (OK) - 4x4 Cap (OL) - 4x4 Cap (OM) - 4x4 Cap (ON) - 4x4 Cap (OO) - 4x4 Cap (OP) - 4x4 Cap (OQ) - 4x4 Cap (OR) - 4x4 Cap (OS) - 4x4 Cap (OT) - 4x4 Cap (OU) - 4x4 Cap (OV) - 4x4 Cap (OW) - 4x4 Cap (OX) - 4x4 Cap (OY) - 4x4 Cap (OZ) - 4x4 Cap (PA) - 4x4 Cap (PB) - 4x4 Cap (PC) - 4x4 Cap (PD) - 4x4 Cap (PE) - 4x4 Cap (PF) - 4x4 Cap (PG) - 4x4 Cap (PH) - 4x4 Cap (PI) - 4x4 Cap (PJ) - 4x4 Cap (PK) - 4x4 Cap (PL) - 4x4 Cap (PM) - 4x4 Cap (PN) - 4x4 Cap (PO) - 4x4 Cap (PP) - 4x4 Cap (PQ) - 4x4 Cap (PR) - 4x4 Cap (PS) - 4x4 Cap (PT) - 4x4 Cap (PU) - 4x4 Cap (PV) - 4x4 Cap (PW) - 4x4 Cap (PX) - 4x4 Cap (PY) - 4x4 Cap (PZ) - 4x4 Cap (QA) - 4x4 Cap (QB) - 4x4 Cap (QC) - 4x4 Cap (QD) - 4x4 Cap (QE) - 4x4 Cap (QF) - 4x4 Cap (QG) - 4x4 Cap (QH) - 4x4 Cap (QI) - 4x4 Cap (QJ) - 4x4 Cap (QK) - 4x4 Cap (QL) - 4x4 Cap (QM) - 4x4 Cap (QN) - 4x4 Cap (QO) - 4x4 Cap (QP) - 4x4 Cap (QQ) - 4x4 Cap (QR) - 4x4 Cap (QS) - 4x4 Cap (QT) - 4x4 Cap (QU) - 4x4 Cap (QV) - 4x4 Cap (QW) - 4x4 Cap (QX) - 4x4 Cap (QY) - 4x4 Cap (QZ) - 4x4 Cap (RA) - 4x4 Cap (RB) - 4x4 Cap (RC) - 4x4 Cap (RD) - 4x4 Cap (RE) - 4x4 Cap (RF) - 4x4 Cap (RG) - 4x4 Cap (RH) - 4x4 Cap (RI) - 4x4 Cap (RJ) - 4x4 Cap (RK) - 4x4 Cap (RL) - 4x4 Cap (RM) - 4x4 Cap (RN) - 4x4 Cap (RO) - 4x4 Cap (RP) - 4x4 Cap (RQ) - 4x4 Cap (RR) - 4x4 Cap (RS) - 4x4 Cap (RT) - 4x4 Cap (RU) - 4x4 Cap (RV) - 4x4 Cap (RW) - 4x4 Cap (RX) - 4x4 Cap (RY) - 4x4 Cap (RZ) - 4x4 Cap (SA) - 4x4 Cap (SB) - 4x4 Cap (SC) - 4x4 Cap (SD) - 4x4 Cap (SE) - 4x4 Cap (SF) - 4x4 Cap (SG) - 4x4 Cap (SH) - 4x4 Cap (SI) - 4x4 Cap (SJ) - 4x4 Cap (SK) - 4x4 Cap (SL) - 4x4 Cap (SM) - 4x4 Cap (SN) - 4x4 Cap (SO) - 4x4 Cap (SP) - 4x4 Cap (SQ) - 4x4 Cap (SR) - 4x4 Cap (SS) - 4x4 Cap (ST) - 4x4 Cap (SU) - 4x4 Cap (SV) - 4x4 Cap (SW) - 4x4 Cap (SX) - 4x4 Cap (SY) - 4x4 Cap (SZ) - 4x4 Cap (TA) - 4x4 Cap (TB) - 4x4 Cap (TC) - 4x4 Cap (TD) - 4x4 Cap (TE) - 4x4 Cap (TF) - 4x4 Cap (TG) - 4x4 Cap (TH) - 4x4 Cap (TI) - 4x4 Cap (TJ) - 4x4 Cap (TK) - 4x4 Cap (TL) - 4x4 Cap (TM) - 4x4 Cap (TN) - 4x4 Cap (TO) - 4x4 Cap (TP) - 4x4 Cap (TQ) - 4x4 Cap (TR) - 4x4 Cap (TS) - 4x4 Cap (TT) - 4x4 Cap (TU) - 4x4 Cap (TV) - 4x4 Cap (TW) - 4x4 Cap (TX) - 4x4 Cap (TY) - 4x4 Cap (TZ) - 4x4 Cap (UA) - 4x4 Cap (UB) - 4x4 Cap (UC) - 4x4 Cap (UD) - 4x4 Cap (UE) - 4x4 Cap (UF) - 4x4 Cap (UG) - 4x4 Cap (UH) - 4x4 Cap (UI) - 4x4 Cap (UJ) - 4x4 Cap (UK) - 4x4 Cap (UL) - 4x4 Cap (UM) - 4x4 Cap (UN) - 4x4 Cap (UO) - 4x4 Cap (UP) - 4x4 Cap (UQ) - 4x4 Cap (UR) - 4x4 Cap (US) - 4x4 Cap (UT) - 4x4 Cap (UU) - 4x4 Cap (UV) - 4x4 Cap (UW) - 4x4 Cap (UX) - 4x4 Cap (UY) - 4x4 Cap (UZ) - 4x4 Cap (VA) - 4x4 Cap (VB) - 4x4 Cap (VC) - 4x4 Cap (VD) - 4x4 Cap (VE) - 4x4 Cap (VF) - 4x4 Cap (VG) - 4x4 Cap (VH) - 4x4 Cap (VI) - 4x4 Cap (VJ) - 4x4 Cap (VK) - 4x4 Cap (VL) - 4x4 Cap (VM) - 4x4 Cap (VN) - 4x4 Cap (VO) - 4x4 Cap (VP) - 4x4 Cap (VQ) - 4x4 Cap (VR) - 4x4 Cap (VS) - 4x4 Cap (VT) - 4x4 Cap (VU) - 4x4 Cap (VV) - 4x4 Cap (VW) - 4x4 Cap (VX) - 4x4 Cap (VY) - 4x4 Cap (VZ) - 4x4 Cap (WA) - 4x4 Cap (WB) - 4x4 Cap (WC) - 4x4 Cap (WD) - 4x4 Cap (WE) - 4x4 Cap (WF) - 4x4 Cap (WG) - 4x4 Cap (WH) - 4x4 Cap (WI) - 4x4 Cap (WJ) - 4x4 Cap (WK) - 4x4 Cap (WL) - 4x4 Cap (WM) - 4x4 Cap (WN) - 4x4 Cap (WO) - 4x4 Cap (WP) - 4x4 Cap (WQ) - 4x4 Cap (WR) - 4x4 Cap (WS) - 4x4 Cap (WT) - 4x4 Cap (WU) - 4x4 Cap (WV) - 4x4 Cap (WW) - 4x4 Cap (WX) - 4x4 Cap (WY) - 4x4 Cap (WZ) - 4x4 Cap (XA) - 4x4 Cap (XB) - 4x4 Cap (XC) - 4x4 Cap (XD) - 4x4 Cap (XE) - 4x4 Cap (XF) - 4x4 Cap (XG) - 4x4 Cap (XH) - 4x4 Cap (XI) - 4x4 Cap (XJ) - 4x4 Cap (XK) - 4x4 Cap (XL) - 4x4 Cap (XM) - 4x4 Cap (XN) - 4x4 Cap (XO) - 4x4 Cap (XP) - 4x4 Cap (XQ) - 4x4 Cap (XR) - 4x4 Cap (XS) - 4x4 Cap (XT) - 4x4 Cap (XU) - 4x4 Cap (XV) - 4x4 Cap (XW) - 4x4 Cap (XX) - 4x4 Cap (XY) - 4x4 Cap (XZ) - 4x4 Cap (YA) - 4x4 Cap (YB) - 4x4 Cap (YC) - 4x4 Cap (YD) - 4x4 Cap (YE) - 4x4 Cap (YF) - 4x4 Cap (YG) - 4x4 Cap (YH) - 4x4 Cap (YI) - 4x4 Cap (YJ) - 4x4 Cap (YK) - 4x4 Cap (YL) - 4x4 Cap (YM) - 4x4 Cap (YN) - 4x4 Cap (YO) - 4x4 Cap (YP) - 4x4 Cap (YQ) - 4x4 Cap (YR) - 4x4 Cap (YS) - 4x4 Cap (YT) - 4x4 Cap (YU) - 4x4 Cap (YV) - 4x4 Cap (YW) - 4x4 Cap (YX) - 4x4 Cap (YY) - 4x4 Cap (YZ) - 4x4 Cap (ZA) - 4x4 Cap (ZB) - 4x4 Cap (ZC) - 4x4 Cap (ZD) - 4x4 Cap (ZE) - 4x4 Cap (ZF) - 4x4 Cap (ZG) - 4x4 Cap (ZH) - 4x4 Cap (ZI) - 4x4 Cap (ZJ) - 4x4 Cap (ZK) - 4x4 Cap (ZL) - 4x4 Cap (ZM) - 4x4 Cap (ZN) - 4x4 Cap (ZO) - 4x4 Cap (ZP) - 4x4 Cap (ZQ) - 4x4 Cap (ZR) - 4x4 Cap (ZS) - 4x4 Cap (ZT) - 4x4 Cap (ZU) - 4x4 Cap (ZV) - 4x4 Cap (ZW) - 4x4 Cap (ZX) - 4x4 Cap (ZY) - 4x4 Cap (ZZ)



FULL-SIZE PICKUPS

The Dodge Ram lineup for 1990 includes a whole stable of D-Series two-wheel drive or W-Series 4x4 full-size pickups. On lighter-duty models, D & W 150 and value-oriented D & W 150S, there's a choice of box sizes: 2.0 m (6 1/2 ft.) or 2.4 m (8 ft.). 150 and 250 models are available in a new Club Cab version that adds two rear jump seats. Payload ratings run the gamut from a standard 720 kg (1590 lb.) on D150S to an optional 2485 kg (5475 lb.) on D350. There's get-tough power, too. A 3.9-litre EFI V6 is standard on D and W 150, 150S and 250, with a 5.2-litre EFI V8 optional. D & W 350 offers the standard 5.9-litre EFI V8. And on both 250 and 350 conventional cabs the Cummins 5.9-litre six-cylinder Turbo Diesel is available as an option.



Club Cab models are available on two-wheel drive Base Dakota and Dakota Sport, as shown here.



Spacious Club Cab interior offers optimal seating for up to six adults.

MIDSIZE DAKOTA

Dakota offers work-hard, play-hard versatility. There's two-wheel drive or 4x4. There's a 2.0 m (6.5 ft.) box or a 2.4 m (8 ft.) box that has false-floor provision for flat-loading 4' x 8' sheets. There's optional payload capability of 905 kg (2000 lb.) on 4x4, 855 kg (2550 lb.) on two-wheel drive. Club Cab models feature an optional full fold-up 60/40 split rear cushioned bench seat. Dakota two-wheel-drive Chassis Cab is available for conversion. And now there's Dakota convertible.

DAKOTA SELECTED STANDARD AND OPTIONAL FEATURES	2WD/4WD Conventional Convertible	Club
AIR CONSOLE/SEAT - 8 seat	O	O</

RAMCHARGER SELECTED STANDARD AND OPTIONAL FEATURES	4D 150/4X 150 2WD/4WD
AIR CONDITIONING	0
BRACKET - front/dual, rear (with anti-lock system)	5
BUMPERS - front and rear (light)	5
CONVERSION PROTECTANT - Exterior use of polymerized urea, urea bedliner (with/without driver (optional) anti-rusting)	5
DUPLEX RUNNING LIGHTS	5
ENGINE BLOCK HEATER	5
GLASS - front (if windows)	5
HEADLINES - Deluxe full seat cloth	5
MAJOR 85 - front, 87" (4x4)	5
Options - dual	5
PACKAGES - SELECTED LE Dealer, Trailer (See Price Information Page 144)	0
RADIOS - AM stereo (V8 only)	5
AM stereo (V8 stereo cassette)	0
ROOF VENT	1
SEATS - front bucket, (upholst., vinyl)	5
Front bucket, high-back, cloth and vinyl	0
Rear bench, (optional) (each) (with/without cargo covering)	5
WHEEL PLATES - front (each)	0
Trailer case (4WD only)	0
STEERING - Power-assist	5

5 - Standard Equipment 0 - Optional Equipment
 *Note: All options may not be compatible with this package.

RAMCHARGER SPECIFICATIONS	4D 150 2-Wheel Drive	4X 150 4-Wheel Drive
STANDARD - PENDING	405 kg	470 kg
GVWR	2140 kg	2710 kg
Optional - Payload	540 kg	900 kg
GVWR	2680 kg	3610 kg
ENGINE - Standard	5.2 L (318 CID) V8 electronic fuel injection	
Optional	5.9 L (360 CID) V8 electronic fuel injection	

MAJOR DIMENSIONS	4D 150/4X 150 2WD/4WD
Wheelbase	2670 mm / 106.0 in.
Overall - length	4540 mm / 178.6 in.
Overall - width	2020 mm / 79.5 in.
Overall - height	1770 mm / 69.7 in.



Standard equipped, two-wheel drive Ramcharger can hold up to 3447 kg (7600 lb.) of load or trailer.



A revised instrument panel includes clearly readable gauges and easy-to-reach controls for maximum driving comfort and enjoyment.



RAM 50 PICKUP SELECTED STANDARD AND OPTIONAL EQUIPMENT	Ram 50 SWB & LWB
BUMPERS - Basic, with/without (Black on Ram 50), chrome on SE	0
CONVERSION PROTECTANT - 2-year Limited Warranty	5
EXHAUST SYSTEM - Stainless steel for extended life	5
LIGHT - Cargo	0
WHEELS - Inside, marine, (chrome)	0
Outside dual black	5
TRAILER - 905 kg (2000 lb.) payload	0
SEATS - Bench, with 2 headrests, cloth and vinyl	5
STEERING - Power-assist	0
STEERING COLUMN - DR	5
WINDSHIELD WIPER/WASHER - 2-speed	5

5 - Standard Equipment 0 - Optional Equipment (if extra cost SWB - Short Wheelbase LWB - Long Wheelbase)

SPECIFICATIONS	Short Wheelbase	Long Wheelbase
Standard - Payload	kg	75405
	lb.	16672000
Standard - GVWR	kg	36502220
	lb.	43224000
Trailer Case	Power-assist disc	
Engine	2.4-litre V6-16-valve fuel injection, 4-cylinder	
Transmission - Standard	3-speed	
Optional (Automatic)	4-speed	

MAJOR DIMENSIONS	Short Wheelbase		Long Wheelbase	
Wheelbase	mm	in.	mm	in.
Wheelbase - 6-foot Box	2670	105.1	—	—
Wheelbase - 7-foot Box	—	—	2950	116.1
Overall length - 6-foot Box	4480	176.4	—	—
Overall length - 7-foot Box	—	—	4950	194.5
Overall width	2020	79.5	2020	79.5
Overall height	1740	68.5	1740	68.5

RAMCHARGER

Full-size sport utility. Two-wheel-drive or 4X4 adventure with seating for five. Standard 5.2-litre EFI V8 engine delivers solid performance on a freeway or a backwoods trail. With optional 5.9-litre EFI V8 engine, both models offer great versatility in trailer towing.

RAM 50

Ram 50 is the Dodge contender in the field of compact imports. Choose a 2670 mm (105.1 in.) wheelbase with 1.8 m (6 ft.) box or a 2950 mm (116.1 in.) wheelbase with a 2.2 m (7.25 ft.) box, the latter available with a 905 kg (2000 lb.) payload package. Or choose Ram 50 SE, with special exterior and interior features that result in a practical small truck with a decidedly luxurious side to its character.

CARAVAN C/V AND RAM VANS SELECTED STANDARD AND OPTIONAL FEATURES	CARAVAN C/V	RAM VANS
AIR CONDITIONING	O	O
BRAKES - Power-assist front disc, rear drum; Rear anti-lock system (ex. Caravan C/V)	3	5
CORROSION PROTECTION - Exterior use of galvanized steel; lower body-side surface stone chip-resistance coating (Caravan C/V)	5	5
ENGINE BLOCK HEATER	5	5
EXHAUST SYSTEM - Stainless steel for extended life	5	5
FUEL TANK - 76.1 (26.7 imp. gal.)	5	NA
81.1 (26.3 imp. gal.)	NA	5
GLASS - Fixed, all windows	3	O
HEADLAMPS - Halogen, daytime running lights	3	5
MIRRORS - Outside, dual	5	5
PACKAGES - Royal DecoRite Deco Turbo Spid (17" wheelbase) Van Cameron	O O O	NA NA O
POWER ASSIST - Liftgate release Steering, brakes	O 5 5	NA O O
RADIOS - AM stereo/FM stereo electronically tuned, digital clock	5	5
SEATS - Vinyl trim (dual optional)	5	5
SPEED CONTROL - Electronic; STEERING COLUMN - TB	O O	O O
WHEELS - 5-spoke steel/flat aluminum	O	O
WINDSHIELD WIPERS - Variable-delay intermittent	3	O
WIPER/WASHER - Liftgate glass, front/dual, intermittent	O	NA

O - Standard Equipment O - Optional Equipment X - Not Available *Some Van conversions may not be compatible with this option.

VAN SPECIFICATIONS	CARAVAN C/V		RAM VANS	
	mm	in.	mm	in.
Wheelbase - Short	2943	112.0	2780	109.6
- Long	3025	119.1	3240	127.6
Length - Short w/h	4470	175.9	4545	178.9
- Long w/h	4840	190.5	5000	196.8
- Maxi	—	—	5660	222.9
Wght	3935	77.0	2025	76.8
Payload** - Minimum	550 kg	1215 lb.	550 kg	1215 lb.
- Maximum	803 kg	1769 lb.	2007 kg	4425 lb.
C.V.W.R. - Minimum	1843 kg	4079 lb.	2270 kg	5000 lb.
- Maximum	2225 kg	4910 lb.	4290 kg	9460 lb.

**Weight by weight of occupants and additional equipment.

POWER TRAINS	CARAVAN C/V		RAM VANS	
	102" WB	119.1" WB	R150	R250 R350
Engine	2.3 L (114 cc) I-4	3.3 L (199 cc) V-6	3.9 L (231 cc) V-6	5.2 L (312 cc) V-6
Optional	2.3 L Turbo (199 cc) I-4	—	5.2 L (312 cc) V-6	5.9 L (357 cc) V-6
Optional	3.0 L (180 cc) V-6	—	5.9 L (357 cc) V-6	—
Transmission	5-Spd Manual (OD)	4-Spd Auto (OD)	5-Spd Manual (OD)	4-Spd Auto (OD)
Optional	3-Spd Auto	—	3-Spd Auto	5-Spd Auto
Optional	4-Spd Auto (OD)	—	4-Spd Auto (OD)	—



All full-size Ram Vans have standard dual-hinged doors, side and rear. Sliding side door and single-hinged rear door are options.

Compact Caravan C/V is available in both short and long wheelbase models.



VANS & C/Vs

1990 Dodge Ram

Vans. There's

cargo space from

6985 L (246.7 cu. ft.) up to 8622 L (304.5 cu. ft.). Wheelbases of 2780 mm (109.6 in.) and 3240 mm (127.6 in.). Special option packages make Dodge Vans perfect for conversions. Caravan C/V offers front-wheel drive, power steering, plus front and rear gas-charged shocks for excellent driving comfort and handling ease. Engine choices range from a 2.5-liter four-cylinder to a 3.3-liter V6.



Ram Wagon is available in two wheelbases and three body lengths.

As available 3.9-liter V6 offers power for exceptionally heavy load operation or trailer towing.



WAGONS

For size, versatility and built-in quality that translates into many long years of faithful service.

Ram Wagon is the choice. Available as regular Wagon or Maxiwagon, B250 and B350 share a 3240 mm (127.6 in.) wheelbase. Maxi is the ultimate, with optional seating packages for 8, 12, or 15 on B350. All Ram Wagons are backed by Dodge Truck's exclusive 7/115 powertrain and 7/160 corrosion protection plans*.

*See Dealer for details.

RAM WAGONS SELECTED STANDARD AND OPTIONAL FEATURES	B150, B250 B350 MAXI B350
AIR CONDITIONING (for two-rowers, max on B250 and B350 Wagon)	O
BRAKES - Power-assist front disc, rear drum, rear anti-lock system	5
CONSOLE - Front, includes compartments, cup and coin holders	O
CORROSION PROTECTION - Exterior use of galvanized steel; lower body-side surface stone chip-resistance coating	5
DOORS AND GLASS - Side dual hinged (single sliding, optional) Rear, single hinged (Dual hinged, optional)	5 5
EXHAUST SYSTEM - Stainless steel for extended life	5
FUEL TANK - 81.1 (26.3 imp. gal.) 121.1 (29 imp. gal.)	5 O
HEADLAMPS - Halogen, daytime running lights	5
MIRRORS - Outside, 5 1/2" (14" optional)	5
PACKAGES - Heavy-Duty Trailer Tow (NA B150) 18 Diesel	O O
POWER ASSIST - Steering, brakes Door locks, front and side windows, front door	5 5
RADIO - AM stereo/FM stereo electronically tuned, digital clock	5
SEATS - 5 passenger, vinyl trim Cloth upholstery on LE Diesel Package 8, 12, 15 Seating available (varies by model)	5 O O
SPEED CONTROL - Electronic; STEERING COLUMN - TB	O O
WINDSHIELD WIPERS - Variable-delay intermittent	O

O - Standard Equipment O - Optional Equipment X - Not Available *Some Van conversions may not be compatible with this model.

WAGON SPECIFICATIONS	B150 Wagon		B150/B250/B350 Wagon	
	mm	in.	mm	in.
Wheelbase	2878	113.6	3240	127.6
Overall Length	4544	178.8	5001	196.9
Overall Width	2027	79.8	2027	79.8
Payload** - Minimum	590 kg	1305 lb.	825*	1820*
- Maximum	890 kg	1960 lb.	1715*	3810*

*Maximum payload. **Payload by weight of occupants and additional equipment.

POWER TRAINS	B150		B250		B350	
	Engines	Transmissions	Engines	Transmissions	Engines	Transmissions
Standard	3.9 L (231 cc) V-6	5-Spd Manual (OD)	5.2 L (312 cc) V-6	5-Spd Manual (OD)	5.9 L (357 cc) V-6	4-Spd Auto (OD)
Optional	3.3 L (199 cc) V-6	—	5.2 L (312 cc) V-6	—	5.9 L (357 cc) V-6	—
Optional	3.0 L (180 cc) V-6	—	5.9 L (357 cc) V-6	—	—	—

(1) - 84 inches wheelbase (157) - Overall length

Specifications, descriptions and illustrative material contained herein are based on authorized information. Although specifications, descriptions and illustrations were believed to be correct at the time this publication was approved for printing, accuracy cannot be guaranteed. Chrysler Canada Ltd. reserves the right to discontinue models or options at any time or change specifications and materials, equipment or design without notice and without incurring obligation.

Some equipment may not be exactly as illustrated in this publication. Some of the illustrative material contained herein may show equipment that is not standard and is available only at extra cost. Equipment referred to as available or optional may be at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire or verification of specifications and equipment availability contained herein, see your Chrysler Canada Ltd. Dealer.

Some of the items shown on vehicles in this publication may be available only through retail organizations and establishments not connected with Chrysler Canada Ltd. Availability, price, quality and durability of these items rests solely with the respective manufacturers and their sales organizations, and Chrysler Canada Ltd. assumes no responsibility for their availability or their use.

WARRANTY COVERAGE THAT SPELLS CONFIDENCE

On Chrysler Canada's North-American-built cars, family wagons, trucks, and vans, upon expiration of the 12-month or 20,000-kilometre Basic Warranty, the Powertrain Warranty extends coverage up to 7 years or 150,000 kilometres* (7 years or 360,000 kilometres for truck diesel engines). The Corrosion Warranty covers body sheet metal against rust through for 3 years (regardless of distance driven) and outer body panels are covered up to 7 years or 300,000 kilometres. See your Dealer for full details.

On Chrysler Canada's Colt 100, 200 and Ram 50 pickup models upon expiration of the 3-year or 60,000-kilometre Basic Warranty, powertrain coverage continues up to 3 years or 80,000 kilometres. At the same time, the Corrosion Warranty covers body sheet metal against rust through for 3 years (regardless of distance driven); the Corrosion Warranty also covers outer body panels against rust through for 5 years (regardless of distance driven), on Colt 100 and Ram 50 and for 7 years or 360,000 kilometres on Colt 200. See your Dealer for full details. *A deductible essay applies.

LEASING — Any Chrysler, Dodge or Plymouth car or Dodge truck can be leased from your local Chrysler Dealer — The Leasing Professional.




Proud sponsor
of the
National
Hockey League



Physically
Challenged
Assistance
Program

©2004 CPTV

PRINTED IN CANADA

CHRYSLER CANADA 
Changing the landscape.