

SUPRA-CLASS EXCITEMENT

Ahead, the road climbs and winds to challenge the best Supra has Supra was born for this, so get ready for high-reving, quick-shifting exhilaration. Supra has more of the right stuff than ever.
For 1985 Supras 28 liter 6-cylinder elec-

tronically fuel-injected Twin Cam engine is more powerful than ever before with 161 horsepower and 169 foot-pounds of torque over a broad power band that gives willing response at either extreme of the tachometer's scale.

Supra's race-proven drivetrain includes a close-ratio 5-speed overdrive transmission with a limited-slip differential, fully inde-pendent suspension on all four wheels, gas-filled shock absorbers and power-assisted ventilated 4-wheel disc brakes.

There's variable assist power rack-and-pinion steering. Ultra-wide low profile 225/60/HR/4 radial tires on 14" X" alumi-num styled alloy wheels provide a foot-print large enough to handle every bit of Supra's exciting road-hugging potential.

Modern aerodynamic styling gives Supra a drag coefficient of only 348. With its wind-cheating design, flush surfaces, concealed headlights, front air dam, and new integrated sunshade and spoiler for the rear deck. Supras aerodynamic shape

slips through the wind with ease. All the details add up to excitement. High performance race-proven drivetrain, and sleek styling make Supra the most exhilarating example of what a true high-excitement GT can be.



HIGH-PERFORMANCE INTERIOR

Sit in Supras Interior and experience the perfect match of man to machine. The interior aloust positions the driver for quick access to every control, and gives super by tishility and comfort. Only a glance is required to read Supras full instrumentation. There's a 130 mph speedometer and 8000 rpm.

electric tachometer positioned directly in front of the driver.
With the filt steering wheel and 8-way adjustable driver's Sport Seat, you can select just the driving position and support you want. The driver's Sport Seat includes: reclining seatback adjustments, fore/aft adjustment, 2-way headrest, bottom

cushion height, side bolster width, thigh support, and unique 3-pillow lumbar support adjustments. On long trips, you can change the lumbar support to refresh your driving position and help prevent fatigue. Supras Sport Seats are linished in an attractive cloth or available soft, full-grain leather upholstery.

Supras automatic temperature control air conditioning maintains precise interior temperature. Or, you can lower the power windows and retract the optional power sunroof for sporty fresh-air motoring. Enjoy Supras electronic AM/EM/MPX stereo turne with five speakers. cassette, and 9-band graphic equalizer.

As you enter or leave at night, an automatic illuminated entry/lade-out system keeps the interior lights illuminated for a short time after the door is closed. An electronically controlled automatic-off system turns the headlights off whenever the ignition switch is turned off and the drivers door is opened.

For 1985, Supra is protected by a new Theft Deterrent System that helps secure the car and its contents.

Sitting in Supra, you know you're in a driver's environment, commanding a true high-performance GT.

Shown with optional equipment. See Features chart for details.



WORLD-CLASS TECHNOLOGY

Careful attention to small details and caretii attention to small octails and traditional Toyota craftsmanship make Supra's superior design truly outstanding. For instance, Supra's sleek aerodynamic styling, with the low drag coefficient of 348, is the result of attention to details measured in fractions of an inch.

Wherever you look you'll find design details that give Supra that extra margin of excellence and performance. The chassis has 4-wheel independent suspension with gas-filled shock absorbers, power-assisted ventilated 4-wheel disc brakes.

steering. Supra's 2.8 liter 6-cylinder Twin Cam engine with Electronic Fuel Injection provides outstanding performance The engines broad power band is perfectly mated to a 5-speed overdrive transmission. or you can choose an efficient Electronically Controlled 4-speed automatic overdrive

transmission with shift pattern selector and lock-up torque converter. There's even a convenient overdrive lock-out at the touch of a button.

Supra's interior is designed for max-imum comfort just as its powertrain is designed for maximum performance. The

8-way adjustable drivers Sport Seat and the tilt wheel adjust to the position most comfortable for your kind of driving The Cruise Control. headlight, turn indicator, and wiper controls are conveniently located on the column, while the power window and door lock and remote side

mirror controls are positioned near the

driver for easy access.

All of Supra's details add up to a high-performance Grand Touring car with driving excitement and Toyota quality. Shown with optional equipment. See Features chart for details











Supras 2.8 liter Twin Cam engine with Electronic Fuel Injection develops more power than ever: 161 hp at 5200 rpm and 169 ft-lbs of torque at 4500 rpm.

COGGED CAMSHAFT DRIVEBELT

BALANCED PERFORMANCE True Grand Touring cars like Supra are a careful balance of performance and durability. Supra's magnificent Twin Cam power is mated to a
carefully designed suspension.





FRGONOMIC DETAILS Controls for the headlights, wiper/washer system, and heated remote controlled outside mirrors are carefully placed for easy access near the driver.







HITECHNOLOGY ENVIRONMENT

Supra has an electronic AM/FM/MPX stereo tuner with cassette and 9-band graphic equalizer. tuner win cassette and 3-bana graphic equation.

Its five speakers surround you with sound. Supra's automatic temperature control air conditioning also surrounds you with the temperature you want, regardless of the outside weather conditions.

Supra's 8-way adjustable driver's Sport Seat and till steering wheel adjust to your preferred driving position. Variable assist power rackand-pinion steering helps make driving effortless.

TILT STEERING WHEEL

CUSTOM SEATING

"L" IS FOR LUXURY

The Supra L-Type is a satisfying blend of high performance and luxury. The L-Types performance springs from its race-bred electronically fuel-hipected 28 liter 6-cylinder Twin Gam engine. The engine is teamed with an innovative Electronically Controlled 4-speed automatic

overdrive transmission with shift pattern selector and lock-up torque converter. The interior of the 17bye is a study in elegance, with comfortable, richly textured adjustable folds bucket seats and deep cut-pile carpeting. There are fold-down split rear seatbacks for additional cargo

capacity, and a retractable cover. Luxury features are standard on the LiType, including dual power remote controlled heated outside mirrors, power windows and door locks, and an electronic AM/FM/MPX stereo tuner with 5 speakers, cassette, and 9-band graphic equalizer. Suprais

automatic temperature control air condi-tioning maintains the selected temperature regardless of the weather. The LiType is available in a handsome two-tone paint combination and can be equipped with an Electronic Display Instrument Panel which combines an ana-

log tachometer with digital speedometer, fuel level, and coolant temperature gauges. There's also an electronic Trip Computer which shows average fuel economy, estimated arrival time, the distance remaining to your destination, and more. The excitement of high-performance

driving combined with the elegance of Grand Touring are reserved for a special few. Supra L-Type offers those pleasures combined with traditional Toyota crafts-

Shown with optional equipment. See Features chart for details.



GET THE SUPRA FEELING!

BUCKLE UP., IT'S A GOOD FEELING!

Safety experts say, "Buckle up!" Here's why:

• Properly adjusted seat belts can help the

driver maintain better control. Studies show that generally the safest place in a collision is inside your vehicle. Seat belts can help keep you there.

 Small children can be injured during quick turns or sudden stops; they should be provided with a child restraint system dynamically tested to meet federal standards. Select a restraint system carefully.

The seat belts in the 1985 Toyota Supras are designed to meet or exceed all gov-



ernment requirements, and are also engineered for simple operation and maximum comfort.

Familiarize yourself with the oper-ation of your Toyota's seat belts, and remember: for peace of mind, buckle up...it's a good feeling!

Toyota stands for quality cars, parts, and service. That's why, in an independent owner survey! covering 25 major import and domestic one-year-old cars sold in America. Toyota owners reported less service and repairs needed, giving a higher level of satisfaction than any make except Mercedes-Benz. Every Toyota is tested and inspected at every stage of manu-facture and is covered by Toyota's 2-year/ 24000-mile limited powertrain warranty. And every Toyota owner can call on expert service and genuine Toyota and

Toyota-approved parts at nearly 1100 dealers nationwide. You can count on Toyota dealers to help you keep that Toyota feeling.

+Source: J. D. Power & Associates Customer Satisfaction Survey. 1983. ++See your Toyota dealer for details.



S—Standard, O—Optional —Not Available MECHANICAL	Supra	L-Type
2.8 liter 6-cylinder Twin Cam engine	S	8
Electronic Fuel Injection	S	S
Fully transistorized ignition	S	S
	S	
Decronically Controlled 4-speed automatic overdrive transmission with shift pattern selector and lock-up torque converter		
and lock-up torque converter	0	S
Variable assist power rack-and-pinion steering	S	S
MacPherson strut front suspension with gas-filled shock absorbers	S	S
Independent rear suspension	S	S
Limited-slip differential	5	
Power-assisted brakes (ventilated 4-wheel disc)	S	
EXTERIOR	No. of the last	
I4" x 7" aluminum altoy wheels	S	
15" x 6" aluminum alloy wheels	DOM:	S
	S	
205/60RI5 RBL steel-belted radial tires		S
Full-size spare tire with aluminum alloy wheel	\$	5
Retractable tungsten halogen headlights with halogen foglights	S	
Headlight washers	S	
Color-keyed front air dam	S	
Dual integrated sail-mounted power remote controlled mirrors with electric defogger.	SI	
Fender flares	5	
Wide protective side moldings	S	S
Front and rear mud guards	S	S
Theft Deterrent System	S	S
Power sunroof	0	
Integrated rear spoiler and sunshade	S	
Rear window wiper/washer with intermittent control and electric rear window defogger	S	S
Two-tone paint:	0	
INTERIOR		
Tachometer, voltmeter 2 oil pressure 2 and coolant temperature gauges	'S	S
Resettable tripmeter	S	5
Electronic Display Instrument Panel –includes digital speedometer, graphic electronic tachometer, fuel and temperature level indicators and Trip Computer		0
Cruise Control	S	S
2-spoke leather-wrapped tilt steering wheel	S	S
2-spoke leather wrapped dit steering whiel Steering column-mounted headlight, headlight flasher/washer, windshield wiper/washer and rurn signal controls	5	SI
Automatic-off headlight system	S	S
Ignition switch door interlock system	S	S
Adjustable Intermittent vented anti-lift windshield wipers	S	
Automatic illuminated entry/fade-out system	S	S
Power-boosted Flo-thru ventilation system	S	S
Automatic temperature control air conditioning	5	5
Tinted glass with upper shaded windshield band	5	5
Digital quartz clock	5	S
Full center console with padded armrest and extendable maplight	S	5
Remote rear hatch and fuel fifler door releases	5	S
Power windows and power door locks	5	S
Reclining front bucket seats	S	S
Sport Seats with drivers side 8-way adjustment including pneumatic lumbar support	5	-
Sport cloth seat trim	5	-
Leather seat trim	0	
Velour cloth seats with driver's seat adjustable height, thigh support and lumbar support	5	S
Cut-pile curpeting		S
Luxury carpeted floor mats	0	
Electronic AM/FM/MPX stereo tuner with 5 speakers, cassette, 9-band graphic equalizer, and automatic power afterma. With wide view passenger-side convex mirror. *Not available with Electronic Display Instrument P Without beadinght washers.	S	S

S S S S S S S S S S S S S S S S S S S	ENGINE TYPE ONSPIACEMENT ONSPIACEMENT ON O	6-cylinder Twin Cam EF 28 liters 1279 cc) 161 & 2000 pm 169 R-bs & 6500 pm Unitized body MacPherson strut with absorbers and stabilize Independent rear suspe absorbers and stabilizer			
S S S S S S S S S S S S S S S S S S S	BODY/FRAME CONSTRUCTION SUSPENSION FRONT SUSPENSION REAR	Unitized body			
S S S S S S S S S S S S S S S S S S S	BODY/FRAME CONSTRUCTION SUSPENSION FRONT SUSPENSION REAR	Unitized body			
S S S S S S S S S S S S S S S S S S S	BODY/FRAME CONSTRUCTION SUSPENSION FRONT SUSPENSION REAR	Unitized body			
S S S S S S S S S S S S S S S S S S S	BODY/FRAME CONSTRUCTION SUSPENSION FRONT SUSPENSION REAR	Unitized body			
S S S S S S S S S S S S S S S S S S S	SUSPENSION FRONT SUSPENSION REAR		one coastal coil springs gas filled short		
S S S S S S S S S S S S S S S S S S S	SUSPENSION REAR	absorbers and stabilizer Independent rear suspe			
S S S S S S S S S S S S S S S S S S S		Independent rear suspe	bar		
S	TTEEDING	absorbers and stabilizer	hsion with coil springs, gas-filled shock har		
S S S S S S S S S S S S S S S S S S S		Variable assist power ra			
S	BRAKES	Power-assisted (ventilated 4-wheel disc)			
S S S S S S S S S S S S S S S S S S S					
S S S S S S S S S S S S S S S S S S S			Supra		
S S S S S S S S S S S S S S S S S S S		Supra	Supra LType		
S S S S S S S S S S S S S S S S S S S	EXTERIOR DIMENSIONS (inches)	102.9	102.9		
S	Vinceouse Overall length Overall width Overall beight Tread width (front)	183.5	183.5		
S	Overall width Overall height	67.7 52.0 57.9	66.3 52.0		
- H S S S L S O S	read width (front) (rear)	57.9 56.7	56.9 55.7		
S F S L S	NTERIOR DIMENSIONS (inches)	20.7	55.7		
S L S	lead room (front)	37.4	37.4		
0 s	eg room (front)	37.4 35.5 43.0	37.4 35.5 43.0		
5-33 M	(rear)	25.4	25.4 53.3		
Park State	Shoulder room (front) (rear)	53.3 52.1	53.3 52.1		
SILC	APACITIES		120		
0 0	Cargo area, rear seat down (cu. ft.) Guel tank capacity (gallons)	21.0 16.1	21.0 16.1		
5 0	CURB WEIGHT (lbs)	2976	N.A.		
5 6	speed overdrive transmission Electronically Controlled 4-speed				
0	automatic overdrive transmission	3016	3016		
S T	TIRES Type	Steel-belted	Steel-belted		
S		radial raised-black-letter	radial raised-black-letter		
S) S	Size	raised-black-letter 225/60HRI4	raised-black-letter 205/60RIS		
	EXTERIOR COLORS (INTERIOR COLORS)	THE RESERVE THE PARTY OF THE PA			
S		Metallic CI	ear Coat		
5 5	colid	Solid Comes Chan (Plank)	Optional Two-Tone		
5 5	super White (Blue Dark Maroon) super Deep Red (Black Dark Maroon) sloss Black (Black)	Super Silver (Black) Maroon (Dark Maroon) Light Blue (Blue)	Dark Blue/Super Silver (Blue)		
	ikoss Black (Black)	Light Blue (Blue) Dark Blue (Blue)			
5		CONTRACTOR (SAUC)			
S					
S					
S					
S					
-					
-					
S					
S					
S S S	ANot Applicable. 'Not all colors available				