







# Fairmont: New frontiers of luxury.

Fairmont has a style all its own. Something special that sets it apart from any other car in its class.

For example, new Fairmont's boldly restyled

exterior is highlighted and complemented by tasteful bright steel ornamentation on window frames and sills, on the wheel arches and along the lower body panels. Distinctive Fairmont script adds to the style.

But inside is where Fairmont's elegance really begins. With exclusive, highbacked deeply cushioned

seating comfort, that sets the tone of its gracious interior. Seats that are fully reclining. Luxurious deep pile carpet underfoot. And thoughtful little extras like reading lights in the rear compartment and lights in the glove box and boot.

Fairmont Standard Equipment:

\* High performance 250 CID, 155 horsepower 'six' \* Select-Shift—3 speed Cruisomatic transmission \* Turbo-cooled front power disc brakes \* 6.95L14 Tyres \* High-back, contoured and reclining front seats with foldaway centre armrest \* Deeply contoured rear seats with foldaway centre armrest \* Luxury quality vinyl seat trim \* Car and body sensitive front inertia reel seat belts \* Pully carpeted

passenger compartment • Roof insulation and sound deadening materials all round • Wrap-round padded cockpit type instrument panel with rocker switch controls • Blendaire heater and demister with 2-speed fan • 2-speed windscreen wipers with push button washer control • Steering and ignition lock • Steering column stalk control incorporating turn indicator, lane change, Hi-Lo beam, Headlight Hasher and Hornbutton • Padded doorpull armrests front and rear • Lockable and illuminated glove box • Interior courteys lights and special reading lights in rear compartment • Reversing lights and luggage compartment light • Dual horns • Cigar lighter • Styled wheelcovers • Prismatic day-night rear view mirror. All Ford Lifeguard design safety features listed in page 16. A full list of Options is also featured on pages 13, 14 and 15.

Fairmont interior in luxury vinyl saddle trim with optional sports console, T-Bar automatic, radio and airconditioning.











Falcon has always been a driver's car—always given that feeling behind the wheel that imparts confidence—instinctively tells you this car will handle predictably—feel solid and steady under all road conditions.

New Falcon has been further refined in every department to make this the finest road car yet. Important refinements like standard front disc brakes with heavy duty brake pads sweeping a big 11-25 inch turbo-cooled disc. Like 'force variation' specifications for all tyres that eliminate vibration through the steering and increase

tyre performance. Like the redesigned energy absorbing steering column, known as 'friction disc' an exclusive Falcon feature and important safety device. Like refined engine components such as more durable nylon valve stem seals, improved hydraulic tappets and crankshaft torsional control dampers. A new 4 speed manual transmission with ratios ideally matched to engine torque characteristics. There is only one way to experience new Falcon's unique 'road car' feel and that's to get behind the wheel and drive it yourself.

We invite you to test drive New Falcon.
The great Australian Road Car.

OPTIONAL EQUIPMENT	FALCON 500	FUTURA	AIRMONT	FALCON GT	
--------------------	---------------	--------	---------	--------------	--

# LUXURY EQUIPMENT

Power windows — front and rear (a)	NA	0	0	0
Tinted side and rear windows	0	0	0	0
Quarter-vent front windows	0	0	0	0
Variable ratio power steering	0	0	0	0
Sun roof	0	0	0	0
Combined Radio/Stereo Cassette tape player	0	0	0	0
SelectAire integrated air-conditioning (b)	0	0	0	0
Nylon-weave seat-trim inserts (bucket seats only)	0	0	0	0
Deep-pile carpeting (c)	0	Std	Std	Std
Reclining front bucket seats with seat belt 'stalks'  — with foldaway centre armrest  — with sports console armrest. (d)	00	00	Std	NA Std
11-transistor push-button radio	0	0	0	0
7-transistor manual radio	0	0	0	0
Electric clock	0	0	0	Std
Electrically heated rear window demister	0	0	0	0

## PERFORMANCE EQUIPMENT

4 wheel Power Disc Brakes (351 V8 only)	0	0	0	Std
Power Disc Brakes (front)	0	Std	Std	NA
Magtype sports road wheels	0	0	0	0
Lowered competition-type suspension (e)	0	0	0	Std
Limited-slip differential (Mandatory with 351 V8)	0	0	0	Std
Long range fuel tank	0	0	0	0
Dual exhaust system (f)	0	0	0	Std
Outback Package: Comprising Hi-ride suspension, heavy-duty shock absorbers, engine stone guard, fuel tank guard, heavy duty air cleaner		0	0	0
Taxi Kit and Taxi Radio Kit	0	0	NA	NA
Heavy-duty battery	0	0	0	Std
Driving lights (incorporated in grille)	0	0	0	Std

#### EXTERIOR/APPEARANCE ITEMS

Grand Sport rally pack	0	0	0	NA
Special protection group, comprising: front and rear bumper over-riders with black rubber inserts, full- length body-side mouldings with black vinyl inserts	0	0	0	0
Vinyl covered roof	0	0	0	0
Colour-keyed two-tone bonnet	NA	NA	NA	0
Styled full wheelcovers	0	Std	Std	NA
Exterior rear-view styled mirror (pass. side)	0	0	0	0
Remote control styled mirror (driver's side)	0	0	0	Std
Tutone paint (white roof)	0	0	0	0
Laminated and graduated-tint windscreen	0	0	0	0

Notes: (a) Power windows evaluates only with ventiess glass. (b) Air-conditioning available only with 280 C.D ft and 1/8 glass. (c) Carpeting must be fitted with optional bucket seats. (d) Sports console must be fitted. (c) Sports console must be fitted of the seath of the seat

### **ENGINE SPECIFICATIONS**

200 CID	250 CID	302 CID	351 CID	GT
Six	Six	V8	V8	V8
Single	Single	2	2	4
Barrel	Barrel	Barrel	Barrel	Barrel
200	250	302	351	351
3280	4100	4950	5750	5750
3.68" x	3.68" x	4.0" x	4.0" x	4.0" x
3.13"	3.91"	3.0"	3.5"	3.5"
8.8:1	9.1:1	9.4:1	9.1:1	9.1:1
130	155	240	260	300
4600	4000	5000	4600	5400
190	240	305	355	380
2000	1600	2600	2600	3400
	Six Single Barrel  200 3280 3.68" x 3.13" 8.8:1 130 4600 190	Six         Six           Single Barrel         Single Barrel           200         250           3280         4100           3.68" x         3.68" x           3.13"         3.91"           8.8:1         9.1:1           130         450           400         400           190         240	Six   Six   V8	Six   Six   V8   V8

POWER TRAIN COMBINATIONS	FALCON 500	FUTURA	FAIRMONT	GT
200 CID, 130-horsepower Six with: All-synchro, 3-speed manual (column)	Std	NA	NA	NA
SelectShift Cruisomatic 3-speed (column)	0	NA	NA	NA
250 CID, 155-horsepower Six with: All-synchro, 3-speed manual (column)	0	Std	O/R	NA
All-synchro, 4-on-the-floor manual	0	0	O/R	NA
SelectShift Cruisomatic 3-speed (column)	0	0	Std	NA
SelectShift Cruisomatic 3-speed (T-Bar)	0	0	0	NA
302 CID, 240-horsepower V8 with: All-synchro, 3-speed manual (column)	0	0	0	NA
All-synchro, 4-on-the-floor manual	0	0	0	NA
SelectShift Cruisomatic 3-speed (column)	0	0	0	NA
SelectShift Cruisomatic 3-speed (T-Bar)	0	0	0	NA
351 CID, 260-hp, 2-barrel V8 with: All-synchro, 4-on-the-floor manual	0	0	0	NA
SelectShift Cruisomatic 3-speed (column)	0	0	0	NA
SelectShift Cruisomatic 3-speed (T-Bar)	0	0	0	NA
High-Performance 351 CID, 300-hp, 4-barrel V8 with: All-synchro, 4-on-the-floor manual	NA	NA	NA	Std
SelectShift Cruisomatic 3-speed (T-Bar)	NA	NA	NA	0
Ociocionini Ordisoniatic o-speed (1-bai)	IVA	INM	INA	U

### WHEELS AND TYRES

Extra-low-profile: 6.95L14, BSW, 5JJ wheels	Std	Std	Std	NA
7.35L14, BSW, 6JJ wheels	0	0	0	NA
7.35S14, WSW, 6JJ wheels	0	0	0	NA
Radial-Ply 185SR14, BSW, 6JJ wheels	0	0	0	NA
Special ER70H1, wide-oval, 6JJ wheels	0	0	0	Std

Code for charts: 'Std' means standard equipment. 'O' means optional at extra cost. 'NA' means not available. 'O/R' means optional at reduced cost.





#### SAFETY FEATURES:

Ford, the industry's safety pioneer. makes cars as strong and safe as possible-to protect you. The results of this policy are reflected in the following list of Ford Lifequard Safety Features. They are standard on every model Falcon. They are built-in to (a) reduce the likelihood of an accident occurring and (b) reduce the likelihood of personal injury in case of an accident.

· car and body-sensitive Inertia Reel front seat belts standard . front disc brakes standard . high-backed front seats · deeply-recessed, padded instrument panel \* rocker-switch type controls \* windshield-mounted, breakaway, anti-glare interior rear-view mirror • 'Blendaire' heater/demister (2-speed) \* collapsible steering column · impact-absorbing steering wheel with full-width padded hub . controlled collapsible front end . padded sun-visors · padded door-pull armrests · doublegrip safety door locks . recessed interior door handles \* 2-speed electric windscreen wipers . non-lift, non-reflective wiper blades \* push-button electric windscreen washers . thick safety-plate glass windscreen with 'zone-toughened' area in front of driver, and safety-glass all other windows . seat belt warning light . dual hydraulic brake system with warning light \* exterior rear-vision styled mirror \* safety-rim wheels \* highintensity headlights • reversing lights

- · wrap-around front and rear turn lights
- flush-mounted exterior door handles
- · seat belts: 2 lap-sash, 1 lap (front) on full-width seat models; 2 lap-sash (front) on bucket seat models; 2 lap-sash, 1 lap (rear) on all models.

#### SPECIFICATIONS:

Clutch (Manual Transmission): Diaphragm spring type, single cushion disc dry plate, hydraulically operated. 200 CID and 250 CID 6-cylinder engines -diam. 9.50", friction area 78 sq. ins. 302 CID V8 engine-diam, 10.0", friction area 83.5 sq. ins. 351 CID 2V and 4V: Twin plate diaphragm spring type. Dry plate, hydraulically operated, diam. 9.5", friction area 170.4 sq. ins.

Manual Transmission: Column shift: 3 forward speeds all-synchro-1 reverse. Ratios: 6-cylinder: 1st-2.95; 2nd-1.69; 3rd-1.00; reverse-3.67. 8-cylinder: 1st-2.71; 2nd-1.69; 3rd-1.00; reverse-3.37. Four-On-The-Floor Manual: 351 4V: Allsynchro, Ratios: 1st-2.78: 2nd-1.93: 3rd-1.36; 4th-1.00; reverse-2.78, 200 and 250 CID 'sixes', 302 CID V8 and 351 CID 2V V8-Ratios: 1st-2.82: 2nd-1.84: 3rd-1.32; 4th-1.00; reverse-2.56. Automatic Transmission: 200 CID and 250 CID 6 cylinder engine with Cruisomatic. Ratios: 1st-2.39: 2nd-1.45: 3rd-1.00; reverse-2.09, 302 CID V8 and 351 CID V8. Ratios: 1st-2.46; 2nd-1.46; 3rd-1.00; reverse-2.20. 351 CID GT V8. Ratios: 1st-2.40: 2nd-1.47: 3rd-1.00:

reverse-2.00 Rear Axle: Ratios (to 1): 200 CID 6cylinder engine (manual/automatic) 3.23. 250 CID 6-cylinder engine (3 speed manual) 3.23; (automatic) 2.92, (4 speed manual) 2.92, 302 CID V8 (manual/ automatic) 2.92, 351 CID V8 (manual) 3.00; (automatic) 2.75. GT V8 (manual) 3.00; (automatic) 2.75.

Front Suspension: Angle-poised balljoint type. Heavy duty coil springs with

hydraulic shock absorbers. Torsion bar ride stabilizer.

Rear Suspension: Semi-elliptic asymmetrical, longitudinally-mounted leaf springs. Diagonally mounted hydraulic shock absorbers. Rubber bushed shackles.

Steering: Recirculating ball type. Steering gear ratio – 20:1. GT fast ratio – 16:1.
Optional power steering – variable ratio 17.5:1-11.5:1 at lock, Steering wheel-16" diam. Turning circle 39.4 ft.

Brakes: Dual Line system with inbuilt warning light on instrument panel. Self-adjusting hydraulic, 10" x 1.75" rear drums. Floating caliper-type power disc front brakes, turbo-cooled and ventilated, 11.25" diam. (non-power Falcon 500). GT rear brakes are power discs.

Weights: Approximate kerb weight with 200 CID engine, manual transmissionfrom 3047 lbs. Add 29 lb. for Cruisomatic. Fuel Tank Capacity: 17.5 gals.

Dimensions: Overall length-189.3",

overall width-74.8", overall height-53.9", wheelbase-111". Track: front-60.5", rear-60". Ground clearance-5.4", Warranty: Ford\* warrants with respect to each new passenger or light commercial vehicle sold by Ford that for a period of 12 months or 12,000 miles (whichever first occurs) from the date of original retail sale Ford will repair or replace free of charge any part of such vehicle (except tyres) found to be defective in factory materials or workmanship under normal use and operation

within Australia PROVIDED THAT:

- (i) the vehicle has been properly used. operated, maintained and cared for. and.
- (ii) the repair or replacement is carried out by an authorised Ford Dealer.

\* "Ford" means Ford Sales Company of Australia Limited. Illustrations and information presented were correct when approved for printing. Ford Month Company of Australia Limited and/or Ford Sales Company of Australia Limited and/or Ford Sales Company of Australia Limited and/or Ford Sales Company of Australia Limited reserves the right to discontinue or change at any time. specifications or design without incruring obligations, ceat. Some options are required in combination with other options. Always consult your Ford Dealer for the latest, most complete information on models, features, prices and availability.

FORD SALES COMPANY OF AUSTRALIA LIMITED. 1735 Sydney Rd, Campbellfield.