1988 FORD

Police Vehicles



- LTD Crown Victoria Police Package
 - Mustang Special Service Package

1988 FORD LTD CROWN VICTORIA POLICE PACKAGE

The 1988 LTD Crown Victoria provides the foundation for a rugged, full-size police vehicle. The Police Package is available on any 4-door sedan, including the fleet-oriented LTD Crown Victoria S, and fea ful 5.0L (302-CID) V-8 engine with sequential multiple-p fuel injection as standard equipment. A 5.8L (351-CID) FV-8 engine, with variable-venturi carburetion, is an avaor standard features with additional Police Package e

MAJOR STANDARD FEATURES

· Air conditioning, manual

5.

• Alert lights, low fuel and oil level (deleted on LX)

- Autolamp system
- Bumper rub strips, front and rear
- Glass, tinted
- Halogen headlamps, quad rectangular
- Mirrors, dual remote ontrol, manual (electric on LX)
- Parking brake relea. automatic
- Radio, electronic AM with dual front speakers (S model)
- Radio, electronic AM/FM stereo search with four speakers (std. on Crown Victoria and LX)
- Sound insulation package, luxury (not available on S)
- Windshield wipers, interval

1988 FORD LTD CROWN VICTORIA POLICE PACKAGE

POLICE PACKAGE FEATURES

- Alternator: 5.0L SEFI V-8: 65-amp.; 5.8L VV HO V-8: 100-amp.
- Axle ratio: 5.0L SEFI V-8: 3.08:1, 5.8L VV HO V-8: 2.73:1
- Battery: 72 amp.-hr. (650 C.C.A.) maintenance-free with heat shield—130 minute reserve capacity
- Brakes, heavy-duty power: Front disc/rear drum. Includes semimetallic heavy-duty front disc pads⁽²⁾, metal disc brake dust shields, organic rear linings, and flared and grooved rear drums for maximum cooling
- · Cooling package: Police-level with viscous 5-blade fan
- Decklid release: Remote-control electric (located in glove box)
- Exhaust heat protection—police level
- Exhaust system, dual
- Frame, heavy-duty
- · Hubcaps, bright
- Insulation, underhood deleted
- Map light, dual-beam
- Power steering oil cooler, forward-mounted
- · Restrictor, heater hose inlet
- Seats: Heavy-duty split bench (non-reclining). (LX reclining)
- Speedometer: 0-135 MPH, in 2 MPH increments
- Suspension, police: Includes heavy-duty high-rate front and rear springs, extra-control 1%-inch hydraulic shock absorbers, heavy-duty front and rear police stabilizer bars, unique lower and upper control arm bushings
- Tires: P225/70R15 BSW "speed-rated" steel-belted with conventional spare tire
- Transmission, automatic overdrive, with first gear lockout feature to prevent holding vehicles in first gear
- Transmission oil cooler, auxiliary: External, front-mounted
- Voltage regulator, police special transistorized
- Wheels: Heavy-duty 15" x 6.5"
- (1) The 5.8L VV HO Package requires dealers to register with the Internal Revenue Service and provide that use is for law enforcement (for exemption from Gas-Guzzler Tax).
- (2) Material meets MSP (Michigan State Police), LASD (Los Angeles Sheriff Department) and LAPD (Los Angeles Police Department) certification requirements by providing superior fade resistance.

OPTIONS AND ACCESSORIES

In addition to the Police Package equipment, an extensive list of optional equipment and accessories is available to further tailor the LTD Crown Victoria to the specific needs of various law enforcement agencies.

REGULAR PRODUCTION OPTIONS

- Axle, Traction-Lok
- Axle ratio: 5.0L SEFI V-8: 3.27:1
- · Bumper guards, front and rear
- Clock, electronic digital (standard on Crown Victoria and LX models)
- Defroster, rear window (required in New York state)
- · Floor mats, front and rear, color-keyed carpet
- Illuminated entry system (NA with single key locking)
- Immersion heater, engine block (600 watts)
- Lamps, cornering
- Light Group-includes headlamps-on reminder chime, dual instrument panel courtesy lights and engine compartment light (standard on LX)
- · Locks, power door
- Moldings, vinyl insert bodyside—standard except S models
- Radio, electronic AM/FM stereo search
- Radio credit option
- Radio, electronic AM/FM stereo search with cassette player
- Seat, power 6-way driver's
- Speed control
- Steering wheel, leather-wrapped
- Steering wheel, tilt
- Vent windows, pivoting front
- Wheel covers, locking custom (wire-style)
- Windows, power–lockout switch included so that only the driver can operate the windows (standard on LX)–includes dual electric remotecontrol mirrors
- Windshield, Insta-Clear® (not available with 5.8L HO engine)

LIMITED PRODUCTION OPTIONS

- Air conditioning delete (available with 5.8L HO Package only)
- Alternator, 100-amp. (standard on 5.8L HO Packages)
- First-gear lockout delete
- Floor covering, heavy-duty (black rubber mats replace standarpeting)
- Seat, flight bench, non-reclining (NA on LX)
- Wheel covers, deluxe

DOMESTIC SPECIAL ORDERS

- Battery, 84 amp.-hr. (850 C.C.A.) (maintenance-free)–165 minute reserve capacity
- Bonding strap package, police radio
- Gauges, ammeter/oil pressure/water temperature (mounted in RH instrument panel applique)
- · Hose clamps, aircraft-type radiator and heater
- · Hoses, silicone
- · Light switches, inoperative door courtesy
- Locking system, single key (all vehicles keyed alike)
- Map light, adjustable (header-mounted)
- · Map light, header-mounted
- Right-rear door and window handles, inoperative (NA with power windows)
- · Roof reinforcements for police signal equipment
- Seats, individual (40/40)
- Spotlight (left-hand and right-hand), pillar-mounted (6" clear halogen)
- Tires-P225/70R15 WSW "speed-rated" steel radial
- –P225/75R15 BSW/WSW all-season "speed-rated" radials
- VASCAR speedometer cable (2-piece)
- Wiring conduit, radio (1½-inch dia.)
- Wiring, roof lamp—4 or 8, 12 gauge
- DEALER-INSTALLED ACCESSORIES

 Consult dealer

DIMENSIONS AND CAPACITIES*

DIMENSIONS AND CAPACITIES	
General Wheelbase Overall Length Overall Height Overall Width Ground Clearance (min.) Tread—Front —Rear Curb Weight (lbs.)	211.0 55.5 77.5 5.2 62.2 62.0
Front Compartment Head Room	37.9
Rear Compartment Head Room Shoulder Room Hip Room Leg Room—Minimum.	37.2 61.6 56.9
1 1 1 1	22.6

^{*}Dimensions in inches unless otherwise specified

POWER TEAM DATA

	DISPLACEMENT	HORSE-	TORQUE	EPA FUEL ECONOMY	
ENGINE	(CU.IN.)	POWER	(FT. LBS.)	City	
5.0L SEFI V-8	302	160@ 3400 rpm	280@ 2200 rpm	17	24
5.8L HO VV V-8	351	180@ 3600 rpm	285@ 2400 rpm	NA	NA

1988 MUSTANG SPECIAL SERVICE PACKAGE*

1988 Mustang provides law enforcement agencies a high-speed traffic entrol vehicle. 1988 Mustang's 5.0L High Output V-8 engine features action tuning, sequential multiple-port electronic fuel injection, and sport-tuned dual exhaust.

The 1988 Special Service Package is available only on the Mustang LX 2-Door Sedan. It features a standard 5-speed manual overdrive transmission, and offers an optional 4-speed automatic overdrive transmission. Major standard features of the LX 2-Door Sedan and the Special Service Package follows.

MAJOR STANDARD FEATURES

- · Body-color bumpers, front and rear
- Clock, electronic digital
- · Halogen headlamps, dual
- Instrumentation includes tachometer, trip odometer, voltmeter, temperature, fuel and oil pressure gauges
- Mirrors, dual remote-control (RH convex)
- Radio, electronic AM/FM stereo search with four speakers
- · Sound insulation package, luxury
- · Windshield wipers, interval

SPECIAL SERVICE PACKAGE

- · Air deflector, front lower radiator
- · Belt tensioner, heavy-duty
- Decklid release, relocated remote (right or left of steering column)
- Disc brake rotor shields, metal
- Drive belts, heavy-duty (Kevlar)
- · Front floor pan, reinforced (both sides)
- Hose clamps, aircraft-type radiator and heater
- Lights, engine compartment and trunk
- ocking system, single key: each vehicle keyed differently looler, automatic transmission—external front-mounted
- Restrictor, heater hose inlet
- Seats, heavy-duty reclining front bucket
- Sound absorber, underhood deleted
- Spare tire and wheel, conventional
 Speedometer head assembly, 0-140 mph calibrated in 2 MPH incre-
- Transmission oil cooler–external with automatic transmission
- Voltage regulator, police special transistorized

ADDITIONAL HEAVY-DUTY EQUIPMENT INCLUDED WITH THE 5.0L HO V-8:

- · Alternator, 65-amp. (75-amp. with automatic overdrive)
- Battery, 58-amp. maintenance-free–(540 C.C.A.) with 100 minute reserve capacity
- Exhaust system, dual
- Front struts, rear shocks and rear quadra-shocks, nitrogen gas-pressurized
- · Rear axle, 8.8-inch Traction-Lok
- Stabilizer bars, front (1.3-inch diameter) and rear (.83-inch diameter)
- Steering, quick-ratio (15:1) power with increased effort
- Tires, P225/60VR15 BSW unidirectional performance
- Wheels, 15" x 7" cast aluminum with blackout treatment

OPTIONS

In addition to the Special Service Package equipment, an extensive list of optional equipment and accessories is available to further tailor Mustang to the specific needs of various law enforcement agencies.

REGULAR PRODUCTION OPTIONS

Air conditioner, manual Defroster, rear window Glass, tinted (complete)
 Mirrors, dual electric remote-control
 Power Lock Group-includes power door locks, remote fuel filler door release and power decklid release
 Radio delete
 Radio, electronic AM/FM stereo with cassette tape player
 Speed control
 Steering wheel, tilt
 Windows, power side

LIMITED PRODUCTION OPTIONS

Heater, engine block (600 watts)

DOMESTIC SPECIAL ORDERS

- Hoses, silicone
- · Light switches, inoperative door courtesy
- · Oil cooler, engine
- Paint stripes, delete

General

- Radio noise suppression (police-type)
- VASCAR speedometer cable (2-piece)

DIMENSIONS AND CAPACITIES*

General		
	ase	
Overall	Length	179.6
	Height	
V 25-53-15-201-5-27-27-27	Width	
Tread_F	Front	56.6
The state of the s	Rear	
Curb We	eight (lbs.)	3037
Front Compa	Last transport of the same and	
	om	
	er Room	
HipRoo	m	
LegRoo	m–Maximum	41.7
Rear Compa	190100000000000000000000000000000000000	
The state of the s	om	35.9
00.000	er Room	
	m	
	om–Minimum	
	mpartment Luggage Capacity (cu.	200000
	Index (cu. ft.)	
		WEIGHT DOOR TO AND BUILDING TO STORE THE RESIDENCE OF THE

^{*}Dimensions in inches unless otherwise specified

POWER TEAM DATA

ENGINE	5.0L (302-CID) SEFI HO V-8	5.0L (302-CID) SEFI HO V-8	
Transmission	5-Spd. Man. OD	Automatic Overdrive	
Axle Ratio	2.73/3.08(a)	2.73/3.27(a)	
Horsepower (HP/RPM)	225 @ 4200	225 @ 4000	
Torque (Ft. Lbs/RPM)	300 @ 3200	300 @ 3200	
EPA Fuel Economy City/Hwy	16/24 ^(b)	18/27(b)	

(a) Available with Traction-Lok

This special service vehicle does not meet Ford Motor Company durability requirements for police packages, and recommended use is for high-speed highway traffic law enforcement service.

Law enforcement agency service places strong demands on an automobile, making vehicle quality especially important. For the last 7 consecutive years, Ford quality has led all other American car companies. This is based on an average of owner-reported problems in a series of surveys of 1981-'87 models designed and built in North America.

⁽b) 1987 EPA fuel economy figures. (1988 not available at printing.)

For More Information on the 1988 Ford Police Vehicles, Contact Your Local Ford Fleet Representative.

FIELD PERSONNEL

DISTRICT	MAILING ADDRESS	TELEPHONE	FLEET, LEASING & RENTAL MANAGER	DISTRICT	MAILING ADDRESS		FLEET, LEASING & RENTAL MANAGER
Atlanta	P.O. Box 105003 Atlanta, Georgia 30348	(404) 763-6428	Mike Joyce	Louisville	P.O. Box 32080 Louisville, Kentucky 40232	(502) 456-3770	Carl Reynolds
Boston	P.O. Box 583 Waltham, Massachusetts 02254	(617) 895-1099	Cathy Morrissey	Memphis	P.O. Box 8347 Hollywood Station	(901) 454-7234	Tom Herndon
Buffalo	P.O. Box 244 Buffalo, New York 14225	(716) 631-4407	Bill Giunta	Milwaukee	Memphis, Tennessee 38108 16535 Bluemound Road	(414) 785-3116	Roger Fercho
Charlotte	P.O. Box 220307 Charlotte, North Carolina 28222	(704) 554-4579	Gene Layman		Brookfield, Wisconsin 53005		
Chicago	2225 W. North Ave.	(312) 681-6553	Bob Studzinski	New Orleans	P.O. Box 517 Metairie, Louisiana 70004	(504) 454-6707	Kent Hobson
Cincinnati	Melrose Park, Illinois 60160 P.O. Box 156306	(513) 563-3168	Mark Dildilian	New York	U.S. Hwy. 46 Teterboro, New Jersey 07608	(201) 393-4341	Bruce Montgomery
Cleveland	P.O. Box 41035 Brecksville, Ohio 44141	(216) 642-4925	Lou Carouse	Omaha	P.O. Box 37505 Millard Station Omaha, Nebraska 68137	(402) 592-8807	Chuck Deery
Dallas	P.O. Box 110037 Carrollton, Texas 75011-0037	(214) 323-6124	Bill Hanes	Philadelphia	P.O. Box 816 Pennsauken, New Jersey 08110	(609) 468-2041	"Nine" Stalloni
Denver	P.O. Box 5588 Terminal Annex Denver, Colorado 80217	(303) 291-4685	Gary Winslow	Phoenix	P.O. Box 844 Phoenix, Arizona 85001	(602) 266-8526	Lee Schmidt
Detroit	P.O. Box 800 Wixom, Michigan 48096	(313) 344-582	Chris Conard	Pittsburgh	1910 Cochrane Road Manor Oak Two—Room 900	(412) 928-2923	Charles Davis
Houston	P.O. Box 2783 Houston, Texas 77252-2783	(713) 680-4230	Bob Arrington	San Jose	Pittsburgh, Pennsylvania 15220 P.O. Box 4004	(408) 945-4046	Lou Perez
Indianapolis	P.O. Box 1992 Indianapolis, Indiana 46206	(317) 352-4130	John Newton	Seattle	Milpitas, California 95035-2004 P.O. Box 3565	(206) 464-3251	Lou Clirich
Jacksonville	P.O. Box Y Jacksonville, Florida 32203	(904) 783-7718	Terry Kidd	St. Louis	Seattle, Washington 98124 P.O. Box 12610	(314) 569-4420	Dick Clark
Kansas City		(816) 459-1477	Chris Hoehner		St. Louis, Missouri 63141		
	Antioch Station Kansas City, Missouri 64119			Twin Cities	P.O. Box 419 Minneapolis, Minnesota 55440-0419	(612) 781-5229	Keith Mortensen
Los Angeles	P.O. Box 4700-P Anaheim, California 92803	(714) 520-8432	Bob Armour	Washington	8051 Gatehouse Rd. Falls Church, Virginia 22046	(703) 698-2070	Henry Hamler



Illustrations and information presented herein were correct when approved for printing. Ford Division reserves the right to discontinue or change at any time, specifications or designs without incurring obligations. Some features shown or described are optional at extra cost. Most options offered on all models. Some options are required in combination with other options. Always consult your Ford Dealer for the latest most complete information on models, features, prices and availability.