

March 1956 heraided the arrival of the first japanese luxury sedan into the American market. It was immediately acclaimed as a resounding engineering success, impressing its owners with its performance, handling, roominess refined manners and excellent craftsmanship.

This is hardly surprising The original Legend was the product of a far-reaching, five-year-long researchand-development effort—an effort geared to the goal of producing one of the most respected performance automobiles on the road.

To say that the rewards were warth the effort is an understatement. The Acura car line was so impressive that in the first full year of production we were ranked number one in the 1987 J.D. Power and Associates Customer Satisfaction Index\* survey. For a brand new car company, this was a remarkable achievement. And it became all the more remarkable when that achievement was repeated again in 1988, 1989 and 1990—every year Acura automobiles have been eligible.\*

Although justifiably proud of this accomplishment, we feel that no car manufacturer can remain at the furefront without continual challenges. Even if those challenges are self-imposed.

Ongoing technological advances, coupled with the desire to expand the envelope in terms of performance handling, luxury and sophistication, prompted the creation of an entirely new Legend—one that would surpass the enviable benchmarks established by its predecessor.

The 1991 Legend is, literally, new from the ground up. The one significant characteristic it does share with the earlier model is its design goal to be a thoroughly satisfying, driver-oriented, performance luxury sedan. The force and recomplist Specification with flodies Onlike, and Design flower float on this year of certains.













## PHILOSOPI

ACURA AUTOMOBILES are conceived with the notion that driving is its own reward. This conviction lies at the core of our philosophy. And it's the inspiration that motivates the design of every Acura automobile.

Because we consider driving a serious activity, we tend to go to extremes. We don't accept compromises. And simply being as good as the best is to us, to fall short of the mark.

That's why all Agree extremely learning and activity we have all Agree extremely learning and activities.

That's why all Acura automobiles are equipped with all-independent double-wishbone suspensions, and engines that are equipped with four-valve technology advanced induction systems and sophisticated Programmed Fuel Injection systems.

Nowhere is this striving for ever-higher levels of excellence better illustrated than in our commitment to Formula One racing. In the high-pressure environment of all-out competition at the very highest level, being merely as good as the best is just not good enough.

As a training ground for the engineers who design.

build and maintain the engines that power the Marlboro McLaren Honda Formula One car, and as a high-speed laboratory to evaluate new technology, the Grand Prix circuit offers a unique opportunity not just to compete against the worlds best, but to excel.

The results of involvement in Formula One racing— 5 consecutive Constructors' World Championships and 4 consecutive Drivers' World Championships—are impressive. But they become truly noteworthy when you're behind the wheel of an Acura automobile. That's because what is taken away from Formula One is more than a title. It's technology. And it's evident with every turn of







A ERODYNAMIC DEVELOPMENT is a very crucial component of an automobile's total performance potential—in some ways it is as important as a welldesigned engine and suspension. The airflow acting on



AERODYNAMIC CONTOURING OF THE REAR DECK HELPS BEDUCE TURBULENCE BY CONTROLLING THE AIRPLOW AS IT STREAMS OVER AND BEHIND THE LECEND.

a vehicle body can have a negative impact on its performance, stability at highway speeds and fuel efficiency if it isn't properly managed. Because of its importance in these key areas, the Acura Legend has benefited from a demanding airflow development program both in the wind tunnel and on the test track.


The rigorous aerodynamic standards applied to the Legend, coupled with a bold contemporary design, have helped to create a graceful shape that cleanly penetrates the air with virtually no turbulence. It's a shape that looks as good on the road as it does to the instruments in the wind tunnel.

Each section of the body has been analyzed and carefully smoothed to achieve low aerodynamic drag. This was achieved by incorporating a number of design details: the low-profile grille and flush headlights produce barely a ripple as they knife through the wind-


stream; the generous glass area is nearly flush and gently rounded; the underbody is streamlined and the mechanical components have been tucked out of the way in order to give the wind unobstructed passage. And the trailing edge of the trunk lid spills the "exhaust" air smoothly behind the car.

This application of high technology to the careful sculpting of body surfaces has produced a shape which is both handsome and refined-looking as well as ecrodynamically balanced—with low coefficients of lift, drag and yaw moment and resistance to crosswinds. The balance of these aerodynamic forces, achieved by thorough research, results in a feeling of stability and security for the driver.

An equally high level of technology was brought to bear on the surface finish of the Legend Sedan. It is evident in the extremely narrow gaps between body panels. In the precisely finished exterior moulding, And in the seamless integration of the bumpers to the body.



All this is capped off by an exacting 4-coat, 4-bake painting process, a process which actually involves 27 separate operations. It begins by bonding a tough, rust-inhibiting coating to the galvanized bare steel. Seams between panels are filled with a pliable material to block out moisture. Body cavities are injected with a special wax to effectively prevent rust from achieving a foothold. Specially formulated chip-resistant materials are applied to areas prone to stone damage. Then, each exterior layer of primer, paint and clear finish coat is applied by precision robotic spray-painting equipment and baked to a hard, smooth-as-glass brilliance.







NO COMPONENT of a performance luxury sedan's interior is as important to the driver as the seat. This is, after all where the driver will spend one hundred percent of the time in the car. The Legend seats are a masterpiece of ergonomic design. They strike the perfect balance of form, function, firm support and comfort—a balance that is crucial in a luxury sedan with the performance capabilities of the Legend.

Unlike most automobile seats, which are constructed almost entirely of foam, the Legend seats use a complex framework of steel springs as the support structure. This is overlayed with padding material of various densities to provide just the right combination of support and comfort. The center sections of the seat bottom and back use a more compliant material for comfort, while the bottom and side bolster areas use a firmer material for proper support.


In the best tradition of the finest leathercraft, the leather seat facing is gathered at the corners and the matched panels are sewn together with a smaller, tighter stitch pattern to enhance luxury.











THE INTERIOR of the new Legend is a finely orchestrated environment of subtle textures, tastefully muted colors and ergonomic elegance. It is an environment tailored to the demands of the road, while making no demands at all from the driver.

Designed around the needs of the driver, all con-

Designed around the needs of the driver, all controls are correctly positioned with pinpoint accuracy. Buttons and switches are within easy reach and engage with a precise, tactile response. The analog instruments have large, clearly legible dials that can be read at a glance. And the thick-spoked steering wheel has a telescopic adjustment for a perfect fit.

In Sedan and L models, the upholstery material is a deep pile moquette. Standard in the LS and optional in the L model is a soft leather upholstery for the seat facings, the door panel inserts and the center console. A special tanning process ensures a flawless, closegrained surface finish and a soft, luxurious texture comparable to that found in high-quality furniture.

The use of wood accents is a tradition that Acura feels imparts a warmth and elegance to a luxury automobile not possible with any other material. The LS model uses buried walnut on the center console and armrests. These walnut panels are individually handcrafted by skilled artisans using a multi-layered process over a base of formed aluminum. The multiple layers provide a solid mounting platform for the walnut veneer, to ensure durability and to prevent splintering in the event of a severe collision. To achieve a deep, lustrous finish and a hard, scratch-resistant surface, craftsmen apply four coats of glossy clear varnish in the final step of the finishing process.

# FEATURES

TO COMPLEMENT the newly designed interior, Legend offers a wide range of luxury and convenience features. Standard on L and LS models is a new, poweroperated sunroof with a thinner overall cross section to improve head room. The sunroof features a built-in wind deflector to reduce turbulence and a manual sliding sunshade to reduce radiant heat.

A new air conditioning/heating system is standard on all Legend models. The LS offers the added convenience of an Automatic Climate Control System that uses sensors to monitor the cockpit temperature and hold it at the preset value. The system's heating and cooling unit has a twin-fan blower assembly that increases the volume of air entering the passenger compartment.

Standard in Sedan and L models is an AM/FM stereo/cassette music system with Dolby\* and an FM



diversity antenna system, while L models also have an equalizer and an anti-theft system. The radio is furnished with its own 5-digit security code set at the factory. If the radio is removed, all its functions are disabled and cannot be activated without entering the code. This system renders the radio unit useless if stolen.

Legend LS models come with a standard Acura/ Bose\* Music System with AM/FM stereo/cassette, Dolby\* Dynamic Noise Reduction\*, an FM diversity antenna system and the same anti-theft system as the L-model radio. All stereo systems come with an automatic power antenna.

Standard convenience items on all Legend models include power door locks cruise control, telescopic steering column, variable intermittent windshield wipers, side window defoggers and remote trunk and fuel-filler door releases. The illumination system includes a lighted trunk, ashtray, cigarette lighter and ignition switch, as well as lighted power window switches and seat belt buckles. For convenience, the standard package includes power door mirrors and power windows with a key-off feature and one-touch control for the driver's window. The power-off feature allows operation of the windows



THE ACURA/BOSE MUSIC SISTEM ON LS MODELS UITERS EXCEPTIONALLY CLEAN, POWERFUL SOUND, WITH REPRODUCTION APPROACHING THAT OF A INFEREFORMANCE STANDARD FEATURES ON ALL LEGEND MODELS INCLUDE POWER WINDOWS AND DOOZ LOCKS. IS MODELS HAVE AN SEWN POWER SEAT WITH TWO-POSITION MEMORY FUNCTION.



THE OPTIONAL 4-SPEED AUTOMATIC TRANSMISSION FEA-TURES A COMPUTER-CONTROLLED SHIFT PROCESM.

for several seconds after the ignition is switched off, while a one-touch feature lowers the driver's window with a single touch of the control button.

All Legend models feature a power height control for the driver's seat as standard equipment. L and LS models have an 8-way power driver's seat with 2-position memory, while the LS also offers a 4-way power passenger seat.

Also standard is the newly designed windshield wiper system. It features a dual-park position and benefits from the inclusion of snow clutches. The dual-park function was developed to lessen the possibility of the wipers becoming jammed in the down position due to snow or ice buildup, and the snow clutches protect the wiper motor from damage if the wipers ever do become frozen in place.

"Delly is a region of male mark of Dolby Laboratories.














AT THE CORE of our philosophy is the conviction that all Acura automobiles must be performance ori-

ented and rewarding to drive. Guided by this philosophy and inspired by some of the technical innovations created for the Acura NSX sports car, the 1991 Legend is

a performance luxury sedan of remarkable agility and equally impressive balance. In an effort to provide excellent handling and dynamic balance, the engineers adopted an innovative packaging approach for the engine and drivetrain of the Legend. The engine is now located longitudinally

in the chassis as opposed to the transverse mounting in the previous Legend. This has the effect of moving the mass of the engine rearward, a favorable location which places the mass closer to the center of the car. As a result, the weight distribution is 60/40 front/rear, a weight balance that the engineers targeted as ideal for a front-wheel-drive automobile. Some of the benefits of this weight distribution include reducing understeer during cornering and improving braking stability. And the longitudinal location of the engine also results in reducing noise and vibration.

momentarily during upshifts and downshifts. The reduction of noise and vibration levels is The performance innovations of the Legend are accomplished by using hydraulic front engine mounts matched by an equally strong emphasis on even the and recalibrated, softer rear mounts. This is made possible smallest luxury-oriented details, which reward the driver by the engine mounts being set farther apart from each and the passengers in a less overt, but by no means less other in the longitudinal plane than they would be in the significant, way. These features were designed to provide transverse engine location. As such, they more effeca subtle level of refinement and sophistication an owner tively resist the fore/aft torque that the engine imparts can appreciate on a daily ongoing basis. on the chassis due to weight transfer during dynamic One such feature is an extended side-sill garnish

maneuvers such as acceleration and braking. with an extra seal at the bottom of the door. This was By locating the engine longitudinally, the power designed to keep the lower part of the body clean by flows rearward from the engine to the transmission. It is sealing out dirt, and thereby prevents soiling a partleg then routed forward to the newly designed differential, or skirt when entering the vehicle. which distributes the power to the front wheels. An

The interior illumination system on LS models provides versatile lighting tailored specifically to the needs of a luxury car owner. Among its many features is the variable intensity courtesy lighting for the rear passenacre. The volume of lighting can be reduced or increased

additional advantage of this arrangement is an extended

Ordinarily, a longitudinal layout would sacrifice

some interior space. In the Legend, though, this intrusion

was limited to the area below the center tunnel due to

the compact design of the all-aluminum V-6, thereby

is standard on all Legend models. It features a new

forced lubrication oil pump for improved efficiency

and a double-cone synchronizer for smoother shifting

into second gear. For easier and quieter engagement,

reverse gear is now synchronized. An oil cooler helps

to lower the temperature of the transmission to reduce

An electronically controlled 4-speed automatic

transmission is optional on all Legend models. It fea-

tures a driver-selectable low hold system to enhance

acceleration and overall performance. And to provide

smooth shifting, the ignition is programmed to retard

A newly designed 5-speed manual transmission

wheelbase which offers improved ride quality and an


increase in passenger and luggage space.

retaining greater interior space.

wear and improve durability.

The engineering efforts devoted to both these large and small items have resulted in a remarkably competent luxury sedan that achieves high levels of performance, comfort and convenience. It is this blend of function and style which marks the Legend as a leader in the performance luxury sedan class.

WITH 200 HP AND 210 LBS.-FT. OF TORQUE, THE 24-VALVE V-6 ENGINE PROVIDES EXCEPTIONAL PERFORMANCE AND DRIVEABILITY.



## DRIVETRA

THE POWERTRAIN GOALS for the secondgeneration Legend were truly ambitious. The target was to offer world-class levels of performance and mechanical refinement in a luxury sedan, while simultaneously decreasing noise and vibration levels.

To accomplish this, the designers began with a newly designed V-6 engine and adopted a fresh approach in packaging. The new Legend has the engine and transmission placed longitudinally in the chassis. This orientation was made to achieve higher structural rigidity targets and an ideal 60/40 weight distribution for improved dynamic and braking balance. Yet it still retains all the excellent traction and packaging advantages of a front-wheel-drive configuration.

The displacement of the new all-aluminum 90° V-6 is 3206 cc, producing its peak 200 hp at 5500 rpm. The torque rating is 210 lbs-ft. at 4500 rpm. The high power per liter was the result of a combination of factors including a high compression ratio of 9.6:1, an advanced Variable Induction System, an electronic Programmed Fuel Injection system, new valvetrain technology and reduction of internal friction. The reciprocating mass of valvetrain has been reduced by 15% to enhance overall.



connecting rods was also reduced, and internal friction this system enhances the production of both low-speed generation Legend engine but revs just as freely and was cut by improvements in machining processes. torque and high-end power output. smoothly, yields the same fuel efficiency and weighs Similar to the induction system designed for the Other significant technologies include a Direct virtually the same amount. Acura NSX sports car, a special Variable Induction The 5-speed manual transmission features a Ignition System with an individual coil for each spark System was developed for the Legend. Depending on plug for a hotter, more stable spark. The engine is also number of new refinements such as revised internal engine load and speed, the intake air is routed to one of equipped with dual knock sensors for improved power componentry for smoother operation, a forced lubricathree different induction tracts. The choice of the intake without sacrificing reliability and durability. The engine tion pump to improve efficiency and a larger diameter is designed to operate with premium unleaded fuel, but clutch to improve reliability. The optional electronically should the tank be filled with gasoline of insufficient controlled 4-speed automatic transmission has crisper octane rating, the knock sensors will allow the engine low-speed acceleration and higher operating efficiency to run safely by adjusting the ignition advance. due to a larger diameter torque converter and a larger oil flow path. A new shift program improves performance without sacrificing fuel economy.



in all the world's roads were straightened out, we would feel greatly deprived. Our reason is simple. We enjoy driving and we build cars for drivers who take it as seriously as we do. The 1991 Legend is very much a driver's car, built to reward and satisfy the type of driver who appreciates refined manners and agile response. In that sense it's very much like its predecessor. Only more so.

Although the double-wishbone suspension of the first-generation Legend is a model of civility responsiveness and excellent handling, the goal for the 1991 Legend was to further improve the handling, enhance dynamic response and reduce noise and vibration.


The new design is a racing-inspired, double-wishbone configuration. Based on technology learned in designing the NSX, a new lightweight aluminum subframe is used at the front. It is mounted to the chassis by means of eight specially tuned bushings which are designed to resist the deflection of the subframe under side loading, thereby minimizing wheel toe-change and enhancing handling precision. New, L-shaped lower control arms combined with newly designed constant velocity joints allow a tight turning circle for better maneuverability. To reduce the transmission of road shocks through the steering system, the center offset is a very small 35 mm. And to improve the on-center feel, straight-line stability and cornering capability, the front wheel caster has been increased.



BORROWING TECHNOLOGY FROM THE NSX, THE LEGEND ALSO USES A LIGHT VET RIGHD CAST-ALLMINUM SUBFRAME TO MOUNT THE DRIVETRAIN

The rear suspension is an all-new design that still retains the advantages of a double-wishbone layout. It features two lower control arms per side for excellent lateral location, and two trailing arms to improve the fore/aft location of the lateral arms. The trailing arms also help to counter the braking torque in order to improve balance. The net result of these refinements is a suspension that provides the Legend with an uncanny ability to cut a corner precisely, hold the road with stability and soak up uneven pavement with insolent ease.

THE ALL-INDEPENDENT DOUBLE-WISHBONE SUSPENSION SYSTEM HAS BEEN REFINED TO IMPRIVE RIDE QUALITY AND HANDLING, AND TO FILTER OUT ROAD VIBRATION AND HARSHNESS.





To that end the Legend is equipped with the latest passive safety technology to reduce the potential for injury in the event of a collision. These systems are designed primarily to minimize the effects of "secondary" collisions which occur between the occupants and the interior of the automobile. To achieve this, the interior surfaces have been designed to be "friendly," with soft materials that dissipate impact loads.

The primary method of occupant protection, however, is the three-point seat belt system. This system incorporates a direct clamping mechanism which further



THE FULLY BRACED STRUCTURE OF THE LEGEND UNIT BODY OFFERS EXCELLENT FRONT, REAR AND SIDE OCCUPANT PROTECTION.

enhances the already excellent occupant-restraining capabilities of the proven three-point belt system. Each seat belt reel is equipped with a deceleration sensor working with an internal cam-and-ratchet mechanism to clamp the belt tightly, thereby substantially reducing the amount of spool-out that can occur during deceleration. This locking system reduces the forward motion of the occupant in an impact.

In addition to this, all 1991 Legend models offer a driver's side air bag Supplemental Restraint System (SRS). A significant innovation is the addition of a dual air bag system in the LS model. This system has a passenger's side air bag in addition to the steering wheelmounted air bag for the driver. The passenger's side air bag in the Legend is mounted on top of the dash, leaving space for a glove compartment.

The passenger's air bag deploys more slowly than the driver's side air bag—60 milliseconds compared to 30 milliseconds—to allow a programmed, more gradual inflation process that reflects the greater distance the the blink of an eye, but the slightly longer inflation time of the passengers side air bag is crucial for proper deployment. The bag is designed to inflate first upward against the windshield and then forward toward the passenger in order to form a large cushioning surface, which protects the passenger from a possible impact against the windshield. The passenger's side air bag also has a larger volume than the drivers side air bag (5.3 cu.ft. vs. 2.1 cu. ft.) because it has to fill a much greater area to provide the proper cushioning for the passenger.


Both air bags are triggered by the same set of sensors and are designed to deploy at impacts equivalent to a 10 mph, or greater, frontal barrier crash.

To reduce occupant injury in the event of a side impact, the Legend is equipped with a newly designed, variable-section door beam. This door beam is constructed of high-strength steel with a thick cross section in the center where the load is heaviest. It is mounted diagonally across the door, with the front located close to the door hings and the rear fastened close to the lock, a position that more efficiently transfers a collision load onto the body rather than the passenger compartment.

While these passive systems are designed to reduce injury cluring a collision, an active system, anti-lock braking, which is standard on all models, is designed to help the driver avoid the possibility of a collision. This Honda-designed Anti-Lock Braking System uses a sensor at each wheel to detect wheel lockup. A sophisticated electronic processing unit controls the brake hydraulic system which modulates, or pulses, brake-line pressure. As a result of this brake-line pressure modulation, the wheels continue to rotate during maximum braking effort, helping the driver to retain directional control.

To help ensure reliable braking performance under less-than-maximum braking effort, all Legend models are equipped with four-wheel disc brakes.

STANDARD ON ALL LEGEND MODELS IS A DRIVER'S SIDE AIR RAG. LEGEND IS MODELS COME WITH A DEFVER'S SIDE AND FRONT PASSEN-GEN'S SIDE AIR RAG. THIS SUPPLEMENTAL RESTRAINT SYSTEM (SRS) IS ONE OF THE MOST ADVANCED SAFETY SYSTEMS AVAILABLE.






STRUCTURAL RIGIDITY plays a very important role in a number of crucial areas. These include a vehicle's handling, its ability to effectively filter out noise and vibration and its impact protection.

Without a solid structure, which is free of flex and torsional distortion, a suspension cannot properly maintain its precise calibrations. And unless it can resist the bending and twisting loads imposed by bumps and irregular road surfaces, a structure with insufficient rigidity will generate squeaks and rattles. And, of course, a rigid structure is extremely important in helping to dissipate and absorb impact forces. The key to the structure designed for the Legend is that it is both rigid and light.

The goals of high body rigidity and light weight are in many ways mutually exclusive. Conventional wisdom dictates that you can have one, but only at the expense of the other. Or so it would appear. A case in point is the rigidity of the 1991 Legend. It stands as conclusive evidence that you can occasionally have your cake and eat it too. And not gain an ounce.

The structural engineers began with the rigidity of the first Legend as a baseline, already acknowledged as being among the best in its class, and set before them the task of improving it. The one restriction they placed on the project was that the weight of the body had to be kept the same. Through the use of sophisticated computer analysis, they concluded that selective improvements in specific areas contributed significantly to overall rigidity without adding to overall weight.


The one-piece side door frames, as well as the doors, roof and rear fenders, are made of a thicker steel than would normally be used. These thicker panels also pro-The body pillars are interconnected by horizontal structural members where possible, and the frame areas are connected by smooth members of constant cross section. As a result, cabin rigidity has been increased by 27 percent. To reduce noise and vibration, the C-pillars are foam-filled, and four honeycomb panels are installed



in the floorpan just ahead of the front and rear seats. This light but extremely strong honeycomb material is commonly used in the aircraft industry but is unique in automotive design and manufacturing.

To help minimize injury to the occupants in the vide an extra measure of protection against minor dents. event of a frontal collision, the front frame members are straight section. This was made possible by the longitudinal orientation of the engine and drivetrain. As a result, cabin deformation has been significantly reduced in both frontal and offset barrier crash testing.

> THE LEGEND UNIT-BODY STRUCTURE HAS BEEN ENGINEERED USING THE LATEST STRUCTURAL ANALYSIS TECHNIQUES AND CAD-CAM TECH-NOLOGY, RESULTING IN HIGH STRENGTH WITHOUT EXCESS WEIGHT.







			ä
- 1			

200 hp = 5500 rpm Horsepower, SAE net 210 lbs.-fr. (29.0 kg·m) @ 4500 rpm Torque, SAE ner Reline 6300 rpm Fuel Catoff 6500 rpm

ENGINE AND ELECTRICAL

Engine Type

Bore & Stroke 3.54x3.31 in. (90.0x84.0 mm) Displacement. 196 cu. m. (3206 cc) Compression Rano 96:1 Programmed Fuel Injection (PGM-FI) Induction System

with Variable Induction System 4 valves per cylinder, hydraulic cleanance adjusters, single overhead carrishaft-pen-cylinder bank, driven by single belt Valvetrain Aluminum alloy

3.7-line: SOHC: 24-valve V-6

Engine Block Aluminum alloy with case-iron cylinder liners Cylinder Heads Emission Control 3-way caralyst/EGR/AJV Electronic Direct Ignition with dual knock sensors (I per bank) 12V/110 amp. max. 12V. maimenonce-free

Ignition System Alternator Battery Premium unleaded; knock sensors allow use of regular Recommended Fuel unleaded with reduced performance

BODY/SUSPENSION/CHASSIS All-steel unit body Body Type Independent double-wishbone with coil springs and stabilizer bar Front Suspension Independent double-wishbone with deal mailing arms

Rear Suspension coil springs and stabilizer bar Hydraulicigus-pressurized with Honda Progressive Valve (HPV). Shock Absorbers front and rear Stabilizer Bars 1.13 in. diam.x0.14 in. wall thickness (286 min.x3.5 min), front 0.75 in. diam.x0.12 in. wall thickness (19.1 min.x3.0 min), near

Rack-and-pinion, speed-sensitive, power-assisted Steering Type Stooring Wheel Times. lock to lock Turning Circle. 348 ft. (105 m) curb-to-curb Wheels Cast aluminum alloy, 6.5 Jx 15 Michelm MXV 205/60 R15 90V V-rated Tires

Braking System Front Discs Rear Discs Storpit Area Parking Burke Anti-Lock Braking System DEIVERBAIN

Турс TRANSMISSIONS

Reverse

Craniscase

Final Drive

CAPACITIES.

Cooling System

Inonceniesion Automatic

minumiseke

Fuel Tank

Dual-diagonal, power-essisted 4-wheel disc brakes Ventilased, 11.1 in. (282 mm) diameter, 23 mm rotor thickness 11.1 in. (282 mm) diameter, 9 mm rotor thickness Franci 229.2 sq. in. (1479 cm<sup>2</sup>) Rear: 186.8 sq. in. (1205 cm3

Drum-in-disc type, mechanically actuated on rear wheels Handa-designed system with 4 wheel-speed sensors and electronic/hydraulic control unit Longitudinal front-engine/front-wheel drive with equal-length halbhafts

PRICED MANUAL

2.200

4.505

2937

1.692 2ml 3ml 1.090 484 0.769 0581

Rarios (II)

9.3 U.S. quarts (8.8 liters)

92 U.S. quarts (87 liters)

18.0 U.S. gallons (68 liters)

SPERIO LUBETRONICALIA CONTROLLEO AUTOMATIC WITH LOCKUP TORQUE CONVERTER 2.476 1.451 0.973

0.630

1.761

4367

4.8 U.S. quarts (4.5 liters) refull capacity including filter

3.2-later, SOHC, 24-valve, 90° V-6 engine Alaminum-alloy cylinder heads and engine block with cast-iron cylinder liners Hydraulic valve adjusters Programmed Fuel Injection (PCM-FI) Electronic Direct Ignition with dual knock sersors

Variable Induction System

power-assisted steering

Anti-Lock Braiging System

Cast-alloy wheels

5-speed manual transmission

programmed lockup torque convertes

4-speed electronically controlled automatic transmission with

4-wheel independent double-wishbone suspension Electronically controlled, rack-and-pinton, speed-sensitive.

Michelin MXV 205/60 R15 90V, V-rated times

4-wheel disc brakes with ventilated from discs

County month Doutseins Control (SDS) descort advant has

ENGINEERING FEATURES

EXTERIOR DIMENSIONS

114.6 in. (2910 mm)

61.0 in. (1550 mm)

60.6 in. (1540 mm)

194.9 in. (4950 mm)

71.3 in. (1810 mm)

55.1 in. (1400 mm)

6.0 in. ( 153 mm)

3455 lbs. (1567 kg)

3486 lbs. (1581 kg)

23.03 sc. ft. (2.14 sq. m)

42.7 in. (1084 mm)

53.6 in (1362 mm)

56.3 in. (1430 mm)

560 in. (1423 mm)

564 in. (1432 mm)

Lise for comparison purposes only. California figures are the same. Year mileage may vary.

385 in [ 977 mm] with sunroof

365 in. ( 928 mm) with sunnoul

372 in. ( 946 mm) without sunroof 335 in. ( 850 mm)

18/26 mpg (5-speed), 19/23 mpg (Automatic)

3-year/36,000-mile limited warranty

39.3 in. [ 997 mm] without sunroof

0.34

0.17

5 mph

Wheelbase

Track Front

Truck Rear

Length

Width

Height

Minimum Ground Clearance

Carb Weight:

Mannazi

transmission.

intermental

Weight Distribution.

Coefficient of Drag (Cd)

Air Drag Coefficient (Cd x A) 0.72

INTERIOR DIMENSIONS

Coefficient of Lift (CI)

Bumpers. front/rear

Frontal Area (A)

Head room

Legrocen

Нюжем.

Head rooms

Leg room

Hip rooms

EPA Mileage. City/Highway

WARRANTIES

Vehicle

Outer Body

Rust-Through

Shoulder room

FUEL ECONOMY

Shoulder room

Automatic


es) front/rear

3-year/unlimited-mile limited warranty Ordinary maintenance items or adjustments, parts subject to normal wear and replacement, and centain items are excluded. See your Acum dealer for the terms and conditions of limited

15

EXTERIOR FEATURES			_		VIERIOR COL	ORS AND TRIM			_
	Sedan	Ē	LS	EXTERIOR			27/05/20	INTERIOR	10000
Body colored front and rear bumpers	:	•	•				Sedan!	L2	1,53
Rue-tirred glass Remze-tirred glass				Frost White.			lvcry	hory/ Blue	
Dual power-operated door mirrors				Contract of	(4)			Dette	2000
Heared door mirrors	0.000			Sirius White	4				lvary/ Blue
Protective body-side mouldings:				-					
black body-colored			-	Perstan Red	Δ		hory	Nory	
Arti-coding bottom door quards			:	Vineyard Gray	- 20				Timpe
Rear window definition with timer	1			voieyani chay	e .u				taupe
Calvanized body panels				Charcoal Gran	60 D			Nory/ Black	
4-cont, 4-balse paint				_				Black	
Flush-mounted halogen headlights				Granada Black	Δ				Black
INTERIOR FEATURES: SEATING AND TRIM									DIRES
	5edan		15	Resewood Brow	en a		Taupe	Taupe	
Full moquette uphobtery	- Second	Opt	20	Secretary of the second				*********	actition
Leather-trimmed interior		Opt		Golden Glow	Δ			lvery	Ivory
Burked walnut trim, console and power window controls		-		Cobult Bloe	W.		Blue	Ivory/	
Driver's sest with adjustable lumbar support, power height adjustine		-	2					Blue	
Driver's 8-way power seat with adjustable lumbar support and memo		•	*	Twilight Blue	.13				Blue
Passenger's 4-way power seat	-	-							0000
Height- and tilt-adjustable front headrests	•		•	Geneva Green	Α				force
Rear headrests	•	-		Manunetikec		□ Medic			
Fieight- and tilt-edjustable rear headrests Folding rear center armiest		:		-Polyagete faller, or	lannitrotion	o Bad			
Cut-pile corpering, fully corpeted trunic			:	*Learner-mirenest					
INTERIOR FEATURES: COMFORT AND CONVENIENCE			-	Specifications,	eatures, illustratio	ne and equipment of he time of publicat anteed. American H	hown in this	catalog are based	d upon the
Air conditioning Automatic Climate Control AMFM stereolcaseotic, Dolby, FM diversity antenna system.	et et	30	·	make changes materials and it Bose is a regist pending. DNR	at any time, witho nodels, Some vehi	out reces or obligations are shown with of Bose Corporation ademark of Nation	tion, in colors optional ecolo	, specifications, a preent.	accesories,
equalizer, anti-theft leafure Acura/Bose" Music System, AM/FM stereo/casoette, Dolby," Dynami Nose Reduction" (DNR), FM diversity artenna system, arti-theft feat			- 65		All Market Down				
Noise Reduction* (DNR). FM diversity artering system, anti-theft fean Secring wheel remote control of audio system	ane -		:						
Automatic power antenna									
Pre-wired for CD player or changer									
Trunk-mounted six-disc CD changer	Opt	Ope							
In-dash CD player	Opt	COC	Cyt						
Pre-wised for telephone	Cohe								
Control readule, wice-aided functions	-	Opt	Opt						
Power-operated sumoof with sliding shade		•	•						
Power windows with key-off feature		•							
Power door locks	•	•							
Cruise control	•		•						
Security system	•	•	•						
Telescopic steering column	•	•	•						
Variable intermittent windshield wipers		•							
Side window defoggers	•	•	•						
Remote trankefuel-filler door releases	•	•	•						
Lighted mank, ashmas cigarette lighter, power window switches, sear belt buckles and ignition switch			•						
Lighted/locking glove compartment			•						
Overhead map lights	-								
fluminated every system	-								
Dual illuminated vanity mirrors plus center visor									
Rear-comparament reading lights									
Eront-door storage									
Center console with amnest/covered storage compartment									

Front passenger asset grap Rear magazine pockets (Volunt assessments)



EVERY LEGEND has been built and thoroughly tested to be dependable under a wide variety of conditions. It is equipped with a number of advanced systems designed to provide years of reliable service. These are sophisticated systems which Acura dealers and their service technicians have been specially trained and equipped to maintain, service and repair. They have attended the latest factory training seminars and are regularly briefed on the latest procedures and techniques or 36,000-mile limited warranty, whichever comes to keep the Legend operating at peak efficiency. As evidence of their dedication to Acura customers.

Acura has ranked number one in the I.D. Power and Associates Customer Satisfaction Index for the fourth year in a row-every year Acura has been eligible.\*

The Acura service system is a team effort. Dealers are supported by technical experts at Acura Division headquarters who can provide help and advice whenever needed. Should the Legend require service when a dealer is not nearby, a toll-free call to the Acura Customer Assistance Center will put the Legend owner in touch with a customer service representative who will instruct the owner on how to obtain service.

To avoid keeping a customer waiting, each Acura dealer has a comprehensive inventory of service parts. But there may be a rare occasion when a particular component is out of stock. In that event, the parts department has immediate access by computer to a nationwide network of parts warehouses and can often have parts delivered within 24 hours.

All Acura automobiles are covered by a 36-month first. Under this warranty, Acura Division will repair or replace, free of charge, any factory-installed part that proves to be defective in materials or workmanship!

With its blend of power and handling, high level of luxury equipment and remarkable attention to even the smallest detail, the 1991 Acura Legend has established a new benchmark for performance luxury sedans.

\*ID. Power and Associate 1987-1990 Curromer Satisfaction with Freduct Quality and Design Service Based on one tall year of ownership. See your Arran dealer for octains



THE NATIONWIDE NETWORK OF OVER 300 ACURA DEALERS HAS CONSISTENTLY PERFORMED EXCEPTIONALLY WELL IN CONSUMER AND INDUSTRY



