

**H2** 

|   |            | BASE MODEL ADVENTURE SERIES |            |
|---|------------|-----------------------------|------------|
|   | BASE MODEL | ADVENTURE SERIES            | LUX SERIES |
| MSRP NOTE 1   | \$50.030   | \$52,669                    | \$53,330   |
| COMPONENTS AND FEATURES   |            |                             |            |
| ENGINE<br>/ortec™ 6000 6.0L V8 with cast iron block, cast aluminum cylinder heads and sequential fuel injection           | STANDARD   | STANDARD                    | STANDARD   |
| HORSEPOWER<br>316 hp@5200rpm  | STANDARD   | STANDARD                    | STANDARD   |
| FORQUE<br>360 lbsft.@4000rpm  | STANDARD   | STANDARD                    | STANDARD   |
| IRANSMISSION<br>Borg-Warner™ 2-speed electronically-controlled, full-time 4WD   | STANDARD   | STANDARD                    | STANDARD   |
| TRACTION CONTROL SYSTEM (TCS)<br>Brake-controlled, single-wheel control capability with rear axle locking differential    | STANDARD   | STANDARD                    | STANDARD   |
| STEERING<br>Variable ratio, integral power, recirculating ball  | STANDARD   | STANDARD                    | STANDARD   |
| BRAKES<br>4-wheel disc, 4-wheel/4 channel ABS and dual piston calipers with Dynamic Rear Proportioning                    | STANDARD   | STANDARD                    | STANDARD   |
| RONT SUSPENSION<br>ndependent with torsion bars, 46mm monotube gas charged shocks and 36mm stabilizer bar                 | STANDARD   | STANDARD                    | STANDARD   |
| REAR SUSPENSION<br>5-link variable-rate coil spring, solid axle, 46mm monotube gas charged shocks and 30mm stabilizer bar | STANDARD   | STANDARD                    | STANDARD   |
| AIR SUSPENSION PACKAGE<br>Self-leveling rear air spring suspension with on-board air compressor                           | OPTIONAL   | STANDARD                    | OPTIONAL   |
| FRAME<br>3-piece fully welded ladder-type   | STANDARD   | STANDARD                    | STANDARD   |
|   |            |                             |            |
| WHEELS AND TIRES  |            |                             |            |
| 17 in. cast aluminum wheels   | STANDARD   | STANDARD                    | STANDARD   |
| All-terrain LT315/70R-17 tires with full-sized spare  | STANDARD   | STANDARD                    | STANDARD   |

## **INTERIOR FEATURES**

| INTERIOR FEATORES   |          |          |          |
|---|----------|----------|----------|
| Seating for 5   | STANDARD | STANDARD | STANDARD |
| 3rd row auxiliary seat  | OPTIONAL | OPTIONAL | STANDARD |
| Drivers seat with standard memory feature for 2 drivers                         | STANDARD | STANDARD | STANDARD |
| Tan wheat cloth seats with 8-way power adjustment for front passengers          | STANDARD | STANDARD | N/A      |
| Tan wheat leather heated seats with 8-way power adjustment for front passengers | OPTIONAL | OPTIONAL | STANDARD |
| 60/40 split second-row seats  | STANDARD | STANDARD | STANDARD |
| Dual front air bags NOTE 2  | STANDARD | STANDARD | STANDARD |
| Driver information center   | STANDARD | STANDARD | STANDARD |
| 6 power points (cigarette lighter, 2 front, 2 rear and 1 tailgate)              | STANDARD | STANDARD | STANDARD |
| Dual zone heating, ventilation and A/C units                                    | STANDARD | STANDARD | STANDARD |
| Bose® performance-enhanced premium 9-speaker sound system                       | STANDARD | STANDARD | STANDARD |
| In-dash CD/cassette player  | STANDARD | N/A      | N/A      |
| In-dash 6-disc CD changer   | OPTIONAL | STANDARD | STANDARD |
| Navigation radio  | OPTIONAL | OPTIONAL | OPTIONAL |
| Rear seat audio controls with headphone jacks                                   | STANDARD | STANDARD | STANDARD |
| Triple sealed doors and enhanced acoustical insulation                          | STANDARD | STANDARD | STANDARD |
| Electrochromic ISRV mirror with compass and outside temperature display         | STANDARD | STANDARD | STANDARD |
| OnStar® system with a 1-year Safe and Sound service plan NOTE 3                 | STANDARD | STANDARD | STANDARD |
| Content alarm anti-theft system   | STANDARD | STANDARD | STANDARD |
| PASSLock® anti-theft vehicle security system                                    | STANDARD | STANDARD | STANDARD |
| Remote keyless entry with panic button  | STANDARD | STANDARD | STANDARD |
| Leather-wrapped steering wheel with secondary audio controls                    | STANDARD | STANDARD | STANDARD |
| Rear compartment cargo and tailgate tie-downs                                   | STANDARD | STANDARD | STANDARD |
| Custom carpet floor mats  | OPTIONAL | OPTIONAL | STANDARD |
| Rubber mudder floor mats  | OPTIONAL | STANDARD | OPTIONAL |
| First aid and tool kit  | OPTIONAL | STANDARD | OPTIONAL |

| EXTERIOR FEATURES  | BASE MODEL | ADVENTURE SERIES | LUX SERIES |
|--|------------|------------------|------------|
| Front bumper with retrieval loops and access hole for hitch/winch receiver   | STANDARD   | STANDARD         | STANDARD   |
| Rear bumper with tow loops and access hole for Class 3 hitch   | STANDARD   | STANDARD         | STANDARD   |
| Full undercarriage/rocker panel protection   | STANDARD   | STANDARD         | STANDARD   |
| Power-folding, heated outside rearview mirrors with curb assist feature  | STANDARD   | STANDARD         | STANDARD   |
| Daytime running lights   | STANDARD   | STANDARD         | STANDARD   |
| Sunroof  | OPTIONAL   | OPTIONAL         | OPTIONAL   |
| Black roof rack crossbars  | OPTIONAL   | STANDARD         | OPTIONAL   |
| Grille-mounted brush guard   | OPTIONAL   | STANDARD         | OPTIONAL   |
| Black tubular assist steps   | OPTIONAL   | OPTIONAL         | STANDARD   |
| Black tail lamp guards   | OPTIONAL   | STANDARD         | OPTIONAL   |
| Chrome Appearance Package (includes brushed aluminum roof rack and chrome door handles, side mirror caps and license plate brow) | OPTIONAL   | OPTIONAL         | STANDARD   |

## 2004 H2 SPECS & PERFORMANCE DATA


|   | BASE MODEL | ADVENTURE SERIES  | LUX SERIES                              |
|---|------------|---|---|
| GROSS VEHICLE WEIGHT RATING (GVWR) NOTE 4 | 8,600 lb.  | 8,600 lb.   | 8,600 lb.                               |
| CURB WEIGHT                               | 6,400 lb.  | 6,400 lb.   | 6,400 lb.                               |
| PAYLOAD, MAXIMUM NOTE 5                   | 2,200 lb.  | 2,200 lb.   | 2,200 lb.                               |
| TRAILER TOWING, MAXIMUM NOTE 6            | 6,700 lb.  | 6,700 lb.   | 6,700 lb.                               |
| VEHICLE LENGTH                            | 189.8 in.  | 189.8 in.   | 189.8 in.                               |
| VEHICLE HEIGHT NOTE 7                     | 77.8 in.   | 81.7 in.<br>WITH STANDARD<br>ROOF RAILS                 | 81.7 in.<br>WITH STANDARD<br>ROOF RAILS |
| VEHICLE WIDTH (EXCLUDING MIRRORS)         | 81.2 in.   | 81.2 in.  | 81.2 in.                                |
| TRACK WIDTH                               | 69.4 in.   | 69.4 in.  | 69.4 in.                                |
| WHEELBASE                                 | 122.8 in.  | 122.8 in.   | 122.8 in.                               |
| GROUND CLEARANCE                          | 10 in.     | 10.7 in.<br>WITH STANDARD REAR<br>AIR SPRING SUSPENSION | 10 in.                                  |
| BREAK-OVER ANGLE                          | 25.8°      | 27.5°<br>WITH STANDARD REAR<br>AIR SPRING SUSPENSION    | 25.8°                                   |
| APPROACH ANGLE                            | 40.4°      | 40.8°<br>WITH STANDARD REAR<br>AIR SPRING SUSPENSION    | 40.4°                                   |
| DEPARTURE ANGLE                           | 39.6°      | 41.8°<br>WITH STANDARD REAR<br>AIR SPRING SUSPENSION    | 39.6°                                   |
| WATER FORDING DEPTH                       | 20 in.     | 20 in.  | 20 in.                                  |
| VERTICAL SCALING HEIGHT                   | 16 in.     | 16 in.  | 16 in.                                  |
| FUEL TANK CAPACITY                        | 32 gal.    | 32 gal.   | 32 gal.                                 |

## 2004 H2 ACCESSORIES

17" chrome wheel Black roof rack crossbars (STD. ON ADVENTURE SERIES) Chrome roof rack crossbars (STD. ON LUX SERIES) Soft cargo carrier (REQ. ROOF RACK CROSSBARS) Hard cargo carrier (REQ. ROOF RACK CROSSBARS) Canoe/load stop (REQ. ROOF RACK CROSSBARS) Roof basket (REQ. ROOF RACK CROSSBARS) Roof-mounted bike carrier (REQ. ROOF RACK CROSSBARS) Fork-mounted bike carrier (REQ. ROOF RACK CROSSBARS) Ski/snowboard carrier-4 or 6 pair (REQ. ROOF RACK CROSSBARS) Roof-mounted off-road lamps Roof rail handles Front hitch-mounted portable winch Winching accessory kit Brush grille guard (STD. ON ADVENTURE SERIES) Wrap-around brush grille guard Black tubular tail lamp guards (STD. ON ADVENTURE SERIES)

Chrome tubular tail lamp guards Brush grille guard-mounted off-road lamps Black tubular assist steps (STD. ON LUX SERIES) Chrome tubular assist steps Removable "U" steps Chrome hood handles Chrome fuel door Chrome hood latches Hitch cover Hitch-mounted step-to-roof Body color grille Trailer hitch & ball mounts Neoprene seat covers Mudder seat covers Custom carpet floor mats (STD. ON LUX SERIES) Rubber mudder floor mats (STD. ON ADVENTURE SERIES) Cargo area mat

Cargo area liner Rod Hall shocks Performance exhaust Vehicle cover Magnetic truck shields Static cling protection Portable DVD player First aid kit and tool kit (STD. ON ADVENTURE SERIES) Engine block heater Trailering convenience package Portable ARB freezer/fridge Portable ARB freezer/fridge Portable air compressor Truck Vault\* secure cargo drawer Tactical mountain bike Wheel locks



## 2004 H2 WARRANTY

GM backs your new H2 with its New Vehicle Bumper-to-Bumper Limited Warranty, for GM vehicles registered in the USA. See your HUMMER dealer for terms and conditions. The entire vehicle is warranted for repairs, including parts and labor, to correct problems in materials or workmanship for 3 years or 36,000 miles whichever comes first (except normal maintenance). The warranty covers the complete vehicle, tires, towing to your nearest HUMMER dealership, cosmetic corrosion resulting from defects, and repairs made to correct any vehicle defect. There is no charge for most warranty repairs. There is also no deductible for repairs during the warranty period. And the warranty transfers automatically with vehicle ownership during the warranty period.

CORROSION: Since HUMMER trucks are designed to resist corrosion, all body sheet metal components are warranted against rust-through corrosion for 6 years or 100,000 miles, whichever comes first. Application of additional rust-inhibiting materials is not required, and none is recommended.



LEGAL NOTES 1 MSRP does not include tax, title, license, options and accessories. It does include the destination charge. 2 Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in the rear seat. See the vehicle Owner's Manual and child safety seat instructions for more information. 3 1-year OnStar® Safe & Sound Service Plan is standard on the H2. For more information, call 1.888.40NSTAR (1.888.466.7827) or visit www.onstar.com for system limitations and details. 4 GVWR (Gross Vehicle Weight Rating) includes vehicle, passengers, equipment and cargo. GVWR availability may vary depending on equipment. 5 Payload includes passengers, equipment and cargo. 6 Trailer tongue weight should be 10-15% of the total loaded trailer weight, up to 100 lb. Do not exceed the maximum allowable tongue weight for your vehicle. Gross combination Weight Rating (GCWR), which is the total allowable weight of the completely loaded vehicle and trailer including any passengers, cargo, equipment and conversions, is 14,000 lb. If you'll be pulling a trailer that, when loaded, will weigh more than 5,000 lb., be sure to use a properly mounted, weight-distributing hitch and sway control of the proper size. If your trailer weighs more than 2,000 lb. loaded, then it needs its own brakes and they must be adequate. Maximum trailer weight ratings are calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of the roptional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your HUMMER dealer for additional details. 7 Please review size limitations and exercise caution prior to entering certain garages.