
1974 International Travelall







SPECIFICATIONS

TWO-WHEEL DRIVE MODEL

Wheelbase: 120 inch.

Front Suspension: 3,200 lb. cap. independent coil spring.

Rear Suspension: Std. 3,600 lb. axle.

Opt. 3,800 lb. Ratios: 3.07, 3.31, 3.54, 3.73, 4.10 to 1.

Brakes: Front: power disc. Rear: selfadjusting hydraulic, 11" x 21/4" drum. Dual operation with warning light.

Clutch: Std. 11" heavy-duty diaphragm. Opt. 11" angle link.

Electrical: Std. 12V. 50 amp battery, 37 amp/hr alternator. Opt. 70 amp battery, 61 or 62 amp/hr

Engine: Std. 345 cu. in. V-8 (V-345), 144 S.A.E. net hp.

Has 156 net hp. with dual exhaust. Opt. 392 cu. in. V-8 (V-392), 179 S.A.E. net hp. Has 193 net hp. with dual exhaust. Or 400 cu. in. V-8 (V-400), 210 S.A.E. net hp. with dual exhaust (stan-

Transmission: Std. 3-speed, fullysynchronized.

Opt. 3-speed, floor mounted; 4-speed, fully-synchronized; 5-speed direct; 5-speed with overdrive; 3-speed automatic. Auxiliary cooler for automatic

Fuel Tank: Std. 20 gal. Opt. 15 gal. auxiliary. Evaporative emission control standard

Tires & Wheels: Std. H-78 x 15 PC LRB on 15" x 5.5 K rims.

ALL-WHEEL DRIVE MODEL

Has 392 cu, in, V-8 (V-392) as standard engine. 3,400 lb. cap. driving front axle with leaf springs. Standard GVWR 6,500 lbs. Tires L-78 x 15 PC LRB. Wheels 15" x 6.00 JK, All other specifications are basically the same as twowheel drive model.



SERIES

SPECIFICATIONS

TWO-WHEEL DRIVE MODEL

Wheelbase: 120 inch.

Front Suspension: 3,500 lb. cap. independent coil spring.

Rear Suspension: 5,500 lb. axle. Ratios: 3.54, 3.73, 4.10, 4.30, 4.87, 4.88,

5.13 to 1 Brakes: Front: power disc. Rear: self-

adjusting hydraulic, 12 x 21/2" drum, Dual operation with warning light. Clutch: 11" angle link.

Electrical: Std. 12V, 70 amp battery, 37 amp/hr alternator.

Opt. 61 or 62 amp/hr alternator.

Engine: Std. 392 cu. in. V-8 (V-392), 179 S.A.E. net hp. Has 193 net hp. with dual exhaust, Or 400 cu. in, V-8 (V-400), 210

S.A.E. net hp. with dual exhaust (stan-

Transmission: Std. 3-speed, fully-synchro-

Opt. 3-speed floor-mounted: 4-speed. fully-synchronized; 5-speed direct; 5-speed with overdrive; 3-speed automatic. Auxiliary cooler for automatic trans-

Fuel Tank: Std. 20 gal. Opt. 15 gal. auxiljary, Evaporative emission control std.

Tires & Wheels: Std. 8.00 x 16.5 LRC on 16.5" x 6.00 rims.

ALL-WHEEL DRIVE MODEL

Has 3,500 lb. cap, driving front axle with leaf springs. Standard GVWR, 6,800 lbs. All other specifications are basically the same as two-wheel drive model.



TRAVELETTE **SPECIFICATIONS**

Std. 6.300 lb. Opt. 6.600 lb. Model 200, 5, 61/2 or 8-ft. body; Std. 7,500 lb. Opt. 8,200 or 9,000 lb

Wheelbases: 5-ft. body 120"; 61/2-ft. body 149": 8-ft. body 166".

Body Sizes: 5-ft. Bonus-Load; 61/2-ft. Regular or Bonus-Load: 8-ft. Regular or Bonus-

Front Suspension: Independent coil spring. Model 100. 5-ft. body 3,200 lb. cap.; Model 200, 5, 61/2, 8-ft. body 3,500 lb. cap.

Rear Suspension: Model 100, 5-ft, body 3.600 lb. axle std. Opt. 3.800 lb. Model 200. 5, 61/2, 8-ft. body 5,500 lb. std. Opt. 7,500 lb. Ratios (depending on model): 3.07, 3.31, 3.54, 3.73, 4.10, 4.30, 4.87, 4.88, 5.13 to 1,

Brakes: Front: power disc. Rear; selfadjusting hydraulic. Model 100 11" x 21/4" drum, Model 200 12" x 21/2" drum, Dual operation with warning light.

Clutch: Std. 101/2" single plate dry disc. Opt, 11" heavy-duty diaphram or 11" angle

Electrical: Std.12V, 50 amp battery, 37 amp/ hr alternator, Opt. 70 amp battery, 61 or 62 amp/hr alternator.

Engine: Std. 258 cu. in. six (6-258 Power-Thrift Six®), 113 S.A.E. net hp. Opt. 304 cu. in. V-8 (V-304), 137 S.A.E. net hp.; 345 cu. in. V-8 (V-345), 144 S.A.E. net hp. Has 156 net hp. with dual exhaust; 392 cu. in. V-8 (V-392), 179 S.A.E. net hp. Has 193 net hp.

210 S.A.E. net hp. with dual exhaust (std.). Transmission: Std. 3-speed, fully-synchronized, Opt. 3-speed floor mounted; 4-speed, fully-synchronized: 5-speed direct: 5-speed with overdrive; 3-speed automatic, Auxiljary cooler for automatic transmission.

Fuel Tank: Model 100 15 gal. std. Opt. 15 gal, auxiliary, Model 200 16 gal, std. Opt. 16 gal, auxiliary.

Tires & Wheels: Std. 8.00 x 16.5 LRC on 16.5" x 6.00 JK rims.

ALL-WHEEL DRIVE NOT AVAILABLE IN TRAVELETTE SERIES.


The beauty of a Travelall is more than skin deep

If you've never owned a Travelall before, you've got some pleasant surprises coming. You see, we don't rely on a lot of showy razzmatazz to make a sale. We don't have to. Because we build these vehicles from the wheels up with the kind of rugged International strength that's meant to last and last and last.

So we've peeled away the exterior styling to show you the real beauty of a Travelall. Including the many new improvements we've added to the 1974 models to make them a greater value than ever before.

We'd like you to take a good look at the 4-inch wider front wheel "wide track" stance that greatly improves road handling and stability. And the all-new smoother and stronger independent coil spring front suspension. We've also staggered the shock absorbers in the back to reduce "power hop" in the rear wheels. And we've included power front disc brakes as standard equipment. The frames are heavier, the exhaust system more durable, and the engines run cooler and quieter than ever before.

When you start looking at these things, you start seeing the real beauty of the Travelall, You start comparing ground clearances and fuel capacities and towing ability with other wagons. And then you start seeing how a wagon is built tough from the ground up. A uniquely beautiful vehicle with all the comfort and ease of a truly fine wagon, but made like no other wagon you've seen.



A beautiful selection of extras

After sitting low in a standard car, the Travelall might seem a big step up. But really, it's not. First time Travelall drivers are usually amazed at how beautifully it handles—just like a fine car. And even more so with the addition of power steering. The fact is, many find it more comfortable to ride in and drive. Mainly because you are sitting higher and enjoy visibility through huge windows all around you. There are no blind spots. Plenty of headroom at the doors and inside. And there's no ducking and scooting to take your seat.

To make things even more enjoyable, we have a host of extra features you can add for comfort, convenience and safety. Things like automatic Cruise-Control, tilting steering wheel, high-back bucket seats with a reclining pasenger seat. And Trac-Lok limited-slip differential. You can add an increased cooling system or a larger capacity electrical system. A handy 15-gallon auxiliary fuel tank. A quiet, modulated fan. And of course, factory air, AM-FM radio, dealer-installed stereo


tape deck. The list goes on and on. You also have a choice among a wide range of transmissions to meet your driving style and needs. From a fully-synchronized three-speed manual, through 4-speed and 5-speed manuals (with or without overdrive) all the way to a 3-speed automatic that's great for towing. Teamed with a husky V-8 engine.

So here are a few of our most popular options, just to give you some idea of how beautifully-equipped you can travel in a shiny new Travelall.



- A. Integral air conditioning/heating/defrosting system.
- B. Auto-Cruise speed control to keep you at constant speed. A great leg and gassaver on long trips.
- C. 15-gallon auxiliary fuel tank for extra cruising range.
- D. AM-FM radio with rear speaker; dealerinstalled stereo tape deck.
- E. Tilting steering wheel.
- F. Optional high-back bucket seats with inboard folding armrests and optional reclining passenger seat.
- G. The industry's most complete factory built and installed trailer towing package, including an electric trailer brake control with hand lever and rheostat, complete trailer than the control with hand lever and rheostat, complete trailer with the control with
- H. Luggage rack with adjustable bars.
- 3/3 stationary second seat for easy access to full-width third seat.

What makes it beautiful is the way you can equip it.










Luxury just the way you like it

Some may still refer to these as the "women's pages." But we feel that a man cares every bit as much about how his wagon appears as well as performs.

So let's take a tour of the 1974 Travelall, pointing out the beauty spots along the way.

- A. Custom interior in Sage with new optional high-back
- B. Deluxe interior in Dark Red with full-width seats.
- C. Standard interior in Dark Blue.
- D. Custom interior (Travelette) in Jet Black with full-width seats.

Exterior body colors



INTERIORS

Your choice of Standard, Deluxe, and Custom interiors comes in any of the four color schemes: Dark Blue, Sage, Jet Black, or Dark Red.

Standard Interior includes foampadded, full-width front and stationary second seats with all-vinyl upholstery. Fully-instrumented padded dash with oil pressure and ammeter gauges, Dual padded full-size armrests on the doors and dual padded sun visors. Fresh air heater/defrosting system. Acoustical headliner with metal ribs.

Deluxe Interior adds the special touches of rich vinvl-trimmed nylon upholstery and soft padded vinvl door panels. Color coordinated floor mats. Vinvlcovered rear quarter panels in cargo area, Cigar lighter, Coat hooks, Seat belt retractors. Electric tailgate window. And door-operated dome light.

Custom interior completes the scene with thick nylon carpeting throughoutright up to the tailgate. Carpeting on rear of front seat. Custom steering wheel with padded horn button, Electric clock. And day/night rearview mirror.

Seating Options include full-width front and stationary second seat as standard equipment. Other combinations consist of high-back bucket seats with inboard folding armrests and optional reclining passenger seat. You can also order a folding full-width second seat, or a 2/a stationary second seat with a snap-out full-width third seat.

EXTERIORS

Standard Exterior Trim gives you painted front and rear bumpers, hub caps, and vent wing molding.

Deluxe Exterior Trim is a package that adds bright-finish rocker panel molding with black trim. Bright-finish windshield. vent wings, and drip molding. Brightfinish wheel covers on Model 100 and hub caps on Model 200. Chrome front and rear bumpers and dual chrome outside mirrors.

Custom Exterior Trim accents your Travelall with a choice of distinctive wood-grain side panels or white vinyl

Additional Trim Options are a choice of black or white simulated vinyl roof, or painted roof in the color of your choice.

Exterior Body Colors available for your selection in a baker's dozen choices, including several rich metallics:

- 1. Ivv Metallic
- 2. Bimini Blue Metallic
- 3. Sunburst Yellow 4. Grenoble Green
- 5. Flame Red
- 6. Alpine White
- 7. Glacier Blue
- 8. Burnished Gold Metallic 9. Ceylon Green Metallic
- 10. Mayan Mist
- 11. Red
- 12. Omaha Orange
- 13. Schoolbus Yellow

Special colors available at extra cost.



If you're ready to put your hands on something truly beautiful this year, you've come to the right place. As you take a good close look at the 1974 Travelall and Travelette, just think of all the things they can do. The beautiful way they tow and carry. All the places you'd have second thoughts about trying with a conventional car or wagon. Whatever you want to do with a car, chances are the Travelall or Travelette can do it better.

But that's what we've been saying all along.

What makes it beautiful is what it does.

Specifications, descriptions and illustrative material in this literature are as accurate as known at time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not show all standard equipment.

International Harvester, Chicago, Illinois 60611



401 North Michigan Avenue Chicago, Illinois 60611 U.S.A.