


## NEW 1987 DODGE RAM PICKUPS INVITE YOUR COMPARISON, AMERICA.



Room and comfort abound in the large, full-size Ram pickup cab. New developments in sound insulation and construction combine to dramatically reduce interior

About th
Dodge Ram D150 LE, shown on cover in Twilight Blue

About th

noise and vibration. LE Decor Package shown features Sentry cloth with vinyl trim on both seat and door panels. Shown in Red.

Some of the equipment shown or described throughout this catalog is available at extra cost.

About this catalog. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details.

# START WITH DODGE'S 5/50 LIMITED WARRANTY.\*

Warranty protection is the first question you should ask about any truck you are considering. We have so much confidence in the quality of the trucks we build that we back them with the same warranty we give the cars we build ...with our standard five-year or 50,000-mile Limited Warranty. We think it sums up our attitude about the quality, durability and strength built into each and every domestically built Dodge pickup.

Compare Strength. When it comes to pickups, the payoff is in the payloads. Dodge offers a wide range of GVWs and payloads for maximum workability and cargocarrying capacity. Bigger payloads can mean more money in your pocket.


Compare Construction. Dodge pickups are built in one of the most technologically advanced truck manufacturing plants in the world. At Dodge City quality is constantly analyzed by computers and optical gauging monitors.

Compare Value. Every Dodge Ram pickup comes with a long list of standard items such as powerassisted front disc and rear drum brakes for optimum stopping control under all road and load conditions. A corrosion-resistant stainless steel exhaust system is standard. You can step up to the luxury level of your choice with a wide variety of trim and factoryinstalled options. And if you want to save money, ask about the value-packed Prospector Discount Packages, which are available at substantial savings.

This year, dare to compare Dodge pickups with anything else you might be considering. You'll find they work harder, play tougher. And they look great. They all come protected by the longest, strongest warranty in the industry. 1987 Ram pickups are the finest trucks Dodge has ever built.

\*See back cover for details.





# D250/D350

MEET THE BIG PICKUPS WITH THE BIG DIFFERENCE. Some folks practically live in their trucks. For them a ten-hour workday is common. And when the weekend comes, many slip on a captop or camper and head for the hills. For these people Dodge builds a special breed of muscle trucks, our D250, D350 and W250 models. They're built to take a pounding day in and day out, and still have plenty in reserve for fun. We call it

"survival in the fittest."

Payload potential of these trucks ranges up to 4,330 pounds on the D250 models and up to 4,450 pounds on the D350 models. For the really heavy loads, the dual rear wheel 135-inch wheelbase D350 chassis cab can pack up to a 6,280-pound body and payload weight...while the four-wheel drive Power Ram W350

chassis cab can handle a 6,415-pound body and payload weight.

Even loaded, these trucks have civilized riding and handling characteristics, thanks to standard independent front suspension on all two-wheel drive models as well as front springs that are selected for each truck and its GVW Package.

As do all Dodge Ram pickups for

1987, the Dodge work trucks also offer the added durability of a stainless steel corrosion-resistant exhaust system, which includes all pipes, catalytic converter housing and muffler.

Every Dodge Ram pickup is packed with other durability features that help them withstand the test of time. And the extensive use of rust-fighting galvanized steel in critical areas, an advanced cathodic electrocoating primer process and a two-step base coat/Clear Coat acrylic finish keep your truck looking new longer.

For most body requirements, Dodge chassis cab models are available with optional frame adapter brackets for mounting service/utility, stake, platform, or van bodies. That's choice. That's versatility. That's Dodge.



# ENGINEERING

DODGE CITY.
ONE OF THE MOST
MODERN TRUCK
MANUFACTURING
FACILITIES IN
THE WORLD.

400-amp maintenance-free battery

Power-assisted front disc brakes -

Steel-belted radial tires -

Standard independent front suspension on twowheel drive models helps provide precise ride and

Standard independent front suspension -

excellent handling characteristics.


All full-size Dodge pickups are built in Dodge City...an integrated manufacturing facility that is setting advanced standards for world class production. It encompasses the most progressive technology and sophisticated manufacturing equipment the industry has ever seen.

At Dodge City a total in-line assembly sequence for chassis and trim assembly utilizes over 11 miles of conveyors to streamline and control production quality. Quality is constantly analyzed and maintained

through the use of 695 industrial computers. Over a hundred robots supply 99.6 percent accurate automatic welding. The paint shop operation is a 687,000-square-foot facility with hightech paint robots to help ensure consistent thickness of paint and the highest quality finish.

Dodge City is another example of


Dodge City is another example of Chrysler Corporation's commitment "to be the best." The payoff is a line of Dodge pickups that offer the highest quality and durability in the history of Dodge Truck.



# OPTIONS & PACKAGES

Dodge Power Ram W150 Sno-Commander, shown in Radiant Silver.





#### A. WHEELS AND WHEEL COVERS

1. Argent-painted steel spoke wheel has bright trim ring and decorative hub center.

- 2. Bright wheel covers add a nice accent to any color or trim combination you select.
- 3. Ribbed aluminum road wheel is practical and good-looking.

#### **B. BRIGHT REAR** STEP BUMPER

A handy item when you want to climb into the cargo box. Attractive, functional, tough and strong.

#### C. OVERSIZED MIRRORS

Dual low-mounted 6-inch by 9-inch bright-finished exterior mirrors provide a wide field of view for improved

#### D. SLIDING **REAR WINDOW**

This tinted and latchable sliding rear window provides extra ventilation and convenient access to cargo area.

#### E. AM STEREO\*/

### FM STEREO RADIO

Surrounds you in sound and is electronically tuned. Includes an integral digital clock. Door-mounted speakers give a full stereo effect.

\*Some AM stereo broadcasting may not be compatible with this radio.



Featuring a four-speed blower, four adjustable air outlets, bi-level ventilation, and a device for recirculation of cool

#### G. POWER WINDOWS/ DOOR LOCKS

Convenient controls are located on the door trim panel.

## LE DECOR PACKAGE

(Power steering required on D150 models)

· Bright drip rail molding · Bright grille with bright insert and headlight bezels · Bright rear window molding · Bright taillight applique panel with Dodge Ram nameplate • Bright tailgate housing · Bright tailgate upper and lower moldings • Front fender Leaping Ram plaque "LE" • Halogen headlights • Ram's Head hood ornament

• Bright door sill scuff plate • Colorkeyed carpeting with underlayment Color-keyed cowl side trim panels · Color-keyed door trim panels with

- cloth bolster and carpeting on lower door Package I · Color-keyed soft cloth headliner
- Color-keyed upper greenhouse garnish · Deluxe cloth with vinyl trim bench seat · Electronically tuned AM radio; integral digital clock . Hood inner panel insula-
- "Dodge LE-Engineered Ram Tough" Pecan woodtone applique and bright trim on instrument panel, storage box
- tion . Luxury steering wheel (black) · Nameplate on instrument panel-

Package II · LE Decor Package

absorbers, front and rear (standard on D350 models)

#### Power Convenience Package · Power locks, front doors only · Power

windows, front doors only

## Light Package

· Ash receiver light • Glove box lock and light . Map light

#### **Two-Tone Paint Packages** APB (All models)

· Bright lower bodyside molding with wide black vinyl insert and bright partial wheel opening moldings . Two-tone paint • Upper body tape stripe APC (Not available on chassis cab

 Bright lower bodyside and rear mold-ings with wide black vinyl insert and bright partial wheel opening moldings

• Bright upper bodyside and rear moldings • Two-tone paint

## PROSPECTOR **PACKAGES**

Ram Sweptline Pickups

· AM radio, electronic tuning; integral digital clock . Bright bumper guards, front, with black insert . Bright deluxe wheel covers (four) . Dual low-mount 6-inch by 9-inch mirrors • 30-gallon fuel tank • Intermittent windshield wipers · Light Package · Ram's Head hood

All the items in Package I, plus:

## Package III

• Front stabilizer bar • Heavy-duty shock All the items in Package II, plus: · Air conditioning • Power Convenience Package • Two-Tone Paint Package

#### Sno-Commander Package: Light-Duty

(W150 and W250 models)

· Front clearance and identification lights

· Hydroelectric controls • Plow lights · Power angling blade (90 inches long) with blade markers . Power lift with sevenway control valve • Sno-Commander decal on pickups • Transmission oil

Additional equipment required at extra cost. See your dealer for details.

## Sno-Commander Package: Heavy-Duty (W250 and W350 models only)

temperature light with automatic

· Front clearance and identification lights

• Hydroelectric controls • Plow lights · Power angling blade (96 inches long) with blade markers . Power lift with

seven-way control valve . Sno-Commander decal on pickups • Transmission oil temperature light with automatic transmission

Additional equipment required at extra cost. See your dealer for details.

#### RECOMMENDED TRAILER TOWING EQUIPMENT

To protect your warranty when towing over 2,000 pounds, see the 1987 Dodge Truck and Car Trailer Towing Guide for recommended trailer weights, GCW ratings and drive line combinations. This guide also shows recommended vehicle equipment available as factory option or dealer installed.

Wheels-Std (in.)3

# 

TWO-WHEEL DRIVE MODELS	D150 PICKI	JP		D250	PICKUP	D350 PICKUP	
Wheelbase (in.)	115	131			131	131	
Std/Max GVW (lb)		000/6,050			0/8,510	8,700	
Payload-Max (lb)1	2,320	2,390			,330	4,450	
Axle, Front Capacity (lb)-Std	3,300		Marie Co.		,300	3,300	
Axle, Rear Capacity (lb)-Std	3,600			5	,500	6,200	
Brakes-Size (in.)							
Front Disc Rear Drum	11.75 x 1.25			12.8	2 x 1.25	12.82 x 1.25	
Vacuum Booster	11 x 2.5 11.0 single diaphr	aem		9.0 dual	x 2.5 diaphragm	12 x 2.5 9.5 dual diaphragm	
Electrical			A Salar				
Alternator	12-volt, 78-amp 400-ampere	ere		12-volt,	78-ampere	12-volt, 78-ampere 500-ampere	
Battery (maintenance-free)	400-ampere		e 12-volt, 78-ampere 400-ampere obl 3.7-liter 225 CID 1-bb				
Engine-Std	3.7-liter 225 CID Slant Six	I-bbl	3	7-liter 2	25 CID 1-bbl 5, nt Six <sup>2</sup>	9-liter 360 CID 4-bbl V-8	
Engine-Opt	5.2-liter 318 CID 2-	NH V-8	5.2	Jitor 218	CID 2-bbl V-8		
ивис-орг	5.9-liter 360 CID 4-l	bl V-82	5.9	liter 360	CID 2-bbl V-8 CID 4-bbl V-8		
Springs, Front Std Cap. @ Ground (lb)	1,300-115" w 1,400-131" w	ь		1	.500	1,700	
		b	CAS IXA				
Springs, Rear Std Cap. @ Ground (lb)	1,610		Margaret.		,175	3,650	
Transmission-Std	4-speed manual ov 4-speed manual N 3-speed autom	erdrive	. 4	4-speed manual NP435 3-speed automatic		4-speed manual NP435	
-Opt	4-speed manual N	P4352		3-speed	automatic	3-speed automatic	
Tires—Std (steel-belted radial) <sup>3</sup>	P195/75R15	iuc	1	LTTI	/85R16C	LT235/85R16E	
Wheels—Std (steet-bened radial)*	15 x 6.50			16.0 x 6.00		LT235/85R16E 16.0 x 6.0	
						357000000	
FOUR-WHEEL DRIVE MOI	DELS		O PICKUF		W2	50 PICKUP	
Wheelbase (in.)	The state of the s	115.		131		131	
Std/Max GVW (lb)	The second second	5,300		6,400	(	5,900/8,510	
Payload—Max (lb) <sup>1</sup>		2,200		2,195		3,960	
Axle, Front Capacity (lb)-Std			3,500	1		3,500	
Axle, Rear Capacity (lb)-Std	ACT REPORTS AND		3,600			5,500	
Brakes-Size (in.)				1040			
Front Disc		11.	.75 x 1.25			12.82 x 1.25	
Rear Drum Vacuum Booster		11 0 circ	11 x 2.5 igle diaphrag		00.	12 x 2.5 dual diaphragm	
Electrical		11.0 80	вре спартивр	11	9.01	udau diaphragm	
Alternator		12-voi	t, 78-amper		12-4	oolt 78-ampere	
Battery (maintenance-free)		40	0-ampere			volt, 78-ampere 400-ampere	
Engine-Std	3	.7-liter 225 (	CID 1-bbl Sl	ent Six <sup>2</sup>	5.2-liter	318 CID 2-bbl V-82	
Engine-Opt	AND THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSO	5.2-liter 31	18 CID 2-bb	V-8	5.9-liter	360 CID 4-bbl V-8	
		5.9-liter 36	0 CID 4-bbl	V-82			
Springs, Front Std Cap. @ Ground (lb)			1,640	213		1,640	
Springs, Rear Std Cap. @ Ground (lb)			1,820			3,650	
Transfer Case			eed NP208			2-speed NP208	
Transmission-Std		4-speed	manual NP4	352	4-speed manual NP435		
-Opt			ed automatic		3-speed automatic		
Tires—Std (steel-belted radial) <sup>3</sup>			5/75R15XL			215/85R16C	
Wheels-Std (in.)3		1	5 x 6.50			16.0 x 6.00	
CHASSIS CAB MODELS	D250 CHASSIS CAR	D350	CHASSIS	CAB	W250 CHASSIS CAB	W350 CHASSIS CA	
Wheelbase (in.)	131	131	135	159	131	135	
Cab to Axde (in.)	56	56	60	84	56	60	
Std/Max GVW (lb)	7,500/8,510	8,700	10,100/10,5		8,510	10,100/11,000	
Payload—Max (lb) <sup>1</sup>	4,725	4,845	6,280/6,2		4,360	6,415	
Axle, Front Capacity (lb)—Std	3,300	3,300	4,00		3,500	4,500	
	5,500				5,500	7,500	
Axle, Rear Capacity (lb)—Std	3,500	7.5	200-131" w 500-135" w	D.	0,000	1,500	
		100	159" wb	TITLE.	THE PERSON NAMED IN		
Brake-Size (in.)				-			
Front Disc	12.82 x 1.25	12.82	x 1.25-131 x 1.19-135	wb	12.82 x 1.25	12.82 x 1.19	
		12.52	159" wh	wo,			
Rear Drum	12 x 2.5	12	x 2.5-131" v	b	12 x 2.5	12 x 3.0	
Vacuum Booster	0.0 dual disaberson	12 x 3.0	159" wb 12 x 2.5–131" wb 12 x 3.0–135" wb, 159" wb 9.5 dual diaphragm		0.0 dual diamber	0.5 dual diamber and	
Vacuum Booster Electrical	9.0 dual diaphragm	9.5	uwa diaphra	gil	9.0 dual diaphragm	9.5 dual diaphragm	
Alternator	12-volt, 78-ampere	12.	volt, 78-amp	erre	12-volt, 78-ampere	12-volt, 78-ampere	
Battery (maintenance-free)	500-ampere		500-ampere		500-ampere	500-ampere	
Engine-Std	5.9-liter 360 CID 4-bbl V-	8 5.9-liter	360 CID 4-I	8-V Ide	5.9-liter 360 CID 4-bbl V-8	5.9-liter 360 CID 4-bbl V-	
Springs, Front Std Cap. @ Ground (lb)	1,700	1,	700-131" w -135" wb, 15	b	1,800	1,940	
		1,650-		9°wb			
Springs, Rear Std Cap. @ Ground (lb)	2,725		3,650	100	3,650	3,650	
Transfer Case	-		_		2-speed NP208	2-speed NP205	
Transmission-Std	3-speed automatic 4-speed manual NP435	4-spec	ed manual N peed automa	P435	4-speed manual NP435 3-speed automatic	4-speed manual NP435 3-speed automatic	
-Opt	4-speed manual NP435	3-8	peed automa	tic	3-speed automatic	3-speed automatic	
Tires—Std (steel-belted radial) <sup>3</sup>	LT235/85R16E	LT235	/85R16E-1	l"wb	LT235/85R16E	LT215/85R16C-dual re	
		13	/85R16C-dr 5" wb, 159" v	vb			
Wheels Ord (in ) 1	160 = 600	10.	160 = 60		16060	16060	

Maximum payloads are based on models with minimum required load-carrying components. Payloads should be reduced by weight of body, occupants, and any optional equipment <sup>2</sup>Not available in California

16.0 x 6.00

16.0 x 6.0

16.0 x 6.0

160 x 60

#### INTERIOR DIMENSIONS

Head Room	40.00°
Hip Room	65.00°
Shoulder Room	64.24"
Seat Adjustment-fore and aft	4.50"
Leg Clearance-seat to steering wheel (maximum)	6.08"
Steering Wheel to Seathack (maximum)	15.65





Conventional Cab

Two smooth-sided Sweptline bodies

• (1) 61/2-foot box, 61.0 cubic foot capacity.

• (2) 8-foot box, 76.60 cubic foot capacity.

#### **EXTERIOR COLORS**





Twilight Blue Pearl Cost\* Charcoal Pearl Cost





Light Cream Gold Dust



Golden Bronze Pearl Coat Graphic Red

Radiant Silver

NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips "Extra cost.





Five (5) Tires and Wheels are standard on D150 and W150 Pickup models. Four (4) Tires and Wheels are standard on D250, D350 and W250 Pickup models and D250 and D350 131" wh Chassis Cab models. Six (6) Tires and Wheels are standard on D350 (135" wh and 159" wh) and on W350 Chassis Cab models

STANDARD AND OPTIONAL EQUIPMENT	"D" Two-Wheel Drive Models	Four-Whee Drive Mode
Air Cleaner-Dry type	S	S
Air Conditioning <sup>1</sup>	E	Е
Alternator—78-amp	S	S
Alternator—120-amp	E	E
Antifreeze	S	S
Ashtray-Driver's compartment	S	S
Axle-Rear: antispin	E	E
Battery-400-amp; maintenance-free (500-amp standard on D350 and		
all chassis cab models)	S	S
Battery-500-amp: maintenance-free	Е	E
Brakes-Front disc and self-adjusting drum rear: power-assisted	S	S
Bumper-Front: bright	S	S
Bumper-Rear step type: bright (not available on chassis cab models)	E	E
Bumper-Rear step type: painted (not available on chassis cab models)	E	E
Bumper Guards—Front with black rub strip insert	E	E
Buzzer Warning—Fasten seat belts, headlights on, key in ignition	S	S
Cigar Lighter	S	S
Clock-Electronic digital: integral with radio	Е	E
Coolant Overflow System	S	S
Cooler-Auxiliary: transmission oil to air	E	E
Cooling-Engine: maximum	E	E
Corrosion Protection—Extensive use of galvanized steel/Uniprime® anti-chip protective		
urethane coating on lower body side	S	S
Dash Liner-Insulated	S	S
Door-Armrest, inner trim panels: color-keyed	S	S
Electronic Ignition and Voltage Regulation System	S	S
Exhaust Emission Control System	S	S
Exhaust System-Stainless steel	S	S
Floor Mats-With padding: black rubber	S	S
Fuel Tank-20-gallon: with tethered fuel cap	S	S
Fuel Tank-30-gallon: with tethered fuel cap	E	E
Glass-Tinted: all windows	S	S
Glove Box With Door	S	S
	S	
Grille—Aluminum: with painted plastic insert and headlight doors		S
Headlights-Single: rectangular	S	S
Heater-Engine block	E	E
Heater-Fresh air: with defroster	S	S
Hood Release—In cab	S	S
Homs-Dual note: electric	S	S
Hubcaps—Bright	S	S
Instrumentation-Ammeter, gauges for engine coolant temperature, fuel level, and		
oil pressure; odometer, trip odometer, speedometer	S	S
Lights—Backup, license plate, stop, and taillight; exterior cargo light; interior roof-mounted dome	S	S
light with door-operated switches	S	
Mirror-Interior rear vision day/night type, 10-inch	3	S
Mirrors—Exterior, dual low-mount, 6-inch by 9-inch; bright (not available on chassis cab models)	Е	Е
	E	E
Mirrors—Exterior dual short arm, 5-inch by 7-inch: bright (not available on chassis cab models)	S	S
Mirrors-Exterior dual West Coast type, 7-inch by 16-inch: painted (chassis cab	-	
models only)	S	S
Molding-Windshield: bright	S	S
Molding-Lower bodyside and partial wheel lip: bright	E	E
Oil Filter—Throwaway type	S	S
	E	E
Padio AM: electronic truning integral digital clock		
		Е
Radio-AM stereo*/FM stereo: electronic tuning; integral digital clock	E	
Radio-AM stereo*/FM stereo: electronic tuning; integral digital clock Radio-AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise		F
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock	Е	E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyl full bench: color-keyed	E S	S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-winyf full bench: color-keyed Shield—Transfer case	E S NA	S E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyl full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear	E S NA S	S E S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic	E S NA S E	S E S E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models)	E S NA S	S E S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required	E S NA S E E	S E S E S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-winyl full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering—Oolumn—Tilt type (automatic transmission and power steering required at extra cost)	E S NA S E E	S E S E S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-winyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger	E S NA S E E E	S E S E S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyl full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger Transfer Case—Two-speed	E S NA S E E E	S E S S S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyl full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger Transfer Case—Two-speed	E S NA S E E E	S E S E S
Seat-All-vinyl full bench: color-keyed Shield-Transfer case Shock Absorbers-Front and rear Speed Control-Automatic Steering-Power-assisted (standard on D250 and D350 models) Steering Column-Tilt type (automatic transmission and power steering required at extra cost) Sun Visors-Driver and passenger Transfer Case-Two-speed Wheel Covers-Deluxe: bright (set of four) Wheels-Road, 15-inch by 7-inch: aluminum radial ribbed (D150 and W150 models only;	E S NA S E E E E	S E S S E E S S E E E S S E E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyl full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger Transfer Case—Two-speed Wheel Covers—Deluxe: bright (set of four) Wheels—Road, 15-inch by 7-inch: aluminum radial ribbed (D150 and W150 models only; set of four)	E S NA S E E E	S E S S S
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seck-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Stu Visors—Driver and passenger Transfer Case—Two-speed Wheel Covers—Deluxe: bright (set of four) Wheels—Road, 15-inch by 7-inch: aluminum radial ribbed (D150 and W150 models only; set of four) Wheels—Road, 15-inch by 7-inch: aluminum radial ribbed with bright trim ring and	E S NA S E E S NA E E	S E S S E E E E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger Transfer Case—Two-speed Wheel Covers—Deluxe: bright (set of four) Wheels—Road, 15-inch by 7-inch: aluminum radial ribbed (D150 and W150 models only; set of four) Wheels—Road, 15-inch by 7-inch: argent painted steel spoke with bright trim ring and hub center (D150 and W150 models only; set of four)	E S NA S E E E E S NA E E E E S E E E E E E E E E E E E E E	S E S S E E E E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-winyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger Transfer Case—Two-speed Wheel Covers—Deluxe: bright (set of four) Wheels—Road, 15-inch by 7-inch: aluminum radial ribbed (D150 and W150 models only; set of four) Wheels—Road, 15-inch by 7-inch: argent painted steel spoke with bright trim ring and hub center (D150 and W150 models only; set of four) Window—Rear sliding: lockable	E S NA S E E E S NA E E E S E E E E E E E E E E E	S E S S E E S S E E E E E E
Radio—AM stereo*/FM stereo: electronic tuning; integral digital clock Radio—AM stereo*/FM stereo: electronic tuning; with seek-and-scan, Dynamic Noise Reduction*; cassette tape player with automatic reverse; integral digital clock Seat—All-vinyf full bench: color-keyed Shield—Transfer case Shock Absorbers—Front and rear Speed Control—Automatic Steering—Power-assisted (standard on D250 and D350 models) Steering—Power-assisted (standard on D250 and D350 models) Steering Column—Tilt type (automatic transmission and power steering required at extra cost) Sun Visors—Driver and passenger Transfer Case—Two-speed Wheel Covers—Deluxe: bright (set of four) Wheels—Road, 15-inch by 7-inch: aluminum radial ribbed (D150 and W150 models only; set of four) Wheels—Road, 15-inch by 7-inch: argent painted steel spoke with bright trim ring and hub center (D150 and W150 models only; set of four)	E S NA S E E E E S NA E E E E S E E E E E E E E E E E E E E	S E S S E E E E

### S-Standard. E-Extra cost. NA-Not available.

#### INTERIOR TRIM



Standard with LE decor package. Sentry cloth with vinyl trim bench seat. Available in Almond. Blue and Red.



Optional with Standard decor. Tempo cloth and Saddle grain vinyl bench seat. Available in Almond, Blue and Red.

A no-charge option on LE decor package. Saddle grain all-vinyl deluxe bench seat. Available in Almond, Blue and Red.



Standard decor. Saddle grain all-vinvl bench seat. Available in Almond, Blue, Charcoal and Red.

#### 5/50 LIMITED WARRANTY

Upon expiration of the basic 12-month or 12,000-mile new vehicle limited warranty, limited warranty coverage is extended on power train components to five years or 50,000 miles (two years or 24,000 miles for fleet and lease vehicles), plus outer panel rust-through protection of five years or 50,000 miles. A deductible may be required. Export vehicles excluded. See copy at your dealer.

## CONSIDER LEASING

Many of today's new truck prospects are wisely considering leasing as an alternative to buying. Leasing a new Dodge Ram Pickup usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new truck purchase. Ask your dealer for details.



MOPAR parts are engineered by Chrysler Motors for use in your new Dodge pickup. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

## ABOUT THIS CATALOG

ABOUT THIS CATALOG 
Specifications, descriptions and illustrative material contained herein are as accurate as known at 
the time this publication was approved for printing. Chrysler Motors reserves the right to 
discontinue models or options at any time or change specifications and materials, equipment or 
design without notice and without incurring obligation. All options and accessories illustrated or 
referred to as optional or available in this publication are at extra cost. Some options are required 
in combination with other options. For the price of the model with the equipment you desire, or 
verification of specifications contained herein, see your Dodge Truck dealer.

Many of the items shown on vehicles in this publication are available through retail organizations and establishments not connected with Chrysler Motors. Availability, price, quality and durability of these items rest solely with the respective manufacturers and their sales organizations, and Chrysler Motors assumes no responsibility for their use.

Buckle up for safety



Some AM stereo broadcasting may not be compatible with this radio.

<sup>†</sup>Dynamic Noise Reduction is a trademark of National Semiconductor Corporation.

<sup>\*</sup>Uniprime is a trademark of PPG Industries, Inc.

<sup>1</sup> Special engine cooling requirements for field-installed air conditioning. Failure to follow requirements may invalidate warranty. See Dealer for details.