Ford Falcon Van

FALCON

ø

FALCON

1

-

1000000

10

.

T



Illustrated above: Falcon 500 Van interior with optional T-bar automatic transmission and radio (both available at extra cost).



Illustrated above: Falcon 500 Van dash with optional push-button radio (available at extra cost).



Illustrated above: Falcon Van interior with optional carpet and push-button radio (both available at extra cost). Electric clock illustrated available with GS Rallye Pack only.



Falcon 500 Van

... what a way to go ... to work ... to relax.

Work . . . the 3.3 litre emissionised cross flow engine works hard. It delivers power with the economy of standard grade fuel. Front power disc brakes help you stop smooth and sure. And to see where you're at after dark-guartz halogen headlights.

Relax . . . what better way than in deeply cushioned reclining bucket seats with pull-down centre armrest. Fan boosted ventilation, 3-speed heater demister. Headlining throughout cabin and load area. Interior prismatic rear vision mirror reduces reflected glare at night.

Admire ... low sleek lines, bold grille, load area

side windows, smooth 180 degrees opening rear doors, colour matched exterior mirrors . . . and more.

Test ... Falcon 500 Van's strength for carrying loads up to 750 kg (15 cwt). A torque-box chassis construction. All steel floor with heavy-duty rubber mat. Load matched suspension. Fully laden, with a balanced load, weight distribution is 55% over the rear axle, 45% over the front axle-giving great ride and handling.

Falcon Van

The good looking, no nonsense van that provides style, comfort and performance that you'd expect from Ford.

Illustrated above: Falcon 500 Van with optional GS Rally Pack and 4.9 litre engine (both available at extra cost).

Standard equipment highlights common to Falcon 500 and Falcon Vans • 3.3 litte (200 CID) Crossflow-head 6 cyl, engine • All-synchro 3-speed column-mounted transmission • 258 mm (11%") power-assisted front disc brakes, 254 mm (10") diam, self-adjusting rear drum brakes • 7.75 x 14 BSW 4-ply tyres on 6JJ "safety-rim" whesis (750 kg (15 cwl) rating) • Power-boosted ventilation with 3-speed fan - Prismatic interior rear-view mirror • Left and right hand side exterior rear-view mirrors • Inertif are log luboard seab bells • Pladd digdt anmests incorporating door handles - Lockable glove box - Steering and ignition lock - "Blendaire" heater/demister - Steering column stalk control for turn indicators, Iane-change, hi-lo beam, Headlight flasher and horn butten - Roof insulation - 750 kg (15 cwt) carrying capacity • 60 amp/hr battery.

Additional Falcon 500 Van highlights

Additional Falcon Van highlights

Autoritorial rancom SUU Van highlightS - Reclining buckte sats with folding centre armrest + Loop pile carpet + Interior courtesy light operated by both doors - Cigarette lighter - Headlining in load area - Floor mat in load area - Interior paint in load area - Side glass in load area - Side protection mouldings - Quartz halogen headlights.

High-backed bench seat with folding centre armrest - Heavy-duty rubber floor mat
in passenger compartment.

		V.	AN
OPTIONS	The chart below shows the range of equipment available at extra cost (unless otherwise stated) to enhance the appearance or performance of your new Falcon.	Falcon	Falcon 500

LUXURY FOUIPMENT

LUXURY EQUIPMENT		
AM/FM mono push-button radio	Opt	Opt
Variable ratio power steering -	Opt	Opt
Integrated Air-conditioning (a)	Opt	Opt
Loop-pile carpeting	Opt	Std
Bucket seat with pull-down centre armrest	NA	Std
Bucket seat with sports console armrest (b)	NA	Opt
Bench seat with folding centre armrest	Std	NCO
Rubber floor mat	Std	O/R
PERFORMANCE EQUIPMENT		
152.4 mm (6") Alloy sports road wheels	Opt	Opt
500 kg (10 cwt) 'Sedan Ride'	Opt	Opt
Limited-slip differential (f)	Opt	Opt
Quartz halogen driving lights (incorporated in grille)	Opt	Opt
Outback Package: Heavy-duty Shock absorbers with prote plates; engine stone guard; Heavy-duty aircleaner	ction Opt	Opt
EXTERIOR/APPEARANCE ITEMS		
Grand Sport Rally Pack; special paint treatment; styled		
steel wheels; sports steering wheel; comprehensive instrumentation; 'NASA' hood scoops; driving lights	NA	0.04
Front rubber bumper over-riders	Opt	Opt Opt
Protection strips	Opt	Std
Styled wheel covers	Opt	Opt
Remote-control styled exterior mirror (driver's side)		Opt
Tinted band laminated windshield	Opt	
Van side glass	Opt	Opt
Delete Van side glass	Opt	Std
	NA	Opt
POWER-TRAIN COMBINATIONS		
3.3 litre (200 CID) 'Six' with:	0.4	Std
All synchro 3 speed manual (column) Select Shift Cruisomatic (column)	Std	
Select Shift Gruisomatic (Column)	Opt	Opt

fill official coordination (containing	Old	ora
Select Shift Cruisomatic (column)	Opt	Opt
4.1 litre (250 CID) 'Six' with: All synchro 3 speed manual (column)	Opt	Opt
All synchro 4 on the floor manual (b)	NA	Opt
Select Shift Cruisomatic (column)	Opt	Opt
Select Shift Cruisomatic T-Bar (b)	NA	Opt
4.9 litre (302 CID) V8 with: All synchro 4 on the floor manual (b)	NA	Opt
Select Shift Cruisomatic (column)	Opt	Opt
Select Shift Cruisomatic T-Bar (b)	NA	Opt

GT POWER PAK

5.8 litre (351 CID) V8		
All synchro 4 on floor manual (b)	NA	Opt
Select Shift Cruisomatic (column)		Opt
Select Shift Cruisomatic (T-Bar)(b)	NA	Opt

Mandatory additional equipment with this engine: • 4-wheel power disc brakes • FR70 H14 steel-belted radial ply tyres

Limited-slip differential

WHEELS AND TYRES (Some tyre options are required in combination with other options)

in a new epineties,		
7.75 L14 BSW 4 Ply 6JJ	Std	Std
185 SR14 BSW 4 Ply 6JJ Radials (c)	Opt	Opt
ER78 S14 BSW 4 Ply 6JJ Steel-Belted Radials (d)	Opt	Opt
FR78 S14 BSW 4 Ply 6JJ Steel-Belted Radials (e)	Opt	Opt
FR70 H14 BSW 6 Ply 6JJ Steel-Belted Radials (f)	Opt	Opt

Notes: (a) Air-conditioning available only with 4.1 litre (250 CID) '6' and V8 engines. (b) Sports console must be fitted with optional floor-mounted transmissions and is not available with full-width seat. (c) Only available with 500 kg (10 cwt) option. (d) Mandatory with 4.9 litre engine on 500 kg (10 cwt) van. (e) Mandatory with 4.9 litre engine on 760 kg (15 cwt) van. (f) Mandatory with 5.8 litre engine. "OPT" means optional at extra cost. "NA" means not available on that model. "NCO" means no cost option. "O/R" means optional at reduced cost.



Illustrated far left: Falcon 500 with quartz halogen headlights and side protection mouldings. Illustrated left: Power boosted ventilation. Optional AM/FM Multiplex radio. (Available at extra cost.)

Options...

There are a number of options available at extra cost to make your Falcon van more personal, more outstanding, a more exciting machine. For example, the GS Rally Pack* is a way to make your Falcon van a sporty looking machinewith distinctive paint treatment; styled steel road wheels with trim rings; bonnet scoops; driving lights; comprehensive instrumentation including tachometer, oil pressure temperature and fuel gauges; speedometer with odometer, plus electric clock; "soft-feel" sports steering wheel and map reading light.

* All options are available at extra cost unless otherwise stated.





GS Rally Pack wheel



Optional 4 on the floor manual shift

Optional push-button radio. Clock (GS only).



Optional 4.9 litre V8 engine



Specifications:

ENGINES	3.3 litre	4.1 litre	4.9 litre	5.8 litre
	(200 CID)	(250 CID)	(302 CID)	(351 CID)
	Six	Six	V8	V8
Carburettion	Single Barrel	Single Barrel	4 Barrel	4 Barrel
Displacement	3280	4100	4950	5750
Cubic Cap.	(200 in ³)	(250 in ³)	(302 in ³)	(351 in ³)
Bore	93 mm	93 mm	102 mm	102 mm
	(3.68")	(3.68")	(4.0")	(4.0")
Stroke	x 80 mm	x 99 mm	x 76 mm	x 89 mm
	(3.13")	(3.91")	(3.0")	(3.5")
Compression	7.9:1	8.9:1	9.2:1	8.9:1

ENGINE FEATURES: Up to 10,000 kilometres oil changes; 12-volt electrical system; 54 plate 60 amp/hour battery; 35 amp heavy-duty alternator; corrosion resistant muffler.

CLUTCH: (Manual Transmission): Diaphragm spring type, single cushion disc, dry plate, hydraulically operated. 3.3 litre (200 CID) and 4.1 litre (250 CID) 6 cylinder engine: Diam. 241 mm (9.5"), Friction area 503 mm (78 in²). 4.9 litre (302 CID) 8 cylinder engine and 5.8 litre (351 CID) 8 cylinder engine: Diam. 241 mm (9.5"), Twin Plate. Friction area 1110 mm² (170.4 in²).

MANUAL TRANSMISSION – Column Shift: 3 forward speeds allsynchro – 1 reverse. Ratios: 6 cylinder; 1st-2.95; 2nd-1.69; 3rd-1.00; reverse-3.67.

FOUR ON THE FLOOR MANUAL: 4.1 litre (250 CID) 6 cylinder and 4.9 litre (302 CID) V8 engines. All synchro. Ratios: 1st-3.06; 2nd-1.84; 3rd-1.32; 4th-1.00; reverse-3.04. 5.8 litre (351 CID) V8. All synchro. Ratios: 1st-2.46; 2nd-1.78; 3rd-1.27; 4th-1.00; reverse-2.47.

AUTOMATIC TRANSMISSION: 3.3 litre (200 CID) and 4.1 litre (250 CID) 6 cylinder engines with Cruisomatic. Ratios: 1st-2.46; 2nd-1.45; 3rd-1.00; reverse-2.09. 4.9 litre (302 CID) V8. Ratios: 1st-2.46; 2nd-1.46; 3rd-1.00; reverse-2.20. 5.8 litre (351 CID) V8. Ratios: 1st-2.40; 2nd-1.47; 3rd-1.00; reverse-2.00.

FRONT SUSPENSION: Angle-poised ball-joint type. Heavy-duty coil springs with hyd. shock absorbers. Torsion bar ride stabilizer.

REAR SUSPENSION: Semi-elliptic asymmetrical 2-stage 7-leaf variable rate leaf springs. Diagonally mounted hydraulic shock absorbers. Rubber bushed shackles. 500 kg (10 cwt) option has 6-leaf springs.

BRAKES: Dual line system with inbuilt warning light on instrument panel and brake proportioning valve. Floating caliper-type disc front brakes, turbo cooled and ventilated, 285.75 mm (11.25") diam. Self adjusting hydraulic 254 mm (10") x 44.45 mm (1.75") rear drums with bonded linings.

STEERING: Recirculating ball type. Steering gear ratio - 20:1. Optional power steering - variable ratio 17.5:1 - 11.5:1 at lock. Steering wheel - 406 mm (16") diam. Turning circle 12 m (41.2 ft).

WHEELS: 14" x 6JJ, pressed steel, safety rims, 5-stud mounting type.

Printed April 1977

Illustrated far left: Falcon 500 Van Illustrated below: Falcon 500 Van with optional GS Rally Pack (available at extra cost).

Wheelbase		2946 mm (116")
Track — front		1536 mm (60.5")
— rear		1524 mm (60.0")
Ground clearance	162 mm (6.4")	
Max. load length (tailgate closed)		2134 mm (84.0")
Max. loading height (unladen)		593 mm (23.3")
GVM	500 kg (10 cwt)	750 kg (15 cwt)
6 cylinder engine	2005 kg (4411 lbs)	2689 kg (5015 lbs)
V8 engine	2105 kg (4632 lbs)	2380 kg (5236 lbs)
Fuel Tank capacity		67 litres (14.8 gall)
Turning circle		12.5 m (41.2 ft)
Cubic Capacity		2.7 m ³ (96 ft ³)

All measurements, capacities and ratings are approximate only.

DRIVER AND PASSENGER PROTECTION:

The following items are built-in to minimise the likelihood of an accident occurring-and personal injury in the event of an accident • Outboard inertia reel seat belts • Front power disc brakes • Highbacked seats • Deeply-recessed, padded instrument panel • Windshield-mounted breakaway, anti-glare interior rear view mirror • 3-speed "Blendaire" heater/demister • 3-speed power ventilation • Collapsible steering column • Impact-absorbing steering wheel with padded hub • Controlled collapsible front end • Padded sun-visors • Padded door-pull armrests • 2 speed electric windscreen wipers • "Non-lift", non-reflective wiper arms with driver's side anti-lift vane • Push-button electric windscreen washers • Thick "safety-plate" glass windscreen with "zone toughened" area in front of driver, and "safety glass" other windows • Dual hydraulic brake system with brake proportioning valve, warning light • Exterior rear-vision mirrors (Falcon 500 only) • Reversing lights • Front and rear side marker lamps • Flush-mounted exterior door handles.

PLEASE NOTE:

The illustrations, information and specifications presented and referred to herein were correct at the time this publication was approved for printing. However, Ford Motor Company of Australia Limited and/or Ford Sales Company of Australia Limited reserve(s) the right, subject to the laws of Australia and/or any applicable State or Territory thereof and/or the regulations of any competent authority which may apply from time to time, at their or its discretion, and without notice, to discontinue or change the specifications or design of the products referred to herein and any options therefor at any time without incurring any liability whatsoever to any purchaser thereof. Some of the items illustrated or referred to herein are optional at extra cost.

Some options may be required in combination with other optional at each coal Always consult your Ford Dealer for the latest information on models, specifications, features, prices, options and availability.

FORD MOTOR COMPANY OF AUSTRALIA LIMITED. FORD SALES COMPANY OF AUSTRALIA LIMITED. 1735 Sydney Road, Campbellfield, Victoria.



