Falcon specifications and options.



No Boundaries

Personalise your Falcon. The choice is yours.

0

0

> Falcon XT shown in Ice Mint Silver with optional 17" 5 spoke alloy wheels* and body styling kit including front, rear and side skirts, and high arched spoiler.

0

ALCO

PERFORMANCE	XT SEDAN	XT WAGON	XR6	XR6T	XR8	FUTURA SEDAN	FUTURA WAGON	FAIRMONT	FAIRMONT GHIA
Barra 182 - 4.0L DOHC VCT 16	X	X	X		Alle	X	X	X	X
Manual	x	~	x			~	~	A	X
Automatic Transmission with Sequential Sports Shift	0	x	0			x	x	x	x
Barra 240T - 4.0L DOHC VCT TURBO 16			-	x		100000	-	-	
Manual				x					
Automatic Transmission with Sequential Sports Shift				0					
Barra 220 - 5.4L SOHC V8 3V ¹	0							0	0
Manual	X ² .								
Automatic Transmission with Sequential Sports Shift	0							x	x
Boss 260 – 5.4L DOHC V8 4V ³ .					X			E CORE	in the second se
Manual					x				
Automatic Transmission with Sequential Sports Shift					0				
E-Gas (Dedicated LPG) ^{3,4.}	0	0				0	0		
RIDE & HANDLING			and the second second		T. Hillington				aller frankrike
Control Blade Independent Rear Suspension (IRS)	X					X		X	
Sports Control Blade Independent Rear Suspension (IRS) ^{5.}	Ô					0		0	x
XR Control Blade Independent Rear Suspension (IRS)	· ·		x	x	x			•	A
Live Rear Axle Suspension		x	^				x		
Fully Independent Double Wishbone Front Suspension	x	X	x	x	x	x	X	x	x
16" x 6.5" Steel Wheels with Full Wheel Covers – 215/60 R16 tyres ⁶	x	x	^	^	^	~	^	^	^
16" x 6.5" Alloy Wheels – 215/60 R16 tyres ⁶	0	^				x	x		
17" x 8" Alloy Wheels (5 Spoke XR) - 235/45 ZR17 tyres ⁶	U C		x	x	x	^	^		
16" x 7" Alloy Wheels - 215/60 R16 tyres ⁶			^	^	^			x	
17" x 7.5" Alloy Wheels (Multi Spoke) – 225/50 ZR17 tyres ⁶								^	x
17" x 7.5" Alloy Wheels (Multi Spoke) - 225/50 ZR17 tyres	А		А	A	A	А		A	A
17" x 8" Alloy Wheels (/ Spoke) – 225/50 ZR1/ tyre 17" x 8" Alloy Wheels (Multi Spoke) – 225/50 ZR17 tyres ^{6,2}	0		A		A	0		0	A
			٨	А	A	A		A	٨
17" x 8" Alloy Wheels (5 Spoke) - 235/45 ZR17 tyres*	A		A	0	0	A		~	Α
18" x 8" Alloy Wheels - 245/40 ZR18 tyres*	×	v				v	v	~	v
16" Steel Spare Wheel ⁹	X	X	X	X	X	X	X	X O	x
Matching Alloy Spare Wheel ¹⁰	0	-	0	0	0	0	0	U	0
Limited Slip Differential ¹¹	0	0	0	X	X	0	0		
Premium Brakes			0	0	.0			Contract Patricks	
INTERIOR				N N	N N	N N			and the second
Interior Command Centre (ICC)	X	X	X	X	X	Х	X	v	
Prestige ICC with Dual Climate Control, large LCD screen and Trip Computer								X	
Premium ICC with Dual Climate Control, large colour screen and Trip Computer									X
Woodgrain Trim						N MICHARS		X	X
Trip Computer	X	X	X	X	X	X	X	X	X
Analogue Clock								X	X
CFC Free Air-conditioning	Х	X	Х	Х	X	Х	X	X	Х
Automatic Climate Control with Dual Zone Temperature Control								X	X
Outside Temperature Display		A second second second	with the second second	Contraction Contract	CALIFORNI CORNAL		States and a state	Х	Х
Power Adjustable Pedals ¹²	0	0	0	0	0	0	0	0	
Memory Power Adjustable Pedals/Mirrors/Seat									X
Front Power Windows	X	X	X	X	X	X	X	X	X
Rear Power Windows	0	0	0	Х	x	X	Х	X	X
Central Locking all doors (including Wagon Tailgate)	X	X	X	X	X	X	Х	X	X
Remote Keyless Entry with Panic Alarm	X	X	Х	Х	X	X	X	X	х
Cruise Control with Steering Wheel Mounted Switches	0/A	O/A	X	Х	X	Х	X	X	Х
Steering Wheel Audio Controls	Х	Х	х	Х	X	X	х	Х	х
Leather Wrap Steering Wheel								X	Х
Unique XR Leather Steering Wheel			х	х	Х				
Sports Steering Wheel			0	0	0				
Momo Leather Steering Wheel ^{13.}	А	А	А	А	А	А	А	А	А
Momo Leather/Aluminum Gear Knob ¹⁴	Α		Α	Α	Α				
Momo Leather Sequential Sports Shifter ^{15.}	А	А	A	А	А	А	А	А	Α

X - Standard, O - Options that can be ordered before a vehicle is manufactured. A - Options that can be added at any time. NCO - No cost options that can be ordered before a vehicle is manufactured NCA - Available at no cost when ordered at time of purchase.

Alloy wheels mandatory with Falcon XT V8.
 Aust specify with 17° alloy wheels and Sports Control Blade IRS.
 Available early 2003.
 Cannot specify with Traction Control. Automatic Transmission only.
 Transmission only.
 Set of four.
 Aust specify with Sports Manual Transmission only.
 Set of four.
 Aust specify with Sports Manual Transmission only.
 Trans

INTERIOR	XT SEDAN	XT WAGON	XR6	XR6T	XR8	FUTURA SEDAN	FUTURA WAGON	FAIRMONT	FAIRMON GHIA
Courtesy Lights	X	Х	X	Х	X	Х	Х	Х	Х
Scuff Plate Inserts - Ford or XR Logo	A	A	A	A	A	A	A	A	A
Cargo Blind ¹⁶		X					Х		
Smokers Pack	А	А	Α	Α	Α	Α	Α	Α	А
Seatback Organiser	А	А	Α	A	А	Α	A	A	A
Mobile Phone Presenter	Α	Α	Α	Α	Α	Α	Α	A	Α
Disabled Driver's Kit (auto only) ^{17.}	NCA	NCA	NCA	NCA	NCA	NCA	NCA	NCA	
Pollen Filter	A	Α	Α	Α	Α	Α	Α	Α	Α
SEATING	and a share of			10.10		-		and the second	
Knitted Velour Trim Seats	х	Х				Х	Х	Х	
Cloth Trim Sports Seats			X	X	X				
Cloth Trim with Leather Inserts									0
Leather ¹⁸ .			0	0	0				X
Driver Lumbar Support Seats	х	х	X	X	Х	х	х	X	Х
Passenger Lumbar Support Seats			X	X	X	x	X	X	X
60/40 Split Fold-down Rear Seat Back	X	X	X	Х	Х	х	х	х	X
Centre Rear Arm Rest with Cup Holders						x	х	X	X
4-Way Driver Power Seat	х	х	X	Х	Х	x	х	X	
6-Way Driver Power Seat with Memory Mirrors & Memory Pedals									X
AUDIO				and the second	State of the second	TE COM			
100 Watt Audio System with LCD Display Screen & Single Slot CD	х	Х	Х	Х	Х	Х	Х		Conversion of Scolarso
Prestige Audio System with LCD Display Screen & 6-disc In-dash CD	0	0				0	0	X	
Premium Audio System with Colour Display Screen & 6-disc In-dash CD,									
150 Watt Amplifier & 150 Watt Sub-woofer			0	0	0			0	X
Auxiliary Audio Plug-in (cassette and MP3 capability)	А	Α	Α	Α	A	Α	Α	Α	A
On Glass Radio Antenna	х	Х	X	Х	X	X	Х	х	х
DVD Satellite Navigation System ¹⁹	0		0	0	0	0		0	0
REX DVD Entertainment System ²⁰ .	А	А	A	A	A	A	А	A	A
EXTERIOR STYLING		Sec. Sec.		No. of the second				and the second	
Prestige Paint	0	0	0	0	0	0	0	NCO	NCO
Rear Decklid Spoiler	O/A					O/A		0/A	O/A
High Arched Spoiler	A					A		A	A
Sports Body Kit - Side Skirts, Front & Rear Bumper Spoiler & Full Wing Spoiler			X	X	X				
Body Styling Kit - Front, Rear and Side Skirts	А					A		A	A
Carry Bars	A	А	Α	Α	Α	Α	Α	Α	Α
Roof Racks		O/A					O/A		
Sunroof ²¹	0	Test and a	0	0	0	0		0	0
XR Fog Lights			X	X	X				
Auxiliary Lights Kit (bumper mounted)	А	A				Α	Α	Α	Х
1600 kg rated (auto)/1200 kg rated (manual) Towbar ²²	O/A	O/A	O/A	O/A	O/A	O/A	O/A	O/A	O/A
2300 kg rated Heavy Duty Towbar (auto only)23.	A	A	A		A	A	A	A	A
SAFETY	100 M							and the second	CALCULAR OF
Intelligent Safety System	Х	Х	X	Х	Х	Х	Х	Х	Х
Driver and Front Passenger Airbags	X	X	X	X	X	X	X	X	X
Airbag Dual Stage Inflators	X	X	X	X	X	X	Х	X	х
Pyrotechnic Seatbelts Buckle Pretensioner	Х	X	X	X	X	X	X	x	X
Beltminder™ System	x	X	X	X	X	X	X	x	X
Three Point Seat Belts	x	X	X	X	X	X	X	X	X
Advanced Restraints Module	X	X	X	X	Х	X	Х	х	X
New Crash Severity Sensor	X	X	X	X	X	X	X	X	X
New Driver's Seat Sensor	x	X	X	X	X	X	X	x	X
Side Airbags ^{24.}	0	0	0	0	0	0	0	x	X
Anti-Lock Braking System	x	X	x	x	x	X	x	x	X
Traction Control ^{25.}	0	0	and sound	X	X	0	0	x	x
Reverse Sensing System	A		A	A	A	A		0/A	x
Smartshield Security System	x	x	x	x	x	x	х	X	x
Fully Integrated Alarm with Battery Back-up	A	A	Â	A	Â	A	A	A	A
Child Proof Locks	x	X	x	x	X	x	x	X	X
Child Restraints	A	Â	A	A	A	A	A	A	A

Not available with E-Gas (Dedicated LPG).
 Not available with Power Adjustable Pedals.
 Must specify with rear power windows.
 Falcon XT and Futura only option with Base Audio. Falcon XR can only option with Premium Sound System.
 Not available with Power Passenger Seat or Sunroof.
 Overhead Console removed when Sunroof fitted.
 Towball and trailer wining sold separately.
 Must specify with Load Levelling Kit. Towball, trailer wining and Load Levelling Kit sold separately.
 Driver and Front Passenger only.
 Not available with 3rd Row Seat.

ENGINE	BARRA		E-GA	at the second second second second	BARRA			A 220	BOSS	
Engine Type	4.0L DOI		4.0L DOHC VCT		4.0L DO		5.4L SOHC		5.4L DOHC V8 4V	
	16		Dedicated	LPG 16	TURE	30 16	V8		V8	4V
Applicable Models	XT, X		VT (anti	in nal)				(optional),		
	Futura, Fa		XT (opti		XR6 T			(optional),	XR	0
Early Olar	Fairmon 398		Futura (o 398		39		Fairmont Gh	08	54	
Engine Size	9.7		10.7		8.7		9.7		9.5	
Compression ratio	182kW @ 5		156kW @		240kW @			4750rpm	260kW @	
Max. Power Max. Torque	380Nm @						470Nm @		500Nm @	
No. of Valves	24		24		2		2		3	
Bore x stroke	92.26 x 9		92.26 x 9		92.26 x 9			05.8mm	90.2 x 10	
Injection	72.20 / 7						el Injection ³			
Engine Management							tronic Thrott			
Battery					Ah (59 Ah fo					
TRANSMISSIONS/RATIOS	Auto	Man	Aut	and an other statements and an other statements	Auto	Man	Auto	Man	Auto	Man
1st	2.50	3.35	2.5	50	2.50	2.95	2.50	3.38	2.50	3.38
2nd	1.49	1.93	1.4	9	1.49	1.94	1.49	2.00	1.49	2.00
3rd	1.00	1.29	1.0	00	1.00	1.34	1.00	1.32	1.00	1.32
4th	0.68	1.00	0.6	58	0.68	1.00	0.68	1.00	0.68	1.00
5th		0.73	- 1.5		-	0.73	18 C 1	0.68	-	0.68
Reverse	2.07	3.15	2.0)7	2.07	2.76	2.07	3.38	2.07	3.38
Final Drive Ratio – Sedan	3.234/3.455	3.45	3.2	23	3.45	3.45	3.23	3.23	3.45	3.23
- Wagon	3.23	3.23	3.2		-		-	-	-	-
FUEL	SEDAN	WAGON	SEDAN	WAGON	A 2 No 10 Notes of the local data	DAN	A Residence of the second second second	DAN	SED	the second s
Fuel Tank Capacity	68L	69L	93L	116L		8L		8L	68	
Fuel Consumption – City Cycle (L/100km)	11.5*	11.5	15.0	15.0°.		.5 ²		4.0 ^{6.}	TB	
 Highway Cycle (L/100km) 	7.2 ^{6.}	8.0	9.5	9.5		0 ²		.5	TB	
Recommended fuel	UL	Р	LPG-	only	ULP,	/PLP	U	LP	U	LP
SUSPENSION				and the second second	and the second second	Service States with				
Front			ouble Wishbo		7					
Front Rear			ouble Wishbo endent Rear S		7.					
Front Rear BRAKES	Control Bla	ade Indepe	endent Rear S	Suspensior	7.					
Front Rear BRAKES Front	Control Bla	ade Indepe c brakes v	endent Rear S with twin pisto	Suspension on caliper	7.					
Front Rear BRAKES Front Rear	Control Bla Vented dis Solid disc	ade Indepe c brakes v brake with	with twin piston single pistor	Suspension on caliper n caliper						
Front Rear BRAKES Front Rear ABS	Control Bi Vented dis Solid disc 3-channel	ade Indepe c brakes v brake with	endent Rear S with twin pisto	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation	Control Bi Vented dis Solid disc 3-channel	ade Indepe c brakes v brake with	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual	Control Bla Vented dis Solid disc 3-channel ons. 1200kg ⁸	ade Indepe c brakes v brake with ABS / 4-cl	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic	Control Bi Vented dis Solid disc 3-channel 1200kg [*] 2300 kg ^{**}	ade Indepe c brakes v brake with ABS / 4-cl	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas	Control Bi Vented dis Solid disc 3-chanel pns. 1200kg ^{\$} 2300 kg ^{\$%}	ade Indepe c brakes v brake with ABS / 4-cl	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm)	Control Bi Vented dis Solid disc 3-channel ons. 1200kg ^{%,} 2300kg ^{%,} 2300kg ^{%,} Sedan	ade Indepe c brakes v brake with ABS / 4-cl Wagon	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916	ade Indepe c brakes v brake with ABS / 4-cl Wagon 5053	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹ Overall Width ¹²	Control Bi Vented dis Solid disc 3-channel ons. 1200kg [®] 2300 kg [®] , 2300 kg [®] , Sedan 4916 1864	ade Indepe c brakes v brake with ABS / 4-cl o. <u>Wagon</u> 5053 1863	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Height ^{11.} Overall Height	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916	ade Indepe c brakes v brake with ABS / 4-cl Wagon 5053	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Width ¹⁹ Overall Width ¹⁹ Overall Width ¹⁹	Control Bi Vented dis Solid disc 3-channel ons. 1200kg* 2300 kg** 2300 kg** Sedan 4916 1864 1864	ade Indepe c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483	with twin piston single pistor	Suspension on caliper n caliper		īitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Height ^{11.} Overall Height	Control Bi Vented dis Solid disc 3-channel ons. 1200kg [®] 2300kg [®] 2300kg [®] Sedan 4916 1864 1864 1444 2829	ade Indepe c brakes v brake with ABS / 4-cl a Wagon 5053 1863 1483 2921	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹⁻ Overall Height Wheelbase Front track Rear track	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{\$*} 2300 kg ^{\$*} 2300 kg ^{\$*} Sedan 4916 1864 1444 2829 1553	Ade Indeper c brakes w brake with ABS / 4-cl w 5053 1863 1483 1483 2921 1553	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ^{11.} Overall Width ^{12.} Overall Width ^{12.} Overall Height Wheelbase Front track	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916 1864 1444 2829 1553 1553	 ade Indeperson and Independent of the second second	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹ Overall Height Wheelbase Front track Rear track Front overhang	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916 1864 1444 2829 1553 1571 913 ¹³	Ade Indeper c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913	with twin piston single pistor	Suspension on caliper n caliper		iitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹ Overall Width ¹² Overall Width ¹² Overall Wight Wheelbase Front track Rear track Front overhang Rear overhang Rear overhang	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916 1864 1444 2829 1553 1571 913 ¹³	Ade Indeper c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Width ¹² Overall Keight Wheelbase Front track Rear track Front overhang Rear overhang INTERIOR DIMENSIONS (mm)	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{%,} 2300 kg ^{%,} Sedan 4916 1864 1444 2829 1553 1571 913 ¹² , 1174	ade Indepe c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913 1219	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ^{11.} Overall Width ^{12.} Overall Width ^{12.} Overall Height Wheelbase Front track Rear track Front overhang Rear overhang Rear overhang INTERIOR DIMENSIONS (mm) Front headroom	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{%,} 2300 kg ^{%,} Sedan 4916 1864 1444 2829 1553 1553 1551 1571 913 ¹⁰ , 1174 1174	Ade Indeper c brakes v brake with ABS / 4-ci a	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹⁻ Overall Height Wheelbase Front track Rear track Rear track Rear track Rear overhang Rear overhang INTERIOR DIMENSIONS (mm) Front headroom Front legroom	Control Bi Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916 1864 1444 2829 1553 1571 913 ^{11,} 1174 1174	Ade Independent c brakes w brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913 1219 1010 1086	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹⁻ Overall Height Wheelbase Front track Rear track Front overhang Rear overhang Rear overhang INTERIOR DIMENSIONS (mm) Front headroom Front lengtom Front shoulder room	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{%,} 2300 kg ^{%,} Sedan 4916 1864 1444 2829 1553 1571 913 ^{10,} 1174 1010 1086 1513 1461 976	Ade Independent c brakes w brake with ABS / 4-ci 4 5053 1863 1483 2921 1553 1546 913 1219 1010 1086 1513 1461 1013	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Wridh ¹² Overall Height Wheelbase Front verhang Rear track Rear track Rear track Rear track Rear track Rear track Rear overhang Rear overhang Front headroom Front headroom Front hiproom Front hiproom	Control Bi Solid disc 3-channel 2300 kg** 2300 kg** Sedan 4916 1864 1444 2829 1553 1551 1571 913 ¹⁸ 1174 1010 1086 1513 1461 976 980	Ade Indeper c brakes v brake with ABS / 4-ci % % % % % % % % % % % % % % % % % % %	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Kidht ¹² Overall Height Wheelbase Front verhang Rear track Rear track Rear track Front overhang Rear overhang Front headroom Front headroom Front hiproom Rear headroom Rear headroom Rear shoulder room	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{%,} 2300 kg ^{%,} Sedan 4916 1864 1444 2829 1553 1571 913 ^{10,} 1174 1010 1086 1513 1461 976	Ade Independent c brakes w brake with ABS / 4-ci 4 5053 1863 1483 2921 1553 1546 913 1219 1010 1086 1513 1461 1013	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Width ¹⁹ Overall	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} 2000 kg ^{&,}	Ade Indeper c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913 1219 1010 1086 1513 1461 1043 980 1494	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Kidht ¹² Overall Height Wheelbase Front verhang Rear track Rear track Rear track Front overhang Rear overhang Front headroom Front headroom Front hiproom Rear headroom Rear headroom Rear shoulder room	Control Bi Vented dis Solid disc 3-channel 2300 kg** 2300 kg** Sedan 4916 1864 1444 2829 1553 1571 913 ¹⁸ 1174 1010 1086 1513 1461 976 980 1494	Ade Indeper c brakes v brake with ABS / 4-ci % % % % % % % % % % % % % % % % % % %	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ^{11,} Overall Width ^{12,} Overall Width ^{12,} Overall Height Wheelbase Front track Rear track Front track Rear track Front overhang Rear overhang INTERIOR DIMENSIONS (mm) Front headroom Front legroom Front shoulder room Front hiproom Rear headroom Rear shoulder room Rear shoulder room Rear shoulder room Rear shoulder room Rear shoulder room KERB WEIGHT (kg) 6-cylinder ^{14,} 8-cylinder	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} 2000 kg ^{&,}	Ade Indeper c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913 1219 1010 1086 1513 1461 1043 980 1494	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulation Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Height Wheelbase Front Bront With ¹² Overall Width ¹	Control Bi Solid disc 3-channel 2300 kg** 2300 kg** Sedan 4916 1864 1444 2829 1553 1571 913 ¹⁸ 1174 1010 1086 1513 1461 976 980 1494	ade Indepe c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1863 1863 1863 1863 1863 1863 186	with twin piston single pistor	Suspension on caliper n caliper		fitted				
Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ¹¹ Overall Width ¹² Overall Width ¹² Overall Might Wheelbase Front vack Rear track Rear track Rear track Rear track Rear track Rear overhang Rear overhang KERB DELEGATIONS (mm) Front heldroom Front hiproom Rear headroom Rear headroom Rear shoulder room KERB WEIGHT (kg) 6-cylinder ¹⁴ 8-cylinder	Control Bi Vented dis Solid disc 3-channel 2300 kg ^{&,} 2300 kg ^{&,} 2300 kg ^{&,} Sedan 4916 1864 1444 2829 1553 1571 913 ¹¹² 1174 1010 1086 1513 1461 976 980 1494 1694 1745	ade Indepe c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1483 2921 1553 1546 913 1219 1010 1086 1513 1461 1043 980 1494 1684 - 1254**	with twin piston single pistor	Suspension on caliper n caliper		litted				
Front Rear BRAKES Front Rear BRAKES Front Rear ABS MAXIMUM TOWING CAPACITY Subject to State & Territory regulatic Manual Automatic E-Gas EXTERIOR DIMENSIONS (mm) Overall Length ^{11.} Overall Width ^{12.} Overall Width ^{12.} Overall Width ^{12.} Overall Height Wheelbase Front track Rear track Front overhang Rear overhang INTERIOR DIMENSIONS (mm) Front headroom Front legroom Front shoulder room Front shoulder room Rear headroom Rear headroom Rear shoulder room KERB WEIGHT (kg) 6-cylinder LUGGAGE CAPACITY (L)	Control Bi Solid disc 3-channel 2300 kg** 2300 kg** Sedan 4916 1864 1444 2829 1553 1571 913 ¹⁸ 1174 1010 1086 1513 1461 976 980 1494	ade Indepe c brakes v brake with ABS / 4-cl a. Wagon 5053 1863 1863 1863 1863 1863 1863 1863 186	with twin piston single pistor	Suspension on caliper n caliper		litted				

1. Automatic available early 2003. 2. To be advised. Figures available early 2003. 3. Petrol only. 4. Drive ratio for Falcon XT, Futura and Fairmont Automatic Transmission. 5. Drive ratio for Falcon XR6 and Fairmont Ghia Automatic Transmission. 6. These figures are obtained from controlled laboratory tests conducted by Ford Motor Company of Australia Limited to Australian Standards AS2877 – 1986 and are provided to assist you in comparing the fuel consumption of Falcon with other vehicles. The actual fuel consumption you achieve will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. Figures based on Falcon XT with automatic transmission. 7. Sedan only. 8. When fitted vith Ford Aported Toward To



> REX DVD Entertainment System. Keep your back seat passengers entertained with this DVD movie system that comes complete with DVD player, roof-mounted screen, remote control and two sets of infrared headphones.



> Seatback Organiser. Make life easy with this innovative seatback organiser/backpack. Perfect for keeping the kid's stuff together and clips on and off easily to the front seat for instant access.





> Momo Steering Wheel. Take full control of the road with this stylish, ergonomically sculpted, leather wrapped steering wheel. Available in blue, red or grey.



> Scuff Plate Inserts. These eye-catching stainless steel inserts provide lasting interior style. Available with Ford or XR logo.



> Momo Sequential Sports Shifter. Enjoy the sporty feel of this leather bound shifter. Available in blue, red or grey.



> Momo Gear Knob. Set your heart racing with this state-of-the-art brushed aluminum gear knob. Available in blue, red or grey.

> Nothing can exhilarate the senses like your very own Falcon. That's because customising your Falcon to suit your needs has never been easier. Choose from an exciting and wide range of options guaranteed to raise your pulse. Better still, all items are made to meet Ford's exacting standards of quality and durability. Find out more at your Ford Dealer or visit www.ford.com.au The choice is yours.

About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. "FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed January 2003.

