

Enter a new world of performance.
It all starts with the new Commodore Executive.
Sharp styling. Smooth responsive handling.
Class-redefining, all new Alloytec V6 performance.
Driven by the demands of the driver in every sense.

Supremely responsive new Alloytec V6 engine technology with 175kW effortlessly answers the demands the road places on you.

Interactive trip computer featuring audible speed warnings, distance travelled, distance to empty and average fuel consumption helps to add certainty to your journey.

Cruise Control at your fingertips enhances fast and accurate speed adjustment and economy on long distance touring.

Dual front airbags are one of the many leading safety features that ensure your safety is a priority and provide added protection in certain severe frontal impacts.





Superior safety. Inspired performance.
Your family comes first. So must their safety.
Both the Acclaim sedan and wagon
provide protection against the unexpected,
fully integrating an array of advanced
safety features.



The new Acclaim boasts the sensational new Alloytec V6 engine.

Rear Parking Sensors (sedan only) help remove the guesswork when reverse parking.

Active front seat head restraints and seatbacks are designed to reduce the risk of neck injuries or whiplash in the event of a low velocity rear impact collision.

Electronic Stability Program (sedan only) helps control under-steer and over-steer, maintain grip and safely stabilise the vehicle.

Stabilise the vehicle.
Electronic Brake Assist
(sedan only) uses sensors
to detect a panic brake
situation and immediately
add braking pressure
to all wheels so that the
ABS system engages to help
reduce stopping distances.
New 15 inch alloy wheels
add to Acclaim's stylish looks.
(Steel spare)

Load tie-down rails and cargo blind on Acclaim wagon make carrying loads easy.











Awesome power. Awe-inspiring handling. The experience of 5VB power is a sensation all of its own. This goes beyond the simple thrill of VB driving. This is the understated power of knowing that the absolute authority of 250kW is growling under the bonnet.

The high output 5.7 litre Generation III Alloy V8 engine delivers 250kW of free-flowing power.

New Electronic Throttle
Control co-ordinates the
drive's intentions with actions
of various powertrain control
components, for improved
launch feel and to help
maximise performance.

Six speed manual transmission enhances responsiveness in all gears for all road scenarios.

New 17 inch alloy wheels complete the powertrain package, (Steel spare)

Fingertip Cruise Control reduces effort and enhances economy on long distance touring.

The convenience of power windows, front and rear.







High output 250kW 5.7 litre Generation III Alloy V8 engine. New striking fender vents add impact and create the ultimate performance signature for SS.

Huge 18 inch alloy wheels enhance the awesome sports presence and help get more power to the ground. (Steel spare)


Twin exhaust system complements both the blistering performance and sharp, aggressive sports styling.

Alloy faced pedals, yet another sign of Commodore's racing heritage.

New projector headlamps brightly illuminate the road improving visibility and driving confidence.


Sports Suspension completes the performance package by delivering extra agility and dynamic handling.













Alloytec V6 Alloytec 190 V6 Gen III V8 The pure sensation of driving. Revolutionary engine technology, new transmissions and more advanced safety features are all seamlessly integrated to work in perfect harmony. All of which makes the new Commodore even more finely tuned to you — the driver.



ALLOYTEC V6



improves valve positioning and creates better file and air mixture flow, which in turn leads to better performance. Four valves per cylinder, two risks and two cutlet, for guest performance. Four guards performance, for guest performance, developed performance, for guest performance, for guest performance, developed performance, for guest performance for guest

Double Overhead Camshaft

Continuously variable valve timing. On the Alloyte: 190, continuously variable cam phasing is an active system that determines when the valves open and dose. Whether it's accelerating or towing, the valves are continuously adjusted to best meet the driver requirements at that moment. On the Alloyte: 175 the camshaft phasing is on the intake valve.


New variable intake manifold for outstanding performance and driveability. On the Alkoytec 190, the variable stake manifold changes the plenum volume to assist resonance turning of the inlet flow. At lower engine speed cylinder charging is boosted to provide maximum torque. At higher engine speeds ram air cylinder charging occurs for cylinder charging occurs for

Electronic Throttle Control co-ordinates the driver's intentions with actions of various powertrain control components, helping maximise performance and optimise fuel consumption.

New alloy construction for performance and strength. The alloy construction means that not only is the engine lighter, but it can also withstand higher combustion temperatures and that means efficiency and lower

Alloytec 190

3.6 litres Lightweight, alloy construction 190kW of power at 6500rpm 340Nm of torque at 3200rpm



Alloytec 175

3.6 litres Lightweight, alloy construction 175kW of power at 6000rpm 320Nm of torque at 2800rpm



ALLOYTEC

The passion of driving has found a new expression. One of the most sophisticated and advanced production engines ever manufactured in Australia, the all new Alloytec V6 delivers exhilarating performance. It is a world-class engine and Commodore drivers will be able to enjoy the responsiveness and outstanding driveability of this new automotive technology for years to come. Available in two high performance variants, both the Alloytec 175 and the Alloytec 190 bring new levels of power and torque.*



V6 Transmissions

Commodore drivers now have some great choices to make the most of the all new high performance Alloylev CW engine. Designed for Australian conditions this is the latest transmission technology, fully attuned to the driver. The Alloylev E(9) is available with a new five speed automatic transmission middle with a new five speed automatic transmission with Active Select. Exclusive to the new SVE is a new six speed manual. The Alloylev 179 is teamed with a refined four speed automatic.

Five speed automatic transmission with Active Select he all new high performance Alloyers 100 V6 engine is available with a new five speed automatic transmission with Active Select on the new SV6. This assure diverse enjoy smooth, crop and almost seamless geer shifts. Active Select is activated by pressing the XPS battom in the centre console. It provides the option of automatic or manual intransmission shift where SV6 pression of automatic or manual manual state the consoleration of the state of the state of the state diverse to channel and automatic or manual and a total con-

New six speed manual transmission

The new six speed manual transmission is available on the new SV6. Designed with a shorter throw for improved feel, spirited driving gains a new dimension. With new ratios that give an ideal first gear launch feel and lower cruising revs in sixth, this is the choice for those who prefer a 'hands-on' experience.

Four speed automatic transmission

The Holden four speed automatic transmission has new software and a new control module which allows the transmission and engine to communicate at a faster rate. This gives drivers new levels of refinement, with consistent shifts and enhanced smoothness.

V8 Transmissions

vo transmissions
Choose from either a 4 speed automatic transmission or
6 speed manual with your V8 engine. Four speed automatic
transmission provides improved gear shift feel. Six speed
manual now provides a new final drive ratio for an improved



GEN III ALLOY V8



SAFETY

Performance demands uncompromising safety. Ultimately safety is always a priority. Along with enhancements to performance, more than ever, Commodore puts peace of mind and safety first. So you can drive on with added confidence.

ull-size driver and passenger

front passenger side impact


and chest in a side collision.

irbags* for improved protection

in a frontal impact, and driver and

airbags' help protect head, neck

Electronic Brakeforce Distribution (EBD) regulates the force between the front and rear brakes to provide improved braking balance. EBD is standard across the Commodore range.





particularly useful in challenging cornering situations.


Suspension, with dual control arms, helps keep Commodore stable on the road at all times. This is




On selected models. Electronic Brake Assist uses sensors to detect a panic situation and immediately add braking pressure to all wheels so the ABS system reduces stopping distances. Featured on Executive, SV6. SS and SV8, the Brake Assist

system provides additional braking assistance by allowing the driver to reach the ABS threshold sooner and therefore help reduce stopping distances.





On selected Alloytec models, Electronic Stability Program (ESP) helps control under-steer and over-steer, to maintain grip and safely stabilise the vehicle.



Corner Brake Control (CBC) During heavy braking on corners the CBC function is activated on Alloytec models with ESP_CRC senses different wheel rotational speeds and co-ordinates the brakes as they are applied to individual wheels. This helps to ensure vehicle stability is maintained.






- 01 HBD SS type spoiler with rear mounted stop lamp
- 02 HBD front spoiler (available with HBD lower bodykit only)
- 03 HBD lower bodykit, S type spoiler, and exhaust extension
- 04 Protection up front with stylish, practical bonnet and headlight protectors
- 05 16"x 7" S series alloy wheel
- 06 17"x 8" W series alloy wheel
- 07 17"x 8" I series alloy wheel
- 08 17"x 8" Y series alloy wheel
- 09 18"x 8" N series alloy wheel
- 10 18"x 8" J series alloy wheel
- 11 18"x 8" L series premium machined face alloy wheel
- 12 Brakes for drivers who enjoy their driving and demand more. HBD performance brakes feature larger 320mm, 10 slot front rotors with eyecatching, Holden branded red calipers and ventilated rear discs (for V8 models with 17" or larger wheels only)
- 13 Red leather-wrapped sports steering wheel, gear selector and handbrake (also available in Anthracite – Silver Foil)
- 14 HBD DVD Player with 7" high resolution, LCD screen. DVD, CD and MP3 compatible. Includes remote control, infra-red headphones and games console input

- 15 HBD upgraded audio system from Blaupunkt, comprising power amplifier (4 x 50W RMS), 4 x ultraflat 2 way component speakers (70W RMS) and optional powered sub woofer (140W)
- 16 31 litre, 12V/240V portable refrigerator boasting 41 can capacity and quick chill function
- 17 Organise your belongings on the move. A practical, good looking and collapsible storage solution
- 18 Stylish, practical floormats complement and protect your new Holden
- 19 Stylish and sporty floormats for the enthusiast in you
- 20 Expand your new Holden's cargo carrying capacity with a genuine Holden Roof Rack
- 21 Fully integrated, hands-free 'Bluetooth' connectivity for your compatible mobile phone allows you to make and answer calls at the touch of a button (subject to mobile phone capability)

Leave the every day behind with Holden By Design. Individualise your Commodore with an extensive range of enhancements and accessories designed to express your sense of style and pride. Explore all the possibilities at www.holden.com.au/holdenbydesign and www.holden.com.au/genuineaccessories





	EXECUTIVE	ACCLAIM	9/5	SV8	SS	EXECUTIVE WA	ACCLAIM WAG
Powertrain 175kW, 3.6 litre High Performance Alloytec V6 engine	S	S				S	S
190kW, 3.6 litre High Performance Alloytec 190 V6 engine	313		S				
250kW, 5.7 litre High Output Generation III Alloy V8 engine with Performance exhaust				S	5		
Electronic Throttle Control	S	C	5	S	S	S	S
4-speed electronic control automatic transmission.	5	5)	0	0	5	5
Power or economy mode	2	2		U	U	3)
5-speed automatic transmission with Active Select			0				
6-speed manual transmission	10		S	S	S		
Limited slip differential			5	5	5	-	
			2	2	3		
Mechanical	C	c	c	c	C	c	c
Control-Link Independent Rear Suspension	S	S	5	5	5	S	5
FE2 Sports Suspension (includes gas pressure rear dampers)	0)	2	3	0	
Country Pack (not available with FE2 Sports Suspension)	0	•	C	c	c	1150	c
Anti-lock Braking System (ABS)	S	S	S	S	S	S	5
Electronic Brakeforce Distribution (EBD)	S	S	S	S	S	S	S
Brake Assist (BA)	S	S	S	S	S	S	S
Electronic Brake Assist (EBA)		S					
Electronic Stability Program (ESP) with Corner Brake Control		S					
(includes the functionality of Traction Control)							
Traction Control (TC)			S	S	S		S
Wheels					300		
15" steel spare wheel	S	S	S	S	S	S	S
15" x 6" steel wheels. Full covers. 205/65 R15 95H tyres	S					S	
15" x 7" alloy wheels. 205/65 R15 95H tyres (4)		S					S
17" x 8" alloy wheels. 235/45 R17 93V tyres (4)			S	S			
18" x 8" alloy wheels. 235/40 R18 91W tyres (4)					S		
Exterior							
Front foglamps			S	S	S		
Projector headlamps					S		
Metallic paint	0	0	0	0	0	0	0
Exterior mirrors in body colour	<u> </u>	S	S	S	S		S
Dark tail lamps					S		
Sports wing. High-mount stop lamp			S	S	S		
			S	S	S		
Lower body kit: Front, rear and side skirts	Meri-				S		
Lower body kit: Front, rear and side skirts Fender vents	100						
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip			S				
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust			S		S	_	
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip			S		S	S	5
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust	S	S	S	S	S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector	S - S	S S		S		1000	
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection	100		S	180	S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system	100		S	180	S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel	S	S	S	S	S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel Sports profile leather-wrap steering wheel, in Anthracite	S	S	S S	S	S S S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel	S	S	S S	S	S S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel Sports profile leather-wrap steering wheel, in Anthracite Leather-wrap satin chrome finish gear selector and	S	S	S S	S	S S S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel Sports profile leather-wrap steering wheel, in Anthracite Leather-wrap satin chrome finish gear selector and handbrake handle in Anthracite	S	S	\$ \$ \$ \$	S	S S S	S	S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel Sports profile leather-wrap steering wheel, in Anthracite Leather-wrap satin chrome finish gear selector and handbrake handle in Anthracite Cruise control	S	S	S S S	S S	S S S	S S	S S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel Sports profile leather-wrap steering wheel, in Anthracite	S	S	\$ \$ \$ \$	S S S	S S S S	S S	S S
Lower body kit: Front, rear and side skirts Fender vents Chrome finish exhaust tip Chrome finish twin tip exhaust Tailgate dust deflector Full immersion body corrosion protection Stainless steel long life exhaust system Driver Steering wheel height and reach adjust Leather-wrap steering wheel Sports profile leather-wrap steering wheel, in Anthracite Leather-wrap satin chrome finish gear selector and handbrake handle in Anthracite Cruise control Electric remote boot release	S	S	\$ \$ \$ \$	S S S	S S S S	S S	S S

Rear Window wiper/washer Rear Parking Sensors Rear Parking Sensors Auditomatic headlamp mode. Switches on at twilight or low light. Manual override Headlamps auto off feature (variable delay) Tirip computer includes: Odometer. Trip distance. Audible and visual speed warning (4 adjustable settings). Distance to empty. Trip distance to go. Time to go Service reminder. Appears 1,000km before service is due Solour Coded instruments: Redhot, Bermuda or Silver Grey Tachometer Alloy faced pedals Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and chime: Parking brake on while vehicle moving. Low fue Warning and from the search of the whole of the worning that the whole of the who		EXECUTIV	ACCLAIM	9/5	8/8	\$\$	EXECUTIV	ACCLAIM
Rear Parking Sensors Automatic headlamp mode. Switches on at twilight or low light. Manual override SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	Driver				W.Y	73		
Automatic headlamp mode. Switches on at twilight or low light. Manual override S S S S S S S S S S S S S S S S S S S							S	S
Manual override Manual override			S	0	0	0		
Headlamps auto off feature (variable delay) Fig. computer includes: Odometer. Tip distance. Audible and visual speed warning (4 adjustable settings). Distance to empty. Tip distance to go. Time to go Service reminder. Appears 1,000km before service is due Colour coded instruments: Redhot, Bermuda or Silver Grey Tachometer Sound system able to accommodate compatible mobile phone with phone kit fitted. Auto mute when phone is in use Mobile phone power socket in console Sound system able to accommodate compatible mobile phone with phone kit fitted. Auto mute when phone is in use Occupant safety Active front seat head restraints and seatbacks to help reduce risk of injury in collision from behind Driver and front passenger airbags (full size) Sourd system able to accommodate compatible mobile phone To be add, neck and chest in pact airbags Front lap/sash seat belts with webling damps, force limiters For lap/sash seat belts with webling damps, force limiters For sound system seat belt in a collision Rear seat child restraint anchor points Front seat belt sash height adjustable Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel Sound system remote controls on steering wheel Sound system remote cach music style: jazz, rock, classical Seat trim in full cloth, with sports design Leather faced seats with high side support bolster Sound system remote controls on steering wheel Sound system in full cloth, with sports design Leather faced seats with high side support bolster Sound system remote controls on steering wheel Sound system remote controls on ste								
Trip computer includes: Odometer. Trip distance. Audible and visual speed warning (4 adjustable settings). Distance to empty. Trip distance to go. Time to go Service reminder. Appears 1,000km before service is due Service reminder. Appears 1,000km before service is due Service de distruments: Redhot, Bermuda or Silver Grey Tachometer Alloy faced pedals Warning and chime: Parking brake on while vehicle moving. Low fuel Sound system able to accommodate compatible mobile phone with phone power socket in console Sound system able to accommodate compatible mobile phone with phone kit fitted. Auto mute when phone is in use Occupant safety Active front seat head restraints and seatbacks to help reduce risk of injury in collision from behind Driver and front passenger airbags (full size) Driver and front passenger side impact airbags Portiver and front passenger airbags (full size) Strengthened upper 8 pillar to help reduce side impact velocity to be ad, neck and chest Energy absorbing foam under door trim to minimise side impact Sound system stabelts with webbing clamps, force limiters and pryrotechnic pre-tensioners Front seat belt sash height adjustable Sof s		1000	25-07	100	1	5-3/4		27.5
Audible and visual speed warning (4 adjustable settings). Distance to empty. Trip distance to go. Time to go Service reminder. Appears 1,000km before service is due Colour coded instruments: Redhot, Bermuda or Silver Grey Tachometer S S S S S S S Alloy faced pedals Warning and chime: Parking brake on while vehicle moving. Low fuel S S S S S S S S S S S S S S S S S S S					1			27.54
Service reminder. Appears 1,000km before service is due Colour coded instruments: Redhot, Bermuda or Silver Grey Tachometer S S S S S S S Rachometer S S S S S S S S S S S S S S S S S S S	Audible and visual speed warning (4 adjustable settings).	5	5	S	5	S	S	S
Colour coded instruments: Redhot, Bermuda or Silver Grey Tachometer S S S S S S S S S S S S S S S S S S S		-	-	•	•	•	-	-
Alloy faced pedals Warning and Chime: Parking brake on while vehicle moving. Low fuel \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		2	2	2	2	3557.	2	2
Alloy faced pedals Warning and chime: Parking brake on while vehicle moving. Low fuel S S S S S S S S Mobile phone power socket in console S S S S S S S S S S S S S S S S S S S		-	-	•	•		•	-
Warning and chime: Parking brake on while vehicle moving. Low fuel Mobile phone power socket in console Sound system able to accommodate compatible mobile phone with phone kit fitted. Auto mute when phone is in use Occupant safety Active front seat head restraints and seatbacks to help reduce risk of injury in collision from behind Driver and front passenger airbags (full size) Strengthened upper B pillar to help reduce side impact airbags P S S S S S S S S S S S S S S S S S S		2	2	5	2		2	2
Mobile phone power socket in console Sound system able to accommodate compatible mobile phone Sound system able to accommodate compatible mobile phone With phone kit fitted. Auto mute when phone is in use Occupant safety Active front seat head restraints and seatbacks to help reduce risk of injury in collision from behind Driver and front passenger airbags (full size) Sound system able to accommodate compatible mobile preduce risk of injury in collision from behind Driver and front passenger airbags (full size) Sound system under door trim to minimise side impact velocity to head, neck and chest Energy absorbing foam under door trim to minimise side impact load (fitted where side impact airbags not fitted) Front lap/sash seat belts with webbing clamps, force limiters and pyrotechnic pre-tensioners Front seat belt sash height adjustable Sound system seat seat belt in a collision Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed Sound system Blaupunkt AM/FM stereo with power antenna and speed Sound system remote controls on steering wheel Col player Godisc in-dash CD player Equaliser, to enhance each music style: jazz, rock, classical Seat trim in full cloth. Velour inserts Sound style in a collision Seat trim in full cloth, with sports design Sound system seats with leather door trim inserts. Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats Front sports seats with high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt Sound sports seat height adjust. Includes front and rear cushion tilt Sound sports seat height adjust. Includes front and rear cushion tilt Sound sports seat height adjust. Includes front and rear cushion tilt Sound sports seat height adjust.			_			1000		_
Sound system able to accommodate compatible mobile phone is with phone kit fitted. Auto mute when phone is in use Occupant safety Active front seat head restraints and seatbacks to help reduce front seat head restraints and seatbacks to help reduce front sound front passenger airbags (full size) Driver and front passenger side impact airbags P S S S S S S S S S S S S S S S S S S				200	-	-		
Occupant safety Active front seat head restraints and seatbacks to help reduce risk of injury in collision from behind Driver and front passenger airbags (full size) Strengthened upper B pillar to help reduce side impact velocity to head, neck and chest Energy absorbing foam under door trim to minimise side impact lang/sash seat belts with webbing clamps, force limiters and pyrotechnic pre-tensioners Front lang/sash seat belts with webbing clamps, force limiters and pyrotechnic pre-tensioners Front seat belt sash height adjustable Anti-submarining ramps in seats reduce risk sof sliding under seat belt in a collision Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel Sound system remote controls on steering wheel Glisc in-dash CD player Equaliser, to enhance each music style: jazz, rock, classical Seat trim in full cloth. Velour inserts Seat trim in full cloth, with sports design Leather faced seats with leather door trim inserts. Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats Front sports seat height adjust. Includes front and rear cushion till to the sports seat height adjust. Includes front and rear cushion till to the sports seat centre fold-away tray Two rear seat bolster head restraints		1000						
Active front seat head restraints and seatbacks to help reduce risk of injury in collision from behind Driver and front passenger airbags (full size) Strengthened upper B pillar to help reduce side impact velocity to head, neck and chest Energy absorbing foam under door trim to minimise side impact look (fitted where side impact airbags not fitted) Front lap/sash seat belts with webbing clamps, force limiters and pyrotechnic pre-tensioners Front seat belt sash height adjustable Anti-submarining ramps in seats reduce risk of sliding under seat belt in a collision Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed speed belt of degrated to system remote controls on steering wheel CD player Sound system remote controls on steering wheel SOUND System Seat trim in full cloth. Velour inserts Seat trim in full cloth, with sports design Leather faced seats with leather door trim inserts. CO O Anthracite black Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats Front bucket seats Front bucket seats swith high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt SOUND rear seat bolster head restraints Two rear seat bolster head restraints	with phone kit fitted. Auto mute when phone is in use	S	S	S	S	S	S	S
risk of injury in collision from behind Driver and front passenger airbags (full size) S S S S S S S S S S S S S S S S S S S	Occupant safety							
Driver and front passenger side impact airbags P S S S S P S Strengthened upper B pillar to help reduce side impact velocity to head, neck and chest Energy absorbing foam under door trim to minimise side impact load (fitted where side impact airbags not fitted) Front lap/sash seat belts with webbing clamps, force limiters S S S S S S S S S S S S S S S S S S S	risk of injury in collision from behind							
Strengthened upper B pillar to help reduce side impact velocity to head, neck and chest Energy absorbing foam under door trim to minimise side impact load (fitted where side impact airbags not fitted) Front lap/sash seat belts with webbing clamps, force limiters Anti-submarining ramps in seats reduce risk of sliding under seat belt in a collision Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel CD player Sound system remote controls on steering wheel Sound system remote		1						
to head, neck and chest Energy absorbing foam under door trim to minimise side impact load (fitted where side impact airbags not fitted) Front lap/sash seat belts with webbing clamps, force limiters and pyrotechnic pre-tensioners Front seat belt sash height adjustable Anti-submarining ramps in seats reduce risk of sliding under seat belt in a collision Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel CD player Sound system remote controls on steering wheel SSOUND player SOUND pla		P	200	S	5	S	P	S
load (fitted where side impact airbags not fitted) Front lap/sash seat belts with webbing clamps, force limiters and pyrotechnic pre-tensioners Front seat belt sash height adjustable Softialing under seat belt in a collision Rear seat child restraint anchor points Sound system Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel Sound system remote controls on steering wheel Sound system controls on steering wheel Sound system remote controls on Soun	Strengthened upper B pillar to help reduce side impact velocity to head, neck and chest	S	S	S	S	S	S	S
and pyrotechnic pre-tensioners Front seat belt sash height adjustable S S S S S S S S S S S S S S S S S S S	Energy absorbing foam under door trim to minimise side impact load (fitted where side impact airbags not fitted)	S		,			S	
Front seat belt sash height adjustable Anti-submarining ramps in seats reduce risk Anti-submarining ramps in seats reduce risk S S S S S S S of sliding under seat belt in a collision Rear seat child restraint anchor points S S S S S S S S Sound system Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel S S S S S S S S S S S S S S S S S S S	Front lap/sash seat belts with webbing clamps, force limiters	S	S	S	S	S	S	S
Anti-submarining ramps in seats reduce risk Anti-submarining ramps in seats reduce risk of sliding under seat belt in a collision Rear seat child restraint anchor points Baupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel CD player CD	and pyrotechnic pre-tensioners							
Anti-submarining ramps in seats reduce risk Anti-submarining ramps in seats reduce risk of sliding under seat belt in a collision Rear seat child restraint anchor points Baupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel CD player CD			S			5	-	S
of sliding under seat belt in a collision Rear seat child restraint anchor points S S S S S S S S S S S S S S S S S S		S	S	S	S	S	S	S
Rear seat child restraint anchor points S S S S S S S S S S S S S S S S S S S	of sliding under seat belt in a collision							
Blaupunkt AM/FM stereo with power antenna and speed SSSSSSSSSSSOUD dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel SSSSSSSSSSSSOUD player SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS		S	S	5	S	S	S	5
Blaupunkt AM/FM stereo with power antenna and speed dependent volume control. Six speakers. Total 80 watts Sound system remote controls on steering wheel SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS								
Sound system remote controls on steering wheel S S S S S S S S S S S S S S S S S S S	Blaupunkt AM/FM stereo with power antenna and speed	S	5	S	S	S	S	S
CD player S S S S S S S S S S S S S S S S S S S		-	-	-	-	-	•	-
6 disc in-dash CD player 6 disc in-dash CD player Equaliser, to enhance each music style: jazz, rock, classical Seatting Seat trim in full cloth. Velour inserts S S S Seat trim in full cloth, with sports design Leather faced seats with leather door trim inserts. Anthracite black Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats S S S S S S S S S Front sports seats with high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt S S S S S S Driver and front passenger seat adjustable lumbar support S S S S S S Rear seat centre fold-away tray Two rear seat bolster head restraints						2		
Equaliser, to enhance each music style: jazz, rock, classical Seat trim in full cloth. Velour inserts Seat trim in full cloth, with sports design Seat trim in full cloth. Velour inserts Seat trim in full cloth, with sports design Seat trim in full cloth, with sports design Seat trim in full cloth, with sports design Seat trim in full cloth. Velour inserts Seat trim in full cloth, with sports design and spo		100	- 27		(2)		Erbl	100
Seat trim in full cloth. Velour inserts SSSSSEAT trim in full cloth, with sports design SSSSEAT trim in full cloth, with sports design SSSSSEAT trim in full cloth, with sports design SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS		0	0	0	0		0	0
Seat trim in full cloth. Velour inserts S S S S S S S S S S S S S S S S S S S		1				5		
Seat trim in full cloth, with sports design SSSS Leather faced seats with leather door trim inserts. OOO Anthracite black Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS								
Leather faced seats with leather door trim inserts. Anthracite black Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats Front bucket seats Front sports seats with high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt S S S S S S S S S S S S S		S	5				5	S
Anthracite black Coloured leather (including Anthracite) faced seats and upper door trim inserts. Front bucket seats Front sports seats with high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt \$ S S S S S S S S S S S S S S S S S S				-		S		
door trim inserts. Front bucket seats Front sports seats with high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt S S S S S S S S S S S S S S S S S S S	Anthracite black			0	0			
Front sports seats with high side support bolster Electric driver's seat height adjust. Includes front and rear cushion tilt \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Coloured leather (including Anthracite) faced seats and upper door trim inserts.	Chronich Chronical				0		
Electric driver's seat height adjust. Includes front and rear cushion tilt S S S S S S S S Driver and front passenger seat adjustable lumbar support S S S S S S S S S S S S S S S S S S S	Front bucket seats	S	S	S	S	S	S	S
Electric driver's seat height adjust. Includes front and rear cushion tilt S S S S S S S S Driver and front passenger seat adjustable lumbar support S S S S S S S S S S S S S S S S S S S	Front sports seats with high side support bolster					S		
Driver and front passenger seat adjustable lumbar support SSSSSSSRear seat centre fold-away tray SSSSSSSTWO rear seat bolster head restraints SSSSSSSSS		S	S	S	S	S	S	S
Rear seat centre fold-away tray SSSSS Two rear seat bolster head restraints SSSSSS	Driver and front passenger seat adjustable lumbar support	22-						
Two rear seat bolster head restraints SSSSSS	Rear seat centre fold-away tray	5	S	S	S	5		
	Two rear seat bolster head restraints							
	Two height adjustable rear seat head restraints							S

	EXECUTIVE	ACCLAIM	9/2	8V8	SS	EXECUTIVE WA	ACCLAIM WAG
Cabin comfort Air conditioning with rear outlet vents	0	S	5	S	S	0	S
Single zone electronic climate control. Auto/manual mode		.,			S	-	-
Power front windows. Express down driver and passenger window.	S					S	
Remain powered on time delay after engine switched off							
Power windows, front and rear. Express down driver and front		S	S	S	S		S
passenger windows. Remain powered on time delay after engine							
switched off. Override switch for rear windows							
Vanity mirror, driver and passenger side	S	S	S	S	S	S	S
Sunglass holder	S	S	5	S	S	S	S
Front and rear reading lamps	S	S	S	S	S	S	S
Black headlining and pillar trim	C	C	5	-	S	S	S
'Dark Tempest' finish dash fascia 'Steel' finish dash fascia	S	S	2	S	S	2	2
Satin chrome finish interior door handles					5		
Passenger overhead assist handles	S	S	5	S	5	S	S
Storage, cargo	3	,	J	3	3	,	2
Twin cup holders in centre console	S	S	S	S	S	S	S
Twin fold-out cup holders in instrument panel					S		
Twin cup holders in rear seat centre fold-away tray	S	S	5	S	S		
Dash-top storage compartment					5	-	
Centre console compartment with lid	S	S	S	S	S	S	S
Fold-down rear seat centre 'ski' hatch for long loads	S	S	S	S	S		
60/40 split fold rear seatback						S	S
Cargo area storage locker for small items		000000				S	S
Load tie-down rails						S	S
Carpeted cargo area					_	S	5
Carpeted boot floor and spare wheel cover	S	S	S	S	. 5		
Security Remote control Power Key:	c	c	S	S	C	S	S
Operates interior lighting. Time delay on entry.	S	S	S	5	S	5	5
Automatic illumination when engine turned off	,	3	3	3	3	3	3
Operates exterior lamps, to show location of car at night	5	S	S	S	S	S	S
- Engages door deadlocks when pressed twice	5	5	S	S	S	S	S
- Releases deadlocks	S	S	S	S	S	S	S
- Operates central locking for keyless entry through	5	S	S	5	S	S	S
driver's door only							
- Operates all doors when button kept pressed	S	S	S	S	S	S	5
- Enables/disables alarm system	S	S	5	S	S	S	S
- Opens boot	S	S	S	S	S		
 Disables remote boot release button in glovebox (when locking) 	S	S	S	S	S		
- Unlocks/locks tailgate						S	S
Key has rolling security code	S	S	S	S	S	S	S
Engine immobiliser	S	S	S	S	S	S	S
Door lock in driver's door only. Lock cylinder 'freewheels' if	S	S	S	S	S	5	S
anything other than correct key is inserted	•	•	c	C	c	C	c
Slip-type steering lock. If steering wheel is forced,	S	S	S	S	S	S	S
front wheels will not turn Petracting roller cargo blind	-					C	c
Retracting roller cargo blind	S	S	S	S	S	S	5
Sound system operates only in original vehicle. Also has PIN code security	3	3	3	3	3	3	2
Road safety Emergency mode after seat belt pre-tensioners are triggered. On-board computer turns engine and fuel pump off. Unlocks doors. Turns dome lamp on	S	S	S	S	S	S	S

Features

HBD and accessories

H: Option from Holden By Design A: Accessory

ACCLAIM WAGO
EXECUTIVE WAG
SS
SV8
SV6
ACCLAIM
EXECUTIVE

	0.00	-				-	
Mechanical							
Performance Brakes (V8 only)				Н	H		
FE2 Sports Suspension (includes gas pressure rear dampers)	Н					Н	
Wheels					1/2		
16"x 7" S five-spoke alloy wheels. 225/50 R16 92V tyres (4)	Н	Н				Н	Н
17"x 8" Y series multi-spoke alloy wheels. 235/45 R17 93V tyres (4)		Н	Н	Н		Н	H
17"x 8" W series five-spoke alloy wheels. 235/45 R17 93V tyres (4	H	Н	Н	Н		Н	Н
17"x 8" I series six-spoke alloy wheels. 235/45 R17 93Z tyres (4)	Н	Н	Н	H		Н	H
18"x 8" J series seven-spoke alloy wheels. 235/40 R18 tyres (4)	Н	Н	Н	H	Н		
18"x 8" N series six-spoke alloy wheels. 235/40 R18 tyres (4)	Н	Н	Н	Н	Н		
18"x 8" L series six-spoke alloy wheels.	Н	Н	Н	H	H		
235/40 R18 tyres (4) (Black insert/machined fascia)							
Alloy wheel lock nuts. Set of four	H/A	H/A	H/A	H/A	H/A	H/A	H
Exterior							
Headlamp guards	A	Α	Α	Α	Α	A	A
Bonnet protector	Α	Α	Α	A	Α	Α	A
Radiator insect screen	Α	A				A	A
Country roo bar (available in black or silver)	H/A	H/A	H/A	H/A	H/A	H/A	Н
Mudflaps (moulded)	Α	Α	Α	A	Α	A	A
Nudge bar	Α	Α	Α	A	Α	A	A
Towing mirrors	Α	Α	Α	Α	Α	A	A
Body kit: Holden By Design front bumper/skirt.	Н	Н	Н		-	H	H
Side and rear skirts							
Chrome exhaust	Н	Н				Н	Н
Holden By Design Lip spoiler	Н	Н					
Holden By Design 'S' Type spoiler	Н	Н					
Holden By Design 'SS' Type spoiler	Н	Н					
Holden by Design Performance Spoiler	Н	Н	Н	Н	Н	-	
Licence plate frames, standard height or slimline	Α	Α	A	A	A	Α	A
Driver							
Sports profile leather wrap wheel, in Anthracite — Silver Foil	Н	Н	Н	Н	Н	Н	Н
Sports profile leather wrap wheel, in Red	Н	Н	Н	Н	Н	Н	Н
Leather wrap satin chrome gear knob and handbrake	Н	Н	Н	Н	Н	Н	Н
handle in Anthracite – Silver Foil							
Leather wrap satin chrome gear knob and handbrake	Н	Н	Н	Н	Н	Н	Н
handle in Red							
Rear Park Assist	Α		Α	Α	Α	Α	A
Satellite navigation (global positioning system)	Н	Н	Н	Н	Н	e mo	OV.

Sound system							
Compact disc in-dash changer (6 disc)	Н	Н	Н	Н		Н	Н
Upgraded audio – Speakers and Amp		H/A					
Upgraded audio – Speakers and Amp and Subwoofer	H/A	H/A	H/A	H/A	H/A		
Seating							
Sheepskin bucket seat covers	A					A	
Sheepskin seat inserts	Α	Α	Α	A	Α	A	Α
Folding 3rd row 'Plus 2' child seat (not available with LPG fitted)						A	Α
Cabin comfort							
Electric sunroof. Tilt and slide. Can slide fully or to 2 preset positions.	Н	H	Н	Н	Н	H	Н
Auto close when vehicle switched off, unless overridden. Anti-jam							
facility. Auto close when vehicle immobilised. Factory fitted							
Overhead DVD player	H/A	H/A	H/A	H/A	H/A	H/A	H/A
Cigarette lighter and ashtray, front and rear	Α	Α	Α	Α	Α	Α	Α
Alloy pedal cluster	Н	Н	Н	Н		Н	Н
Satin chrome interior door handles	Н	Н	Н	Н	-	Н	Н
Stainless steel sill plates	Н	Н	Н	H	Н	Н	Н
Plastic sill plates	Α	Α	Α	Α	Α	Α	Α
Rubber floor mats	Α	Α	Α	Α	Α	A	Α
Carpeted floor mats, tailored	Α	Α	Α	Α	Α	Α	Α
Aero windscreen sunshade, front	Α	Α	Α	Α	A	Α	Α
Weathershield, in standard width or slimline, driver and front	Α	Α	A	Α	A	Α	A
passenger window							
Rear sunguard	Α	Α	Α	Α	Α		
Storage, cargo							
Cargo safety barrier						H/A	H/A
Rear cargo organiser	Α	Α	A	Α	Α	Α	Α
Cargo protective liner (moulded)	Α	Α	Α	Α	Α	Α	Α
Cargo tie-down net						Α	Α
Load tie-down strap kit						Α	Α
Vinyl carpet protector						Α	Α
Cargo area alloy rail protector						Α	Α
Car fridge - 31 litres	Α	Α	Α	Α	Α	Α	A
Aero style roof carry bars	Α	Α	Α	Α	A	A	Α
Multi-purpose roof bars (compatible for use with alloy						Α	Α
roof tray, ski carriers, bike carrier)							
Towing equipment (see specifications)	Α	Α	Α	Α	Α	A	Α
Superlift shock absorbers	Α	Α	Α	Α	Α	A	Α
Road safety				10.39			
Warning triangle for roadway	Α	Α	Α	Α	Α	A	Α
First aid kit	Α	Α	Α	Α	Α	A	Α
	-	-		-	_	-	_

Specifications

		175kW, 3.6 litre high Alloytec V6 engine		190kW, 3.6 litre hi Alloytec190 V6 er	ngine	250kW, 5.7 Litre h Generation III Allo		
Engine		3.6L 60-degree Double C High energy, distributorle Onboard diagnostics. Elec	ss ignition. Twin knock co ctric cooling fan. Stainless	'V' Configuration. High flow, low restriction air into OHV design with cross flow cylinder heads. Sequer fuel injection. High energy, distributorless, ignition. Twin knock control sensors. Onboard diagnostics. Electric cooling fan. Stainless steel exhaust				
		Electronic throttle control	. Aluminium alloy block a	nd cylinder heads. Alumini	ium oil pan. Cross-bolted main	bearings. 6-bolt		
		Low restriction cold air in		Low restriction air int acoustic dampening		High flow, low restric	ction air intake	
		Continuously variable car for inlet cams	nshaft phasing		e camshaft phasing for inlet oriable intake manifold			
		Coil-on-plug				High Performance du Coil-per-cylinder	al exhaust	
Capacity (cc)		3565				5665		
Compression ratio (:1)		10.2				10.1		
Power (ECE, kW)		175 @ 6000rpm	- Atr	190 @ 6500rpm		250 @ 5600rpm		
Torque (ECE, Nm)		320 @ 2800rpm		340 @ 3200rpm		470 @ 4800rpm		
Gear ratios (:1)		4sp Auto		6sp Man	5sp AS	6sp Man	4sp Auto	
	1st	3.06		4.48	3.42	2.66	3.06	
		1.63		2.58	2.21	1.78	1.63	
	3rd	1.00		1.63	1.60	1.30	1.00	
		0.70		1.19	1.00	1.00	0.70	
	5th			1.00	0.75	0.74	3.70	
	6th			0.75		0.50		
	Final drive ratio	3.08		2.87	2.87	3.73	3.07	
	Maria de la calca			12.07	2.07	3.73	3.07	
Recommended petrol octane rating		91 (ULP) Petrol tank capa	city (L) 75					
Brakes		Four wheel disc. Ventilate		liner				
Anti-lock Braking System (ABS)		4 wheel speed sensors, 3		pc.				
Traction Control (TCS)				4 channel When sensors	detect imminent rear wheel spi	in engine torque is reduc	red	
		If one wheel is about to s				in, engine torque is reduc	ccu.	
Electronic Stability Program (ESP)					yaw sensor, 1 lateral g-sensor,	4 channel FSP assists th	ne driver in emergency	
, , , , , , , , , , , , , , , , , , , ,		situations by providing co	rrection to the intended v	ehicle nath, which may be	elp the driver to avoid obstacles	s and reduce slides This i	is accomplished via individual	
		brake application and end			tip the direct to avoid obstacle.	s and reduce silves. Ims i		
		brake application and en		control				
Suspension		Front: MacPhorson strut			nac			
Suspension	HE SHARE	Front: MacPherson strut.	Direct acting stabiliser bar	. Progressive rate coil sprii		ings Stabilises has		
		Rear: Control-Link Indepe	Direct acting stabiliser bar ndent Rear Suspension (II	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro	gressive rate miniblock coil spri	ings. Stabiliser bar		
		Rear: Control-Link Indepe Front: Firmer spring rate.	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension		Rear: Control-Link Indeper Front: Firmer spring rate. Rear: Firmer spring rate. O	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian Sas pressure dampers	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering		Rear: Control-Link Indepe Front: Firmer spring rate. Rear: Firmer spring rate. O Variable ratio rack and pi	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian Gas pressure dampers nion	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering Track (mm)		Rear: Control-Link Indepe Front: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pi Front: 1569	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian Gas pressure dampers nion Rear: 1577	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering Track (mm) Furn circle (kerb to kerb, m)		Rear: Control-Link Indepe Front: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pi Front: 1569 Sedan: 11.0	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian Sas pressure dampers nion Rear: 1577 Wagon: 11.5	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Furn circle (kerb to kerb, m) Wheelbase (mm)		Rear: Control-Link Indepe Front: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pi Front: 1569 Sedan: 11.0 Sedan: 2789	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian Gas pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939	. Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Furn circle (kerb to kerb, m) Wheelbase (mm)		Rear: Control-Link Indepe Front: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pi Front: 1569 Sedan: 11.0 Sedan: 2789 Length	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors)	. Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height Height	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering Track (mm) Turn circle (kerb to kerb, m) Wheelbase (mm)		Rear: Control-Link Indepe Front: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pi Front: 1569 Sedan: 11.0 Sedan: 2789 Length	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors)	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro- neter. Reduced ride height Height 1440	gressive rate miniblock coil spri	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Frack (mm) Wheelbase (mm) Exterior dimensions (mm)		Rear: Control-Link Indeperont: Firmer spring rate. Rear: Firmer spring rate. CVariable ratio rack and pit Front: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro- neter. Reduced ride height Height 1440 1527	Ground clearance 114 117	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Frack (mm) Wheelbase (mm) Exterior dimensions (mm)	Wagon	Rear: Control-Link Indeperson: Firmer spring rate. Caracteristic Firmer sp	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro- neter. Reduced ride height Height 1440 1527 Head	Ground clearance 114 117 Hip	ings. Stabiliser bar		
Suspension Sports suspension Steering Track (mm) Turn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm)		Rear: Control-Link Indeperson: Firmer spring rate. Caracteristic Firmer sp	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro- neter. Reduced ride height Height 1440 1527 Head 992 (Sedan)	Ground clearance 114 117	ings. Stabiliser bar		
Sports suspension Steering Track (mm) Turn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm)	Wagon	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pifront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian fass pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder	. Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon)	Ground clearance 114 117 Hip 1440	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Frack (mm) Wheelbase (mm) Exterior dimensions (mm)	Wagon	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pifront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder	r. Progressive rate coil sprii RS). Semi-trailing arm. Pro- neter. Reduced ride height Height 1440 1527 Head 992 (Sedan)	Ground clearance 114 117 Hip	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Furn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm)	Wagon	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pifront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian fass pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder	. Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon)	Ground clearance 114 117 Hip 1440	ings. Stabiliser bar		
Sports suspension Steering Frack (mm) Furn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm)	Wagon	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pifront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515	. Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan)	Ground clearance 114 117 Hip 1440 1515	ings. Stabiliser bar		
Sports suspension Steering Grack (mm) Furn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm) Cargo volume (L) Gerb weight (kg) Man/Auto	Wagon	Rear: Control-Link Indeperont: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pirront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515	. Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan)	Ground clearance 114 117 Hip 1440	ings. Stabiliser bar		
Sports suspension Steering Track (mm) Turn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm)	Wagon	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. CVariable ratio rack and pirront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071 986 Sedan: 465 Rear seat up Executive*(V6, Auto)	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515	Register and Progressive rate coil sprii RS). Semi-trailing arm. Proneter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan) 1071 (Wagon) gon: 2752 Rear seat folde	Ground clearance 114 117 Hip 1440 1515			
Sports suspension Steering Track (mm) Furn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm) Cargo volume (L) Kerb weight (kg) Man/Auto	Wagon Front Rear Sedan	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. CVariable ratio rack and pirront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071 986 Sedan: 465 Rear seat up Executive*(V6, Auto)	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515	Register and coil springers. Progressive rate coil springers. Semi-trailing arm. Proneter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan) 1071 (Wagon) gon: 2752 Rear seat folde SV8 (V8, Man)	Ground clearance 114 117 Hip 1440 1515 d down SV6 (V6, Man)	SS (V8, Man)		
Sports suspension Steering Track (mm) Furn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm) Cargo volume (L) Kerb weight (kg) Man/Auto	Wagon Front Rear Sedan	Rear: Control-Link Indeperont: Firmer spring rate. Rear: Firmer spring rate. C Variable ratio rack and pifront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071 986 Sedan: 465 Rear seat up Executive*(V6, Auto) 1568 1640 (V6, Auto)	Direct acting stabiliser barndent Rear Suspension (II Revised stabiliser bar diantians pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515 1522 (to top of seat back). Wall Acclaim (V6, Auto) 1574 1647 (V6, Auto)	Progressive rate coil sprii RS). Semi-trailing arm. Pro neter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan) 1071 (Wagon) gon: 2752 Rear seat folde SV8 (V8, Man) 1639	Ground clearance 114 117 Hip 1440 1515 d down SV6 (V6, Man) 1602	SS (V8, Man)		
Sports suspension Steering Track (mm) Turn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm) Cargo volume (L) Kerb weight (kg) Man/Auto Est. inc. A/C and all fluids)	Wagon Front Rear Sedan	Rear: Control-Link Indeperson: Firmer spring rate. Rear: Firmer spring rate. CVariable ratio rack and pifront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071 986 Sedan: 465 Rear seat up Executive* (V6, Auto) 1568 1640 (V6, Auto) Holden approved 1200, 1	Direct acting stabiliser barndent Rear Suspension (II Revised stabiliser bar diantians pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515 1522 (to top of seat back). Wall Acclaim (V6, Auto) 1574 1647 (V6, Auto) 600 and 2100 towing eq	Register and coil springs). Semi-trailing arm. Proneter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan) 1071 (Wagon) gon: 2752 Rear seat folde SV8 (V8, Man) 1639 uipment is available. See y	Ground clearance 114 117 Hip 1440 1515 d down SV6 (V6, Man)	SS (V8, Man)		
Steering Grack (mm) Furn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm) Cargo volume (L) Gerb weight (kg) Man/Auto Est. inc. A/C and all fluids)	Wagon Front Rear Sedan	Rear: Control-Link Indeperont: Firmer spring rate. Rear: Firmer spring rate. CVariable ratio rack and pirront: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071 986 Sedan: 465 Rear seat up Executive*(V6, Auto) 1568 1640 (V6, Auto) Holden approved 1200, 1 V6 - 3000km (at no cost)	Direct acting stabiliser bar ndent Rear Suspension (II Revised stabiliser bar dian ias pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515 1522 (to top of seat back). Wa Acclaim (V6, Auto) 1574 1647 (V6, Auto) 600 and 2100 towing eq inspection, 15,000km the	Register and coil springers. Progressive rate coil springers. Semi-trailing arm. Proneter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan) 1071 (Wagon) gon: 2752 Rear seat folde SV8 (V8, Man) 1639 uipment is available. See yen every 15,000km or 12	Ground clearance 114 117 Hip 1440 1515 d down SV6 (V6, Man) 1602 rour Holden Dealer for details months, whichever comes first	SS (V8, Man) 1654		
Sports suspension Steering Track (mm) Turn circle (kerb to kerb, m) Wheelbase (mm) Exterior dimensions (mm) Interior dimensions (mm) Cargo volume (L) Kerb weight (kg) Man/Auto Est. inc. A/C and all fluids)	Wagon Front Rear Sedan	Rear: Control-Link Indeperont: Firmer spring rate. Rear: Firmer spring rate. CVariable ratio rack and pircont: 1569 Sedan: 11.0 Sedan: 2789 Length 4876 5033 Leg 1071 986 Sedan: 465 Rear seat up Executive*(V6, Auto) 1568 1640 (V6, Auto) Holden approved 1200, 1 V6 - 3000km (at no cost) V8 - 3000km (at no cost)	Direct acting stabiliser barndent Rear Suspension (II Revised stabiliser bar diansas pressure dampers nion Rear: 1577 Wagon: 11.5 Wagon: 2939 Width (excl mirrors) 1842 1847 Shoulder 1515 1522 (to top of seat back). Wa Acclaim (V6, Auto) 1574 1647 (V6, Auto) 600 and 2100 towing eq inspection, 15,000km the inspection, 10,000km the	Reprogressive rate coil sprii RS). Semi-trailing arm. Proneter. Reduced ride height Height 1440 1527 Head 992 (Sedan) 1007 (Wagon) 966 (Sedan) 1071 (Wagon) gon: 2752 Rear seat folde SV8 (V8, Man) 1639 Luipment is available. See yen every 15,000km or 12 en every 10,000km or 6 meters.	Ground clearance 114 117 Hip 1440 1515 d down SV6 (V6, Man) 1602 rour Holden Dealer for details	SS (V8, Man) 1654 Maintenance-free, long lif	fe, accessory	

Easy Purchase Options

Finance

SmartChoices Provided by GMAC Financial Services is an array of automotive finance products designed to help the dream of driving a new Holden become a reality. Just select the product, term and payment structure that best suits your lifestyle and your Holden Dealer can provide more information.

Insurance

Holden SmartCare Insurance provided by GMAC Financial Services offers a range of competitively priced insurance products, providing tailor-made protection, at whatever level of cover you need. For more information, call the SmartCare hotline on 1800 060 094.

Leasing

Holden Leasing Whatever the size of your fleet, Holden Leasing offers a range of flexible, value driven, specialist fleet leasing products. Years of experience means they can provide the best solution for you. Call Holden Leasing on 03 9696 7400 for more information.

Holden MasterCard

Holden MasterCard can assist you to get into a new Holden sooner. 10% of credit purchases on this card goes towards a Rebate of up to \$3,000 on your new Holden.¹ That's a \$1 saving towards a new Holden for every \$10 spent. There are a range of extra features including up to 45 days interest free² on credit purchases and a competitive interest rate. Apply³ online at www.holden.com.au/mastercard or call Holden MasterCard's 24 hour help line 1300 650 696.

Ownership Benefits

Service

Holden Service With over 300 Holden Dealers, Holden can supply an enviable level of customer care. Our Service Network is one of the largest in the country. Only Holden Dealership technicians have access to regular Holden factory training.

Warranty

Holden Warranty Every new Holden comes with a New Vehicle Warranty, covering your Holden for 3 years or 100,000 kilometres, whichever comes first. This factory backed warranty covers items including the engine, transmission, interior and exterior components. For support after that, a Holden Extended Warranty can be purchased for vehicles that have travelled less than 100,000 kilometres and prior to the vehicle being registered for 3 years from date of first registration. Refer to your owner's handbook or see your Holden Dealer for full terms, conditions and exclusions.

Roadside Assistance

24 Hour Roadside Assistance Provided for the first 3 years of your new Holden's life⁴, Holden Roadside Assistance is one of Australia's most comprehensive assistance packages with over 3000 Roadside Assistance patrols nationwide.⁵ There to help with even the smallest service, the toll-free Roadside Assistance hotline is always open, 1800 817 100.

Roadside Ultra Assistance Available as an optional upgrade for a period of 3 years from the first date of registration for an additional fee. Roadside Ultra provides additional benefits, over and above those supplied by our standard Roadside Assistance program. In certain circumstances it covers accommodation, alternative transport, rental car, accident assistance, Australia-wide vehicle recovery and more.⁶ For more information call 1800 645 668, 8am to 8pm EST.

Club Holden

Owning a Holden has another great benefit – Club Holden. It's a free online service that provides exclusive vehicle and owner information tailored to your Holden. Register today at www.club.holden.com.au.⁷

For more information contact Holden Customer Assistance on 1800 033 349 Monday to Friday 8am to 7pm or Saturday 9am to 1pm EST or visit www.holden.com.au

¹ A total of \$3000 in the form of Holden Card 'Core' Rebate (plus additional 'Bonus Rebate' accumulated via the Partner Program) accrued over a maximum of five years may be applied per eligible vehicle purchased. Vehicle sales for which a fleet allowance is paid are not eligible for Holden MasterCard Rebate. Earning and redemption of Rebate towards a new Holden is subject to the Holden Card Rebate Program Rules. 2 The interest-free period applies where the card account is fully paid by the due date each month. 3 Applications are subject to Westpac's normal lending criteria. 4 From date of first registration. 5 In remote or sparsely populated areas you may experience delay in obtaining Roadside Assistance. Refer to the Roadside Assistance brochure in your glove box for full terms and conditions of this service. 6 See the Roadside Assistance brochure in your glove box for full terms and conditions of this service. 7 Most Holden vehicles from 1997 can be registered for Club Holden.

Exterior colours



Heron White



Redhot



Phantom Mica



Quicksilver Metallic



Vespers Mica



Barbados Metallic



Martini Mica



Shanghai Mica



Odyssey Metallic



Impulse Metallic

A word about this catalogue. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described through this catalogue may have been changed and/or is available at extra cost. Further, Holden Ltd. reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models, Your Holden Dealer has details, and before ordering, you should ask them to bring you up to date. No Holden Dealer or other person is authorised to green make the green price of the preson is authorised and statement. Assertion or undertaking in relation to the quality, performance chanacteristics, descriptions or littless for any purpose of any Holden product which is at variance with any written statement, assertion or undertaking plects given or made by Holden Ltd. A.B.N. 80 004 688 831 in its published sales literature, and neither company accepts any liability for any such unauthorised action. Holden Ltd., and General Motors-Holden's Sales Pty. Ltd. have authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of Holden's products. Every endeavour is made to ensure that such dealers carry adequates stocks of service parts, but neither Holden Ltd., nor General Motors-Holden's Sales Pty. Ltd. makes any promise of the that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for Holden products are subject to the conditions set undertaking 2005. CoMV-04 AD115500

		Exterior colours	Heron White	Redhot	Phantom Mica	Quicksilver Metallic	Barbados Metallic	Martini Mica	Shanghai Mica	Vespers Mica	Odyssey Metallic	Impulse Metallic	
Model	Trim												
Executive	Executive Neutral Pewter cloth	101	•	•	•	•	•	•	•	•	•		
Acclaim	Acclaim Neutral Pewter cloth		•	•	•	•	•	•	•	•	•		To begin
SV6	Anthracite Black cloth	1117	•			•							T. STOW
	Redhot cloth			•			15.					17	
	Bermuda cloth								1		1	•	
	Anthracite Black leather		•	•	•	•						•	THE DESIGNATION OF THE PERSON
SV8	Anthracite Black cloth					•							
	Redhot cloth				•								
	Bermuda cloth											•	
	Anthracite Black leather					•							

interior trim options	A POST TO SERVICE	TANK THE	
Exterior colour	Leather trim	Cloth trim	Dials
Quicksilver	Anthracite Black	Anthracite Black	Silver Grey
	Redhot		Redhot
Heron White	Anthracite Black	Anthracite Black	Silver Grey
	Bermuda Blue		Bermuda Blue
Redhot	Redhot	Redhot	Redhot
	Anthracite Black		Redhot
Phantom	Redhot	Redhot	Redhot
	Anthracite Black		Redhot
Impulse	Bermuda Blue	Bermuda Blue	Bermuda Blue
	Anthracite Black		Bermuda Blue



Neutral Pewter cloth (Executive)



Bermuda Blue cloth (SV6, SV8 and SS)



Bermuda leather (SS)



Neutral Pewter cloth (Acclaim)




Redhot cloth (SV6, SV8 and SS)



Redhot leather (SS)



Anthracite Black cloth (SV6, SV8 and SS)



Anthracite Black leather (SV6, SV8 and SS) (SS stitching not applicable to SV6 or SV8 models)

Anthracite leather trim is optional at an additional cost on Commodore SV6, SV8 and Commodore SS. Redhot and Bermuda leather trim available as an option on SS at an additional cost. Side impact airbag mandatory with leather trim. Variations between the colours shown and actual paint colours/interior trim colours may occur due to the printing process. Actual vehicle colours may appear different under certain light conditions. Metallic or Mica paints are available at an additional cost. Trim patterns are not to scale. Indicative only.



