
PLYMOUTH



Packed with Value ... and ready to Prove it!



After one look at this fresh new beauty your real enthusiasm begins! For then you discover how thoughtful Plymouth's styling is. Notice, for example, how easily and gracefully a woman can get in or out of the new Plymouth. That ease and grace has been planned, for Plymouth doors are designed to open wide with "hold-open" devices to check them in the extreme open position . . . door openings are high and door sills are floor-level. Compare door-swing and door measurements with other low-priced cars, and you'll discover startling advantages in Plymouth's favor. You'll find that Plymouth has achieved its brilliant styling without sacrificing a cubic inch of roominess or a single detail that might add to your comfort. That's the beauty of the beautifully new Plymouth!







The new fenders with their combination stop and tail lights . . . and the new, more massive bumper . . . blend with other rear end details





The distinctive styling of the Two Door Sedan is further accentuated by the gleaming chrome trim that follows the body contour, across counterbalanced trunk lid, ending at the tail lights.







The traditional Plymouth sailing Front fenders sweep backward in graceful lines You'll be amazed to find such superb appointments in a The new, longer lines of the crowned rear fenders




The traditional Plymouth saining a sip, in spatial prometers and is interest. The rest and is a distinctive touch to the overalling. However, the control of curves far around and increases fender protection, and instruments are grouped for driver convenience. lower and in line with the tapered chrome moldings.







Plymouth's exclusive Air Pillow Rido is an engineered combination of many comfort features, all the way from Super-Cushion Tires on the road to soft, resilient seat cushions that take out the last traces of vibration. Airfoam rubber seat cushions—with millions of tiny air pillows—are available and add still more luxurious comfort. Seat cushions are made so extra springs can be added to suit individual requirements for firmness.



Airplane-type shock absorbers with extra-large fluid capacity cancel out the hardest bumps, prevent bouncing, and give a smooth, gliding ride. The rear "sea-leg" shock absorbers (Illustrated below) are diagonally mounted





Stationary rear footrests in Four-Door Sedans provide ample leg room even when the front seat is moved forward or backward.



Plymouth seats approximate regular living room chairs for height. This means you sit up naturally and your body gets full support. Your weight is concentrated—you're not tilted back on the base of your spine with knees jackknifed. Chair-height seats mean exceptional freedom from fatigue, particularly on long trips. Compare this comfort feature with seats in other low-priced cars!



Plymouth provides you with generous head room and hat room. Even when you are in the corner, you sit up straight and relaxed.



Plymouth vent wings allow easy adjustment of ventilation to suit individual passenger preference. Vent wing locks are made more theft-proof by turning a knurled nut on the release button.








Safety in a car body depends not only on the materials, but on the way they are assembled. Plymouth's Safety All-Steel Body is engineered for great strength and rigidity. For example, the door openings are rein-forced by heavy box-sections. This is but one of many of the Plymouth details that contribute to safety.



The easy-pull parking brake on the new Plymouth works independently.





more of the road immediately ahead. Chairheight seats help vision, because you sit up where you can see things close to the car. Windshield wipers clear a larger space for maximum safety in stormy weather.











the Four-Door Sedan and Club Coape The front brakes which do most In case of a blowout patented Magic goes to work when When going around a curve or otherwise changing direction at have been increased 32%. You have a of the work on sudden stops, retaining humps on Plymyouth's ignition cruising speed, there is a tendency for a car to lean to the outside. have been increased 32%. You have a of the work on sudden stops, in the training numps on Plymouth signation of the work of state of one, which gives you more accurate control of brakes, for safer, smoother, surer stops.

The standard of the work on sudden stops, and the deflated tire on the rim, allowing you to the process of safer, smoother, surer stops.

The standard of the work on sudden stops, and the standard of the deflated tire on the rim, allowing you to the process of safer, smoother, surer stops.

The standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the work on sudden stops, and the standard of the standard o



Beautiful to Look at

There's something about the great new Plymouth that gives you a lift the first time you see it . . .

like the sleek, proud lines of a thoroughbred poised for action . . . There's an impression of great length in the new, longer rear fenders . . . a lower, wider look in the redesigned rear end . . . There's a sense of gliding gracefulness in the new profile from the side. And in front, an appearance of massiveness in the brilliant new grille. Best of all, this is beauty with a purpose . . . a car that's all automobile . . . built to do the job it was meant to do in the best way modern engineering could devise. When you take the wheel this impression returns with double force. Here, you realize. is a car that's as good as it looks—truly "backed with value and ready to prove it!"





De Luce Two DOOR SEDAN ... has an extremely wid door, so that rear seat passengers can get in or out just a easily and gracefully as those who ride in front. Seat cushion are built in three sections. That means a heavy passenger ditt the seat surface and make it uncomfortable for two lights persons beside him. Seats are unholstered in fine broadcloth.



De Liwe THREE PASSENGER COUPE . . . is the ider car for the small family, businessman, or salesman, or for flex use. Seats three persons comfortably. It has an oversize luggar compartment, storage space behind the seat, and a wide package shelf. Choice of upholstery in dark red vinyl resin fabric or woven fibre fabric. Broadcotch available at slight extra cos



Beautiful to Ride in

Of all the great values packed into the great new Plymouth none has had more attention than those that contribute to your personal comfort. You'll be amazed at Plymouth's famous Air Pillow Ride ... the relaxing comfort of chair-height seats, with all seats cradled between the wheels ... the abundance of usable head room ... leg room ... shoulder room. The restful quietness of Plymouth's insulated body ... the mounting of body and frame on cushions of live rubber so that there is no metal to metal contact, to transmit road noises ... and there are other features, many of them that contribute the famous Air Pillow Ride. Plymouth, the car that now, more than ever, likes to be compared, invites you to test its famous ride ... trv the others, and let the ride decide.





De Little Two DOOR SEDAN ... has an extremely wide door, so that reur seat passengers can get in or out just as easily and grarefully as those who risk in front. Seat custions the seat of the tilt the seat surface and make it uncomfortable for two lighter persons beside him. Seats are uphostered in fine broaddoth.






Special De Live four non seam . . . the fine appointments the care given to pleasing details, and extra roominess are qualities you'd expect only in a much higher priced car. The luxuri-

Souff energy protect the unholstery at vital points. Windows so up or down in less than two turns of the crank. An easy-to-reach lever nermits adjustment of the front seat to the most comfortable ous upholstery (your choice of Broadcloth or Pile Fabric) is enriched by heautifully grained garnish moldings, and instrument panel. position. And under all this—as in every Plymouth—is the match-less engineered comfort of Plymouth's famous Air Pillow Ride.



De LUCE ALL METAL SUBURBAN—the car of 101 uses!
Serves as a stylish passenger redan, as a smart town-and-country serves as a styline passenger seom, as a smart communication all purpose car, or converts to a roomy cargo carrier. Upholstered in smooth, long-wearing vinyl-reein fabric that cleans easily. There is a luggage space of 42° behind the rear seat. Or—with rear seat folded into the floor, a cargo mace 68° long, 55° wide, and 39° high.












Because of Plymouth's highly-efficient Intake Manifold, the cylinders get more even distribution of the fuel-air mixture. Gyinness get more even utsathund of the local management. This means faster response to throttle opening. It also means In winter, engine warm-up better all-around performance and more efficient burning of squicker. It tends to make gasoline. Every gallon of fuel works long and hard in a Plymouth. The lburn more efficiently.



This Automatic Manifold Heat Control adjusts preheating of the fuel-air mixture to the temperature.





Plymouth's Oilite Fuel Filter is placed right in the gasoline tank, where it prevents dirt and water from clogging the entire fuel system. The filter is self-cleaning and never requires servicing.



All exhaust valves take severe punishment. In Plymouth, valve seat inserts are used. They are made of a special extra-hard steel for longer life, resulting in less valve grinding.



Plymouth's lightweight aluminum alloy pistons have four rings -two for compression seal and two for oil control-assuring maximum performance and economy.



Plymouth's Oil Intake floats just below the surface of the oil in the pan, where it draws in the cleanest oil, avoiding foam that has risen to the top, or sludge that has settled to the bottom. This clean oil, under full pressure, helps Plymouth's engine last longer.




Automatic Electric Choke regulates the fuel mixture for quick, easier, more efficient starting. It prevents waste of fuel that often



The Micronic Oil Filter removes invisible carbon or dust particles from oil, reducing wear on engine. Oil lubricates at top efficiency . . . takes place when choking by hand. contributes to longer engine life.







Plymouth performance is smooth because of the unique manner in which the engine is counter-balanced and mounted in live rubber cushions. This exclusive Floating Power principle blocks off vibration from chassis and body. Further cushioning is added by Hotchkiss Drive, a method of mounting the rear axle so that the driving

Plymouth performance is quiet, also for many reasons . . . balanced propeller shaft, hypoid rear axle, and well-placed long-life bearings, to mention only a few.

Plymouth performance is easily controlled because of many features including: Easy-press clutch pedal: helical gears in the transmission that slide rather than roll into contact; and a synchronizing device that prevents gear clashing.

And Plymouth performance is dependable. One important factor in reliability is the excellence of the Plymouth chassis, which holds the working parts of the car in smooth-functioning alignment year after year. A rigid, box-type frame gives Plymouth an extra strong, long-lasting "backbone." All these engineering features and hundreds more add up to superior performance you can instantly feel! Drive the great new Plymouth and see for yourself. It's packed with value and ready to prove it!



Only Plymouth in the low-priced field offers an engine with the more efficient 7 to 1 high compression ratio as standard equipment. This means better performance and greater power is squeezed out of every drop of fuel used.



Dual Automatic Spark Control adjusts the ignition to both engine speed and engine load. The spark is supplied at just the right time to take advantage of all the power in the gasoline. This boosts performance, and helps economy.



This High-Capacity Fuel Pump is Plymouth's strong heart. It assures a steady, dependable flow of gasoline through the lifelines of the engine. A vacuum booster (also illustrated), available at extra cost, assures uninter-

rupted operation of windshield wipers.

pecifications PLYMOUTH SPECIAL DE LUXE

ENGINE-Six Cylinder "L" Head. Aluminum alloy pistons-97 H.P. at 3600 R.P.M. Bore and stroke 31/2 x 43% inches. Piston displacement 217.8 cu. in. Taxable H. P. 25,35.

WHEELBASE-All Special DeLuxe Models (P-20), 1181/2 inches. Tread: front 55% inches; rear 58% inches.

BRAKES-Safe-Guard four-wheel hydraulic internal expanding Twin cylinder type in front-10 inch drums -brake lining contact area 158 sq. in. Parking brake controlled by hand lever, operates independently of all others-one piece lining-33% sq. in, braking area.

PROPELLER SHAFT-Tubular 23/4 inch diameter. Two roller bearing universal joints.

TIRES-Super-Cushion, mounted on Safety-Rim Wheels. Rim width,

41% inches, 6.70 x 15. ITEMS OF SPECIAL EQUIPMENT SHOWN ON

LUBRICATION-Full pressure to main lower connecting rod and camshaft bearings-Floating-type oil intake. Crankcase capacity 5 quarts.

CRANKSHAFT-Four removable precision-type main bearings.

CAMSHAFT-Silent chain driven

FUELSYSTEM-17 gallon gasoline tank with Oilite self-cleaning filter in tank Down-draft carburetor oil bath air cleaner. Automatic electric

TRANSMISSION-Standard three speeds forward and reverse. Synchrosilent all helical gears with synchronous meshing second and third gears. Lubricant capacity 23/ pints.

BATTERY-6 Volt. 15 plate. 100

and rear of pump. Full-length water ampere-hour. jacket. By-pass thermostat. Four STEERING-Worm and Roller blade, 17 inch fan, Cooling system type. Wheel diameter, 171/2 inches. water capacity is 33/4 gallons.

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

SPRINGS-Front, Amola Coil Steel

independently sprung, Rear, Semi-

elliptic Amola Steel 53% inches long

and 13/ inches wide, with metal

SHOCK ABSORBERS-Hydraulic.

double-acting telescopic, 1 inch

REAR AXLE-Silent Hypoid

Semi-floating with Amola steel gears.

Gear ratio 3.9 to 1 (P-20), 4.1 to 1

on Station Wagon. Lubricant capac-

CLUTCH-Single plate, dry, venti-

COOLING-Pump actuated circu-

lation. Oilite Bronze bearing front

lated, of moulded woven asbestos.

ity 31/4 pints.

MORE THAN 10.000


Plymouth owners have more authorized sources available to them for service than any other low-priced car.

Best of all, good mechanics work on your Plymouth. Tens of thousands of these mechanics all over the country participate in the Master Technicians Service Conference—the largest single organization in the world devoted to the advancement of automotive technical knowledge.

These conferences, in close conjunction with shop work and instruction by factory engineers means real efficiency that saves you time and money when service is required. Plymouth mechanics have the finest of equipment to work with. And they use factoryengineered Plymouth replacement parts, manufactured under strict standards and sold under the same uniform Warranty that covers your Plymouth car.

A careful inspection of the "Plymouth Service Certificate" that comes with each new car, will point out many benefits you receive as a Plymouth owner. Your Plymouth dealer, if you wish, will keep an accurate record of the service performed on your car, reminding you when lubrication, oil change, and seasonal services are needed.

PLYMOUTH DEALERS



PLYMOUTH BUILDS GREAT CARS ... GOOD SERVICE KEEPS THEM GREAT

Specifications PLYMOUTH DE LUXE

ENGINE-Six Cylinder "L" Head. Aluminum alloy pistons-97 H. P. at 3600 R.P.M. Bore and stroke 31/4 x 43% inches. Piston displacement 217.8 cu. in. Taxable H. P. 25.35.

WHEELBASE_All DeLaye Models (P-20)-4-Door Sedan-Club Coupe. 1181/2 inches. DeLuxe Models (P-19) -3-Passenger Coune-2-Door Sedan and Suburban, 111 inches, Tread front 55% inches: rear, 58% inches,

BRAKES-Safe-Guard four-wheel hydraulic, internal expanding, Twin cylinder type in front-10 inch drums -brake lining contact area 158 sq. in Parking brake controlled by hand lever, operates independently of all others—one piece lining—33 % sq. in. braking area.

PROPELLER SHAFT-Tubular. 23/4 inch diameter. Two roller bearing universal joints.

TIRES-Super-Cushion, mounted ITEMS OF SPECIAL EQUIPMENT SHOWN ON

on Safety-Rim Wheels, Rim width, 41% inches, DeLuxe (P-20), 6.70 x 15. DeLaixe (P-19), 6.40 x 15.

LUBRICATION-Full pressure to main lower connecting rod, and camshaft bearings-Floating-type oil intake. Crankcase capacity 5 quarts.

CRANKSHAFT-Four removable precision-type main bearings.

CAMSHAFT-Silent chain driven.

FUEL SYSTEM-17 gallon gasoline tank with Oilite self-cleaning filter in tank. Down-draft carburetor, oil bath air cleaner. Automatic electric

TRANSMISSION—Standard three speeds forward and reverse. Syncrosilent all helical gears with synchronous meshing second and third gears. Lubricant capacity 23/4 pints.

BATTERY-6 Volt, 15 plate, 100 ampere-hour.

STEERING-Worm and Roller type. Wheel diameter, 171/2 inches.

SPRINGS-Front, Amola Coil Steel independently sprung, Rear, Semielliptic Amola Steel, 53 % inches long and 134 inches wide, with metal

SHOCK ABSORBERS-Hydraulic. double-acting telescopic, 1 inch Pis-

REAR AXLE-Silent Hypoid Semi-floating with Amola steel gears. Gear ratio 3.9 to 1 (P-20), 3.73 to 1 (P-19), Lubricant capacity 3 1/2 pints.

CLUTCH-Single plate, dry, venti-

COOLING-Pump actuated circulation. Oilite Bronze bearing front and rear of pump. Full-length water jacket Four blade 17 inch fan Cooling system water capacity is 33/4

ALL SPECIFICATIONS SUBJECT




MOPAR Radios give finer performance because they are engineered for your car. Dials, controls and speaker face blend beautifully with Plymouth's instrument panel. Push button tuning, can be reset conveniently to any desired local station.



MOPAR Rear Fender Skirts add greatly to the appearance of your new Plymouth. Styled to harmonize perfectly with graceful fender lines. Heavy gauge metal with strong spring clips to hold skirt rigidly in place. Easily removed for tire changing.







MOPAR Flex-O-Fit Seat Covers are available in choice of four types: dura-fabric, dura-fabric and fibre matting, vinyl-coated matting with leatherette binding, and fibre matting with vinvl coating,



MOPAR Jiffy-Jet Windshield Washer helps provide safe, clear vision driving in bad weather. Twin jets spray windshield at touch of toe on control-wipers whisk dirt away.



MOPAR Rear Window Shade. Many Plymouth owners will want this smart venetian blind made entirely of steel. Keeps your car cooler. The adjustable MOPAR Theft-proof Gas Caps come in two types. Electric cap operates from inside car only by push louvers allow maximum rear-view vision for driver.



by twisting cap. Both types are chrome plated. Maximum protection to grille and trunk are provided by MOPAR Bumper Guards. They are engineered and de-

button control on dash. Key locking cap snaps open when unlocked, Lock cannot be forced open

MOPAR All-Weather Comfort Systems provide abundant heat and improved defrosting in winter, as well as signed for your Plymouth. perfect ventilation in summer.



PRINTED IN U.S.A.

PLYMOUTH BUILDS GREAT CARS