


OLDSMOBILE for 1963

NEW STYLE TO DELIGHT YOU!

ROCKET ACTION TO EXCITE YOU!

Meet the cars that capture the imagination with an elegance all their own—Oldsmobile for 1963! Long, crisp, sculptured lines invite you to step inside... experience for yourself a generous new measure of luxury and comfort. Inside, discover the smooth responsiveness of Rocket Engine action... the superbly quiet ride... the precision handling that have come to be an Oldsmobile hallmark.

The following pages will introduce you to the beautiful new Oldsmobile line-up for 1963—Ninety-Eights... Super 88's... Dynamic 88's... Starfires... F-85's... and the revolutionary Jetfire! Each will prove to you in the most convincing fashion: There's "something extra" about owning an Oldsmobile!







The epitome of elegance! Oldsmobile craftsmanship and limousine dignity are beautifully combined in the new Ninety-Eight LS*... an outstanding example of automotive excellence. Complete to such thoughtful details as rear seat assist handles, twin map cases, front and rear foldaway center armrests. Plush, sheared deep-pile carpeting is longer wearing, blends perfectly with five impeccable interior fabric combinations. *Luxury Sedon



NINETY-EIGHT TOWN SEDAN







Map case and assist handles on the Ninety-Eight LS combine elegance with convenience.







Take a long look at a sophisticated new luxury model with exciting sports car appeal—the Ninety-Eight Custom Sports Coupe by Oldsmobile! Beautiful bucket seats feature rich fabrics trimmed with glove-soft Barcelona grain leather. Beneath your feet is luxurious, color-coordinated carpeting. Sport console, stick-operated 1963 Hydra-Matic Drive, power steering and brakes are all included as standard equipment.

Holiday Sports Coupe, shown below, features a divided bench seat in five color combinations of fabric and Morocceen.



R

NINETY-EIGHT - CONVERTIBLE

SUPER 88>

Puts the accent on action!

Superb performance and dashing beauty go hand-in-hand in Oldsmobile's stylish new Super 88! A 330-h.p. Skyrocket Engine puts you in smooth, responsive command of the road. Improved Vibra-Tuned Ride and full 123-inch wheelbase let you skim the highways in hushed silence. All this... plus bold new beauty inside and out that wins admiring glances every mile you drive. Like your action with glamor and quality to spare? Then any one of Oldsmobile's four exciting Super 88 models is for youl



The stylish new slant of the windshield pillar makes entry and exit easier than ever.

New for '63! Fold-down armrest makes travel more comfortable than ever in a Super 88 Holiday Sedani Extra spaciousness results from 44% smaller transmission tunnel and practically flat front floor.

I I I I I I



DYNAMIC 88>

Big and beautiful...value leader of the medium-price field!

This one's designed to be the favorite in its field...and with plenty of reasons why! Its sculptured new beauty makes the Dynamic 88 a real show-stopper! Add an ultra high-compression 280-h.p. Rocket V-8 Engine Road-leveling 123-inch wheelbase with Twin-Triangle Stability and four-coil spring suspension. Higher resale value at trade-in time. And perhaps the best reason of all; that deep-down sense of pride when you park a dollar-saving 1963 Dynamic 88 in your driveway.



Surround yourself in glamour! Vinyl-and-cloth interiors in any of five smart combinations. Select from 15 high-inster Magic-Mirror finishes.

There's a convertible look to the rooflines of Holiday Coupes. Vinyl Sport-Top is optional.

DYNAMIC 88 - HOLIDAY COUPE



Take your pick! Oldsmobile's dazzling Dynamic 88 comes in two spacious four-door versions. There's room to spare in the smart-looking Celebrity Sedan—yet it's Oldsmobile's lowest-priced full-size model! For those who prefer hardtop styling with 4-door convenience, the Holiday Sedan is just the ticket!









Enjoy high style . . . with a sporty air! The popular Dynamic 88 Convertible features deep-pleated Morocceen interiors and sill-to-sill carpeting. Four fade-resistant fabric tops are keyed to exterior colors.





Pure glamor...with a touch of adventure!

Canada's full-size sports car sensation—Starfire by Oldsmobile! A dashing new contoured rear window on the coupe and a slender satin-aluminun panel along the side set Starfire apart in style! And the famous 345-h.p. Starfire Engine is smooth, spirited, responsive! Inside, there's the comfort of bucket seats, the convenience of power steering and power brakes. For pure luxury and sheer excitement, nothing quite matches Starfire—an Oldsmobile original!

THE RESIDENCE OF THE PARTY OF T



You're surrounded by luxury when you step into a Starfire! Leather-trimmed bucket seats...sheared nylon carpeting... and, at your fingertips, a full-length console complete with Hydra-Matic, tachometer, glove box—all standard equipment!







Graceful Starfire emblem forms an integral part of the distinctive-front end design.

Property of the second second



Exciting new blend of beauty and action

Impressive? You bet! The new longer look of the F-85 wins admiring glances everywhere. Its sprightly aluminum V-8 engine develops up to 195 h.p. ... teams perfectly with silken-smooth Hydra-Matic Drive. Nimble and easy to handle, the F-85 gives a solid, quiet ride. It emphasizes economy with self-adjusting brakes, 60 day or 6,000-mile oil change and aluminized muffler: This year the F-85 offers an inviting choice of seven exciting models: ... the budget-priced Club Coupe ... two familypleasing 4-Door Sedans . . . the captivating Cutlass Coupe . . . the eyecatching Cutlass Convertible ... and two maximum-utility 4-Door Station Wagons. The fabulous new F-85 is the fun way to step out in style . . . the fine way to step up to Olds.

F-85 - CUTLASS CONVERTIBLE



Buckets on a budget! Solid-tone pleated Morocceen is offered in five shades—blue, red, white, black and saddle. Decorative chrome mouldings and nylon carpeting add a sparkling luxury touch.



Optional textured-vinyl Sport-Top enhances distinctive Cullass Coupe styling!

1963 Hydra-Matic quadrant forms a smart, integral part of the instrument panel.

Sport console, Hydra-Matic or 4-speed Synchro-Mesh-all optional at extra cost.







with a fluid-injected, turbocharged engine!



Brilliant interior beauty matches JETFIRE's superlative V-8 performance. Morocceen bucket seats and a sport console make this an even more inviting personal car.

Here is a car as unique in styling as it is in performance—JETFIRE by Oldsmobile! Hardtop flair...and a sleek aluminum spear accentuates JETFIRE's low, racy silhouette. But the big news is under the hood: A fluid-injected, turbocharged aluminum engine-Oldsmobile's 215-h.p. Turbo-Rocket V-8! It develops one horsepower for every cubic inch of displacement! Aluminized muffler ...dual outlet exhausts...high torque 3.36-to-1 axle ratio...sporty front compartment console are all included as standard equipment. Foam-padded bucket seats—also standard—are available in your choice of five stylish solid colors including all-black and all-white. Stick-operated 1963 Hydra-Matic Drive, or 4-speed fullysynchronized manual transmission for the sports car buff, are both optional at extra cost. Make no mistake, JETFIRE is the ultimate in motoring excitement . . . another exclusive from Oldsmobile!

STARFIRE

Standard on Starfire models and Ninety-Eight Custom Sports Coupe! Fire-Swirl combustion chamber, power-peak camshaft, 10.5-to-1 comp. ratio, 345 h.p., 440 lb.-ft. torque, 394cubic-inch displacement.



OLDSMOBILE ROCKET ENGINES

FAMOUS THE WORLD OVER FOR V-8 SMOOTHNESS AND PERFORMANCE!



High-compression 280 h.p. V-8 - standard on Dynamic 88. 430 lb.-ft. torque, 10.25-to-1 compression ratio, 2-barrel carburetor, 394 - cu. - in. displacement, operates on premium fuel, Regular-gas 260-h.p. Rocket optional at no extra cost on all Dynamic 88's.

ROCKETTE

ratio, 4-barrel carburetor. Optional on Dynamic 88 models.

Standard on F-85, 155 h.p. 8.75-to-1 comp. ratio, 215-cu.in. displacement. Cutlass 195 Engine standard on Hydra-Matic-equipped Cutlass, optional on other F-85's equipped with Hydra-Matic. Cutlass 185 standard on Cutlass, optional on other F-85's equipped with Synchro-Mesh transmis-

TURBO-ROCKET

Standard on JETFIRE only . . placement, 300 lb.-ft, torque. Operates on premium gasoline.



SMOOTH, POWERFUL

PARTNERS FOR

ROCKET ENGINE

PERFORMANCE!



1963 Hydra-Matic Drive . . . all the flow of fluid ... all the go of gears! Fluid action combines with me-chanical gear linkage for smoother starts...top economy...superior engine braking. And there's quieter operation with new counterphased gearing.



4-Speed Fully-Synchronized Manual Transmission ... a floor mounted stick-shift for the sportsminded! Optional on F-85 and JETFIRE models. Four close-ratio forward speeds. Gear ratios: 1st -2.54-to-1; 2nd-1.92-to-1; 3rd-1.51-to-1: 4th-direct.

1963 OLDSMOBILE-






ENGINEERED FROM THE FIRST ... TO LAST!

From the moment your Rocket Engine comes to life and the road begins to unwind beneath your wheels, you know Oldsmobile is a superior automobile. And well it should be: for lasting satisfaction in the form of lasting quality is an inherent part of every Oldsmobile! Mile after carefree mile you'll discover anew that this is a car built to a new concept of reliability . . . and that more than ever, there is "something extra" about owning an Oldsmobile!

NINETY-EIGHT . SUPER 88 DYNAMIC 88 · STARFIRE



Comfort and quiet ... engineered into every 1963 Oldsmobile!

The Guard-Beam Frame is the solid foundation of Oldsmobile's quality ride! Torque boxes at each corner resist twisting, extend the life of the car. Vibra-Tuned Body Mountings at over 90 locations make quietness standard equipment, scientifically isolate noise. 4-Coil Spring Suspension and Twin-Triangle Stability give Oldsmobile exceptional ride control that's soft as silk, yet firm when the going is rough. Increased front tread width adds stability, allows shorter turning diameter (44.1 feet on Ninety-Eight, 42.8 feet on Super 88 and Dynamic 88) for easier maneuvering. Insulation throughout adds to the comfort of driving an Olds! Spray deadener muffles noise, protects against temperature changes, Fiberglass hood insulation is another extra quality feature of all Oldsmobiles.

F-85 · JETFIRE



Rides like a big car...handles like a small one!

Frame-integral body forms a sturdy structure for F-85 and JETFIRE models. Rugged steel box sections are welded directly to the underbody for maximum support. Sound deadening materials are strategically placed in the doors, roof, wheel housings and underbody for quietness. 112" wheelbase gives smooth, balanced big car ride - and the turning diameter is only 37 feet! Unique front suspension cross-member is anchored solidly to the body at three separate points through new, thicker rubber isolation mounts to give a quieter ride. Four soft low-rate coil springs and recalibrated center-mounted shock absorbers provide overall riding comfort, yet retain the solid feel and flat handling of Oldsmobile. Rear Twin-Triangle stabilizers virtually eliminate side-sway, wheel hop,

Beneath the beauty...superior reliability!

COMFORT

So easy to enter, so graceful to leave! The moment you step into a 1963 Oldsmobile you'll know it was built with you in mind! Extra-wide door openings invite easy entrance ... and there's no obstruction to bump your knee, either. On all fullsize Oldsmobile models, a new windshield pillar gives even more clearance than before. Steering wheels on all models have been reduced in size for better leg clearance.



Relax in deep-cushion comfort! Thick foam padding on front seat cushions (optional on F-85) gives an extra measure of comfort that takes fatigue out of long trips . . . adds to the pleasure of driving an Oldsmobile! On Ninety-Eight models, Custom Lounge seats have thick foam padding on the seat back as well as the cushion!



Seat springs, too, are engineered for perfect contour seating. Zig-zag design offers full support, has plenty of "give" for extra softness!

More front seat room with 44% smaller tunnel! There's more stretchout room in full-size Oldsmobiles for 1963! Accomplished by moving the engine forward, this reduction in the tunnel increases footroom. And, a practically flat floor design on full-size cars virtually eliminates the door sill, allowing a graceful exit!




SAFETY

New Door Inter-Lock System protects passengers when doors are closed. Heavy-gauge steel plates on all door latches overlap to resist opening under impact.

Seat Belt Anchors are standard equipment for front seats of every Oldsmobile. Floor section reinforced at anchor point for added safety. Seat belts may now be ordered as factory-installed equipment.

Amber-Colored Turn Signals warn drivers ahead . . . are more easily distinguishable. If the bulb burns out, driver is warned by signal light on instrument panel glowing steadily instead of flashing.

Positive Crankcase Ventilation on all 1963 Oldsmobiles reduces hydrocarbon emission into the atmosphere. Exclusive Oldsmobile dualaction feature redirects fumes through air cleaner and carburetor.



Recessed Controls and Safety-Padding on instrument panel reduce hazards . . . enhance the appearance! Safety-padding is made of soft polyurethane foam for maximum protection. Optional on F-85, standard equipment on De Luxe F-85 and all full-size Oldsmobiles.



CONVENIENCE



Delcotron Alternator-Generator, standard on all 1963 Oldsmobiles, extends battery life, assures more dependable starting throughout the year. This lighter, more reliable system of electrical generation charges the battery even at idle speeds, when the car's electrical system is being taxed. Lower operating voltages also prolong bulb life in the various lamps. On F-85 models, a new high-quality battery with 3-year warranty, and a heavy-duty starter motor contribute to improved starting and electrical system operation.

Longer Muffler Life on all 1963 Oldsmobiles! New aluminized materials increase corrosion resistance, add miles of life under normal operating conditions!

Power Heater on full-size models adjusts temperatures and distributes air more quickly and evenly throughout the car. Pushbutton operated, it provides three-speed defrosting and ventilation. F-85 models feature handy slide controls and individual ventilation controls.



Generous Trunk Space! There's loads of room for all your loads in an Olds trunk - perfect for vacation travel. Full-size models give you up to 19.7 cu. ft. of usable trunk space . . . F.85 models have up to 15 cu. ft of usable trunk space. No cargo-carrying problems here!

1963 OLDSMOBILE ACCESSORIES

for your driving pleasure, safety and convenience

NEW "TILT-AWAY" WHEEL ADJUSTS TO 7 POSITIONS!

There's extra ease and comfort in entering or leaving full-size Oldsmobiles for 1963! At the flick of a lever, the steering column raises automatically 8.8 inches above the seat for maximum leg clearance. Seven individual positions, spaced 5 degrees apart, let you put the wheel where you want it-even while driving! Improves visibility and reduces fatigue on long trips. Optional at extra cost on all full-size 1963 Oldsmobiles equipped with Hydra-Matic, power steering.



POWER SEAT

Six-way power seat for tailored comfort is optional on all full-size models. Four-way power seat available on full-size Oldsmobiles, and driver's seat on bucket seat models—Ninety-Eight Custom Sports Coupe, Staffire, JETFIRE and Cutlass. Two-way power seat is standard on all Ninety-Eight models (except Town Sedan) and Staffire Convertible.



*

GUIDE-MATIC HEADLIGHT CONTROL

Automatically dims highway headlight beams and signals oncoming drivers to adjust their beams. . then flicks back to bright! Special sensitivity control allows individual adjustment to suit all night driving conditions. Optional at extra cost on full-size Oldsmobiles.

ROTO-MATIC POWER STEERING

Adds new ease, safety and comfort to your everyday driving! Needs as little as 134 pounds effort for maneuvering in tight parking places, yet retains a solid feel of the road! Standard on Ninety-Eight and Starfire models, optional on Super 88, Dynamic 88, F-85 and JETPIRE.



The touch of a button is all it takes to raise and lower windows easily, surely! Master control panel operates all windows. Standard on Ninety-Eight (except Town Sedan) and Starfire Convertible. Optional on Cutlass and JEFFIRE. Power Ventipanes also available on full-size models.



PEDAL-EASE POWER BRAKES

A light touch of the toe and your braking is practically done for you! Power assist operates even after engine is turned off. Low pedal and self-adjusting feature add extra convenience and safety. Standard equipment on all Ninety-Eight and Starfire models; optional at extra cost on all other models, including F-85 and JETFIER.



OLDSMOBILE AIR CONDITIONING

Keep cool and dry even on the hottest days! Simplified air conditioning and heater controls on full-size Oldsmobiles for quiet year-around climate control. Repositioned center outlet improves air distribution. F-85 air conditioning is center mounted beneath the instrument panel for centralized cooling on all models.



NEW AM-FM RADIO

For your listening pleasure...make your choice from one of three radios now offered on all full-size Oldsmobiles: the new pushbutton AM-FM Radio with a greater selection of programs; Super De Luxe Radio with Wonder Bar tuning; or the De Luxe Radio with pushbutton tuning. On F-85 models, the De Luxe Pushbutton Radio is offered. All radios are transistorized for instant reception, added durability.

ADDITIONAL 1963 OLDSMOBILE ACCESSORIES

Ninety-Eight ACCENT STRIPE along belt line of Ninety-Eight models adds a note of distinction. Available in eight harmonizing colors • WHEEL DISCS, available in three smart styles, augment wheel styling. Choice of six attractive colors • DECK LID POWER LOCK RELEASE lets you open trunk from inside car with glove-compartment control • SAFETY SENTINEL sounds warning, flashes dash light at pre-set speed • POWER ANTENNA moves up and down automatically at the flick of a switch • CRUISE CONTROL. maintains constant speed at pre-determined level, disengages automatically when you touch the brake.

SPECIFICATIONS

NINETY-EIGHT—GENERAI: Wheelbose, 126" - Overall length, 221.5" - Overall width 77.9" - Fread, 62.2" front), 61.0" freard - Overall height 15-passenger loadl, Town Sedan, 57.1" - Shipping weight ITown Sedan, pary, 424 lbs. ENGINE. Skyrocket, ultra high-compression V-8 + Horsepower, 330 at 4600 R.P.M. - Torque, 440 lb.-ft. at 2800 R.P.M. - Displacement, 394 cubic inches - Compression Ratio, 10.25-to-1 - Fuel tank capacity, 17 gallons - Fuel required, premium. CHASSIS: Brokes, self-adjustingly 1917 square inches lining area - Frame, Guard-Beam with torque-box construction - Front Suspension, coil spring, Pivor-Poise with counter drive - Rear Suspension, coil spring, 4-link Twin-Triangle Stability - Turning diameter, 44.1 feet - Rear cale, 30/7-to-1 ratio; semi-floating-typoid gears - STANDABE COUMENENT; 1964 Alydra-Matic Divine, Roto-Matic Power Steering, Fedal-Ease Power Brokes, Windshield Washer, Electric Clock, Power Windows and 2-Way Power Seat Ioptional on Town Sedan), Wheel Discs, 8:50 x 14-inch fires 19/100 x 14-inch fires on convertible 1.

SUPER 88—CSNERAL Wheelbase, 123". Overall length, 214.4". Overall width, 77.9". Traced, 82.2" (front), 61.0" freat). Overall height 15-passenger load, Celebrity Sedan 56.3" is Shipping weight (Celebrity Sedan, approx.), 4032 lib. - ENGINE: Styrocket, ultra high-compression V.8 - Horsepower, 330 at 4600 R.P.M. - Torque, 440 lb.-ft. at 2800 R.P.M. - Displacement, 394 cubic inches - Compression Ratio, 10.25-to-1 - fuel track capacity, 17 gallons - Fuel required, premium. ChtASSIs: Brakes, self-adjusting; 191.7 square inches lining area - Frame, Guard-Beam with torque-bax construction - Frant Supension, coil spring; Pivot-Poise with counter dive - Rear Suspension, coil spring; Pivot-Poise with counter dive - Rear Suspension, coil spring; Alink Twin-Triangle Stability - Turning diameter, 42.8 feet - Kear axie, 237-to-1 ratio (1934 Hydra-Amdict); semi-flooting; hypoid gears - STANDARD EQUIPMENT. De Luxe Steering Whele, 504-Podded Instrument Panel, Parking Brake Signal lamp, Frant Compartment Courtesy Lamps, Custom Luxury Trim, Two-Speed Electric Windshield Wipers, 800 x 14-inch tires. Hydra-Modic Drive Transmission.

DYNAMIC BB—GENERAL Wheelbase, 123" - Overall langth, 214.4" - Overall width, 77.9" - Tread, 62.2" [front], 61.0" [front] - Overall height (5-passenger load), Celebrity Sedan, 56.3" - Shipping weight (Celebrity Sedan, approx.), 4002 lbs, ENGINE: Rocket, ultra high-compression Katio, 10,25-to-1 - Fuel tank capacity, 17 gallons - Fuel required, premium. (Regular Rocket – 260 hp., 87.5-to-1 compression Katio, 10,25-to-1 - Fuel tank capacity, 17 gallons - Fuel required, premium. (Regular Rocket – 260 hp., 87.5-to-1 compression ratio, operates on regular fuel, optional of no extra cost.) CHASSIS: Brokes, self-adulsting; Irsquere inches lining area - Frame, Guard-Beam with forque-box construction - Front Suspension, coil spring; Pivot-Poise with counter dive. - Rear Suspension, coil spring; 4-linia f. Vimi-firingip is Stability - Turning Diameter, 428 feet - Rear actle, 2.5-5-to-1 ratio (1963 Hydra-Matici); semi-flooring; hypoid gears. STANDARD EQUIPMENT. Safety-Padded Instrument Panel, Full Floor Carpeting, Foam-padded Front Seat, Electric Windshield Wigners, Oli Fitter, 800 × 14-inch tires. Hydra-Matic Drive Transmission.

STARFIRE — GENERAL: Wheelbase, 123" - Overall length, 2144" Overall width, 77.9" - Tread, 62.2" (front), 610" freat - Overall height, 15-passenger load Coupe 64.7" - Shipping weight (Coupe, approx.), 4179 lbs. - ENGINE. Starfire, ultra high-compression 4.8 - Horsepower, 355 r 4600 R.PM. - Forque, 4010 b.-t. or 3200 R.PM. - Displacement 394 cubic inches - Compression Ratio, 10.5-to-1 - Fuel tank capacity, 17 gallons - Fuel required, premium - CHASSIS: Brokes, self-adjusting; 191.7 square inches Inling area - Frame, Guard-Beam with forque-box construction - Frant Suspension, coil spring; Pvot-10 rise with counter dive - Rear Suspension, coil spring; 4-Link Twin-Triangle Stability - Turning Diameter, 428 feet - Rear caxle, 342-to-1 ratio (1954 Hydra-Matic); semi-floating-hypoid gears: STANDABD EQUIPMENT: 1933 Hydra-Matic). Similar loss of the Starfing - Real-Ease Power Brokes, Power Windows and 2-Way Power Seat (optional on Coupe), Leather Trimmed Bucket Seats, Sport Console, Tachometer, Electric Clock, Windshield Washer, 8.00 x 14-linch Tires (Coupe), 8.50 x 14-inch Tires (Couper, 8.50 x 14-inch Tires

F=B5 _GENERAL Wheelbase, 112" - Overall length, 1922" - Overall width, 73.4" - Tread, 54.0" (front and rear) - Overall height, 15-passenger load 4-Doar Sedan, 52.7" - Shipping weight 14-Doar Sedan, approv.) 2818 lbs. ENGINE: Cultas 195, ultra high-compression aluminum V.3 engine lwhen equipped with Hydra-Maric Drivey, standard on Cultass models, and optional on all other F-85 models), Horsepower, 195 or 4800 R.P.M. - Torque, 235 lb.-ft. at 3200 R.P.M. - Displacement, 215 cubic inches - Compression Ratio, 10.75-to-1 - Ivel track paciety, 143's gallons - You'le required, premium Cultas 185, with syncromesh transmission; standard on Cultass models, optional on all other F-85 models); Rockette Engine, standard on all F-85 models other than Cultass - Horsepower, 155 at 4800 R.P.M. - Torque, 210 lb.-ft. at 3200 R.P.M. - Compression Ratio, 37-51-61 - Fuel required, regular - CHASSIS: Frame, frame-integral - Suspension, 4-coll; Front – Cross-member rubber insulated; Rear — 4-tink Twin-Triangle Stability - Brakes, self-adjusting; 130 square inches Ining area - Turning diameter, 37 feet - Rear axis, 307-101-1 ratio (3.30-61-1 ratio to Cultas).

JETFIRE—GENERAL: Wheelbose, 112" • Overall length, 192.2" • Overall width, 73.4" • Tread, 56.0" (Ifront and rear) • Overall height, 52.3" • Shipping weight, 2618 lbs. • ENGINE: Turbo-Rocket V-8. • Fluid injection with turbo-charger + Horsepower, 215 or 4800 RPM. • Torage 305 lbs.-ft. at 3000 RPM. • Displacement, 215 cobic inches • Ultro high-compression, 10.25-to-1 ratio • Performance-tailored pistons, connecting rods, main bearings, distributor, fuel pump and coil • Fuel capacity, 14/3 gallons • Fuel required, premium. • CHASSIS: Frame, frame-integral with body • Suspension, 4-coil, front—Cross-member rubber insulated; Rear—4-link Twin: Tingale Stability; Rubber isolation • Brakes, self-adjusting; 130 square inches brake lining area • Turning diameter, 37 feet • Rear oxle, 3.36-to-1 ratio • STANDARD EQUIPMENT: Bucket Seats, Sport Console, Windshield Washer, Dual-outlet Exhausts, De Luxe Steering Wheel, Safety-Padded Instrument Proel.

Accessories and power features described or illustrated in this cotating are optional at extra cost unless otherwise specified. A partial list of accessories appears on the opposite page, A full price list for all models and options is available at any local authorized Oldsmobile quality dealer's.

The illustrations in this catalogue do not necessarily show standard colors, materials and equipment. General Motors Products of Conado, Limited reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models and also to discontinue models. This right may be exercised without incurring any responsibility with regard to case perviously risk.



