

BUILT



TOUGH

Vehicle	GVM (kg)	Engine Cap CC	Max Power kW DIN	Max Torque Nm DIN	Transmission	Wheelbase (mm)	Steering	Trailer mass with brakes kg#	Load Capacity kg (Max)
COURIER 4X2									
GL Single Chassis Cab (petrol)	2670 man 2690 auto	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man/ 4 speed auto	2985	Recirculating Ball (Power Steering Opt)	1800	1430*
GL Single Chassis Cab (turbo diesel)	2730	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	2985	Recirculating Ball (Power Steering Opt)	1800	1430*
GL Single Cab Pick-Up (petrol)	2670	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	2985	Recirculating Ball (Power Steering Opt)	1800	1300*
XL Super Chassis Cab (petrol)	2630	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	2985	Power Steering	1800	1320*
XL Super Cab Pick-Up (petrol)	2630	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	2985	Power Steering	1800	1220*
GL Crew Chassis Cab (petrol)	2605	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	2985	Power Steering	1800	1225*
GL Crew Cab Pick-Up (petrol)	2605 man 2625 auto	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man/ 4 speed auto	2985	Power Steering	1800	1165*
GL Crew Cab Pick-Up (turbo diesel)	2675	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	2985	Power Steering	1800	1165*
XL Crew Cab Pick-Up (petrol)	2605 man 2625 auto	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man/ 4 speed auto	2985	Power Steering	1800	1165*
COURIER 4x4									
GL Single Chassis Cab (petrol)	2910	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	3000	Power Steering	1800	1430*
GL Single Chassis Cab (turbo diesel)	2925	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1425*
XL Super Chassis Cab (turbo diesel)	2930	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1370*
XL Super Cab Pick-Up (petrol)	2865	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	3000	Power Steering	1800	1235*
XL Super Cab Pick-Up (turbo diesel)	2930	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1270*
GL Crew Chassis Cab (turbo diesel)	2850	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1230*
GL Crew Cab Pick-Up (petrol)	2825	2606	92 @ 4600 rpm	206 @ 3500 rpm	5 speed man	3000	Power Steering	1800	1165*
GL Crew Cab Pick-Up (turbo diesel)	2850	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1170*
XL Crew Cab Pick-Up (turbo diesel)	2850	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1170*
XLT Crew Cab Pick-Up (turbo diesel)	2850	2499	86 @ 3500 rpm	280 @ 2000 rpm	5 speed man	3000	Power Steering	1800	1170*
ECONOVAN									
4.0m manual	2275	1998	63 @ 5000 rpm	154 @ 2500 rpm	5 speed man	2220	Rack & Pinion	1100	1015
Maxi 4.4m manual	2793	1998	63 @ 5000 rpm	154 @ 2500 rpm	5 speed man	2400	Rack & Pinion	1100	1378
Maxi 4.4m auto	2823	1998	63 @ 5000 rpm	154 @ 2500 rpm	4 speed auto	2400	Rack & Pinion	1100	1378

Subject to State and Territory regulations and vehicle specifications.

* Payload – does not include the mass of vehicle occupants, options or body additions. The mass of these need to be deducted from the stated payload to give the available cargo mass.

Vehicle	GVM (kg)	Engine Cap CC	Max Power kW DIN	Max Torque Nm DIN	Transmission	Wheelbase (mm)	Steering	Trailer mass with brakes kg#	Load Capacity kg (Max)
FALCON									
XL 6 cyl Ute	2420	3984	157 @ 4900 rpm	357@3000 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	820 man 800 auto
XL 6 cyl Ute One Tonne	2740	3984	157 @ 4900 rpm	357@3000 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	1120 man 1100 auto
XL 6 cyl Chassis Cab	2740	3984	157 @ 4900 rpm	357@3000 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	1285 man 1265 auto
XR6 Ute	2220	3984	164 @ 5000 rpm	366@3150 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	570 man 550 auto
XR8 Ute	2220	4942	185 @ 4500 rpm	412@3500 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	550 man 530 auto
XLS 6 cyl Ute	2190	3984	157 @ 4900 rpm	357@3000 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	570 man 550 auto
XLS V8 Ute	2190	4942	175 @ 4600 rpm	395@3200 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	540 man 520 auto
XLS 6 cyl Chassis Cab	2190	3984	157 @ 4900 rpm	357@3000 rpm	5 speed man/ 4 speed auto	3096	Power Steering	1200 man 2300 auto	735 man 715 auto
TRANSIT									
SWB Van (petrol)	2730	1998	83 @ 5000 rpm	170 @ 2700 rpm	5 speed man	2835	Power Steering	1500	1240
SWB Van (diesel)	2830 3100 (GCM)	2496	63 @ 4000 rpm	200 @ 2100 rpm	4 speed auto	2835	Power Steering	1210	1210
SWB Van (diesel / manual)	3200	2496	74 @ 4000 rpm	220 @ 2100 rpm	5 speed man	2835	Power Steering	1500	1525
LWB Van (diesel) 3500 (GCM)	3300	2496	63 @ 4000 rpm	200 @ 2100 rpm	4 speed auto	3570	Power Steering	1490	1490
LWB Van (diesel / manual)	3500	2496	74 @ 4000 rpm	220 @ 2100 rpm	5 speed man	3570	Power Steering	2000	1710
LWB Chassis Cab (petrol)	3500	1998	83 @ 5000 rpm	170 @ 2700 rpm	5 speed man	3570	Power Steering	2000	1960*
LWB Chassis Cab (diesel / auto)	3500	2496	63 @ 4000 rpm	200 @ 2100 rpm	4 speed auto	3570	Power Steering	1820	1820*
LWB Chassis Cab (diesel / manual)	3500	2496	74 @ 4000 rpm	220 @ 2100 rpm	5 speed man	3570	Power Steering	2000	1850*
TRANSIT BUS									
Bus (petrol)	3550	1998	84 @ 5000 rpm	170 @ 2700 rpm	5 speed man	3570	Power Steering	N/A	1501
Bus (diesel / auto)	3550	2496	63 @ 4000 rpm	200 @ 2100 rpm	4 speed auto	3570	Power Steering	N/A	1472
Bus (diesel / man)	3550	2496	74 @ 4000 rpm	220 @ 2100 rpm	5 speed man	3570	Power Steering	N/A	1499
EXPLORER									
XL	2440	3997	119 @ 4200 rpm	305 @ 2800 rpm	5 speed man	2840	Power Steering	2380	528
XLT	2477	4011	153 @ 5000 rpm	339 @ 3000 rpm	5 speed auto	2840	Power Steering	2500	522
Limited	2522	4011	153 @ 5000 rpm	339 @ 3000 rpm	5 speed auto	2840	Power Steering	2500	509



FALCON UTE.

A genuine one-tonner with a super cab. Choose the 'Style Side' ute. Or choose the optional aluminium tray top. Or take the versatile chassis cab and fit exactly the kind of body you want. With Australia's most powerful standard six or big V8, it's a ute like no other.




COURIER.

Bred tough and built tough. So much so, the tough part is choosing between the most powerful turbo diesel engine in its class (the 2.5 litre intercooled turbo diesel) or the 2.6 litre petrol unit. And is it standard cab, supercab or crew cab? And what about 4X2? Or 4X4?



TRANSIT.

It's a pleasure doing business with Transit. A van that's easy to drive and very easy to load and unload. Special attention has been paid to the cab ergonomics. A quiet interior and comfortable seating make for cushy working conditions. While the choice of engines, transmissions, roof heights and wheelbases mean there's more than one way to get the job done.



ECONOVAN

Power through the work day with the gutsy 2.0 litre power plant that delivers all the economy you'd expect. Choose from either the 4.0m or 4.4m van, with plenty of features like wide side and rear doors for easy access, comfy cloth seats, climate control and AM/FM radio.



EXPLORER.

Advanced engineering features like Control Trac and, on XLT and Limited, a self-levelling rear suspension, mean Explorer handles almost any terrain. Explorer is also the only 4WD in its class with an electronic 5-speed automatic transmission (optional on XL models).

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of their products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchaser. The latest specification sheet should be referred to for information on the availability, ordering and use of optional equipment. Always consult an Authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.C.N. 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. November 1999.

FCL 7636

TOUGH CHOICE

*Optional equipment

Falcon One Tonner XL
Chassis Cab
Petrol - manual & auto*

Falcon Ute XL
Style Side
Petrol - manual & auto*

Falcon One Tonner XL
with Factory Aluminium Tray*
Petrol - manual & auto*

Falcon Ute XLS
Chassis Cab
Petrol - manual & auto*

Falcon Ute XLS
Style Side
Petrol - manual & auto*

Falcon Ute XR6 / XR8
Style Side
Petrol - manual & auto*



Courier 4x2 GL Chassis Cab
Petrol - manual & auto*
Turbo Diesel - manual

Courier 4x2 XL
Style Side
Petrol - manual

Courier 4x2 XL
Super Cab Chassis Cab
Petrol - manual

Courier 4x2 XL
Super Cab Style Side
Petrol - manual

Courier 4x2 GL
Crew Cab Chassis Cab
Petrol - manual

Courier 4x2 GL & XL
Crew Cab Style Side
Petrol - manual & auto*
Turbo Diesel - GL manual



Courier 4WD GL
Chassis Cab
Petrol & Turbo Diesel
Manual

Courier 4WD XL
Super Cab Chassis Cab
Turbo Diesel
Manual

Courier 4WD XL
Super Cab Style Side
Petrol & Turbo Diesel
Manual

Courier 4WD GL
Crew Cab Chassis Cab
Turbo Diesel
Manual

Courier 4WD GL
Crew Cab Style Side
Petrol & Turbo Diesel
Manual

Courier 4WD XL & XLT
Crew Cab Style Side
Turbo Diesel
Manual



Transit SWB Low Roof
Petrol - manual
Turbo Diesel - manual & auto*

Transit SWB Mid Roof*
Petrol - manual
Turbo Diesel - manual & auto*

Transit LWB Mid Roof
Petrol - manual
Turbo Diesel - manual & auto*

Transit LWB High Roof*
Petrol - manual
Turbo Diesel - manual & auto*

Transit LWB Chassis Cab
Petrol - manual
Turbo Diesel - manual & auto*

Transit 12 Seat Bus
Petrol - manual
Turbo Diesel - manual & auto*



Econovan 4.0m Van
Petrol - manual

Econovan Maxi 4.4m Van
Petrol - manual

Econovan Maxi 4.4m Van
Petrol - automatic

Explorer XL 4WD
Manual

Explorer XLT 4WD
Automatic

Explorer Limited 4WD
Automatic

