

JEEP® CJ SERIES




JEEP® CJ SERIES



SPECIFICATIONS

CJ Dimensions

(centimeters unless otherwise noted)



Exterior		CJ-5	CJ-6	CJ-7
Length		352	402	388
Wheelbase		212	263	237
Max. Body Width		152	152	152
Max. Overall Width		174	174	152
Height		171	172	172
Tread (Front/rear)		131/127	131/127	131/127
Overhang (Front/rear)		60/80	60/80	60/78
Min. Ground Clearance		18	18	18
Tailgate Opening Width		91	91	88
Curb to Curb Turning Diameter (meters)		10.21	11.46	10.49
Interior		CJ-5	CJ-6	CJ-7
Head Room	Soft top	101	105	103
	Hardtop (front/rear)	104/104	105/104	101/101
Leg Room	Max. front	96	99	99
	Min. rear	77	90	90
Hip Room	Front	141	141	137
	Rear	91	91	91
Shoulder Room	Front	141	141	137
	Rear	141	141	143
Cargo Volume (m ³)		0.29	0.44	0.39

This folder does not constitute an offer or commitment to sell. In order that product improvements may be made at any time, specifications and other data are subject to change without notice. Some of the Jeep CJ vehicles shown and described in this brochure have optional equipment, available at extra cost. See your authorized Jeep dealer for prices and model availability for this optional equipment. Jeep®, CJ, Golden Eagle, Quadra-Trac® and Renegade® are trademarks of Jeep Corporation. JEEP CORPORATION, 27777 Franklin Rd., Southfield, Michigan 48034 U.S.A., Telex No. 023-1255, Cable Code AMCENTRINT.

79-JP-3E

 **Jeep Corporation**

LITHO IN U.S.A.

CJ Specifications

Axle, Front Rear	Full floating open-end; Gross Axle Weight Rating: 998 kg GAWR: 1226 kg
Brakes	Manual front disc, rear drum (front power brakes optional)
Clutch, Diameter Area	26.7 cm (27.9 cm with V-8) 688 sq. cm.
Engine	Standard—4.2 Litre (258 CID) OHV Six; 8.0:1 compression ratio; 9.53 x 9.91 cm bore x stroke Optional—5.0 Litre (304 CID) OHV V-8; 8.4:1 compression ratio; 9.53 x 8.74 cm bore x stroke
Fuel Tank	56 Litres; 12.3 Imperial gallons; skid plate standard
Gross Vehicle Weight	1700 kg (1880 kg maximum)
Springs, Front Rear	4 Leaf 32.4 KiloNewtons/meter rate standard 4 Leaf 35.6 KiloNewtons/meter rate standard; 5 Leaf 35.6 KiloNewtons/meter rate standard (Hardtop)
Steering	Recirculating ball standard 24:1 ratio; Constant ratio power optional 17.5:1 ratio
Transfer Case	2-speed Dana 20 standard with 2:1 low range gear reduction; Quadra-Trac® full-time automatic 4-WD optional on CJ-7 only
Transmission	Fully synchronized 3-speed floor shift (manual) standard; Lo-1-2-3 speed manual floor shift optional; column-mounted Turbo Hydra-matic available on CJ-7
Tires	Five H78 x 15 Black Suburbanite X-Grip are standard
Wheels	Five 38.1 x 15.2 cm 5-bolt, 13.9 cm circle standard; optional wheels include 38.1 x 20.3 cm spoked steel 5-bolt on a 13.9 cm circle
Windshield	4954 sq. cm. total glass area

CJ Std. Features

- | | |
|--|--|
| <p>Interior</p> <ul style="list-style-type: none"> • Ash Tray—Front • Cigar Lighter • Gauges—Oil; Voltmeter; Temp.; Fuel • Mirror—20.3 cm Inside Rear View • Padded Sun Visors • Passenger Safety Rail • Seats—Bucket Seats (Driver & Pass.)—Front • Steering Column—Energy-Absorbing w/Anti-Theft Ignition <p>Exterior</p> <ul style="list-style-type: none"> • Bumpers—Front, Painted • Lights—Head, Parking, Tail & Stop, Backup, Directional Signals, Side Safety Markers & 4-Way Hazard Flashers • Mirror—Outside, Driver's Side • Swing-Away Tire Carrier with Moveable Tailgate (CJ-7) <p>Functional</p> <ul style="list-style-type: none"> • Air Cleaner—Cellulose-Fiber | <ul style="list-style-type: none"> • Alternator—12-Volt, 37-Amp. • Battery—12-Volt, 45-Amp. • Brakes, Service—Self-Adjusting w/Split Hydraulic System & Warning Light • Brakes, Parking—Foot-Lever Actuated w/Warning Light; Operates on Rear Wheels • Coolant (Engine)—Permanent Type w/Hi-Temp Thermostat (50/50 Mixture) • Electronic Ignition System • Exhaust System—Single • Fuel Filters—Tank & In Line at Carburetor • Horns—Single • Oil Filter • Shocks—Front & Rear • Side-Mounted Spare with Moveable Tailgate (CJ-5/6) • Tools—Jack, Scissor Type; Combined Wheel Wrench & Jack Handle • Washers—Electric & 2-Speed Electric Wipers |
|--|--|

JEEP[®] CJ SERIES


Jeep wrote the book on 4-wheel drive—and the CJ's were there when the book came out. They're the first rugged, durable off-road performers to blaze the trail to Jeep Country. Each one is backed by 38 years of solid engineering experience. And those 38 years of improvements and refinements have made and kept the CJ's the standard by which other sport-utility vehicles are measured. For sheer driving fun and unparalleled off-road performance, CJ is the way to go.

With a 212 cm wheelbase and short front and rear overhang, the CJ-5 boasts outstanding maneuverability (10.21 meter turning circle) on or off the road. The 263 cm wheelbase CJ-6 combines passenger roominess and comfort with added cargo capacity. CJ-7's wheelbase (237 cm) provides good stability, and with the optional automatic transmission and Quadra-Trac[®] 4-wheel drive system, the handling is smooth and easy.

All CJ's have a standard 4.2 Litre 258 CID 6-cylinder engine, fully synchronized 3-speed transmission, solid-state electronic ignition, front disc brakes and, of course, rugged Jeep 4-wheel drive. Built in, not added on, for rugged durability.

In addition to these and many more standard features, there is also a wide variety of options you can order to tailor your CJ to your own needs and tastes. The sporty Renegade and Golden Eagle appearance/performance packages (CJ-5/7 only) each include denim front bucket seats, color-keyed interiors, five 20.3 cm painted spoked wheels, 9 x 15 Tracker A-T outline white letter tires, roll bars, distinctive exterior decal and tape treatments and much more. Other options include a 5.0 Litre 304 CID 8-cylinder engine, automatic transmission (CJ-7), cargo area storage box, power steering, air conditioning, tachometer and rally clock and a host of other performance, convenience, protection and special purpose accessories.

But whether you dress it to the hilt or drive the basic model, one thing's for sure: When you drive a CJ, the end of the road is just the beginning of the fun!



▲ CJ-5 Golden Eagle

▼ CJ-6



JEEP® CJ SERIES OPTIONS

Appearance

- Renegade model (CJ-5/7). Includes Denim Vinyl Front Buckets and Rear Bench Seat; Convenience Group; Roll Bar; Decor Group; Fixed Back Panel & Rear-Mounted Spare Tire (CJ-5); Swing-Away Spare Tire Carrier (CJ-7); Hood & Lower Side Stripes (Blue or Orange); "Tracker A-T" 9 x 15 Tubeless Outlined White Letter Tires (5); 38.1 x 20.3 cm White Styled Steel Wheels (5) & Wheelip Extensions; Spare Tire Lock.
- Golden Eagle model (CJ-5/7). "Golden Eagle" Hood Decal with Black & Gold Lettering; Body Side & Grille Pin Striping; Gold with Black Accent Stripe on 38.1 x 20.3 cm Styled Steel Wheels (5) & Wheelip Extensions; Spare Tire Lock; "Tracker A-T" 9 x 15 Tubeless Outline White Letter Tires (5); Fixed Back Panel & Rear Mounted Spare Tire (CJ-5) or Swing-Away Spare Tire Carrier (CJ-7); Tan Denim Vinyl Front Buckets & Rear Bench Seat; Tan Denim Vinyl Soft Top; Brown Carpeting; Roll Bar; Convenience Group; Decor Group with Black Rocker Panel Moldings; Tachometer & Electric Clock. (When ordered with Hardtop, includes Tan Hardtop in place of Soft Top and "Bronze-Tone" Tinted Glass in Rear Quarter and Tailgate Windows.)

- Decor Group (CJ-5/7). Includes Rocker Panel Protection Moldings, Padded Instrument Panel, Instrument Panel Overlay, and Soft Feel Sports Steering Wheel.
- 38.1 cm Wheel Covers (4)
- Soft Feel Sports Steering Wheel (Black) (CJ-5/7)
- Soft Top in White or Black Vinyl, Tan or Blue Denim
- Padded Instrument Panel

Convenience

- Convenience Group with Courtesy Lights, Engine Compartment Light, 20.3 cm Day/Night Mirror, Outside Passenger Mirror (CJ-5/7)
- Air Conditioning (CJ-5/7)
- Tilt Steering Wheel (CJ-5/7)
- Tachometer and Rally Clock (CJ-5/7)
- Power Steering
- Power Front Disc Brakes
- AM Pushbutton Radio
- Body Side Step
- Moonroof (with Hardtop only) (CJ-7)
- Heater and Defroster
- Draw Bar

Performance

- 5.0 Litre 304 CID V-8
- Lo-1-2-3 Speed Manual Transmission, Floor Shift
- Turbo Hydra-matic with Quadra-Trac® (CJ-7)
- Quadra-Trac® Low Range (CJ-7)
- Rear Trac-Lok Differential

- Free-Wheeling Hubs
- Heavy-Duty Cooling System
- 1880 kg GVW Suspension Package
- 2220 kg GVW Suspension Package
- Steering Damper
- Stabilizer Bar, Front
- Heavy-Duty 70-Amp. Battery
- Heavy-Duty 63-Amp. Alternator
- Cold Climate Group (Heavy-Duty Battery, Heavy-Duty Alternator, Engine Block Heater)

Protection

- Injection Molded Hardtop (with Doors) in Black or White (CJ-7)
- Deluxe Full Metal Cab (CJ-5/6)
- Removable Carpet (CJ-5/7)
- Spare Wheel Lock
- Bumperettes, Rear
- Seat Belts, Front/Rear

Special Purpose

- Right-Hand Drive Steering
- Trailer towing requirements and recommendations are discussed on the following page. See your Jeep Dealer for details on these and other special purpose options available for the CJ Series.



"Tracker A-T" tires



Roll bar



Moon roof



Electric winch



Tilt steering wheel



AM radio



CJ padded instrument panel (several options shown)

COLORS AND TRIM



Classic Black



Morocco Buff




Alpaca Brown, Met.



Sable Brown, Met.



Cumberland Green, Met.



Saxon Yellow
(NA Golden Eagle)



Wedgwood Blue
(NA Golden Eagle)



Ensign Blue
(NA Golden Eagle)



Mardarin Orange
(NA Golden Eagle)



Firecracker Red
(NA Golden Eagle)



Russet, Met.



Bordeaux, Met.





Olympic White



Arrowhead Silver, Met.
(NA Golden Eagle)

TRAILER TOWING

		
Jeep CJ-5, CJ-6 & CJ-7		
Maximum loaded trailer weight (kg)	910	1,590
Tongue load limit (kg)	90	159
Required equipment		
Extra-duty suspension and sway bar	*	*
Hitch	Frame or draw bar	Frame or draw bar
Recommended equipment		
Engine	4.2 Litre Six	5.0 Litre V-8
Cooling	Std.	Extra-duty
Transmission	Std.	Std.
Rear axle ratio	4.09:1	4.09:1
Steering	Constant ratio power	Constant ratio power
Brakes	Std.	Power
Alternator	Std.	Heavy-duty
Battery	Std.	70 amp./hr.
Jeep CJ's not recommended for towing 1590 kg trailers at highway speeds.		



Cara Vinyl
(Std)



Cara Vinyl
(Std)



Denim Vinyl
(Opt)



Denim Vinyl
(Opt)

NOTE: These trailer towing packages are those suggested by Jeep Corporation for optimum vehicle compatibility and performance. You must check with your local distributor to ensure that you are in compliance with all local regulations and requirements.