

1988 FORD Police Vehicles



- LTD Crown Victoria Police Package
- Mustang Special Service Package

1988 FORD LTD CROWN VICTORIA POLICE PACKAGE

The 1988 LTD Crown Victoria provides the foundation for a rugged, full-size police vehicle. The Police Package is available on any 4-door sedan, including the fleet-oriented LTD Crown Victoria S, and features a powerful 5.0L (302-CID) V-8 engine with sequential multiple-point fuel injection as standard equipment. A 5.8L (351-CID) F V-8 engine, with variable-venturi carburetion, is an available option. For standard features with additional Police Package equipment, see your Ford dealer.

MAJOR STANDARD FEATURES

- Air conditioning, manual
- Alert lights, low fuel and oil level (deleted on LX)
- Autolamp system
- Bumper rub strips, front and rear
- Glass, tinted
- Halogen headlamps, quad rectangular
- Mirrors, dual remote control, manual (electric on LX)
- Parking brake release, automatic
- Radio, electronic AM with dual front speakers (S model)
- Radio, electronic AM/FM stereo search with four speakers (std. on Crown Victoria and LX)
- Sound insulation package, luxury (not available on S)
- Windshield wipers, interval

1988 FORD LTD CROWN VICTORIA POLICE PACKAGE

POLICE PACKAGE FEATURES

- Alternator: 5.0L SEFI V-8: 65-amp.; 5.8L VV HO V-8: 100-amp.
- Axle ratio: 5.0L SEFI V-8: 3.08:1, 5.8L VV HO V-8: 2.73:1
- Battery: 72 amp.-hr. (650 C.C.A.) maintenance-free with heat shield—130 minute reserve capacity
- Brakes, heavy-duty power: Front disc/rear drum. Includes semi-metallic heavy-duty front disc pads⁽²⁾, metal disc brake dust shields, organic rear linings, and flared and grooved rear drums for maximum cooling
- Cooling package: Police-level with viscous 5-blade fan
- Decklid release: Remote-control electric (located in glove box)
- Exhaust heat protection—police level
- Exhaust system, dual
- Frame, heavy-duty
- Hubcaps, bright
- Insulation, underhood deleted
- Map light, dual-beam
- Power steering oil cooler, forward-mounted
- Restrictor, heater hose inlet
- Seats: Heavy-duty split bench (non-reclining). (LX reclining)
- Speedometer: 0-135 MPH, in 2 MPH increments
- Suspension, police: Includes heavy-duty high-rate front and rear springs, extra-control 1½-inch hydraulic shock absorbers, heavy-duty front and rear police stabilizer bars, unique lower and upper control arm bushings
- Tires: P225/70R15 BSW "speed-rated" steel-belted with conventional spare tire
- Transmission, automatic overdrive, with first gear lockout feature to prevent holding vehicles in first gear
- Transmission oil cooler, auxiliary: External, front-mounted
- Voltage regulator, police special transistorized
- Wheels: Heavy-duty 15" x 6.5"

⁽¹⁾ The 5.8L VV HO Package requires dealers to register with the Internal Revenue Service and provide that use is for law enforcement (for exemption from Gas-Guzzler Tax).

⁽²⁾ Material meets MSP (Michigan State Police), LASD (Los Angeles Sheriff Department) and LAPD (Los Angeles Police Department) certification requirements by providing superior fade resistance.

OPTIONS AND ACCESSORIES

In addition to the Police Package equipment, an extensive list of optional equipment and accessories is available to further tailor the LTD Crown Victoria to the specific needs of various law enforcement agencies.

REGULAR PRODUCTION OPTIONS

- Axle, Traction-Lok
- Axle ratio: 5.0L SEFI V-8: 3.27:1
- Bumper guards, front and rear
- Clock, electronic digital (standard on Crown Victoria and LX models)
- Defroster, rear window (required in New York state)
- Floor mats, front and rear, color-keyed carpet
- Illuminated entry system (NA with single key locking)
- Immersion heater, engine block (600 watts)
- Lamps, cornering
- Light Group—includes headlamps-on reminder chime, dual instrument panel courtesy lights and engine compartment light (standard on LX)
- Locks, power door
- Moldings, vinyl insert bodyside—standard except S models
- Radio, electronic AM/FM stereo search
- Radio credit option
- Radio, electronic AM/FM stereo search with cassette player
- Seat, power 6-way driver's
- Speed control
- Steering wheel, leather-wrapped
- Steering wheel, tilt
- Vent windows, pivoting front
- Wheel covers, locking custom (wire-style)
- Windows, power—lockout switch included so that only the driver can operate the windows (standard on LX)—includes dual electric remote-control mirrors
- Windshield, Insta-Clear® (not available with 5.8L HO engine)

LIMITED PRODUCTION OPTIONS

- Air conditioning delete (available with 5.8L HO Package only)
- Alternator, 100-amp. (standard on 5.8L HO Packages)
- First-gear lockout delete
- Floor covering, heavy-duty (black rubber mats replace standard carpeting)
- Seat, flight bench, non-reclining (NA on LX)
- Wheel covers, deluxe

DOMESTIC SPECIAL ORDERS

- Battery, 84 amp.-hr. (850 C.C.A.) (maintenance-free)—165 minute reserve capacity
- Bonding strap package, police radio
- Gauges, ammeter/oil pressure/water temperature (mounted in RH instrument panel applique)
- Hose clamps, aircraft-type radiator and heater
- Hoses, silicone
- Light switches, inoperative door courtesy
- Locking system, single key (all vehicles keyed alike)
- Map light, adjustable (header-mounted)
- Map light, header-mounted
- Right-rear door and window handles, inoperative (NA with power windows)
- Roof reinforcements for police signal equipment
- Seats, individual (40/40)
- Spotlight (left-hand and right-hand), pillar-mounted (6" clear halogen)
- Tires—P225/70R15 WSW "speed-rated" steel radial —P225/75R15 BSW/WSW all-season "speed-rated" radials
- VASCAR speedometer cable (2-piece)
- Wiring conduit, radio (1½-inch dia.)
- Wiring, roof lamp—4 or 8, 12 gauge

DEALER-INSTALLED ACCESSORIES

- Consult dealer

DIMENSIONS AND CAPACITIES*

General	
Wheelbase	110.5
Overall Length	211.0
Overall Height	55.5
Overall Width	77.5
Ground Clearance (min.)	5.2
Tread—Front	62.2
—Rear	62.0
Curb Weight (lbs.)	3779
Front Compartment	
Head Room	37.9
Shoulder Room	61.6
Hip Room	61.0
Leg Room—Maximum	43.5
Rear Compartment	
Head Room	37.2
Shoulder Room	61.6
Hip Room	56.9
Leg Room—Minimum	39.3
Luggage Compartment Luggage Capacity (cu. ft.)	
Liftover Height	21.4
EPA Volume Index (cu. ft.)	22.6
Fuel Tank Capacity (gals.)	133.0
	18.0 (5.0L)
	20.0 (5.8L)

*Dimensions in inches unless otherwise specified

POWER TEAM DATA

ENGINE	DISPLACEMENT (CU. IN.)	HORSE-POWER	TORQUE (FT. LBS.)	EPA FUEL ECONOMY	
				City	Highway
5.0L SEFI V-8	302	160 @ 3400 rpm	280 @ 2200 rpm	17	24
5.8L HO VV V-8	351	180 @ 3600 rpm	285 @ 2400 rpm	NA	NA

1988 MUSTANG SPECIAL SERVICE PACKAGE*

1988 Mustang provides law enforcement agencies a high-speed traffic control vehicle. 1988 Mustang's 5.0L High Output V-8 engine features electronic tuning, sequential multiple-port electronic fuel injection, and sport-tuned dual exhaust.

The 1988 Special Service Package is available only on the Mustang LX 2-Door Sedan. It features a standard 5-speed manual overdrive transmission, and offers an optional 4-speed automatic overdrive transmission. Major standard features of the LX 2-Door Sedan and the Special Service Package follows.

MAJOR STANDARD FEATURES

- Body-color bumpers, front and rear
- Clock, electronic digital
- Halogen headlamps, dual
- Instrumentation includes tachometer, trip odometer, voltmeter, temperature, fuel and oil pressure gauges
- Mirrors, dual remote-control (RH convex)
- Radio, electronic AM/FM stereo search with four speakers
- Sound insulation package, luxury
- Windshield wipers, interval

SPECIAL SERVICE PACKAGE

- Air deflector, front lower radiator
- Belt tensioner, heavy-duty
- Decklid release, relocated remote (right or left of steering column)
- Disc brake rotor shields, metal
- Drive belts, heavy-duty (Kevlar)
- Front floor pan, reinforced (both sides)
- Hose clamps, aircraft-type radiator and heater
- Lights, engine compartment and trunk
- Locking system, single key: each vehicle keyed differently
- Oil cooler, automatic transmission—external front-mounted
- Restrictor, heater hose inlet
- Seats, heavy-duty reclining front bucket
- Sound absorber, underhood deleted
- Spare tire and wheel, conventional
- Speedometer head assembly, 0-140 mph calibrated in 2 MPH increments
- Transmission oil cooler—external with automatic transmission
- Voltage regulator, police special transistorized

ADDITIONAL HEAVY-DUTY EQUIPMENT INCLUDED WITH THE 5.0L HO V-8:

- Alternator, 65-amp. (75-amp. with automatic overdrive)
- Battery, 58-amp. maintenance-free—(540 C.C.A.) with 100 minute reserve capacity
- Exhaust system, dual
- Front struts, rear shocks and rear quadra-shocks, nitrogen gas-pressurized
- Rear axle, 8.8-inch Traction-Lok
- Stabilizer bars, front (1.3-inch diameter) and rear (.83-inch diameter)
- Steering, quick-ratio (15:1) power with increased effort
- Tires, P225/60VR15 BSW unidirectional performance
- Wheels, 15" x 7" cast aluminum with blackout treatment

OPTIONS

In addition to the Special Service Package equipment, an extensive list of optional equipment and accessories is available to further tailor Mustang to the specific needs of various law enforcement agencies.

This special service vehicle does not meet Ford Motor Company durability requirements for police packages, and recommended use is for high-speed highway traffic law enforcement service.

REGULAR PRODUCTION OPTIONS

- Air conditioner, manual
- Defroster, rear window
- Glass, tinted (complete)
- Mirrors, dual electric remote-control
- Power Lock Group—includes power door locks, remote fuel filler door release and power decklid release
- Radio delete
- Radio, electronic AM/FM stereo with cassette tape player
- Speed control
- Steering wheel, tilt
- Windows, power side

LIMITED PRODUCTION OPTIONS

- Heater, engine block (600 watts)

DOMESTIC SPECIAL ORDERS

- Hoses, silicone
- Light switches, inoperative door courtesy
- Oil cooler, engine
- Paint stripes, delete
- Radio noise suppression (police-type)
- VASCAR speedometer cable (2-piece)

DIMENSIONS AND CAPACITIES*

General	
Wheelbase	100.5
Overall Length	179.6
Overall Height	52.1
Overall Width	69.1
Tread—Front	56.6
—Rear	57.0
Curb Weight (lbs.)	3037
Front Compartment	
Head Room	37.0
Shoulder Room	55.4
Hip Room	56.1
Leg Room—Maximum	41.7
Rear Compartment	
Head Room	35.9
Shoulder Room	54.3
Hip Room	47.1
Leg Room—Minimum	30.7
Luggage Compartment Luggage Capacity (cu. ft.)	
EPA Volume Index (cu. ft.)	10.0
Fuel Tank Capacity (gals.)	93.4
	15.4

*Dimensions in inches unless otherwise specified

POWER TEAM DATA

ENGINE	5.0L (302-CID) SEFI HO V-8	5.0L (302-CID) SEFI HO V-8
Transmission	5-Spd. Man. OD	Automatic Overdrive
Axle Ratio	2.73/3.08 ^(a)	2.73/3.27 ^(a)
Horsepower (HP/RPM)	225 @ 4200	225 @ 4000
Torque (Ft. Lbs./RPM)	300 @ 3200	300 @ 3200
EPA Fuel Economy City/Hwy	16/24 ^(b)	18/27 ^(b)

^(a) Available with Traction-Lok

^(b) 1987 EPA fuel economy figures. (1988 not available at printing.)

Law enforcement agency service places strong demands on an automobile, making vehicle quality especially important. For the last 7 consecutive years, Ford quality has led all other American car companies. This is based on an average of owner-reported problems in a series of surveys of 1981-87 models designed and built in North America.

**For More Information on the 1988 Ford Police Vehicles,
Contact Your Local Ford Fleet Representative.**

FIELD PERSONNEL

DISTRICT	MAILING ADDRESS	FLEET, LEASING & RENTAL MANAGER		DISTRICT	MAILING ADDRESS	FLEET, LEASING & RENTAL MANAGER	
		TELEPHONE				TELEPHONE	
Atlanta	P.O. Box 105003 Atlanta, Georgia 30348	(404) 763-6428	Mike Joyce	Louisville	P.O. Box 32080 Louisville, Kentucky 40232	(502) 456-3770	Carl Reynolds
Boston	P.O. Box 583 Waltham, Massachusetts 02254	(617) 895-1099	Cathy Morrissey	Memphis	P.O. Box 8347 Hollywood Station Memphis, Tennessee 38108	(901) 454-7234	Tom Herndon
Buffalo	P.O. Box 244 Buffalo, New York 14225	(716) 631-4407	Bill Giunta	Milwaukee	16535 Bluemound Road Brookfield, Wisconsin 53005	(414) 785-3116	Roger Fercho
Charlotte	P.O. Box 220307 Charlotte, North Carolina 28222	(704) 554-4579	Gene Layman	New Orleans	P.O. Box 517 Metairie, Louisiana 70004	(504) 454-6707	Kent Hobson
Chicago	2225 W. North Ave. Melrose Park, Illinois 60160	(312) 681-6553	Bob Studzinski	New York	U.S. Hwy. 46 Teterboro, New Jersey 07608	(201) 393-4341	Bruce Montgomery
Cincinnati	P.O. Box 156306 Cincinnati, Ohio 45215-6306	(513) 563-3168	Mark Dildillan	Omaha	P.O. Box 37505 Millard Station Omaha, Nebraska 68137	(402) 592-8807	Chuck Deery
Cleveland	P.O. Box 41035 Brecksville, Ohio 44141	(216) 642-4925	Lou Carouse	Philadelphia	P.O. Box 816 Pennsauken, New Jersey 08110	(609) 468-2041	"Nine" Stalloni
Dallas	P.O. Box 110037 Carrollton, Texas 75011-0037	(214) 323-6124	Bill Hanes	Phoenix	P.O. Box 844 Phoenix, Arizona 85001	(602) 266-8526	Lee Schmidt
Denver	P.O. Box 5588 Terminal Annex Denver, Colorado 80217	(303) 291-4685	Gary Winslow	Pittsburgh	1910 Cochrane Road Manor Oak Two—Room 900 Pittsburgh, Pennsylvania 15220	(412) 928-2923	Charles Davis
Detroit	P.O. Box 800 Wixom, Michigan 48096	(313) 344-5821	Chris Conard	San Jose	P.O. Box 4004 Milpitas, California 95035-2004	(408) 945-4046	Lou Perez
Houston	P.O. Box 2783 Houston, Texas 77252-2783	(713) 680-4230	Bob Arrington	Seattle	P.O. Box 3565 Seattle, Washington 98124	(206) 464-3251	Lou Ulrich
Indianapolis	P.O. Box 1992 Indianapolis, Indiana 46206	(317) 352-4130	John Newton	St. Louis	P.O. Box 12610 St. Louis, Missouri 63141	(314) 569-4420	Dick Clark
Jacksonville	P.O. Box Y Jacksonville, Florida 32203	(904) 783-7718	Terry Kidd	Twin Cities	P.O. Box 419 Minneapolis, Minnesota 55440-0419	(612) 781-5229	Keith Mortensen
Kansas City	P.O. Box 11040 Antioch Station Kansas City, Missouri 64119	(816) 459-1477	Chris Hoehner	Washington	8051 Gatehouse Rd. Falls Church, Virginia 22046	(703) 698-2070	Henry Hamler
Los Angeles	P.O. Box 4700-P Anaheim, California 92803	(714) 520-8432	Bob Armour				



Ford Division
General Fleet, Leasing and Rental Operations

Illustrations and information presented herein were correct when approved for printing. Ford Division reserves the right to discontinue or change at any time, specifications or designs without incurring obligations. Some features shown or described are optional at extra cost. Most options offered on all models. Some options are required in combination with other options. Always consult your Ford Dealer for the latest most complete information on models, features, prices and availability.