C 230 Kompressor Sport Sedan C 320 Sport Sedan C240 Sedan C 320 Sedan C32 AMG Sport Sedan



C 230 Kompressor Sports Coupe C 320 Sport Coupe

Savvy choices

The C-Class is a family of exceptionally satisfying cars, each one a confident overachiever. For 2003, there are more choices than everfrom the supercharged and value-packed 189-hp C 230 Kompressor Sports Coupe to the awe-inspiring 349-hp C32 AMG Sport Sedan. The C240 and C320 Sedans are stylish and roomy. The C240 and C320 Sport Wagons are versatile and fun. And now you can enjoy the 4-season handling edge of our advanced 4MATIC™ all-wheel drive in a C-Class. It's a new option for any C240 or C320 model.

Every C-Class enjoys a wealth of reassuring technologies like our Electronic Stability Program, emergency-sensing Brake Assist, and Head Protection Curtains. And every C-Class treats you right, with luxuries like dual-zone climate control with rear-cabin air vents.

Driving fun is assured by each of the four potent and efficient C-Class powerplants. All C-Class sedans and sport wagons are V-6 powered. And rest assured that every C-Class offers certified low emissions.

C-Class value starts with a high featurefor-dollar factor. Its Flexible Service System monitors your actual driving conditions, so it can extend basic service intervals. And every new C-Class includes basic maintenance for the duration of the 4-year/50,000-mile warranty.2 Our legendary 24-hour Roadside Assistance doesn't expire.3 And every C-Class carries the value of Mercedes-Benz heritage. After all, it comes from the only automaker who's been reinventing the car for 117 years.

C 230 Kompressor Sports Coupe and C 240 Sedan shown with Option Package C 2, C 320 Sport Wagon shown with optional Tele Aid system. 1 Includes oil change and other standard use level maintenance items identified in the Service Booklet for each model, at intervals determined by the Flexible Service System throughout the warranty period. Brake pads and discs, tire rotation and wiper blades are not covered. Driver is responsible for monitoring fluid levels and tire pressures between service visits. Limitations apply. 2 Whichever comes first. 3 Roadside Assistance repairs may involve charges for parts, service and towing. Please see your dealer.

C 230 KOMPRESSOR SPORT SEDAN

Supercharged 1.8-liter 16-valve 4-cylinder 189 hp @ 5,800 rpm 192 lb-ft torque @ 3,500-4,000 rpm

PERFORMANCE MEETS VALUE

The new C 230 Kompressor Sport Sedan gives you more for less. Its **supercharged** 16-valve engine generates **189 horsepower** and a quickened pulse. Glances become stares, admiring an imposing look accented by the powerfully sculpted lower bodywork, monochromatic door handles and blacked-out grille slats. The C 230 Kompressor drives the per-

formance point home with a standard **6-speed** manual transmission, tight-cornering, sport-tuned suspension, and 7-spoke **17" alloy wheels** wrapped in high-performance tires.¹ Our Electronic Stability Program adds a new dimension of confidence, while **sport front seats**, textured **aluminum trim** and blue-tinted glass add a new dimension of cool.



C 320 SPORT SEDAN

3.2-liter 18-valve V-6 215 hp @ 5,700 rpm 221 lb-ft torque @ 3,000-4,600 rpm

THE NEW V-6 POWER PLAYER

Just as impressive as this sport sedan's visual power is its 3.2-liter V-6 strength. The C320 Sport Sedan surges forward on your command with an eager response of 215 horsepower and a healthy 221 lb-ft of peak torque. Our optional 4MATIC™ all-wheel drive² with the 4-wheel Electronic Traction System sends the power to all four wheels for extra control to handle whatever weather comes around the bend - and even the bend itself. A performance-minded interior stirs your deepest driving desires. Satisfaction comes from sport-tuned handling with every turn. Step out and look back at the aggressive sport-sedan styling, and the cravings are quick to return. Luckily, there is a cure.



Despite their impressive levels of power, every C-Class offers certified low emissions.

C 230 KOMPRESSOR ENGINE

Our new 189-hp intercooled supercharged 1.8-liter four pumps out 192 lb-ft of peak torque. Its specs are impressive: a light-weight alloy block and 16-valve DOHC head. Variable intake and exhaust timing. Dual balance shafts. Low Emission Vehicle (LEV) certification. The satisfying result: a high fun factor and responsibility rating for the C 230 Kompressor Sports Coupe and Sport Sedan.

C240 ENGINE

The C 240 **2.6-liter V-6** generates a robust **177 lb-ft of torque** at 4,700 rpm and **168 hp** at 5,700 rpm. Its twin-spark-plug/3-valve design promotes quicker cylinder charging and helps every C 240 Sedan and Sport Wagon earn **Low Emission Vehicle** certification.

C320 ENGINE

The 3.2-liter V-6 of the four C 320 models pumps out 215 hp. A plateau of peak torque — 221 lb-ft from 3,000 rpm up to 4,600 rpm—translates to immediate response throughout the rev range. And every rear-wheel-drive C 320 Sedan, Sport Sedan and Sport Wagon with the optional automatic transmission is a Flexible Fuel Vehicle that can be fueled with premium gasoline, ethanol (E85), or a blend of E85 and premium gasoline.

powerful efficiency

6-SPEED MANUAL TRANSMISSION

Many driving enthusiasts think a stick shift is the sporty way to go. And a **6-speed manual transmission**—the grand prize. So that's how every C230 Kompressor, C240 and C320 model comes standard. This **close-ratio** 6-speed gearbox is designed to give you clean, **short throws** as you zip up and down through the gears. And an aggressive first gear offers **quicker launches off the line**.

5-SPEED DRIVER-ADAPTIVE AUTOMATIC

Our remarkably smooth 5-speed automatic¹ actually learns your driving style. It keeps an eye on your driving – shifting at higher revs when you're motoring more enthusiastically, and aiming for maximum economy when you're cruising at a more casual pace. Touch Shift offers a further measure of control, allowing you to downshift or withhold upshifts with a simple sideways motion of the gearshift.



1 Required with optional 4MATIC™ all-wheel drive.

unbound power





Handcrafted, supercharged 3.2-liter 18-valve V-6 349 hp @ 6,100 rpm 332 lb-ft torque @ 4,400 rpm

"The C 32 AMG is an all-out road rocket that has to be considered one of the top performance buys in the world..."

-Road & Track Buyer's Guide 2002

READY TO RUMBLE

In a small orchard town only 40 kilometers from Stuttgart, a small group of hard-core enthusiasts known as AMG has created **champion Mercedes-Benz racecars** for the track and the street for more than 30 years.

With the C32 AMG, they have awakened the supercar persona lurking within every C-Class. The heart of a C32 is a muscular **349-hp V-6**, each one **handcrafted** by its own AMG master technician. An intercooled, high-pressure helical supercharger generates more than 15 psi of boost, inspiring the six

light-alloy pistons and high-strength-steel crankshaft to pump out 332 lb-ft of torque. All of this helps to catapult the C32 to 60 in a pavement-wrinkling 4.9 seconds.

Underpinning all its power is a chassis that's fine-tuned for poised performance. AMG shock absorbers and thicker stabilizer bars are tuned for crisp cornering feedback without upsetting the refined highway ride. Its ESP is precisely calibrated to let you make the most of its enhanced handing ability. The high-performance tires² are

staggered in width: size 225/45 ZR17 up front for sharper steering response, and wider 245/40 ZR17s in back, ready to lay power onto pavement. Wheels are a polished AMG double-spoke design, and artfully embrace the supremely capable brake hardware: 4-piston calipers gripping enlarged, perforated discs in front, and dual-piston calipers over ventilated discs at the rear.

Sculpted AMG-design lower bodywork hints at the awaiting experience. One drive in the C32 AMG and you'll be transformed.





¹ Stated rates of acceleration are based upon manufacturer's track results and may vary depending upon model, environmental and road surface conditions, driving style, elevation and vehicle load.

2 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires.



C32 AMG INTERIOR


Perhaps what's most impressive about the C32 AMG is its all-around manners. It's truly a supercar you can enjoy every day. And its **sumptuous interior** is ready to entertain, enthuse and engage you.

The heated front seats are adjustable ten ways and deeply bolstered for better cornering support. Perforated AMG-design leather—in subtle Charcoal or a pair of two-tones—complements the textured aluminum interior trim and silver-accented AMG-design instrumentation.

A leather-wrapped shifter brings power to hand through a driver-adaptive 5-speed Touch Shift automatic. AMG's SpeedShift™ programming provides 35% faster gear changes, prevents unwanted upshifts in hard corners, can downshift automatically during braking, and lets you pre-select the optimum gear for maximum acceleration. The C 32 AMG might be the perfect balance of handcrafted power, exotic performance and refined luxury—simply put, a sport sedan without peer.







NATURALLY UNRUFFLED


The foundation of every C-Class is a naturally balanced rear-wheel-drive platform and a remarkably rigid monocoque body that provides legendary handling poise. The legendary Mercedes-Benz 5-arm multilink suspension expertly controls rear-wheel motions under various driving conditions, while a lightweight 3-link coil-over-strut front suspension precisely positions the front wheels for more direct steering feedback. Driving confidence is standard on every C-Class.

SMARTER BRAKING

Mercedes-Benz research has shown that drivers tend not to hit the brakes hard enough, soon enough, in an emergency. So we developed Brake Assist to overcome this tendency. When Brake Assist senses a panic stop from the speed at which you depress the brake pedal, it automatically applies all available power braking boost immediately. By eliminating the delay caused by human nature, Brake Assist can potentially reduce your overall stopping distances when it matters most.¹

THE ESP HANDLING ADVANTAGE

Our pioneering Electronic Stability Program (ESP) offers dramatic handling advantages. ESP continually monitors your steering and braking actions, and compares them to where the car is actually going. While cornering, ESP can detect the onset of fishtailing (oversteer) or plowing (understeer), and it responds by braking individual wheels or reducing excess engine power, to get you back on course. ESP also incorporates ASR traction control, which helps control wheelspin during acceleration. You can't predict what lies around the next curve in the road. Wouldn't it be nice to have ESP?




ESP brakes the outside front wheel to counteract oversteer.



ESP brakes the inside rear wheel to counteract understeer.

¹ Braking effectiveness also depends on proper brake system maintenance, and tire and road conditions.

² No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Please always wear your seat belt.



4MATIC ALL-WHEEL DRIVE

It's not just for snow days. The 4MATIC™ option, available for all C 240 and C 320 sedans and sport wagons,¹ offers you an extra measure of handling confidence, whether you're dashing through the snow or hugging a summertime curve. 4MATIC distributes power to all four wheels all the time. And its 4-wheel Electronic Traction System (4-ETS) helps

make sure that power translates to control, by monitoring each wheel for the first signs of wheel slip. 4-ETS can individually brake the slipping wheels to maintain the balance of power, or reduce excess throttle. By continually ensuring that power goes to the wheels with grip, 4MATIC can get you going even when only one wheel has traction.

Like every C-Class, the agile 4MATIC sedans, sport sedan and sport wagons also include the handling benefits of ESP, our Electronic Stability Program. **ESP and 4MATIC all-wheel work in harmony** to add a new dimension to your confidence in any season and multiply your enthusiasm for driving on any road.

Confidence, safety and security all take a bold stride forward with 4MATIC all-wheel drive.

¹ Requires automatic transmission. 2 No system, no matter how sophisticated, can repeal the laws of physics. Performance is limited by available traction, which snow, ice and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.



THOROUGHLY THOUGHTFUL

In a Mercedes, all of the safety elements are designed to work together as an integrated system of protection that's reassuring in its depth. One of the primary features of this system is an advanced body structure that includes front and rear impact-absorbing crumple zones, just one of many safety innovations that started life at Mercedes-Benz—in this case, more than 50 years ago.

Mercedes-Benz has also stayed on the leading edge of air bag technology. Every 2003 C-Class has eight air bags. There is a front air bag with dual-stage inflation for both the driver and front passenger. And every C-Class includes four side-impact air bags. For further protection from head injury and broken glass, Head Protection Curtains are concealed above the side windows for the front and rear seats.

Every seating position—front and rear—is provided with a 3-point seat belt. And all four outboard seat belts feature Emergency Tensioning Devices (ETDs), which help remove seat-belt slack in a sufficiently severe front or rear impact, and belt force limiters, which help soften the peak deceleration forces on belted occupants. And to facilitate the proper installation of child seats, the rear seats are equipped with the standardized LATCH system of Lower Anchors and Tethers for Children.

From widely adopted advances like crumple zones to the latest Mercedes innovations, you simply won't find a safety system that's more thoroughly considered than a C-Class.

WARNING: THE FORCES OF A DEPLOYING AIR BAG CAN CAUSE SERIOUS OR FATAL INJURY TO A CHILD UNDER AGE 13. THE SAFEST SEATING POSITION FOR YOUR CHILD IS IN THE REAR SEAT, BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED CHILD SEAT, OR CORRECTLY WEARING A SEAT BELT IF TOO LARGE FOR A CHILD SEAT. A CHILD UNDER 13 MUST NOT USE THE FRONT SEAT UNLESS THE CHILD IS BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED BABYSMART-COMPATIBLE CHILD SEAT. A CHILD UNDER 13 WHO IS TOO LARGE FOR A CHILD SEAT MUST NOT USE THE FRONT SEAT. SEE OPERATOR'S MANUAL FOR ADDITIONAL WARNINGS AND INFORMATION ON AIR BAGS, SEAT BELTS AND CHILD SEATS.

comprehensive

reassurance





WHERE DO WE EVEN BEGIN...

Simply stated, a Mercedes-Benz is a great value. There, we said it. Now let us prove it.

Throughout its lifetime, a Mercedes keeps paying its owner unexpected dividends. If you're of a mind where true value is defined in dollars, bring on the numbers. Our C 230 Kompressor Sports Coupe and Sport Sedan both start well under \$30,000. The list of standard C-Class features delivers a lot—including dual-zone climate control, eight air bags and our Electronic Stability Program—

and really helps the C-Class models shine in head-to-head comparisons with the competition. And when the time comes for your C-Class to enter a different season of its life, think about this: Mercedes-Benz vehicles are noted for holding their worth over time and maintaining consistently high resale values?

The Mercedes-Benz Maintenance Commitment and the Flexible Service System in your C-Class work together to save you both money and time. For the duration of your

New Vehicle Limited Warranty, basic maintenance is included. And to make sure you don't waste your time coming in for service before it's needed, the Flexible Service System in every Mercedes tracks actual driving conditions and some indicators of oil quality, and tells you—via a display in the instrument cluster—when basic service is due. Just bring your C-Class into any Mercedes-Benz Center, and our technicians will do the work at no additional cost to you.³

The C 240 Sedan was rated by the independent firm IntelliChoice as an Excellent Value for 2002.

1 IntelliChoice,* Inc., www.intellichoice.com. 2 Based on projections by IntelliChoice for 2002 vehicles, most Mercedes-Benz models rank in the top third for retained value over all vehicles. 2002 The Complete Car Cost Guide,** www.intellichoice.com. 3 Includes oil change and other standard use level maintenance items identified in the Service Booklet for each model, at intervals determined by the Flexible Service System throughout the warranty period. Brake pads and discs, tire rotation and wiper blades are not covered. Driver is responsible for monitoring fluid levels and tire pressures between service visits. Limitations apply.

INNOVATIVE C-CLASS FEATURES

ADJUSTABLE CENTER ARMREST

The **height-adjustable front center armrest** helps you find just the right combination of comfort and support.

CLIMATE CONTROL FILTERS

Every C-Class includes an electrostatic filter that helps to prevent dust, pollen and plant spores from entering the cabin through the climate control system. The digital climate control on the C320 sedans and sport wagon and C32 AMG features an activated charcoal filter that helps to remove unpleasant odors from the incoming air, and includes a smog sensor that automatically shuts off the incoming air and recirculates filtered cabin air when it detects an increase in certain pollutants.













MULTIFUNCTION DISPLAY

Located in clear view inside the speedometer face and controlled by the buttons on the steering wheel, the standard multifunction display offers **fingertip access to a variety of information**. You can scroll through screens to display the odometers, trip computer, coolant temperature, a digital speed readout, the radio station, and much more — even the distance remaining to the next service, as calculated by the innovative Flexible Service System.

HAND-POLISHED WOOD TRIM

The rich grain of **hand-finished** Laurel wood graces the doors, dash and console of the C240 and C320 Sedan and Sport Wagon models. And two new wood choices are optionally available for the C230 Kompressor and C320 Sports Coupes.











C-CLASS SPORT SEDANS: AN INTERNAL AFFAIR

The C 230 Kompressor and C 320 Sport Sedans stimulate the driver with a thoroughly modern interior infused with sensuous leather and textured aluminum trim. Yet it's here that you'll also find the sacred talisman of enthusiastic driving—the 6-speed manual transmission. A driver-adaptive 5-speed automatic with Touch Shift is also available.

Aggressively bolstered front sport seats with leather seating inserts offer embrac-

ing support in corners and soothing comfort on any stretch of road. The front seats adjust eight ways (four of them power) in the C 230 Kompressor, while the C 320 Sport Sedan gets 10-way power adjustment. Either sport sedan will inspire you with specifically tailored standard audio systems—the C 230 Kompressor with seven speakers and automatic speed-sensitive volume adjustment, and the C 320 with a 10-speaker digital Bose® sound system featuring the added boost of a 9" highefficiency woofer.

And both sport sedans will comfort you with dual-zone climate control systems that improve air quality with an electrostatic dust filter and a humidity sensor. The C320 Sport Sedan also includes digital dual temperature and airflow controls for added convenience, a 4-way sun sensor to help compensate for direct sunlight on occupants, and an activated charcoal filter with a smog sensor to help remove odors.

A display within the speedometer face offers fingertip access to useful information — from coolant temperature to a trip computer to the distance remaining to your next service — via the multifunction steering wheel. Other conveniences include automatic light-sensing headlamps, and SmartKey, which lets you remotely lock and unlock doors, open and close windows, and operate the panic alarm. SmartKey even helps to protect against theft by using an electronic code to start the engine.

thoughtful elegance



C240 SEDAN

2.6-liter 18-valve V-6 168 hp @ 5,700 rpm 177 lb-ft torque @ 4,700 rpm

The C 240 Sedan offers a generous helping of standard luxuries. Its roomy interior includes dual-zone automatic climate control and a multifunction steering wheel with a 4-way adjustable steering column. Cabin appointments include hand-polished wood trim and leather seating inserts. Of

course, once you have these luxuries, they quickly become necessities.

You can also count on the C240 for sporty performance. There's standard V-6 power and a slick 6-speed manual transmission. A driver-adaptive 5-speed automatic with Touch Shift control is optional, as is 4MATIC all-wheel drive. Nimble handling is enhanced by 7-spoke 16" alloy wheels. When you see everything you get in a C240 Sedan, you'll see how style and value can become one.

C320 SEDAN

3.2-liter 18-valve V-6 215 hp @ 5,700 rpm 221 lb-ft torque @ 3,000-4,600 rpm

The C 320 Sedan boasts a smooth 215-hp V-6 that gives it plenty of low-end boost as well as strong mid-range passing power. The C 320 Sedan channels its generous torque through a crisp 6-speed manual transmission. Or you can opt for our 5-speed automatic and enjoy both driver-

adaptive programming and the manualstyle fun of **Touch Shift** control. Our **4MATIC** all-wheel drive is also optional.

The luxurious C240 and C320 Sedans embody **sophistication and style**, and offer a generous complement of **elegance**

Ten-way power front seats with 3-position memory and a 4-way power steering column let you dial in your preferred driving position. The driver's seat memory even recalls your steering column and outside mirror preferences. Tune in to crisp, clear audio on the 10-speaker Bose® digital sound system with AudioPilot.™ Even the air you breathe is tended to: digital dual-zone climate control features an activated charcoal odor filter. The C 320 Sedan is perfect when you want a lock on luxury and performance that really hustles.

1 Requires automatic transmission.



INSIDE THE C240 AND C320 SEDANS

Hop in. Take the wheel—it tilts and telescopes so you can set your ideal driving position. At your fingertips, illuminated buttons let you scroll through an abundance of information via the multifunction display in the dash. You can operate the sound system, optional phone, and interior and exterior lighting. It's also the civilized way to keep an eye on the car's systems; you can monitor the oil level, trip computer, audio system and more without leaving the comfort of the driver's seat.

No luxury-car experience is complete without a **premium stereo**. In the C 240 Sedan, a standard 7-speaker audio system includes automatic speed-sensitive volume adjustment. On the C 320, a 10-speaker Bose™ digital sound system with AudioPilot™ compensates for ambient noise with no perceived change in volume. The Bose system—also optional on the C 240—features a dash-mounted center fill speaker and a 9™ high-efficiency woofer.

"The C-Class embodies the same virtues that have made Mercedes-Benz great over the years."

-Automobile Magazine



Dual-zone climate control includes an electrostatic **dust filter and humidity sensor** to optimize air quality. Airflow is enhanced by adjustable rear-cabin air vents, to help ensure that all passengers stay refreshed.

For the C320, **digital climate control** includes dual controls for both temperature and airflow. A **4-way sun sensor** helps the system compensate for direct sunlight. And the system's activated charcoal filter has a **smog sensor** that automatically recirculates filtered cabin air when it detects an increase in pollution.







C-CLASS SEDAN MATERIALS, SEATING AND AIR BAGS

It's easy to feel at home in the roomy cabin of a C 240 or C 320 Sedan. **Leather** seating inserts provide first-class comfort, and **hand-polished Laurel wood** graces the doors, dash and console. The luxurious feel extends to the leather-trimmed steering wheel and shift knob.

The C 240 front seats are 8-way adjustable, including power adjustment for height and recline. Ten-way power front seats are standard on the C 320 and optional on the C 240.

And a **two-tier glovebox** is just one of eight convenient storage areas.

There are eight air bags, including Head Protection Curtains that run the length of the side windows. They help protect outboard occupants from head contacts and broken glass in a side impact exceeding the system's deployment threshold. You might never need them. But sometimes the greatest comfort is peace of mind.

"With the front seats all the way back, a six-footer would have trouble reaching the pedals." —AutoWeek



C 230 KOMPRESSOR SPORTS COUPE

Supercharged 1.8-liter 16-valve 4-cylinder 189 hp @ 5,800 rpm 192 lb-ft torque @ 3,500-4,000 rpm

SUPERCHARGED TO THRILL

The C 230 Kompressor Sports Coupe puts an exclamation point on value—it's the lowest-priced Mercedes in over a decade. And it's loaded with Mercedes technology, like our Electronic Stability Program and Brake Assist. A sport-tuned suspension and deeply bolstered front seats invite serious cornering. Factor in the spirited performance of its smooth new supercharged 189-hp engine, and you know this sports coupe is a blast to drive.

A **6-speed manual transmission** is standard, so you can run through the gears with preci-

sion as you carve up your favorite roads. And our smooth driver-adaptive 5-speed automatic with Touch Shift control is optional.

Innovative options let you spice up any C-Class sports coupe even more. The amazing Panorama glass roof includes an extra-large sunroof opening. There's a Wheel Package that adds a whole suite of stylish touches. And there's a Bose® sound system that pumps up the performance from the inside. No matter how you outfit yours, the sports coupe is the ticket to flat-out driving fun.

"The handling of the C-Class Sports Coupe is first-class." —Road & Track

C 320 SPORTS COUPE

3.2-liter 18-valve V-6 215 hp @ 5,700 rpm 221 lb-ft torque @ 3,000-4,600 rpm

THE POWER OF SIX

Now you can experience the ready thrust of a vigorous 215-hp V-6 engine in a C-Class sports coupe. The C320 Sports Coupe's generous 221 lb-ft of torque provides immediate results, and keeps the power coming over a broad range, from 3,000 to 4,600 rpm.

Winding roads become your own personal slalom with a **sport suspension** tuned for sharper handling. Driving confidence takes another leap forward with our **Electronic Stability Program** – a revolutionary innovation that compares the driver's intended path with the vehicle's actual response, to help keep you on course.

And like every C-Class, the C320 Sports Coupe receives a bounty of standard features—from a slick **6-speed manual** transmission for truly inspired driving, to **Brake Assist** for equally inspired stopping. Attractive aluminum **alloy wheels** in a 5-double-spoke design put the sports coupe's **rear-wheel-drive** power to the pavement with style, while options like Bi-Xenon projector headlamps highlight a choice of intriguing possibilities.











C-CLASS SPORTS COUPE INTERIOR

The C-Class sports coupes have the looks to back up their name. Patterned aluminum trim and a leather-trimmed steering wheel and shift knob give a nod to performance, as do the 8-way adjustable front sport seats. A 4-way adjustable steering column lets you set the 3-spoke sport steering wheel just right, and the sculpted instrument cluster hints at the supercharged driving experience.

Enjoy your favorite tunes through the standard 6-speaker audio system, or go for the optional 8-speaker Bose® digital sound system with

AudioPilot.™ Adjust the volume and tuning via the multifunction steering wheel. And refresh yourself with the dual-zone climate control—it helps clean the air with an electrostatic dust filter. Rear-cabin air vents help keep everyone comfortable. For an extra dash of luxury, opt for premium leather upholstery. Two new hand-finished wood interior treatments are also available. And if you happen to be carrying cargo, you'll appreciate the 60/40-split folding rear seat and rigid cargo cover. So wherever your journey takes you, your C-Class sports coupe is eager to hit the road.

A VIEW TO THE SKIES

The optional Panorama roof is something you've got to experience to believe. Tinted glass spans from the windshield to the liftgate, so it's like driving a convertible without messing up your hair. And you can peel back the oversized sunroof when you want a rush of fresh air, or power-close the mesh sunshades if you want the coziness of a coupe.

C 240 SPORT WAGON

2.6-liter 18-valve V-6 168 hp @ 5,700 rpm 177 lb-ft torque @ 4,700 rpm

A C-Class sport wagon is a sleek, nimble and efficient way to merge style with versatility. Its low profile helps preserve its sport-sedan handling. For silken power, there's a choice of two V-6 engines. And the new option of our 4MATIC™ all-wheel drive provides surefooted all-season traction.¹ A sporty 6-speed manual gearbox is standard, or you can opt for our driver-adaptive 5-speed automatic with Touch Shift. In any configuration, a C-Class sport wagon is a great way to pack up and head out.

In the C240, a 2.6-liter V-6 generates eager response. A 4-wheel multilink suspension, 16" alloy wheels and ESP—our Electronic Stability Program—help deliver satisfying, reassuring handling. While state-of-the-art safety systems help to protect your most precious cargo.

The C 320 turns the performance up a notch with a 215-hp 3.2-liter V-6. Acceleration is sport-sedan quick and luxury-sedan smooth. Ten-way power front seats with memory and a 4-way power steering column allow you to find the perfect driving position — and recall it again later. And a 10-speaker Bose® digital sound system with AudioPilot™ brings your tunes to life with superb clarity.

C 240 Sport Wagon shown with optional automatic transmission, 4MATIC all-wheel drive and Tele Aid system. 1 Requires automatic transmission.

C 320 SPORT WAGON

3.2-liter 18-valve V-6 215 hp @ 5,700 rpm 221 lb-ft torque @ 3,000-4,600 rpm

"Unless you keep looking in the rearview mirror," AutoWeek said of the C 320 Sport Wagon, "you don't really know you're driving a station wagon."





REVEL IN ITS INNER BEAUTY

Leather seating inserts and Laurel wood trim let you embrace the luxury of the C-Class sport wagons. Dual-zone climate control includes a dust filter and rear-cabin air vents to help keep everyone comfortable. Digital Bose® sound is standard in the C 320 and is a C 240 option. And the C-Class sport wagons look after you in little ways, too. For example, if you shift into Reverse while the front wipers are switched on, the rear wiper turns on to clear the back window automatically.



THE NEW LOOK OF WAGON VERSATILITY

Behind the wheel, you'll understand why we call them sport wagons. And behind this most satisfying of driver seats, you'll find the versatile space you need from a wagon. For your passengers' comfort, the contoured 60/40-split rear seat offers three retractable head restraints and a center armrest with dual cupholders. The cargo cover slides along tracks and retracts at a single touch. And to divide the cabin and the cargo area, you can extend the clever partition net from

the top of the rear seat up to the ceiling. To expand the cargo space to 63.6 cu ft, just fold down the rear seats. You can even extend the vertical partition net from floor to ceiling behind the front seats. Out in back, you'll find a 12-volt power outlet and parcel net in the cargo-area side wall. And there's a concealed storage well underneath the cargo floor, complete with a handy removable, collapsible carry-crate.



INNOVATIVE C-CLASS FEATURES





COVERED STORAGE

Beneath the front center armrest in every C-Class, you'll find two enclosed storage compartments – perfect for keeping small items close at hand but out of view.

AUTOMATIC LIGHT-SENSING HEADLAMPS

The headlamps on every C-Class can be set to **turn on automatically** when evening falls, when the wipers are in use, or when entering tunnels and dark parking garages. In combination with the Auto mode, you can also program automatic **Daytime Running Lamps** to help improve your visibility to other drivers anytime.

HEAD RESTRAINTS AT EVERY SEAT

Every seating position in every C-Class is outfitted with its own adjustable head restraint. And you can fold the rear-seat head restraints down for better rear vision when there are no passengers. On sedan models, you can retract all three rear head restraints from the driver's seat with the push of a button on the dash.



SMARTKEY

Unlike an ordinary mechanical key, SmartKey uses an electronic code to start the engine and protect against theft. Remote lock/unlock and panic alarm buttons are integrated, and it even lets you open and close the windows from outside the car. And you can easily program your C-Class so that each SmartKey recalls its individual user's preferences—as many as three different people per car—for various settings of the climate control and driver's seat memory (when so equipped).

ALLOY WHEELS

Light-alloy wheels not only **look great**, they also help to reduce "unsprung" weight (weight that is not supported by the car's suspension), for **crisper handling response**. The C-Class sports coupes' 16" alloy wheels feature a twin-spoke design, while the C 240 and C 320 Sedan and Sport Wagon models come standard with the 16" 7-spoke design shown here. And the C 230 Kompressor and C 320 Sport Sedans are outfitted with performance-oriented 17" wheels.





SPORTS COUPE WHEEL PACKAGE

The optional Wheel Package is a vision and a value for the C-Class sports coupes, starting with **7-spoke 17" alloy wheels** and 225/45 ZR17 high-performance tires. Color-keyed door handles blend with the clean profile, and an enlarged stainless-steel exhaust finisher hints at the coupes' wild side. Open the door, and patterned aluminum sill trim welcomes you. Manual-transmission models feature **20% shorter gearshift throws**, and when you take hold of the leather-covered sport shift knob and sport steering wheel with raised thumb grips, you'll know these coupes mean business. Rubber-studded aluminum pedals put the finishing touch on the sport-driving experience.

C230 Kompressor Sports Coupe shown above with optional Premium and Wheel Packages. C320 Sports Coupe shown at right with optional automatic transmission, and Premium and Wheel Packages. 1Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires.




















C-CLASS OPTIONS

While every C-Class starts out remarkably well equipped, an inviting menu of options and packages¹ lets you personalize your car. Package C1, for example, adds power front seats, power steering column and 3-position memory system to a sports coupe or C 240.

The **COMAND** system integrates GPS satellite navigation, CD player and radio, plus controls for the optional **glovebox-mounted 6-disc CD changer** and phone, into one indash panel. If you love your music, you'll

want the 10-speaker Bose® digital sound system with AudioPilot.™

Heated front seats offer soothing warmth at either of two heating levels. And for wagon-like versatility in a C-Class sedan, the 60/40-split rear seats fold flat to extend the cargo area, and include a ski sack for the rear-armrest pass-through.

1 Some items are standard on some models or available only as part of an Option Package. See features and options pages for details.













C-CLASS OPTIONS

Rain-sensing wipers monitor the rainfall on the windshield and automatically adjust the intermittent wiper frequency. The sleek Motorola V60™ phone offers digital clarity, portable convenience and seamless integration with your C-Class audio system and multifunction steering wheel. Premium leather upholstery can be hand-fitted to every surface of the seats and the gathered door trim. Our sports coupe's all-glass Panorama roof offers unmatched views of the sky, and power mesh sunshades to block them out. A power rear sunshade can also help keep the rear passengers of your C-Class sedan cooler. Heated headlamp washers use a pressurized spray. New Bi-Xenon headlamps emit bright, bluewhite light for both low and high beams.





Charcoal Cinnamora or brown poplar wood console trim are new sports coupe options.



Motorola V60 phone



specifications

	C 230 KOMPRESSOR SPORTS COUPE	C 230 KOMPRESSOR SPORT SEDAN		0 SEDAN AND SPORT WAGON			
Engine	1,796-cc intercooled supercharged DOHC 16-valve inline-4 with dual balance shafts. High-pressure die-cast alloy cylinder block, alloy heads.	1,796-cc intercooled supercharged Di inline-4 with dual balance shafts. High die-cast alloy cylinder block, alloy he	h-pressure block	7-cc SOHC 18-valve 90° V-6. High-pressure die-cast alloy cylinder k, alloy heads.			
Net power Net torque Compression ratio	189 hp @ 5,800 rpm 192 lb-ft @ 3,500-4,000 rpm 8.7:1	189 hp @ 5,800 rpm 192 lb-ft @ 3,500-4,000 rpm 8.7:1	177 I	168 hp @ 5,700 rpm 177 lb-ft @ 4,700 rpm 10.5:1			
Fuel requirement	Premium unleaded gasoline, 91 pump octane.	Premium unleaded gasoline, 91 pump	octane. Prem	nium unleaded gasoline, 91 pump octane.			
Fuel and ignition system	SIM 4 engine management, Integrated sequential multi of fuel spray and spark timing, Electronic throttle,	point fuel injection and ignition with individual	and spra	2.8 engine management. Integrated sequential multipoint fuel injecti phased twin-spark ignition includes individual cylinder control of fue y, spark timing and phase, and antiknock. Two spark plugs per cylind 100,000-mile spark plug intervals. Electronic throttle.			
Intake system	Variable intake and exhaust valve timing. Intercooled supercharger.	Variable intake and exhaust valve timin Intercooled supercharger.		nesium 2-stage resonance intake manifold increases intake runner th at lower rpm for improved response.			
Manual transmission	Fully synchronized 6-speed with clutch-starter interloc	k. Fully synchronized 6-speed with cluto	ch-starter interlock. Fully	synchronized 6-speed with clutch-starter interlock.			
Automatic transmission	Optional. Driver-adaptive electronic 5-speed. Touch Shift allows moving in 2nd gear or a second Reverse gear, to help in		s by nudging the shift lever left or right fro	onal (required with optional 4MATIC all-wheel drive). om the Drive position. Driver-selectable winter mode starts vehicle ear range.			
Emission certification	Low Emission Vehicle (LEV).	Low Emission Vehicle (LEV).	Low	Emission Vehicle (LEV).			
TRACTION AND STABILITY							
Electronic Stability Program (ESP) and Automatic Slip Control (ASR)		d to help correct understeer (plowing) or overs	steer (fishtailing). ESP incorporates the fu	and individual wheel speeds. ESP then brakes individual front or rear inctions of ASR traction control, which senses drive-wheel slip and			
4MATIC™ all-wheel drive with	Not available. Optional. MATIC features a permanent 35/65 front/rear torque split maintained via a planetary center differential. 4-ETS monitors the speed of all four wheels to detect wheel slip, then applies individe to provide the effect of locking the front, rear and/or center differentials, and/or reduces excess engine power. 4-ETS continually balances the torque split to ensure that power is sent to the						
4-wheel Electronic Traction System (4-ETS)		enter differentials, and/or reduces excess eng	rine power, 4-ETS continually balances the	e torque split to ensure that power is sent to the wheel(s) with tracti			
(4-ETS)	to provide the effect of locking the front, rear and/or c	enter differentials, and/or reduces excess eng	fine power. 4-ETS continually balances the	e torque split to ensure that power is sent to the wheel(s) with tracti			
(4-ETS)	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR	enter differentials, and/or reduces excess eng .!	100 (100 (100 (100 (100 (100 (100 (100				
(4-ETS)	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR	enter differentials, and/or reduces excess eng	bilizer bar. Rear : 5-arm multilink rear wit	e torque split to ensure that power is sent to the wheel(s) with tracti th geometry for antisquat and alignment control, and stabilizer bar. available.			
(4-ETS) CHASSIS Suspension, 4-wheel independent	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker	bilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a	th geometry for antisquat and alignment control, and stabilizer bar. available.			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker	bilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a ck. Turning circle: 35.3 ft/10.76 m, curb-t	th geometry for antisquat and alignment control, and stabilizer bar. available.			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer b: Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16.	enter differentials, and/or reduces excess eng ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5Jx17. 225/45ZR17 high-performance.2	bilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a lock, Turning circle: 35.3 ft/10.76 m, curb-t 7-sp	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb.			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer b: Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.01x16. Optional Wheel Package: 7-spoke design, 7.51x17. Standard: 205/55R16 91H all-season performance.	enter differentials, and/or reduces excess eng ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5Jx17. 225/45ZR17 high-performance.2	bilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a cck, Turning circle: 35.3 ft/10.76 m, curb-t 7-spc	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16.			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 70Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performal 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking the senses impending the senses imp	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo-7-spoke design, 7.5]x17. 225/45ZR17 high-performance.2 4-wheel disc, front discs ventilated. and and pumps the front brakes individually or the ybraking via the speed at which the driver president.	ibilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a lock, Turning circle: 35.3 ft/10.76 m, curb-t 7-spr 205/ 4-wh the rear brakes together (to help maintain s sses the brake pedal and immediately app	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and tiles maximum available power boost, potentially reducing the overall			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55816 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. A-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45ZR17 high-performance.² 4-wheel disc, front discs ventilated. In an and pumps the front brakes individually or the praking via the speed at which the driver pres common human tendency not to brake hard ecc 230 KOMPRESSOR SPORT SEDAN	bilizer bar. Rear : 5-arm multilink rear wit refront and rear stabilizer bars. Not a bock, Turning circle: 35.3 ft/10.76 m, curb-transport 7-spi 205/4-white rear brakes together (to help maintain sesses the brake pedal and immediately appinough, soon enough, Letting up on the brace brake pedal and continuous processes the brake pedal and continuous processes pedal and continuous pedal and	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. //55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C 240 SPORT WAGON			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 9H1 all-season performance. Optional Wheel Package: 225/45ZR17 high-performal 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE (106.9 in/2,715 mm)	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45 ZR17 high-performance.² 4-wheel disc, front discs ventilated. In gand pumps the front brakes individually or the ybraking via the speed at which the driver president of the process of the pro	bilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a ck. Turning circle: 35.3 ft/10.76 m, curb-t 7-spr 205/ 4-wh the rear brakes together (to help maintain a sses the brake pedal and immediately app anough, soon enough. Letting up on the br C 240 SEDAN 106.9 in/2,715 mm	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE (106.9 in/2,715 mm 171.0 in/4,343 mm 1	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45 ZR17 high-performance.² 4-wheel disc, front discs ventilated. In gand pumps the front brakes individually or the ybraking via the speed at which the driver prescommon human tendency not to brake hard etc. 230 KOMPRESSOR SPORT SEDAN 06.9 in/2,715 mm 78.2 in/4,526 mm	bilizer bar. Rear: 5-arm multilink rear wit r front and rear stabilizer bars. Not a ck. Turning circle: 35.3 ft/10.76 m, curb-t 7-spr 205/ 4-wh the rear brakes together (to help maintain a sses the brake pedal and immediately app anough, soon enough. Letting up on the br C 240 SEDAN 106.9 in/2,715 mm 178.2 in/4,526 mm	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length Overall height	to provide the effect of locking the front, rear and/or of 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE 106.9 in/2,715 mm 171.0 in/4,343 mm 1854.3 in/1,379 mm	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45ZR17 high-performance.² 4-wheel disc, front discs ventilated. In gand pumps the front brakes individually or the ybraking via the speed at which the driver president of the process of the proc	bilizer bar. Rear: 5-arm multilink rear wit r front and rear stabilizer bars. Not a ck, Turning circle: 35.3 ft/10.76 m, curb-t 7-spi 205/ 4-wh the rear brakes together (to help maintain a sses the brake pedal and immediately app anough, soon enough. Letting up on the br C 240 SEDAN 106.9 in/2,715 mm 178.2 in/4,526 mm 55.1 in/1,400 mm	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm 56.7 in/1,441 mm (includes roof rails)			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C230 KOMPRESSOR SPORTS COUPE 106.9 in/2,715 mm 171.0 in/4,343 mm 1 4.3 in/1,379 mm 68.0 in/1,728 mm	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45 ZR17 high-performance.² 4-wheel disc, front discs ventilated. In gand pumps the front brakes individually or the ybraking via the speed at which the driver prescommon human tendency not to brake hard etc. 230 KOMPRESSOR SPORT SEDAN 06.9 in/2,715 mm 78.2 in/4,526 mm	bilizer bar. Rear: 5-arm multilink rear wit r front and rear stabilizer bars. Not a ck. Turning circle: 35.3 ft/10.76 m, curb-t 7-spr 205/ 4-wh the rear brakes together (to help maintain a sses the brake pedal and immediately app anough, soon enough. Letting up on the br C 240 SEDAN 106.9 in/2,715 mm 178.2 in/4,526 mm	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm 56.7 in/1,441 mm (includes roof rails) 68.0 in/1,728 mm			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length Overall width	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy brakin maintain steering ability. Brake Assist senses emergenc stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE 106.9 in/2,715 mm 171.0 in/4,343 mm 154.3 in/1,379 mm 68.0 in/1,728 mm 58.8 in/1,493 mm—57.6 in/1,464 mm	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45 ZR17 high-performance. ² 4-wheel disc, front discs ventilated. In gand pumps the front brakes individually or the ybraking via the speed at which the driver prescommon human tendency not to brake hard elections of the common human tendency and to brake hard elections of the common human tendency in the common human	bilizer bar. Rear: 5-arm multilink rear wit r front and rear stabilizer bars. Not a rck, Turning circle: 35.3 ft/10.76 m, curb-t 7-spo 205/ 4-wh he rear brakes together (to help maintain) ssess the brake pedal and immediately app mough, soon enough. Letting up on the br C240 SEDAN 106.9 in/2,715 mm 178.2 in/4,526 mm 55.1 in/1,400 mm 68.0 in/1,728 mm	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm 56.7 in/1,441 mm (includes roof rails) 68.0 in/1,728 mm			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length Overall width Track (front—rear)	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer barack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. Optional Wheel Package: 225/45ZR17 high-performance. ABS senses impending wheel lockup under heavy brakin maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE 106.9 in/2,715 mm 171.0 in/4,343 mm 184.3 in/1,379 mm 195.8 in/1,728 mm 196.8 in/1,728 mm 196.8 in/1,493 mm—57.6 in/1,464 mm 19.29	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5Jx17. 225/45ZR17 high-performance. 4-wheel disc, front discs ventilated. In an and pumps the front brakes individually or the braking via the speed at which the driver presistence of the property of the brake hard electron of the property	bilizer bar. Rear: 5-arm multilink rear wit r front and rear stabilizer bars. Not a rck, Turning circle: 35.3 ft/10.76 m, curb-t 7-spo 205/ 4-wh he rear brakes together (to help maintain) sses the brake pedal and immediately app mough, soon enough. Letting up on the br C240 SEDAN 106.9 in/2,715 mm 178.2 in/4,526 mm 55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and lies maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm 56.7 in/1,441 mm (includes roof rails) 68.0 in/1,728 mm 58.8 in/1,493 mm—57.6 in/1,464 mm 0.31			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length Overall width Track (front—rear) Coefficient of drag	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 70Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performal 4-wheel disc, front discs ventilated. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE 106.9 in/2,715 mm 171.0 in/4,343 mm 184.3 in/1,379 mm 185.8 in/1,493 mm – 57.6 in/1,464 mm 19.29 10.320 lb/1,475 kg – 3,280 lb/1,490 kg 10.350 lb/1,475 kg – 3,280 lb/1,490 kg 10.361 in/1,067 mm – 36.3 in/922 mm 10.170 in/4,067 mm – 36.3 in/922 mm 10.171 in/40 mm – 33.0 in/837 mm	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5Jx17. 225/45ZR17 high-performance.? 4-wheel disc, front discs ventilated. In gand pumps the front brakes individually or the braking via the speed at which the driver prescommon human tendency not to brake hard electron of the common human tendency not to brake hard elec	bilizer bar. Rear : 5-arm multilink rear wit r front and rear stabilizer bars. Not a ck. Turning circle: 35.3 ft/10.76 m, curb-track. Turning circle: 35.3	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and liles maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm 56.7 in/1,441 mm (includes roof rails) 68.0 in/1,728 mm 58.8 in/1,493 mm—57.6 in/1,464 mm 0.31 5 kg 3,415 lb/1,550 kg—3,470 lb/1,575 kg m 38.5 in/987 mm—38.0 in/964 mm 42.0 in/1,067 mm—33.0 in/964 mm			
CHASSIS Suspension, 4-wheel independent Sport-tuned suspension Steering Wheels, aluminum-alloy Tires, steel-belted radial Brakes, dual-circuit power-assisted Antilock Braking System (ABS) and Brake Assist DIMENSIONS Wheelbase Overall length Overall height Overall width Track (front – rear) Coefficient of drag Curb weight (manual – automatic) Headroom (front – rear) Legroom (front – rear)	to provide the effect of locking the front, rear and/or c 4MATIC also incorporates the functions of ESP and ASR Front: 3-link front with coil springs over gas-pressurize Sport-tuned shock absorbers, thicker front stabilizer by Rack-and-pinion with power assist and integral hydraul Standard: 5-double-spoke design, 7.0Jx16. Optional Wheel Package: 7-spoke design, 7.5Jx17. Standard: 205/55R16 91H all-season performance. Optional Wheel Package: 225/45ZR17 high-performance. ABS senses impending wheel lockup under heavy braking maintain steering ability. Brake Assist senses emergency stopping distance by eliminating the delay caused by a C 230 KOMPRESSOR SPORTS COUPE 106.9 in/2,715 mm 171.0 in/4,343 mm 174.3 in/1,379 mm 68.0 in/1,728 mm 58.8 in/1,493 mm—57.6 in/1,464 mm 0.29 3,250 lb/1,475 kg—3,280 lb/1,490 kg 3,250 lb/1,475 kg—3,280 lb/1,490 kg 38.5 in/979 mm—36.3 in/922 mm 42.0 in/1,067 mm—33.0 in/837 mm 52.8 in/1,341 mm—51.7 in/1,312 mm	enter differentials, and/or reduces excess eng.! ed shock absorbers, antidive geometry and stal ar. Sport-tuned shock absorbers, thicker ic damper. 3.3 steering-wheel turns, lock-to-lo 7-spoke design, 7.5]x17. 225/45ZR17 high-performance.² 4-wheel disc, front discs ventilated. In an and pumps the front brakes individually or the practice of the diver prescommon human tendency not to brake hard etc. 230 KOMPRESSOR SPORT SEDAN 06.9 in/2,715 mm 78.2 in/4,526 mm 55.1 in/1,400 mm 68.0 in/1,728 mm 68.8 in/1,728 mm 68.8 in/1,493 mm 57.6 in/1,464 mm 0.27 31.85 lb/1,445 kg - 3,230 lb/1,465 kg 38.9 in/987 mm - 37.3 in/948 mm 41.7 in/1,059 mm - 33.0 in/838 mm	bilizer bar. Rear : 5-arm multilink rear wit refront and rear stabilizer bars. Not a ck. Turning circle: 35.3 ft/10.76 m, curb-tropy 7-sp. 205/ 4-wh he rear brakes together (to help maintain sesses the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough, soon enough. Letting up on the brake pedal and immediately appenough.	th geometry for antisquat and alignment control, and stabilizer bar. available. to-curb. oke design, 7.0Jx16. /55R16 91H all-season performance. neel disc, front discs ventilated. stability) as needed up to 30 times per second, to prevent lockup and liles maximum available power boost, potentially reducing the overall rake pedal releases Brake Assist.3 C240 SPORT WAGON 106.9 in/2,715 mm 178.9 in/4,541 mm 56.7 in/1,441 mm (includes roof rails) 68.0 in/1,728 mm 58.8 in/1,493 mm—57.6 in/1,464 mm 0.31 5 kg 3,415 lb/1,550 kg—3,470 lb/1,575 kg m 38.5 in/987 mm—38.0 in/964 mm 42.0 in/1,067 mm—33.0 in/964 mm			

1 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires. Please always wear your seat belt.

2 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires.

3 Braking effectiveness also depends on proper brake system maintenance, and tire and road conditions.

specifications

NGINE AND DRIVETRAIN	C 320 SPORTS COUPE		C 320 SEDAN, SPC	RT SEDAN AND SPORT WAGON	C 32 AMG SPORT SEDAN	C 32 AMG SPORT SEDAN						
Engine	3,199-cc SOHC 18-valve 90° V-6. High-pres die-cast alloy cylinder block, alloy heads.			valve 90° V-6. High-pressure der block, alloy heads.	AMG-built intercooled supercharged 3,199- High-pressure die-cast alloy cylinder block crankshaft and valvetrain. Lightweight cam	. Alloy cylinder heads, Reinforced						
Net power Net torque Compression ratio	215 hp @ 5,700 rpm 221 lb-ft @ 3,000-4,600 rpm 10.0:1		215 hp @ 5,700 rpr 221 lb-ft @ 3,000-4 10.0:1		349 hp @ 6,100 rpm 332 lb-ft @ 4,400 rpm 9.0:1							
Fuel requirement	Premium unleaded gasoline, 91 pump octane. Premium unleaded gasoline, 91 pump octane. Premium unleaded gasoline, 91 pump octane. C 320 Sedan, Sport Sedan and Sport Wagon models with rear-wheel drive plus the optional automatic transmission are Flexible Fuel Vehicles and can operate on premium unleaded gasoline (91 pure ethanol (E85), or a blend of E85 and premium gasoline.											
Fuel and ignition system	ME 2.8 engine management. Integrated sequential multipoint fuel injection and phased twin-spark ignition includes individual cylinder control of fuel spray, spark timing and phase, and antiknock. Electronic throttle. Two high-energy ignition coils and two spark plugs per cylinder, with 100,000-mile spark plug intervals.											
Intake system	Magnesium 2-stage resonance intake manifo	ld increases intake	runner length at lower	rpm for improved response.	Intercooled helical high-pressure superchar	ger with electromechanical clutch.						
Manual transmission	Fully synchronized 6-speed with clutch-sta	rter interlock.	Fully synchronized	6-speed with clutch-starter interlock.	Not available.							
Automatic transmission	Optional. Driver-adaptive electronic 5-speed. Touch S the shift lever left or right from the Drive pc or a second Reverse gear, to help improve t selected gear range.	sition. Driver-select	manually downshift a table winter mode sta	rts vehicle moving in 2nd gear	allows driver to manually downshift and allo or right from the Drive position, SpeedShift automatically downshifts during braking, pre offers one-touch selection of the best gear	Standard AMG-enhanced driver-adaptive electronic 5-speed automatic. Touch Shift allows driver to manually downshift and allow upshifts by nudging the shift lever left or right from the Drive position. SpeedShift* provides up to 35% faster gear changes, automatically downshifts during braking, prevents unwanted upshifting while cornering offers one-touch selection of the best gear for maximum acceleration, and features torque converter lockup in all forward gears. Also includes driver-selectable winter						
Emission certification	Low Emission Vehicle (LEV).		Low Emission Vehic	le (LEV).	Low Emission Vehicle (LEV).							
RACTION AND STABILITY												
Electronic Stability Program (ESP) and Automatic Slip Control (ASR)	ESP compares the driver's intended course wheels and/or reduces excess engine power individually brakes the slipping wheel or wh	r as needed to help	correct understeer (plowing) or oversteer (fishtailing). ESP in	n, rotation (yaw) and individual wheel speeds. corporates the functions of ASR traction cont	ESP then brakes individual front or rear rol, which senses drive-wheel slip and						
4MATIC all-wheel drive with -wheel Electronic Traction System (4-ETS)	Not available. 4MATIC features a permanent 35/65 front/r to provide the effect of locking the front, re 4MATIC also incorporates the functions of E	ar and/or center di	Optional. ntained via a planeta fferentials, and/or rec	y center differential, 4-ETS monitors the luces excess engine power, 4-ETS contir	Not available, speed of all four wheels to detect wheel slip, ually balances the torque split to ensure that	then applies individual brakes as needed power is sent to the wheel(s) with traction						
CHASSIS												
Suspension, 4-wheel independent	Front: 3-link front with coil springs over ga	s-pressurized shock	absorbers, antidive g	eometry and stabilizer bar. Rear: 5-arm	multilink rear with geometry for antisquat and	d alignment control, and stabilizer bar.						
Sport-tuned suspension	Sport-tuned shock absorbers, thicker front		shock absorbers, t	ear-wheel drive only ² : Sport-tuned nicker front and rear stabilizer bars.	AMG-tuned shock absorbers, thicker front and rear stabilizer bars.							
Steering	Rack-and-pinion with power assist and integ	gral hydraulic damp										
Wheels, aluminum-alloy	Standard: 5-double-spoke design, 7.0J x16. Optional Wheel Package: 7-spoke design,		Sport Sedan: 7-sp		Polished AMG double-spoke design, 7.5Jx1							
Tires, steel-belted radial	Standard: 205/55R16 91H all-season perfo Optional Wheel Package: 225/45ZR17 hig		all-season perform	Vagon: 205/55R16 91H ance. 45ZR17 high-performance. ³	225/45ZR17 front and 245/40ZR17 rear high-performance. ³							
Brakes, dual-circuit power-assisted	4-wheel disc, front discs ventilated.		4-wheel disc, front		AMG-enhanced 4-wheel disc. Enlarged-diameter, perforated and ventilated front discs with 4-piston fixed-type calipers. Ventilated rear discs with dual-piston sliding calipers.							
Antilock Braking System (ABS) and Brake Assist	maintain steering ability. Brake Assist sense	s emergency braking	g via the speed at whi	ch the driver presses the brake pedal and	(to help maintain stability) as needed up to 30 I immediately applies maximum available powe tting up on the brake pedal releases Brake As	er boost, potentially reducing the overall						
	C 320 SPORTS COUPE	C 320 SEDAN		C 320 SPORT SEDAN	C 320 SPORT WAGON	C 32 AMG SPORT SEDAN						
IMENSIONS	106.9 in/2,715 mm	106.9 in/2,715 mm 178.2 in/4,526 mm		106.9 in/2,715 mm 178.2 in/4,526 mm	106.9 in/2,715 mm 178.9 in/4,541 mm	106.9 in/2,715 mm 178.2 in/4,526 mm						
Wheelbase Overall length		178.2 in/4,526 mm				Trate my Homo min						
Wheelbase	171.0 in/4,343 mm	1/8.2 in/4,526 mm 55.1 in/1,400 mm		55.1 in/1,400 mm	56.7 in/1,441 mm (includes roof rails)	55.1 in/1,400 mm						
Wheelbase Overall length	171.0 in/4,343 mm 54.3 in/1,379 mm 68.0 in/1,728 mm		57.6 in/1,464 mm	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm	56.7 in/1,441 mm (includes roof rails) 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm							
Wheelbase Overall length Overall height Overall width	171.0 in/4,343 mm 54.3 in/1,379 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm	55.1 in/1,400 mm 68.0 in/1,728 mm	57.6 in/1,464 mm	68.0 in/1,728 mm	68.0 in/1,728 mm	55.1 in/1,400 mm 68.0 in/1,728 mm						
Wheelbase Overall length Overall height Overall width Track (front-rear)	171.0 in/4,343 mm 54.3 in/1,379 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.29	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm-		68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm	68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm						
Wheelbase Overall length Overall height Overall width Track (front—rear) Coefficient of drag	171.0 in/4,343 mm 54.3 in/1,379 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.29 3,385 lb/1,535 kg – 3,415 lb/1,550 kg 38.5 in/979 mm – 36.3 in/922 mm 42.0 in/1,067 mm – 33.0 in/837 mm	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm- 0.27	3,450 lb/1,565 kg 37,3 in/948 mm 33.0 in/838 mm	68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.27	68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0,31 3,465 lb/1,570 kg – 3,495 lb/1,585 kg 38.5 in/987 mm – 38.0 in/964 mm 42.0 in/1,067 mm – 33.0 in/837 mm	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.27						
Overall length Overall height Overall width Track (front-rear) Coefficient of drag Curb weight (manual – automatic) Headroom (front-rear) Legroom (front-rear)	171.0 in/4,343 mm 54.3 in/1,379 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.29 3,385 lb/1,535 kg – 3,415 lb/1,550 kg 38.5 in/979 mm – 36.3 in/922 mm 42.0 in/1,067 mm – 33.0 in/837 mm 52.8 in/1,341 mm – 51.7 in/1,312 mm	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm- 0.27 3,430 lb/1,555 kg- 38.9 in/987 mm- 41.7 in/1,059 mm-	3,450 lb/1,565 kg 37.3 in/948 mm 33.0 in/838 mm 54.3 in/1,378 mm	68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.27 3,440 lb/1,555 kg – 3,450 lb/1,565 kg 38.9 in/987 mm – 37.3 in/948 mm 41.7 in/1,059 mm – 33.0 in/838 mm	68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0,31 3,465 lb/1,570 kg – 3,495 lb/1,585 kg 38.5 in/987 mm – 38.0 in/964 mm 42.0 in/1,067 mm – 33.0 in/837 mm	55.1 in/1,400 mm 68.0 in/1,728 mm 58.8 in/1,493 mm – 57.6 in/1,464 mm 0.27 Not available – 3,540 lb/1,605 kg 38.9 in/987 mm – 37.3 in/948 mm 41.7 in/1,059 mm – 33.0 in/838 mm						

¹ No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires. Please always wear your seat belt. 2 C 320 Sport Sedan models equipped with optional 4MATIC all-wheel drive, all C 320 Sedan models, and all C 320 Sport Wagon models include the standard suspension tuning. 3 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires. 4 Braking effectiveness also depends on proper brake system maintenance, and tire and road conditions.



equipment

C 230 KOMPRESSOR SPORTS COUPE C 320 SPORTS COUPE	C 230 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C 240 SEDAN C 320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	MECHANICAL FEATURES
• •	• •	• •	••	-3	6-speed manual transmission.
00	00	00	00	•	Driver-adaptive electronic 5-speed automatic transmission with Touch Shift control.
				•	AMG SpeedShift [™] high-performance transmission programming.
	-0	00	00	-	4MATIC™ all-wheel drive (requires automatic transmission).
					EXTERIOR FEATURES
	0101	0101	0101		Power tilt/sliding tinted glass sunroof with one-touch express-open/close.
			<u></u>	•	AMG-design sculpted front air dam with mesh air intakes, side skirts and rear apron.
				_	Atlas Grey slotted grille with chrome upper and lower trim and grille-mounted Star.
-			• •	-	Atlas Grey grille with chrome ribs and chrome surround.
	• •			•	Black grille with chrome ribs and chrome surround.
				-	Black door handles. Neutral-tinted glass. Chrome exhaust tip.
	• •		T. (7)	•	Color-keyed monochromatic door handles. Blue-tinted glass.
		• •	• •	-8	Color-keyed door handles with chrome trim. Neutral-tinted glass.
					Dual polished stainless-steel exhaust tips.
• •	••	• •	••	•	Variable-focus halogen headlamps. Halogen front foglamps. Single red rear foglamp.
••	••	••	••	•	Driver-selectable light-sensing headlamps can be set via the Auto position of the headlamp switch to automatically illuminate in darkness, or when entering dark tunnels or garages.
••	••	••	••	•	Driver-programmable Daytime Running Lamps can be set to illuminate the low-beam headlamps at reduced intensity (full intensity for optional Bi-Xenon lamps) in daylight, with auto-on override in darkness.
• •	• •	••	• •	•	Automatic lamp substitution uses a nearby lamp if a critical bulb fails.
••	••	••	••	•	Touch Turn Signals flash three times with one touch of the turn-signal lever, for more convenient lane-changing.
	• •	• •	• •	•	Auxiliary LED turn signal indicators, integrated with the side mirrors.
• •	• •	••	• •	•	Dual power mirrors, linked to driver's seat memory ² and automatically heated.
0101	O1 •	010	010	•	Parking-assist right-side mirror can be programmed to tilt down upon shifting to Reverse. ²
••	••	••	••	•	Electrically heated rear window, with auto-shutoff based on time, driving speed and outside temperature.
••	• •	••	••	•	Dual windshield wipers, with heated washer nozzles, lines and reservoir.
		42711	••	_	Intermittent rear wiper, with heated washer. When the front wipers are on, shifting to Reverse activates the rear wiper.
			• •	-0	Protective-coated roof rails.

C 230 KOMPRESSOR SPORTS COUPE C 320 SPORTS COUPE	C 230 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C 240 SEDAN C 320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C 32 AMG SPORT SEDAN	LOCKING AND SECURITY
• •	••	••	••	•	SmartKey remote central locking system uses redundant infrared and radio-frequency signals for improved range, and rolling-code signal for protection from transmitter cloning.
••	••	••	••	•	SmartKey uses an electronic code to unlock the steering column and ignition. Removing SmartKey from the ignition disables the engine computer to help prevent unauthorized starting of the engine.
••	••	••	••	•	SmartKey remote control integrates door lock /unlock buttons (including liftgate on sports coupe and sport wagon), remote trunk opener (sedans only), removable valet key and panic alarm. Driver may selectively unlock only the driver's door and fuel filler, or all the doors plus the trunk / liftgate and fuel filler.
••	••	••	••	•	Driver-programmable user-recognition feature links each SmartKey to driver's preferences (up to three individual users per car). Each SmartKey recalls memory features ² for driver's seat, outside mirrors and power steering column position, plus various climate control settings, for its assigned driver.
	••	• •	••	•	SmartKey offers infrared-remote opening/closing of the windows (and sunroof, if equipped).
••	••	••	••	•	Driver-programmable driveaway locking can automatically lock all the doors when the car reaches 9 mph.
• •	••	••	••	•	Night security illumination uses the car's exterior lights to help illuminate a path after parking in darkness. Driver-programmable intervals allow lights to stay on for 60, 45, 30 or 15 seconds, or not at all.
••	••	••	••	•	Locator lighting uses the car's lights to help light a return path when the car is remote-unlocked in darkness. Unlocking the car activates the illuminated entry system.
••	••	••	••	•	Automatic antitheft alarm system, with towaway protection, remote panic feature, and Automatic Alarm Notification via the optional Tele Aid system (if so equipped).3
••	••	••		•	Emergency trunk release, located inside cargo area and illuminated for 60 minutes after the trunk lid or liftgate is closed.
• •	••	••	••	•	Integrated 3-button garage door control, compatible with HomeLink® components and some other systems.

● STANDARD ○ OPTIONAL - NOT AVAILABLE

- 1 Also available or only available as part of an Option Package.
- 2 Requires memory system, which is optional as part of Package C1 on the sports coupes and all C240 models.
- 3 When your C-Class is equipped with the Tele Aid system, the first year's Tele Aid service is provided at no additional cost with your subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and GPS coverage are available. Owner must authorize stolen vehicle tracking and file a police report.

C 230 KOMPRESSOR SPORTS COUPE C 320 SPORTS COUPE	C 320 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C240 SEDAN C320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	CLIMATE CONTROL
• •	• -	• -	• -	-	CFC-free automatic climate control, with dual temperature controls.
	-•	-•	-•	•	CFC-free automatic climate control, with digital dual temperature and airflow controls, plus illuminated vent adjusters. Activated charcoal filter, with smog-sensing automatic recirculation of filtered cabin air. 4-way sun sensor.
••	••	• •	••	•	Electrostatic dust filter,
••	••	••	••	•	Humidity sensor.
••	•••	••	••	•	Rear-cabin air vents.
	-•	-•	-•	•	REST mode can ventilate cabin or help keep cabin warmer using residual heat for up to 30 minutes after car is turned off.
••	••	••	••	•	Tunnel mode offers one-touch closing of all windows (and sunroof, if equipped) via climate-control air recirculation button. INTERIOR FEATURES
••	••	••	••	•	Multifunction steering wheel provides convenient, additional controls for commonly used functions of the audio system and optional phone, plus operation of the multifunction display.
				-	Power front windows, both with one-touch express-up/down.
	••				Power front and rear windows, all with one-touch express-up/down.
• •	• -	• -	• -	-	4-way (tilt/telescoping) steering column, manually adjustable.
0101	O1 •	o¹•	O [†] •	•	4-way power steering column, with position linked to driver's seat memory. Driver-programmable easy-entry/exit feature can raise steering column when the key is removed from the ignition.
	• •		• •	•	Electronic cruise control.
••	••	••	••	•	Delayed-shutoff front courtesy lamps. Dual front reading lamps. Dual illuminated vanity mirrors, in sun visors.
	• •	• •	• •	•	Entrance lamps in front doors. Rear-cabin courtesy lamp.
	• •	• •		•	3-position front center armrest, with dual enclosed storage compartments.
• •	• •	••	• •	•	Illuminated 2-tier glovebox. Pockets in all doors. Parcel net in right front footwell.
	• •		• •	•	Retractable dual front cupholder.
	••	••	••	•	Magazine pockets on both front seatbacks.
	• •	• •	• •	•	Rear center armrest, with slide-out dual cupholder.
	• •	• •	• •	•	Illuminated trunk or cargo area (dual cargo-area lamps on sport wagons).
• •	••	• •	• •	•	Carpeted cargo area with tie-down hooks.
• •				-70	Removable rigid cargo cover.
			••	-	Retractable/removable vertical partition net and horizontal luggage cover. Luggage cover features one-touch retraction for more convenient loading of cargo area.
===		FF 0 FF 0		-,	Parcel net and 12-volt power outlet in cargo-area side panel.
			• •	-	Concealed underfloor storage, with collapsible/removable carry-crate.

equipment

C 320 SPORTS COUPE	C 320 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C 240 SEDAN C 320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	SEATING AND TRIM	Счатритент
••				-	8-way manually adjustable front sea	ts.
===	• -	• -	• -	-	8-way adjustable front seats, with p	ower adjustment for height and recline.
0101	01•	01•	O1 •	•		3-position memory. Driver's seat memory includes or positions, and memory stations are linked to each are.
••	• •			•	Sport front seats.	
00	00	00	00	•	Heated front seats.	
••				-		Then either front seatback is folded forward, the entire sier access to the rear cabin, Each seat returns to its ck is returned upright.
••	0101	0101	••	•	60/40-split folding rear seat (with co	enter-armrest pass-through on sedans).
• •				-	Cloth upholstery on seats and door tr	im. Leather-trimmed 3-spoke steering wheel and shift knob
	••	• •	••	-	Leather seating inserts. Leather-trin	nmed 4-spoke steering wheel and shift knob.
				•		eather upholstery on all seat surfaces (including head is door trim inserts and AMG-design sport steering wheel.
••				-	Patterned aluminum trim on dash ar	nd console.
	••			•	Textured aluminum trim on doors, d	ash and console.
	40744	• •	••	-	Hand-polished Laurel wood trim on	doors, dash and console.
• •	• •	• •	• •	•	Velour floor carpeting and floor mat	s (exclusive AMG floor mats on C32 AMG).

● STANDARD ○ OPTIONAL -NOT AVAILABLE

1 Also available or only available as part of an Option Package.

equipment

...



C 230 KOMPRESSOR SPORTS COUPE C 320 SPORTS COUPE	C 230 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C240 SEDAN C320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	AUDIO AND COMMUNICATIONS
••	77.57			-	6-speaker audio system, with automatic speed-sensitive volume adjustment.
	• -	• -	• -	-	7-speaker audio system, with automatic speed-sensitive volume adjustment.
0101	0 •	0 •	0.	•	Bose® sound system with 10 speakers (8 on sports coupe), including a dash-mounted center fill speaker and a 9® Nd® Neodymium Iron Boron high-efficiency woofer. Bose AudioPilot™ digital processing helps compensate for unwanted ambient noise with virtually no perceived change in audio volume.
••	••	••	••	•	AM/FM stereo/weatherband radio with scan and dual-sensitivity seek tuning, plus a concealed autoreverse cassette player with music search feature.
••	••	••	••	•	In-dash audio system operating panel integrates controls and displays for the radio, cassette player, optional CD changer and optional portable digital telephone.
••	••	••	••	•	Fiber-optic network offers precise, high-speed communication among components. Factory preparation for optional CD changer and cellular phone, using fiber-optic network.
00	0000000	•	Tele Aid uses GPS satellites to determine the current location of your car, plus a cellular link to provide 24-hour contact with Mercedes-Benz for emergency aid (SOS button), information (I-button) or Roadside Assistance (wrench button). Automatic Collision Notification engages SOS function if an air bag or Emergency Tensioning Device (ETD) deploys. Tele Aid also includes Automatic Alarm Notification (which alerts Mercedes-Benz to contact you if the antitheft alarm is set off), stolen vehicle tracking, and remote keyless unlocking service. Tele Aid Concierge Service, included with the basic Tele Aid subscription, offers personal services via the I-button, including arrangements for restaurant, hotel, airline or car-rental reservations, tickets to cultural and sporting events or tourist attractions, and delivery of flowers or gifts. ²		
					INSTRUMENTATION
• •	• •	• •	••	•	Electronic analog speedometer, tachometer and fuel gauge.
===	7.7	7-7-	===	•	AMG instrument cluster.
••	••	••	••	•	Multifunction display in speedometer face includes digital readouts for clock and outside temperature, as well as Touch Shift gear selection and winter/standard mode. Display can be scrolled via steering-wheel controls to show odometers, trip computer, Flexible Service System, engine oil level, digital speed readout, engine coolant temperature, audio status, phone status, and malfunction instruction, driver-programmable vehicle settings, plus reminder and malfunction messages.
••	••	••	••	•	Flexible Service System calculates distance remaining to next basic maintenance service based on actual driving conditions, some indicators of oil condition, and engine loads, rpm and operating temperatures.

C 230 KOMPRESSOR SPORTS COUPE C 320 SPORTS COUPE	C 230 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C240 SEDAN C320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	RESTRAINT SYSTEMS
••	••	• •	••	•	Integrated Restraint System: Driver and front passenger are each provided with a front air bag
					with dual deployment levels, a door-mounted side-impact air bag, and a 3-point seat belt with an Emergency Tensioning Device (ETD) and belt force limiter. Outboard rear passengers are each provided with a door-mounted side-impact air bag and a 3-point seat belt with ETD and belt force limiter.
	••	• •	••	•	3-point seat belt for center rear passenger.
••	••	••	••	•	Head Protection Curtains: In a side impact exceeding a preset threshold, a multi-chamber air bag deploys to cover the front and rear side windows (excluding sport wagon cargo area) on the affected side of the car.
• •	••	••	••	•	Occupancy sensor prevents the front passenger's front and side-impact air bags from deploying if the seat is unoccupied. An ETD will not deploy if seat belt is unfastened.
• •	••	••	••	•	Universal LATCH system (Lower Anchors and Tethers for Children) at rear seating positions, as well as selectable seat-belt retractors at all passenger seating positions, help secure child seats.4
••	••	••	••	•	Height-adjustable front shoulder belts. 3-point front seat belts are attached to seat frames at both lower points.
• •	••			•	Automatically height-adjusting outboard rear shoulder belts.
			• •	-	Manually height-adjustable rear shoulder belts.
••	••	••	••	•	4-way adjustable front head restraints. On models equipped with power front seats, the front head restraints also power-adjust automatically for height as each seat is adjusted fore-aft.
••	••	••	••	•	Individually retractable rear head restraints, two on sports coupe and three on sedans and sport wagons.
	••	••		•	All three rear head restraints can be remotely retracted by the driver for improved rearward vision when the rear seats are unoccupied.

● STANDARD ○ OPTIONAL - NOT AVAILABLE

- 1 Also available or only available as part of an Option Package. See Option Packages listing on next page.
- 2 When your C-Class is equipped with the Tele Aid system, the first year's Tele Aid service is provided at no additional cost with your subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and GPS coverage are available. Owner must authorize stolen vehicle tracking and file a police report.
- 3 If so equipped.
- 4 WARNING: THE FORCES OF A DEPLOYING AIR BAG CAN CAUSE SERIOUS OR FATAL INJURY TO A CHILD UNDER AGE 13. THE SAFEST SEATING POSITION FOR YOUR CHILD IS IN THE REAR SEAT, BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED CHILD SEAT, OR CORRECTLY WEARING A SEAT BELT IF TOO LARGE FOR A CHILD SEAT. A CHILD UNDER 13 MUST NOT USE THE FRONT SEAT UNLESS THE CHILD IS BELTED INTO AN APPROPRIATE, PROPERLY INSTALLED BABYSMART-COMPATIBLE CHILD SEAT. A CHILD UNDER 13 WHO IS TOO LARGE FOR A CHILD SEAT MUST NOT USE THE FRONT SEAT. SEE OPERATOR'S MANUAL FOR ADDITIONAL WARNINGS AND INFORMATION ON AIR BAGS, SEAT BELTS AND CHILD SEATS.

options and option packages



C 230 KOMPRESSOR SPORTS COUPE C 320 SPORTS COUPE	C 320 KOMPRESSOR SPORT SEDAN C 320 SPORT SEDAN	C240 SEDAN C320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	INDIVIDUAL OPTIONS
00	00	00	00	•	Driver-adaptive electronic 5-speed automatic transmission with Touch Shift control. (Required with 4MATIC™ all-wheel drive).
	-0	00	00	-	4MATIC all-wheel drive (requires automatic transmission).
-1-1	-1-1	-1-1	-1-1	0	Rain-sensing automatic intermittent windshield wipers.
-	0101	0101	T	0	Power rear-window sunshade with one-touch express-up/down.
00	00	00	00	•	Heated front seats.
		0101	0101	-	Multicontour driver's seat with pneumatic side, lumbar and thigh supports.
	-1-1	-1-1		0	Ski sack in rear center-armrest pass-through.
0101	0.	0 •	0 •	•	Bose sound system with AudioPilot digital processing.
00	00	00	00	•	Tele Aid in-car assistance system with Concierge Service (for details, see Audio and Communications, on previous page).
00	00	00	00	0	COMAND integrated navigation system, radio and single-CD player/CD-ROM drive. ³ In-dash navigation system uses GPS satellites to pinpoint the current location of your car, and map databases on CD-ROM. ⁴
00	00	00	00	0	Integrated 6-disc CD changer, mounted in glovebox.
00	00	00	00	0	Integrated Motorola V60™ dual-band digital portable telephone, with or without voice control system for operation of commonly used telephone and audio system features.
00	00	00	00	•	Premium leather upholstery on all seat surfaces plus head restraints and door trim inserts.
00	2000			-	Charcoal Cinnamora or brown poplar wood trim on dash and console.
00	00	00	00	0	Metallic paint.

C 320 SPORTS COUPE	C 230 KOMPRESSOR SPORT SE C 320 SPORT SEDAN	C 240 SEDAN C 320 SEDAN	C 240 SPORT WAGON C 320 SPORT WAGON	C32 AMG SPORT SEDAN	OPTION PACKAGES
00	0 •	0 •	0.	•	Package C1: 10-way power front seats, each with 3-position memory. 4-way power steering column. Driver's seat memory includes the positions of steering column and side mirrors. Driver-programmable easy-entry/exit feature can raise the steering column and/or move the driver's seat rearward when the key is removed from the ignition. Parking-assist right-side mirror can be programmed to tilt down upon shifting to Reverse.
00		T:T		-	Package C2—Sports Coupes: Panorama tinted glass roof, including power tilt/sliding panel with express-open and dual power sunshades. Rain-sensing intermittent wipers. Auto-dimming left-side and inside rearview mirrors. (Not available with Package C5.)
7000	00	00		-	Package C2—Sedans and Sport Sedans: Power tilt/sliding tinted glass sunroof with one-touch express-open/close. Power rear-window sunshade. Rain-sensing intermittent wipers. Auto-dimming left-side and inside rearview mirrors.
	<u></u>	77.27.	00	-	Package C2—Sport Wagons: Power tilt/sliding tinted glass sunroof. Rain-sensing intermittent wipers. Auto-dimming left-side and inside rearview mirrors.
_5_5	00	00	_5_5	_5	Package C3: 60/40-split folding rear seats. Ski sack in rear center-armrest pass-through.
00	00	00	00	0	Package C4: Bi-Xenon High Intensity Discharge projector low-beam and high-beam headlamps. Heated headlamp washers.
00				-	Premium Package C5: Panorama tinted glass roof. Digital Bose sound system with AudioPilot Premium leather upholstery. Rain-sensing intermittent wipers. (Not available with Package C2.
00					Wheel Package C7: Four 17" 7-spoke alloy wheels with 225/45 ZR17 high-performance tires.6 Color-keyed exterior door handles. Enlarged, polished stainless-steel exhaust tip. 3-spoke sport steering wheel with raised thumbgrips. Leather-covered sport shift knob. Short-throw shifter (manual transmission only). Rubber-studded aluminum pedals. Patterned aluminum door sill appliques.

- 1 Also available or only available as part of an Option Package. See Option Packages listing above.
- 2 When your C-Class is equipped with the Tele Aid system, the first year's Tele Aid service is provided at no additional cost with your subscription and includes 30 minutes airtime (including required acquaintance call). Subscription is required for service to be active. Tele Aid operates only where cellular and GPS coverage are available. Owner must authorize stolen vehicle tracking and file a police report.
- 3 Deletes standard cassette player and dash pocket.
- 4 CD-ROM maps do not cover all areas nor all routes within an area, One regional CD-ROM is included with vehicle.
- 5 60/40-split rear seats are standard on sports coupes, sport wagons and C 32 AMG.
- 6 Z-rated tires are optimized for performance driving and may provide reduced ride comfort, increased tire noise, substantially increased treadwear and greater susceptibility to damage compared with H-rated tires.

STANDARD