

# 1980 PLYMOUTH GRAN FURY







## PLYMOUTH GRAN FURY . . .

*Full Size . . . Priced Right!*

Gran Fury and Gran Fury Salon . . . beautiful full-size value cars in four-door pillared hardtop styling.

There are thousands of Canadians whose driving requirements dictate a spacious, six-passenger car. You'll find the Gran Fury for 1980 is lighter and more fuel efficient . . . smaller on the outside, but bigger on the inside. Interior dimensions are generous, actually more than its major competitors.

With Gran Fury's standard 6-cylinder engine, you get good acceleration and fuel consumption. If the kind of driving you do requires more power,

Gran Fury offers three 8-cylinder engines; 5.2 litre (318 cu. in.) in 2 or 4-barrel carburetors, and 5.9 litre (360 cu. in.)

On the road, Gran Fury demonstrates what a quiet, comfortable, controlled ride is all about. Extra insulation, noise isolators, Unibody all-welded construction, and Torsion Quiet Ride suspension with rubber cushions make it possible.

To you who require more than a compact or mid-size automobile, test drive a new Gran Fury or Gran Fury Salon soon . . . the full-size value buy of the year!



### **Elegant Exteriors deserve these Interiors**

Gran Fury's instrument panel has all the function of a cockpit. Controls are within easy reach and the clustered instruments are read with a fast sweep of the eyes.

Whether your fancy dictates the Gran Fury or Gran Fury Salon, you'll get an interior that's quiet and comfortable . . . with plenty of room to stretch out and enjoy that long-distance or city driving.

Such amenities as Torqueflite Automatic Transmission, "live" instrument gauges, power front disc brakes, power steering, a spacious trunk—603 dm<sup>3</sup> (21.3 cu. ft.)—are standard and assure you of the driving and passenger convenience that is demanded of a full-size car.

Take it on the road. That's the place the 1980 Plymouth Gran Fury proves itself to be "your kind of car".



*Standard Cloth and Vinyl Bench Seat (Salon Models)*



## Gran Fury

### Standard Equipment Features

- ALTERNATOR—65 amp., 100 amp. with optional electrically heated rear window defroster
- \*ARMRESTS—Padded front and rear doors, front seat centre mounted folding type
- ASH RECEIVERS—Front and rear
- BATTERY—370 amp. Maintenance-free with built-in test indicator
- \*BODY—Unibody construction combines body and frame into one solid, strong unit. Seven stage anti-corrosion process. Extensive use of galvanized steel.
- \*BRAKES—Power assisted, front disc, rear drum
- \*BUMPER RUB STRIPS—Front and rear (Gran Fury Salon)
- \*BUMPERS—Hydraulic energy-absorbing units restrict damage to bumpers and filler panels at impact speeds up to 8 km/h (5 mph) front rear
- CARPETING—Colour-keyed, shag, front and rear passenger compartments
- CIGAR LIGHTER—Instrument panel mounted
- COAT HOOKS—Colour-keyed
- COOLANT RESERVE SYSTEM
- \*DOORS—Safety action recessed door handles, keyless locking system. Interlocking non-override door locks (except driver's door)
- EMISSION CONTROL SYSTEM—Closed crankcase ventilation. Air preheat. Evaporative control and charcoal canister. Automatic vacuum spark advance, exhaust gas recirculation and electric-assist choke.
- HEAD RESTRAINTS—Colour-keyed, right and left
- HEADLINING—Colour-keyed
- HEATER/DEFROSTER—With powered upper and lower ventilation, "Hi/Lo" ventilation and heating. Provides increased comfort control and allows faster more effective side-window defrosting
- HOOD RELEASE—Conveniently located inside
- HOOD SILENCER PAD
- HORNS—Dual
- IGNITION—Electronic Ignition System eliminates breaker points and condenser. Reduces tune-ups and emissions. Provides easier starting
- \*IMPACT PROTECTION—Protection beams in door. Improved rear impact and roll-over integrity fuel systems.

- \*INSTRUMENT PANEL AND CONTROLS  
Woodtone instrument panel includes a padded "cluster" design with recessed controls, variable intensity lights, integrated brake fluid pressure loss-parking brake warning indicator, battery condition indicator and locking glove box

- \*LIGHTS—Dual side-by-side rectangular, headlights. Taillights, stoplights and backup lights, side marker lights, turn signal, courtesy, dome lights and 4-way emergency flashers.

- \*LOCKS—Anti-theft ignition and break-in resistant trunk lock

- \*MIRRORS—Outside, flag type, manual, left and right, chrome. Inside, day/night prismatic
- MULTIFUNCTION SWITCH—Turn signal control lever with integral headlight dimmer control and windshield wiper control

- PAINT—13 colours in durable Acrylustre finish. Gran Fury restricted to 8 colours

- \*SEAT BELTS—Combined lap and shoulder for driver and front outboard passenger, lap belts only for all others

- \*SEATS—Cloth and vinyl bench. Cloth and vinyl split back with centre armrest (Gran Fury Salon)

- SPACE SAVER SPARE TIRE

- SPEEDOMETER—Dual calibrated (km/h and mph) with metric predominant. Distance recorder (odometer) reads in kilometres

- \*STEERING—Power assisted, impact absorbing wheel and column

- STEERING WHEEL—2-Spoke with vinyl centre pad

- SUN VISORS—Left and right, padded swivel type

- SUSPENSION—Torsion-Quiet Ride. Special group of rubber bushings on the fore structure, steering mechanism. Torsion bars and rear springs greatly reduce road noise. Front anti-sway bar. Torsion bars front, leaf springs rear.

- TIRES—Glass belted radials with white sidewalls

- TRANSMISSION—Torqueflite automatic, 3-speed

- VOLTAGE REGULATOR—Electronic

- \*WHEELS—15" Safety Rim

- \*WINDSHIELD WIPERS/WASHERS—Electric 2-speed

- \*Safety Features

### Selected Optional Equipment

- AIR CONDITIONING—Integral with heater system or front-unit with automatic temperature control

- AUTOMATIC SPEED CONTROL—

- AXLE—Rear with Sure-Grip differential

- BATTERY—500 amp. Long-Life

- BUMPER GUARDS—Front and rear

- BUMPER PROTECTIVE RUB STRIP—(Gran Fury)

- CLOCK—Electronic digital

- DEFROSTER—Electrically Heated Rear Window

- ENGINE BLOCK HEATER

- FLOOR MATS—Colour-keyed, front and rear

- GAS CAP—Locking

- GLASS TINTED WINDSHIELD

- HORN—Triad System (3-Note)

- LIGHTS—Halogen Headlamp System, cornering lights or Illuminated Entry System

- LITTER CONTAINER

- MIRRORS—Illuminated sun visor vanity (driver or passenger sides). Left, outside, remote control, chrome. Dual, outside, remote control, chrome

- PACKAGES—There are many special Gran Fury option packages available, some of which are: Air Conditioning Value Package, Light Package, Heavy Duty Package, Two-Tone Paint Package or the Open Road Handling Package. See your dealer for full details.

- POWER ASSISTS—Antenna, deck-lid release, door locks, seats or windows

- RADIOS—AM, AM/FM, AM/FM/MX, AM/FM/MX with CB transceiver, AM/FM/MX with 8 track tape, AM/FM/MX with search control and AM/FM/MX tape cassette with Dolby\*  
\*Trademark, Dolby Laboratories

- SEAT BELTS—Colour keyed, with tension reliever

- STEERING WHEELS—Tilt Steering Wheel, 2-spoke leather wrapped, 3-spoke Luxury wheel.

- SUN ROOF—Power operated, glass panel

- SUSPENSION, HEAVY DUTY—Includes rear springs, front and rear shock absorbers and sway bar

- TRUNK DRESS UP

- UNDERCOATING & HOOD PAD

- VINYL ROOF, FULL

- WHEEL COVERS—Premier, turbine-style or wire

- WHEELS—Aluminum Road Wheels

- WINDSHIELD WIPERS—Deluxe, with intermittent wipe

*Ask your dealer for the complete story on the many other Gran Fury available options.*

### SEAT AVAILABILITY

| Model           | Standard Seat                       | Material      | Optional Seat                       | Material |
|-----------------|-------------------------------------|---------------|-------------------------------------|----------|
| Gran Fury       | Bench                               | Cloth & Vinyl | Bench                               | Vinyl    |
| Gran Fury Salon | Bench with fold-down centre armrest | Cloth & Vinyl | Bench with fold-down centre armrest | Vinyl    |



## PLYMOUTH GRAN FURY BASIC SPECIFICATIONS

| Model Availability         | Gran Fury | Gran Fury Salon |
|----------------------------|-----------|-----------------|
| Four-Door Pillared Hardtop | X         | X               |

| Exterior Dimensions   | Four-Door Pillared Hardtop |        |
|-----------------------|----------------------------|--------|
|                       | millimetres                | inches |
| Wheelbase             | 3010                       | 118.5  |
| Overall Length (a)    | 5593                       | 220.2  |
| Overall Width         | 1971                       | 77.6   |
| Overall Height        | 1384                       | 54.5   |
| Track—Front           | 1572                       | 61.9   |
| —Rear                 | 1575                       | 62.0   |
| Curb Weight—Kilograms | 1655                       |        |
| —Pounds               |                            | 3648   |

(a) Includes bumper guards.

| Interior Dimensions      | Four-Door Pillared Hardtop |        |
|--------------------------|----------------------------|--------|
|                          | millimetres                | inches |
| Effective Headroom—Front | 970                        | 38.2   |
| —Rear                    | 950                        | 37.4   |
| Effective Legroom—Front  | 1074                       | 42.3   |
| —Rear                    | 973                        | 38.3   |
| Shoulder Room—Front      | 1549                       | 61.0   |
| —Rear                    | 1549                       | 61.0   |
| Hip Room—Front           | 1458                       | 57.4   |
| —Rear                    | 1458                       | 57.4   |

| Luggage Compartment                     | Four-Door Pillared Hardtop |        |
|-----------------------------------------|----------------------------|--------|
|                                         | millimetres                | inches |
| Loading Height                          | 709                        | 27.9   |
| Usable Luggage Capacity—dm <sup>3</sup> | 603                        |        |
| —cu. ft.                                |                            | 21.3   |

## ENGINE AND TRANSMISSION SPECIFICATIONS

|                                            | 6-cylinder    | 8-cylinder    |                    |            |                    |
|--------------------------------------------|---------------|---------------|--------------------|------------|--------------------|
| Availability                               | Standard      | Optional      | Optional           | Optional   | Optional (a)       |
| Displacement—litres                        | 3.7           | 5.2           | 5.2                | 5.9        | 5.9                |
| —cu. in.                                   | 225           | 318           | 318                | 360        | 360                |
| Carburetor                                 | 2-barrel      | 2-barrel      | 4-barrel           | 2-barrel   | 4-barrel           |
| Bore—millimetres                           | 86            | 99            | 99                 | 102        | 102                |
| —inches                                    | 3.4           | 3.91          | 3.91               | 4.0        | 4.0                |
| Stroke—millimetres                         | 105           | 84            | 84                 | 91         | 91                 |
| —inches                                    | 4.12          | 3.31          | 3.31               | 3.58       | 3.58               |
| Installed Net Power (kW @ R.P.M.)          | 78 @ 3600     | 93 @ 3600     | 119 @ 4000         | 100 @ 3200 | 142 @ 4000         |
| (H.P. @ R.P.M.)                            | 105 @ 3600    | 125 @ 3600    | 160 @ 4000         | 135 @ 3200 | 190 @ 4000         |
| Installed Net Torque (N•m @ R.P.M.)        | 230 @ 1600    | 332 @ 1600    | 332 @ 2000         | 352 @ 2000 | 380 @ 2000         |
| (lb. ft. @ R.P.M.)                         | 170 @ 1600    | 245 @ 1600    | 245 @ 2000         | 260 @ 2000 | 280 @ 2000         |
| Compression Ratio                          | 8.4:1         | 8.5:1         | 8.5:1              | 8.4:1      | 8.4:1              |
| Air Cleaner                                | Silenced      | Silenced      | Silenced           | Silenced   | Silenced           |
| Catalytic Exhaust System                   | Standard      | Standard      | Not Available      | Standard   | Not Available      |
| Exhaust                                    | Single        | Single        | Single             | Single     | Dual               |
| Fuel Required                              | Unleaded      | Unleaded      | Leaded or Unleaded | Unleaded   | Leaded or Unleaded |
| "Electronic Spark Control" System          | Not Available | Not Available | Standard           | Standard   | Standard           |
| Lock Up Torque Converter                   | Standard      | Standard      | Standard           | Standard   | Standard           |
| Torqueflite 3-Speed Automatic Transmission | Standard      | Standard      | Standard           | Standard   | Standard           |

(a) Available with the Heavy-Duty Trailer Assist Package only. Ask your dealer for details.



## SELECTED GRAN FURY OPTIONS

- A. **AM/FM/MX CASSETTE STEREO** radio-player provides superior reception with its Dolby\* noise reduction system. Makes listening to music or news more of a pleasure than ever!
- B. **AIR CONDITIONING.** Automatic temperature control . . . the perfect answer to hot weather driving. The system with its high-capacity blower provides quick cool-down. Blower speeds and temperature control are fingertip handy. Fresh air venting is controlled by the A/C button.
- C. **AUTOMATIC SPEED CONTROL.** Lets you pre-select desired speed, then keep it there automatically until you brake, accelerate or disengage the control. There is also a resume-speed memory feature.
- D. **DIGITAL CLOCK.** You get crystal-controlled accuracy to within 60 seconds a month with this handsome, all-electronic unit. Silent operation, no moving parts.
- E. **VANITY MIRROR.** Located on the sun visor on the driver's or passenger's side. Convenience item that lets you know if you're putting your "best face forward".

\*Trademark, Dolby Laboratories



A & B



C.



D.



E.

## CHRYSLER ANTI-CORROSION WARRANTY

Every Chrysler-built car has been engineered to withstand the rigours of driving over Canadian roads. But even more than that, we realize the corrosive effects of the mixture of moisture and road chemicals. That's why there's a Chrysler Anti-Corrosion Warranty on all Chrysler-built new cars. As outlined in the Anti-Corrosion

Warranty Certificate, Chrysler Canada Ltd. warrants that for the first thirty-six months from the time the vehicle was first placed in service, any part, except exhaust system components, of its 1980 model passenger cars which develops perforations due to corrosion will be repaired or replaced without charge for parts or labour.

## OPTIONAL 5/80 CHRYSLER PROTECTION PLAN

- Covers all major power train components
- Five years or 80,000 kilometres, whichever occurs first
- See your dealer for further details and cost



BUY, RENT  
OR LEASE

All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional, at extra cost. Chrysler Canada Ltd. reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, standard and optional equipment listed, colours and materials, and to change or discontinue models.

